Tertiary Infotech Academy Pte Ltd

UEN: 201200696W

LEARNER GUIDE

For

Microsoft 365 Copilot for Excel

Course Code: C34

Conducted by

Tertiary Infotech Academy Pte Ltd

UEN: 201200696W

Version 3.1

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

DOCUMENT VERSION CONTROL RECORD

Version Number	Effective Date of Release	Summary of Included Changes	Author
3.1	12 October 2026	Lab 8 skill drafting moved to Microsoft 365 Copilot on the web; self-contained creation prompt, web-to-OneDrive-to-Excel handoff, prompt page and learner materials aligned; Microsoft 365 training-account slide added to the course administration section; Lab 1 simplified to 10 plain-English prompts with no formulas to type (Copilot writes the Checks sheet); Lab 5 now focuses on the built-in @chart-design and @theme-design skills (finance skills removed); Lab 6 builds a custom pareto-chart skill - Copilot web draft, OneDrive upload, install in Excel - on a 500-row job-postings workbook, replacing the interview-calendar skill.	Assigned Tertiary Infotech Academy Trainer
1.0	29 July 2026	Initial aligned release of PPT, Learner Guide, Lesson Plan and six connected labs.	Assigned Tertiary Infotech Academy Trainer
2.0	8 October 2026	Restructured into four topics (analyse, charts, dashboards, insights and recommendations); eight labs in per-lab folders with HR and recruitment mock data and instruction PDFs with sample prompts; content updated from current Microsoft Support and Microsoft Learn guidance.	Assigned Tertiary Infotech Academy Trainer
2.1	11 October 2026	Slides made concise and hands-on: plain-language Key Concepts, a concept slide and a 'Try It in Copilot' slide per sub-topic, a tour of the Copilot pane, AutoSave shown as recommended, and a named theme for each lab.	Assigned Tertiary Infotech Academy Trainer
3.0	11 October 2026	Overhauled for the September 2026 Copilot in Excel: three topics (Excel Fundamentals with Copilot; Skills and Rules; Interactive Dashboards). Python in Excel and advanced analysis removed. New content and labs on Plan mode, the model picker, data sources, automated cleanup, Personalization, the .Rules sheet, built-in skills (chart-design, theme-design, unit-economics, check-model) and custom SKILL.md skills written with Copilot (interview calendar, workforce dashboard); dashboards rebuilt around rules, skills, slicers and a timeline.	Assigned Tertiary Infotech Academy Trainer

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

TABLE OF CONTENTS

Introduction **5**

Course Learning Outcomes **5**

Before You Start — Preparation **5**

Topic 01 — Excel Fundamentals with Copilot (Labs 1-3) **6**

What Is Data Prep? 7

Why Data Quality Matters 8

Chat Only, Plan and Allow Editing 9

Setup, Data Sources and the Model Picker 11

Cleaning Data with Copilot 12

Lab 1 · Data Prep & Data Quality — Explore and Question Recruitment Pipeline Data 14

What Is a Formula in Excel? 18

Table References: What Does @ Mean? 19

Reading Excel References: !, :, $ and [@[...]] 20

Reading a Formula: IF, AND and @ 21

What Is XLOOKUP? 22

Writing Formulas and XLOOKUPs with Copilot 23

Lab 2 · Formulas & XLOOKUP — Generate and Verify Formula Columns and XLOOKUPs for Job Requisitions 25

What Are PivotTables and PivotCharts? 30

PivotTables and PivotCharts from a Prompt 31

Choosing and Refining Charts 32

Lab 3 · PivotTables, PivotCharts & Visuals — Build PivotTables, PivotCharts and Recruitment Charts with Copilot 33

Topic 01 Recap - Mapped to Learning Outcomes 38

Topic 02 — Skills and Rules (Labs 4-6) **38**

Personalisation: Preferences That Follow You 39

Workbook Rules: The .Rules Sheet 40

Personalization, Rules and Skills Compared 41

Lab 4 · Workbook Rules & Personalisation — Clean Messy Client Orders with Cleanup, Personalisation and Rules 43

Built-in Skills: Chart Design and Theme Design 50

Themes: One Look for the Whole Workbook 51

Lab 5 · Built-in Skills: Visual Design — Plot and Style Client Growth Charts with Built-in Visual Skills 52

Custom Skills: The SKILL.md Recipe 57

Using Copilot to Write and Improve a Skill 58

Pareto Charts: Finding the Vital Few 59

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Lab 6 · Custom Skills: Pareto Chart — Use Copilot to Build a Custom Pareto-Chart Skill….60
Topic 02 Recap - Mapped to Learning Outcomes....67
Topic 03 — Interactive Dashboards with Copilot, Skills and Rules (Labs 7-8)....67
What Is a Skill?....68
Designing a Highly Visual Dashboard....69
Plan and Build with Rules and Skills....70
Interactivity: Slicers, Timelines and KPI Cards....71
Lab 7 · Interactive Dashboard — Build an Interactive Recruitment Dashboard with Rules and Skills....72
Workforce Measures: Headcount, Attrition and Tenure....79
A Reusable Dashboard Skill and the Refresh Test....80
Sharing People Dashboards Responsibly....81
Lab 8 · Dashboard Skill, Refresh & Share — Turn the Dashboard into a Reusable Skill, Refresh It and Share It Safely....82
Topic 03 Recap - Mapped to Learning Outcomes....90
Wrap-Up - The Complete C34 Workflow....90
Next Steps....92
Glossary....92

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Introduction

This Learner Guide accompanies Microsoft 365 Copilot for Excel (C34). It follows the same three topics - Excel fundamentals with Copilot, skills and rules, and interactive dashboards - and the same eight connected labs as the slide deck, Lesson Plan and lab folders. Every lab uses fictional data from BrightPath Talent Solutions, a made-up Singapore recruitment, staffing and HR-outsourcing firm.

Use the guide as a self-contained study text before, during and after class. Each concept explains what the capability is, why it matters, how it works, a worked example and when to use or avoid it, drawing on Microsoft Support guidance current in October 2026. Each lab folder contains an instruction PDF with sample prompts, a mock-data workbook and, where needed, a rules template or a ready-made SKILL.md. Copilot output remains a proposal until you inspect it and complete the Test It checks.

Course Learning Outcomes

- LO1: Use Copilot in Excel's Chat only, Plan and Allow editing modes to prepare and clean data, write formulas and XLOOKUPs, and build PivotTables, PivotCharts and charts, verifying every result.
- LO2: Make Copilot's work consistent and repeatable with personalisation, workbook rules (.Rules), built-in skills and custom skills that you create with Copilot.
- LO3: Combine Copilot, rules and skills to build a highly visual, interactive and refreshable dashboard, and verify and share it responsibly.

Before You Start — Preparation

What you need

- A Windows or Mac laptop with a current Excel for Microsoft 365 (desktop).
- A Microsoft 365 work account with a Microsoft 365 Copilot licence (personal and free accounts do not include every feature used in the labs).
- A folder named work-c34 on your computer for your working copies. OneDrive is needed only for custom skills (Labs 6 and 8), which Excel reads from a OneDrive skills folder.
- Office display language set to English: skills and workbook rules are fully supported in English only.
- The course labs folder: one sub-folder per lab with its instruction PDF, sample-prompts.txt, data/ workbook and any rules-template.txt or skills/ files.

Verify your setup

Copy labs/lab-01-*/data/BrightPath_Candidate_Pipeline.xlsx into your work-c34 folder and open it in Excel. Confirm that Formulas > Calculation Options is Automatic and open Copilot. Check the mode menu above the prompt box (Chat only, Plan, Allow editing),

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

the model picker at the top, the + (Add work content) menu and Settings (...) > Personalization and Manage plugins & skills. Labels and availability may change as Microsoft updates the product.

```
labs/
  lab-01-<name>/
    Lab-01-Instructions.pdf     instructions + sample prompts
    sample-prompts.txt          copy-ready prompts
    data/BrightPath_<dataset>.xlsx
    rules-template.txt          (Labs 4, 7, 8) .Rules text to paste
    skills/<name>/SKILL.md      (Labs 6, 8) ready-made skill
work-c34/                       your local working copies
OneDrive/.../skills/            your custom skills
```

Conventions used in every lab

- All BrightPath companies, people, IDs and values are fictional training data.
- Prompts are shown in shaded boxes; copy them from sample-prompts.txt or the prompts web page and adapt them.
- Labels such as CHAT ONLY:, PLAN MODE: and ALLOW EDITING: tell you which mode to choose first.
- S$ is used for currency, dates are yyyy-mm-dd and the reporting date is 2026-06-30.
- Log each prompt, what Copilot did, how you verified it and your decision on the Prompt_Log sheet.
- Copilot output can vary between runs and models; the Test It values come from the data, so check against them.

Topic 01 — Excel Fundamentals with Copilot (Labs 1-3)

Chat only, Plan and Allow editing · setup, data sources and the model picker · data prep and automated cleanup · formulas and XLOOKUP · PivotTables, PivotCharts and charts

Key concepts

- Pick the right mode — Chat only answers without touching the sheet. Plan shows its steps first. Allow editing makes the change.
- Keep or undo every change — After Copilot edits, select Done to keep it or Undo to reverse it. Version history is your safety net.
- Turn your data into a table — Ask Copilot to format the range as a named table, e.g. tblApplications. Copilot gives better answers on tables.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Name the columns in your prompt — 'Count hires by Source in tblApplications for 2026' beats 'analyse my data'.
- Describe the formula in plain English — 'Look up Recruiter_Name from tblRecruiters' - Copilot writes the XLOOKUP and explains it.
- Check every number — Compare Copilot's answer with your own COUNTIFS, SUMIFS or PivotTable total.

Concepts for Lab 1: What Is Data Prep?, Why Data Quality Matters, Chat Only, Plan and Allow Editing, Setup, Data Sources and the Model Picker, Cleaning Data with Copilot.

What Is Data Prep?

Data preparation is the work of turning a raw export into a table you can analyse: one header row, one record per row, one kind of value per column, and no blank rows, merged cells, subtotals or notes inside the data. In Excel you finish by formatting the range as a named table (Home > Format as Table, or Ctrl+T, then a name such as tblApplications), so formulas, PivotTables, charts and Copilot all see the same, clearly bounded data.

Most reports start as an export from another system - an applicant tracking system, payroll or a survey tool - and exports are rarely analysis-ready. A clean table expands automatically when rows are added, keeps formulas consistent down the column, and lets you say exactly what one row means (the grain). If you cannot say what a row means, no formula or prompt can fix the logic.

How it works

- Move report titles, notes and subtotal rows out of the data range; keep one header row with unique names.
- Select the data and format it as a table (Ctrl+T); give it a clear name in Table Design > Table Name.
- Write the grain in one sentence, e.g. 'one row = one candidate application'.

Worked example

- BrightPath's pipeline export has 13 columns and one row per application.
- It is formatted as tblApplications, so new applications join the table automatically.
- Grain: one row = one candidate application, identified by Application_ID.

Decision guide

Use when	Avoid when
You receive an export or a hand-built sheet that you will count, total or chart.	Summary rows, notes and data share one range - split them first.
Several people or tools (formulas, PivotTables, Copilot) will use the same data.	Cells are merged across rows or columns - unmerge before analysing.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Practitioner quality lens

- Grain: One sentence that says what a row represents.
- Headers: One header row, unique names, no blanks.
- Table: Formatted as a named Excel table.

Authoritative references

- https://support.microsoft.com/en-us/office/create-and-format-tables-2f0ce0e7-500b-4fe1-9b5b-a16ba4b9f34a
- https://support.microsoft.com/en-us/excel/copilot/get-started-with-copilot-in-excel

Why Data Quality Matters

Data quality is whether data is complete, consistent, unique, valid and accurate enough for the decision it supports. Typical problems are duplicate IDs, the same category spelt several ways ('LinkedIn', 'Linked In', 'JobStreet ' with a trailing space), numbers or dates stored as text, unexpected blanks, and values outside the allowed list.

Every count, total and chart inherits the errors in its source. Two duplicate rows inflate the application count; three spellings split LinkedIn into three sources; a date stored as text drops out of a monthly trend. Errors are cheap to fix before analysis and expensive after a report has been shared. Garbage in, garbage out - and AI does not change that: Copilot analyses the data you give it.

How it works

- Profile first: compare the row count with the unique-ID count, and list the distinct values of each category column.
- Flag problems before changing anything, and agree the valid values (the canonical list).
- Fix in a helper column or a copy, keep the original, then re-count to prove nothing was lost.

Worked example

- 242 rows but only 240 unique Application_IDs: 2 duplicates.
- 3 'Linked In' and 2 'JobStreet ' values would have under-counted two sources.
- A Source_Clean helper column fixes them; the original Source column is kept for audit.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Decision guide

Use when	Avoid when
Before any count, rate, chart or dashboard is built on new data.	Fixing a value would mean guessing a missing business fact - flag it instead.
Data is typed by hand or merged from several systems.	Deleting rows you cannot explain - mark them and ask the data owner.

Practitioner quality lens

- Unique: Row count equals unique-ID count, or the duplicates are explained.
- Consistent: Each category uses only the canonical spellings.
- Valid: Numbers and dates are real numbers and dates, not text.

Authoritative references

- https://support.microsoft.com/en-us/office/create-and-format-tables-2f0ce0e7-500b-4fe1-9b5b-a16ba4b9f34a
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-tips

Chat Only, Plan and Allow Editing

Copilot in Excel is an AI assistant in a side pane that can answer questions about a workbook and make changes to it using Excel's own features: tables, formulas, PivotTables, charts, formatting, sorting and filtering. Above the prompt box you choose one of three modes. Chat only answers in the pane and never changes the workbook. Plan reasons through the task, shows you the steps and waits for your approval. Allow editing, the default, plans and makes the changes in one go.

Copilot is not just a chatbot: in Plan and Allow editing it works as an agent that edits your file. Choosing the mode on purpose keeps you in control. After every edit Copilot highlights what it changed and offers Done or Undo, and a cloud workbook keeps version history. Results stay ordinary, editable Excel content that you can inspect - and Copilot can still make mistakes, so you check before you keep.

How it works

- Open Copilot from Home > Copilot (or the floating Copilot icon) and choose the mode above the prompt box.
- Describe one task; in Plan mode read the steps and approve or correct them.
- Inspect the highlighted changes, then select Done to keep them or Undo to reverse them.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Worked example

- Chat only: 'What does one row in tblApplications represent?' - the sheet does not change.
- Plan: 'Flag duplicate Application_IDs and standardise Source.' Copilot lists four steps; you approve.
- Allow editing: 'Format this range as a table named tblApplications.' You review and select Done.

Decision guide

Use when	Avoid when
Chat only for questions and analysis; Plan for big or multi-step changes; Allow editing for small, clear edits.	A decision about an individual (hiring, pay, exit) would rest on an unchecked AI output.
You can review each change and restore an earlier version if the result is wrong.	The data is not approved for use with Copilot under your organisation's policy.

Practitioner quality lens

- Mode: Chosen before the prompt, not after the change.
- Control: Every edit reviewed, then kept with Done or reversed with Undo.
- Traceability: Prompt_Log, change history and version history kept.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/get-started-with-copilot-in-excel
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-tips
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-change-history
- https://www.youtube.com/watch?v=4z4eIaEEH9A
- https://www.youtube.com/watch?v=wZ8QAKiIfuo

The Copilot Pane — What Each Control Does

- Copilot button or floating icon — Home > Copilot, or the floating icon at the bottom right. Right-click the icon to dock it or move it to the ribbon.
- Model picker (top) — Auto picks the model for each task. Or choose a Claude (Anthropic) or GPT (OpenAI) model for this session.
- Mode (above the prompt box) — Chat only answers. Plan shows its steps and waits. Allow editing (the default) makes the change.
- + Add work content — Attach a file, choose plugins & skills, create workbook rules, or switch web and work sources.
- Settings (...) — Personalization for your preferences; Manage plugins & skills to turn skills on or off.
- New chat and history — Start a new chat when you switch task or change a setting; reopen earlier chats from history.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Choosing a Model

- Auto (recommended) — Copilot chooses the model for each task. Start here.
- Claude - Anthropic — e.g. Claude Opus and Sonnet models. Deep reasoning models suit complex analysis.
- GPT - OpenAI — OpenAI's GPT models.
- Which one? — Try another model if an answer is weak. Premium models have fair-use limits. Always check the result.

Setup, Data Sources and the Model Picker

Copilot appears in Excel for Microsoft 365 on Windows, Mac and the web when your account has an eligible plan, such as a Microsoft 365 Copilot licence on a work account. It needs an internet connection and works on workbooks saved on your computer; OneDrive or SharePoint is optional and adds AutoSave and version history. From the + (Add work content) menu Copilot can use another file, web results or your work content as context, and the model picker at the top of the pane lets you choose Auto or a specific model.

Most 'Copilot is missing' problems are setup problems: an old Excel build, a licence or tenant setting, or an unsupported file. Bringing in the right file gives Copilot facts it cannot guess - but naming the file beats letting it search. Models have different strengths: Auto suits most tasks, a deeper reasoning model can catch errors in a complex analysis, and premium models have fair-use limits.

How it works

- Save the workbook as .xlsx on your computer, set Formulas > Calculation Options to Automatic and open Copilot.
- Use + > attach a file (or type / and the file name) to give Copilot another file as context.
- Leave the model on Auto; switch model and start a New chat to compare answers on a hard question.

Worked example

- A recruiter attaches the client rate-card PDF and asks Copilot to add the agreed fee rate to each job order.
- Auto says 'revise' on a business case; a deeper reasoning model finds the calculation error behind it.
- Both models' hire counts are checked against the same Checks sheet.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Decision guide

Use when	Avoid when
The extra file or web source is approved and you can name it precisely.	Several versions of a file exist and Copilot would have to guess which one you meant.
An answer is weak or high-stakes and a second model's view is worth comparing.	You would accept a premium model's answer without checking it - a better model is not always right.

Practitioner quality lens

- Setup: Current Excel build, eligible licence, Automatic calculation, cloud .xlsx.
- Sources: Named file or source; web and work toggles set on purpose.
- Models: Auto by default; compare models only against a known check.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/frequently-asked-questions-about-copilot-in-excel
- https://support.microsoft.com/en-us/microsoft-365-copilot/frequently-asked-questions-about-copilot-in-microsoft-365-subscriptions
- https://support.microsoft.com/en-us/excel/copilot/import-data-from-the-web-and-internal-sources-with-copilot-in-excel
- https://support.microsoft.com/en-us/excel/copilot/import-data-from-another-excel-file-with-copilot-in-excel
- https://www.youtube.com/watch?v=4z4eIaEEH9A
- https://www.youtube.com/watch?v=wZ8QAKiIfuo
- https://www.youtube.com/watch?v=gh8gs2eSc0c

Cleaning Data with Copilot

Copilot works best on tables: one header row, one record per row, one meaning per column and consistent values. Formatting a range as a named Excel table makes its boundary clear to people, formulas and Copilot. Clean data with Copilot (Data > Clean Data, or the suggestion Excel shows when it opens a messy file) finds extra spaces, inconsistent capitalisation and similar problems, and lets you apply each fix.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Duplicated IDs and labels such as 'LinkedIn', 'Linked In' and 'JobStreet ' split categories and corrupt every count built on them. Automated cleanup removes the typing problems quickly, but it cannot know your business meaning - that WIP means In Progress, or that a note saying 'paused' makes an order On Hold. That knowledge belongs in a prompt or, better, in workbook rules (Topic 2).

How it works

- Ask Copilot to format the data as a named table and to report the row count and unique-ID count.
- Ask Copilot (Chat only) to list duplicates and value variants before anything is changed.
- Fix with helper columns or Clean Data suggestions, then re-count to prove nothing was lost.

Worked example

- BrightPath's pipeline export has 242 rows but only 240 unique Application_IDs.
- Five Source values use non-standard spellings that would split the LinkedIn and JobStreet totals.
- Copilot adds a Source_Clean column with the names tidied up; the original Source stays unchanged.

Decision guide

Use when	Avoid when
The data can be expressed as a rectangular list with a stable row meaning.	A fix would require guessing a missing business fact.
Each column has one data type and a documented list of valid values.	Applying every suggestion blindly, without hovering to see which cells change.

Practitioner quality lens

- Grain: One sentence that says exactly what a row represents.
- Schema: Unique headers, consistent types and canonical category values.
- Controls: Row and unique-ID counts recorded before and after any change.

Authoritative references

- https://support.microsoft.com/en-us/office/create-and-format-tables-2f0ce0e7-500b-4fe1-9b5b-a16ba4b9f34a
- https://support.microsoft.com/en-us/excel/copilot/get-started-with-copilot-in-excel
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-tips
- https://www.youtube.com/watch?v=4z4eIaEEH9A

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Lab 1 · Data Prep & Data Quality — Explore and Question Recruitment Pipeline Data

Learning outcome: LO1: confirm Copilot access and use the Chat only, Plan and Allow editing modes to prepare, check, highlight, sort and filter recruitment pipeline data.

Goal: Turn a raw candidate-pipeline export into a named Excel table, find and fix its data-quality issues with Copilot, and answer pipeline questions you can check.

You are a talent analyst at BrightPath Talent Solutions, a fictional Singapore recruitment and staffing firm. You will meet Copilot's three modes on a real task, asking in plain English: Allow editing turns the H1 2026 pipeline export into a named table, Chat only describes it without touching the sheet, and Plan shows you its steps before it fixes duplicate IDs and inconsistent Source names. You will then ask which source brings in the most hires, have Copilot add a Checks sheet to confirm the answer, compare two AI models, and highlight, sort and filter the pipeline.

What you'll build

BrightPath_Candidate_Pipeline.xlsx in your work-c34 folder with table tblApplications, a Source_Clean column, duplicate IDs and Hired rows highlighted, a Checks sheet that confirms the hire counts and a filled Prompt_Log (Tools: Excel for Microsoft 365 (desktop) · Copilot (Chat only, Plan, Allow editing, model picker) · BrightPath_Candidate_Pipeline.xlsx.)

Prerequisites

- A Microsoft 365 account with Copilot in Excel enabled, signed in to Excel for Microsoft 365 (desktop).
- A folder named work-c34 on your computer for your working copies.
- This lab folder downloaded, including data/BrightPath_Candidate_Pipeline.xlsx.

Step-by-step

1. Copy BrightPath_Candidate_Pipeline.xlsx from this lab's data folder into a work-c34 folder on your computer and open it in Excel for Microsoft 365 (desktop). Work on this local copy - no OneDrive upload is needed. Check that Formulas > Calculation Options is Automatic, then open Copilot from the Copilot button on the Home tab or the floating Copilot icon at the bottom right. Read the About_This_Data sheet before you prompt.

```
Required state:

File      : work-c34/BrightPath_Candidate_Pipeline.xlsx (local copy)

Calculation Options : Automatic

Sheets    : About_This_Data | Applications | Prompt_Log
```


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

2. Open Copilot and find the mode menu above the prompt box: Chat only (answers, no changes), Plan (shows its steps first) and Allow editing (makes the changes). Choose Allow editing and ask Copilot to turn the data into a table. Its reply should confirm tblApplications with 13 columns and 242 rows. Select Done to keep the change, or Undo to reverse it. If Excel offers 'Clean data with Copilot', select Dismiss for now - you will use it in Lab 4.

```
ALLOW EDITING:

Turn the data on the Applications sheet into a table named tblApplications.
Don't change any values.

Then tell me how many rows and columns it has.
```

3. Switch to Chat only (no workbook changes) and ask Copilot to describe the data. The row count should match Step 2 (242). If Copilot already mentions odd Source names such as 'Linked In', note them - you fix them in Step 4.

```
CHAT ONLY:

Describe this data for me. What does one row represent, what dates does it
cover, and what are the different Stage and Source values?
```

4. Still in Chat only, ask Copilot to look for problems. It should find 2 repeated Application_IDs and Source names spelt more than one way ('Linked In', and 'JobStreet' with an extra space). Then switch to Plan and ask for the fix: read Copilot's plan, approve it, then select Done. Each repeated ID turns orange in both places it occurs - one near the top of the table and its copy in the last rows (press Ctrl+End to jump there). To check the fix, open the filter arrow on the new Source_Clean column: you should see 7 sources and no 'Linked In', and the table still has 242 rows.

```
CHAT ONLY:

Are there any data-quality problems in tblApplications, such as repeated
Application_IDs or Source names spelt in different ways? Don't change
anything yet.


PLAN MODE:

Highlight the repeated Application_IDs in orange. Then add a Source_Clean
column with the Source names tidied up, and keep the original Source column
as it is.
```

5. Ask Copilot which source brings in the most hires (Chat only). Then switch to Allow editing and ask it to add a Checks sheet that counts the hires with formulas, so you can confirm its answer. Finally, open the model picker at the top of the pane (Auto by default), choose a different model, select New chat and send the first

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

prompt again. Both answers must match the Checks sheet - if a model disagrees, the Checks sheet wins.

```
PROMPT (Chat only):

Which source brings in the most hires? Show the applications, hires and
hire rate for each source, using Source_Clean.



CHECK (Allow editing):

Add a Checks sheet with formulas that count the total hires and the
LinkedIn hires, so I can check your answer.
```

6. Stay in Allow editing and send these one change at a time. After each change, look at the sheet and keep it or select Undo in the Copilot pane. When you have the filtered count, select Data > Clear to show all 242 rows again.

```
1) Highlight the rows of candidates who were hired in light green.

2) Sort the table so the highest interview scores come first.

3) Show only the Technology candidates at the Interview stage. How many are
there?
```

7. Prompt_Log already lists every prompt in this lab with its step and mode. Ask Copilot to fill in what it did, how it was verified and your decision (Keep, Revise or Undo). Save the workbook (Ctrl+S / Cmd+S) when it is done.

```
LOG (Allow editing):

Prompt_Log already lists every prompt in this lab. For each one I ran, fill
in What Copilot did and How I verified, and set Decision to Keep. I will
tell you any row to change to Revise or Undo.
```

Sample prompts

Purpose	Prompt
Summary	Give me a quick summary of this pipeline data in five bullet points.
Question	Which sector received the most applications?
Question	Which recruiter has the most candidates at the Offer stage?
Highlight	Highlight the candidates with an interview score of 5 in light blue.
Insight	What's interesting about this data? Give me three observations with the numbers behind them.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Test it

Check	Expected result
Rows in tblApplications	242 rows, 240 unique Application_IDs
Duplicate IDs (orange)	APP-0018 and APP-0020 - 4 orange cells: 2 near the top, 2 in the last rows
Source_Clean	7 sources - 3 'Linked In' and 2 'JobStreet' (extra space) fixed
Hires (Checks sheet)	22 in total; LinkedIn has the most (8)
Two models	Both name LinkedIn as the top source, matching the Checks sheet
Technology + Interview filter	9 rows; all 242 back after Data > Clear

Checkpoint and rejoin point

Keep this workbook in work-c34. Lab 2 uses a separate requisitions workbook, so a learner who is behind can start Lab 2 from its own data folder.

Troubleshooting

If this happens	Fix
The Copilot button is missing or greyed out.	Save the file as a normal .xlsx, close and reopen it, and update Excel. Check your licence in your Microsoft 365 account and ask IT if Copilot is disabled for your tenant. Pair with a neighbour meanwhile.
There is no Plan option in the mode menu.	Some Excel builds show only Allow editing and Chat only. Use Chat only, end the prompt with 'Show me the plan; do not change anything yet', then switch to Allow editing to carry it out.
'Unsupported file state' message.	Save as a normal .xlsx (Strict Open XML files are not supported), close and reopen it. If the file is read-only, copy it into work-c34 and open the copy.
Copilot answers about the whole sheet instead of the table.	Mention tblApplications in the prompt and click inside the table before asking.
Copilot's count differs from the Checks sheet.	Ask Copilot how it counted (all rows or unique IDs, which Stage values). Trust the Checks sheet, note the difference and ask again more precisely.

Challenge

Ask Copilot to add a Pipeline_Status column that groups the stages into Active, Hired and Closed (Rejected or Withdrawn). Check that the three counts add up to the row count.

Reflection

Which data-quality issue would most distort a source-effectiveness report if you had not found it, and why?

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Note: The lab folder labs/lab-01-*/ holds the instruction PDF with sample prompts, sample-prompts.txt and the mock-data workbook (data/BrightPath_Candidate_Pipeline.xlsx). Use only the supplied fictional BrightPath data or information you are authorised to process. Do not paste credentials, confidential business material or real employees' personal data into Copilot, rules or skills.

Concepts for Lab 2: What Is a Formula in Excel?, Table References: What Does @ Mean?, Reading Excel References: !, :, $ and [@[...]], Reading a Formula: IF, AND and @, What Is XLOOKUP?, Writing Formulas and XLOOKUPs with Copilot.

What Is a Formula in Excel?

A formula starts with = and calculates a value from cells, constants and functions such as SUM, IF, COUNTIFS and SUMIFS. Inside a table, structured references use names instead of cell addresses: =[@Filled]/[@Openings] works on the current row, and =SUM(tblRequisitions[Filled]) on a whole column. A formula typed once in a table column fills the entire column automatically.

Formulas make results reproducible and auditable: anyone can click a cell, read how it was calculated, and trust that it recalculates when the data changes - a typed number does neither. Structured references read like the business rule and do not break when rows are added or moved.

How it works

- Write the business rule in words first, including what happens with blanks and open items.
- Build it from functions: IF for conditions, COUNTIFS and SUMIFS for conditional counts and totals.
- Check one row by hand and compare a column total with an independent formula.

Worked example

- Fill rate: =[@Filled]/[@Openings], formatted as a percentage.
- Open or closed: =IF([@Close_Date]="","Open","Closed").
- Open requisitions: =COUNTIFS(tblRequisitions[Status],"Open").

Decision guide

Use when	Avoid when
A value can be calculated from other values by a fixed rule.	Typing a number that could be calculated - it will go out of date.
The result must update when the data changes.	Hard-coding a cell such as C2 when a table column name would be clearer.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Practitioner quality lens

- Readable: Structured references and clear column names.
- Complete: Blanks, zero and open items handled on purpose.
- Checked: One row hand-worked, one total reconciled.

Authoritative references

- https://support.microsoft.com/en-us/office/create-and-format-tables-2f0ce0e7-500b-4fe1-9b5b-a16ba4b9f34a
- https://support.microsoft.com/en-us/excel/copilot/get-started-with-copilot-in-excel

Table References: What Does @ Mean?

Inside an Excel table, formulas use column names instead of cell addresses. The @ sign means 'this row': [@Filled] is the Filled value in the same row as the formula, so =[@Filled]/[@Openings] divides this row's Filled by this row's Openings. Without the @, tblRequisitions[Filled] means the whole Filled column - the form used for totals such as =SUM(tblRequisitions[Filled]).

Copilot writes table formulas this way, so you need to read them. A row formula with @ is typed once and fills every row, each row calculating with its own numbers. It reads like the business rule instead of =G2/F2, and it keeps working when rows are added, sorted or moved, because it refers to column names, not positions. You only see @ inside an Excel table; in a normal range Excel uses addresses like G2.

How it works

- Read [@Column] as 'this row's Column' and Table[Column] as 'the whole Column'.
- Use @ for a calculated column (one result per row); drop it for totals and counts over the column.
- Click a cell in the column and check the formula bar: the same formula appears in every row.

Worked example

- Row 3 (JOB-2002): =[@Filled]/[@Openings] means the same as =G3/F3 - 4 / 4 = 100%.
- =SUM(tblRequisitions[Filled]) adds the Filled column for all 60 requisitions.
- Copilot reports 'Added Fill_Rate for all 60 rows' because one @ formula filled the column.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Decision guide

Use when	Avoid when
Your data is an Excel table and the formula works row by row.	Mixing @ into a total - =SUM([@Filled]) only adds one row.
You want a formula that survives sorting, filtering and new rows.	Expecting @ in a plain range - convert it to a table first (Ctrl+T).

Practitioner quality lens

- Row vs column: @ for one row; no @ for the whole column.
- Consistent: One formula down the whole column, no overrides.
- Readable: Column names that say what the value is.

Authoritative references

- https://support.microsoft.com/en-us/office/create-and-format-tables-2f0ce0e7-500b-4fe1-9b5b-a16ba4b9f34a

Reading Excel References: !, :, $ and [@[...]]

A few symbols tell you where a formula looks. The ! separates a sheet name from a cell address: Control!B1 is cell B1 on the Control sheet, and a sheet name with spaces gets quotes, as in 'Dash Data'!B2. The colon makes a range: P2:P61 is every cell from P2 down to P61. The $ locks part of an address so it does not shift when the formula is copied: $B$1 always points at B1. And [@[Column]] is the same as [@Column] - this row's value - with extra brackets that Excel adds around a column name, and that are required when the name contains spaces or special characters.

Copilot's replies and formulas are full of these references - 'Added Est_Fee for all 60 rows in Requisitions!P2:P61' tells you exactly which cells changed. Being able to read them is how you check that a formula points at the right sheet, the right range and the right fixed input, such as the report date. A missing $ is a classic copy error: the reference slides down the sheet with the formula.

How it works

- Read Sheet!Cell as 'this cell on that sheet', and A:B ranges as 'from A to B'.
- Use $ (press F4 while editing a reference) for a fixed input every row must use, such as Control!$B$1.
- Read [@[Column]] exactly like [@Column]: this row's value in that column.

Worked example

- Requisitions!P2:P61 - the Est_Fee column, rows 2 to 61, on the Requisitions sheet.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Days_Open for open roles uses Control!$B$1, the report date, so every row uses the same date.
- =[@Filled]*[@[Monthly_Salary_Budget]]*12*[@[Fee_Rate]] - this row's Filled x salary x 12 x fee rate.

Decision guide

Use when	Avoid when
Checking where a Copilot formula or change points.	Copying a formula that should use one fixed cell without a $ - it will shift.
A formula needs a value from another sheet or one fixed cell.	Typing a value into many formulas instead of referring to one input cell.

Practitioner quality lens

- Right sheet: The sheet name before ! is the one you meant.
- Right range: The range covers every row - no more, no fewer.
- Fixed inputs: Shared inputs are locked with $ or held in one named cell.

Authoritative references

- https://support.microsoft.com/en-us/office/create-and-format-tables-2f0ce0e7-500b-4fe1-9b5b-a16ba4b9f34a

Reading a Formula: IF, AND and @

Lab 2's Ageing_Flag column uses =IF(AND([@Status]="Open", [@[Days_Open]]>45), "Overdue", ""). Read it from the inside out. [@Status]="Open" tests whether this row's Status is Open; [@[Days_Open]]>45 tests whether this row has been open more than 45 days; AND(...) is TRUE only when both tests are TRUE; and IF(test, "Overdue", "") shows Overdue when the test is TRUE and leaves the cell blank when it is FALSE.

Copilot writes formulas like this for you, but you still own the result - so you need to be able to read one. The @ makes the formula check each requisition on its own row; without it, [Status] would mean all 60 values at once and the formula would return an error or a wrong result. Reading the formula is also how you confirm the business rule: Open only, and strictly more than 45 days.

How it works

- Start with the innermost tests and say each one in words.
- Then read the function that combines them (AND, OR) and the IF that chooses the result.
- Check the rule with a count: =COUNTIF(tblRequisitions[Ageing_Flag],"Overdue").

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Worked example

- A requisition with Status Open and Days_Open 52 shows Overdue.
- Open and 30 days, or Filled and 80 days, stays blank - both tests must be TRUE.
- BrightPath has 13 Overdue requisitions, matching =COUNTIFS(... "Open", ... ">45").

Decision guide

Use when	Avoid when
A flag depends on two or more conditions at the same time.	The rule is 'either' condition - use OR instead of AND.
You need to confirm what a Copilot-written formula really tests.	The threshold (45 days) is unclear - agree it before the formula is written.

Practitioner quality lens

- Rule: Each test matches the business rule, including > vs >=.
- Row by row: @ on every column reference inside a calculated column.
- Counted: The flag count equals an independent COUNTIFS.

Authoritative references

- https://support.microsoft.com/en-us/office/create-and-format-tables-2f0ce0e7-500b-4fe1-9b5b-a16ba4b9f34a

What Is XLOOKUP?

XLOOKUP finds a value in one column and returns the matching value from another column: =XLOOKUP(lookup_value, lookup_array, return_array, [if_not_found]). For example =XLOOKUP([@Recruiter_ID], tblRecruiters[Recruiter_ID], tblRecruiters[Recruiter_Name], "Not found") brings each recruiter's name into the requisitions table. It replaces VLOOKUP and INDEX/MATCH for most lookups.

The data you need often lives in another table - names in a staff list, rates in a rate card, targets in a plan. A lookup joins the two by a shared key instead of copy-paste, and updates when either table changes. XLOOKUP is easier and safer than VLOOKUP: it matches exactly by default, can look left, does not break when columns are inserted, and lets you choose what to show when nothing is found.

How it works

- Find the key both tables share (e.g. Recruiter_ID) and make sure it is unique in the lookup table.
- Write =XLOOKUP(key, lookup column, return column, "Not found") in a new table column.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Count "Not found" results - each one is a missing or mistyped key to fix at the source.

Worked example

- Requisition JOB-2002 has Recruiter_ID R05; XLOOKUP returns Siti Hamid from tblRecruiters.
- An ID typed as 'R05 ' (trailing space) would return Not found - the key must match exactly.
- =COUNTIF(tblRequisitions[Recruiter_Name],"Not found") returns 0 when every key matches.

Decision guide

Use when	Avoid when
Two tables share a key and you need a value from one in the other.	The key is not unique in the lookup table - XLOOKUP returns only the first match.
The lookup table is maintained separately and changes over time.	Keys differ in type or spacing (text vs number, trailing spaces) - clean them first.

Practitioner quality lens

- Key: Unique in the lookup table, identical in both tables.
- Not found: A clear fallback value, then counted and explained.
- Spot-check: One looked-up value compared with the source table.

Authoritative references

- https://support.microsoft.com/en-us/office/xlookup-function-b7fd680e-6d10-43e6-84f9-88eae8bf5929
- https://support.microsoft.com/en-us/office/create-and-format-tables-2f0ce0e7-500b-4fe1-9b5b-a16ba4b9f34a

Writing Formulas and XLOOKUPs with Copilot

Describe a calculation in business language and Copilot writes the formula: calculated columns, total rows, conditional flags and lookups such as XLOOKUP that pull a matching value from another table. In a table it uses structured references such as [@Filled] that fill the whole column. Copilot can also explain any formula, and it can do several related steps from one prompt.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

You no longer need to remember XLOOKUP's arguments - but a formula can be valid and still wrong: Days_Open may ignore open requisitions, a fee may use the monthly instead of the annual salary, or a blank may become zero. Using the exact table and column names in the prompt, asking for an explanation and hand-checking a row turns a generated formula into evidence.

How it works

- Write the business rule in words, using the exact sheet, table and column names.
- Ask for the column (or two or three related steps) and for an explanation of the formula.
- Hand-check one normal and one edge-case row, and tie the column total to an independent formula.

Worked example

- 'Add Recruiter_Name to tblRequisitions by looking it up from tblRecruiters using Recruiter_ID.'
- 'Add Est_Fee = Filled x Monthly_Salary_Budget x 12 x Fee_Rate, then add a total row.'
- JOB-2002: 4 x S$4,900 x 12 x 25% = S$58,800 - matches the generated value.

Decision guide

Use when	Avoid when
The rule is deterministic and can be written with native Excel functions.	A subjective judgement is dressed up as a precise calculation.
A hand-worked sample or control total can verify the result.	The formula hides missing data or an unapproved threshold.

Practitioner quality lens

- Semantics: Numerator, denominator, units and report date are right.
- Edge cases: Blanks, zero, open items and one large value tested.
- Reconcile: Column total equals an independent control.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/get-started-with-copilot-in-excel
- https://support.microsoft.com/en-us/office/xlookup-function-b7fd680e-6d10-43e6-84f9-88eae8bf5929
- https://support.microsoft.com/en-us/office/create-and-format-tables-2f0ce0e7-500b-4fe1-9b5b-a16ba4b9f34a
- https://www.youtube.com/watch?v=4z4eIaEEH9A

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Lab 2 · Formulas & XLOOKUP — Generate and Verify Formula Columns and XLOOKUPs for Job Requisitions

Learning outcome: LO1: use Copilot to write XLOOKUP and calculated columns from plain-English rules, explain them, and reconcile them to independent control formulas.

Goal: Add recruiter names, days open, fill rate, estimated placement fee and an ageing flag to a requisitions table, then prove each column is right.

BrightPath's permanent-recruitment desk tracks 60 client job orders. You will ask Copilot to add an XLOOKUP for the recruiter's name and four calculated columns written from business rules, ask it to explain each formula, hand-check one requisition and reconcile column totals to independent formulas on the Control sheet. You will then ask Copilot which recruiter generated the most estimated fees and verify the answer.

What you'll build

BrightPath_Job_Requisitions.xlsx with Recruiter_Name, Days_Open, Fill_Rate, Est_Fee and Ageing_Flag columns in tblRequisitions, overdue requisitions highlighted, and a Control sheet that reconciles the totals (Tools: Excel · Copilot (Allow editing, Chat only) · XLOOKUP · structured references · BrightPath_Job_Requisitions.xlsx.)

Prerequisites

- Lab 1 completed, or Copilot access confirmed on a local .xlsx file.
- This lab folder's data/BrightPath_Job_Requisitions.xlsx.

Step-by-step

1. Copy BrightPath_Job_Requisitions.xlsx from this lab's data folder into a work-c34 folder on your computer and open it in Excel for Microsoft 365 (desktop). Work on this local copy - no OneDrive upload is needed. Check that Formulas > Calculation Options is Automatic, then open Copilot from the Copilot button on the Home tab or the floating Copilot icon at the bottom right. Read the About_This_Data sheet before you prompt. Note the fee rule: Est_Fee = Filled x Monthly_Salary_Budget x 12 x Fee_Rate, and the report date in Control!B1.

```
Tables : tblRequisitions (60 rows) | tblRecruiters (6 rows)

Control!B1 Report_Date = 2026-06-30
```

2. Choose Allow editing. Ask Copilot to add the lookup column, then ask it to explain the formula and show one row next to the matching row in tblRecruiters.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
In tblRequisitions, add a column Recruiter_Name that looks up
Recruiter_Name from tblRecruiters using Recruiter_ID. Use XLOOKUP and
return "Not found" if there is no match.
```

```
Then: Explain the Recruiter_Name formula, and show one row's Recruiter_ID
and Recruiter_Name next to the matching row in tblRecruiters.
```

3. Ask for Days_Open with an explicit rule for open requisitions. Read the explanation, then ask Copilot to show an open row (blank Close_Date) and a closed row so you can confirm the rule.

```
Add a column Days_Open to tblRequisitions. If Close_Date is blank, use
Control!B1 minus Open_Date; otherwise use Close_Date minus Open_Date. Show
whole numbers.
```

```
FOLLOW-UP: Show one open requisition (blank Close_Date) and one closed
requisition with Open_Date, Close_Date and Days_Open, and the subtraction
behind each.
```

4. Ask for Fill_Rate and Est_Fee, one prompt each. Format Fill_Rate as a percentage and Est_Fee as S$ with no decimals. Then ask Copilot to show the calculation for JOB-2002: Filled 4 x S$4,900 x 12 x 25% = S$58,800.

```
Add a column Fill_Rate = Filled divided by Openings, formatted as a
percentage.
```

```
Add a column Est_Fee = Filled x Monthly_Salary_Budget x 12 x Fee_Rate,
formatted as S$ with no decimals.

Explain the formula.
```

```
FOLLOW-UP: Show the Est_Fee calculation for JOB-2002 step by step.
```

5. Ask for the ageing flag and a highlight, then ask Copilot how many requisitions are flagged.

```
Add a column Ageing_Flag that shows "Overdue" when Status is "Open" and
Days_Open is greater than 45, otherwise leave it blank. Highlight rows
where Ageing_Flag is "Overdue" with a light amber fill.
```

```
FOLLOW-UP: How many rows have Ageing_Flag = "Overdue"?
```


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

6. Ask Copilot to build independent controls on the Control sheet with the exact formulas below. The independent formulas recalculate from the raw columns, so they do not rely on Copilot's new columns. Each pair must match.

```
Enter these labels and formulas on the Control sheet exactly as written.
Then tell me each result and whether each pair (B3 and B4, B6 and B7)
matches:

A3 Total Est_Fee (column)       B3 =SUM(tblRequisitions[Est_Fee])

A4 Total fee (independent)      B4
=SUMPRODUCT(tblRequisitions[Filled],tblRequisitions[Monthly_Salary_Budget],
tblRequisitions[Fee_Rate])*12

A5 Avg days to fill (Filled)    B5
=AVERAGEIFS(tblRequisitions[Days_Open],tblRequisitions[Status],"Filled")

A6 Overdue (independent)        B6
=COUNTIFS(tblRequisitions[Status],"Open",tblRequisitions[Days_Open],">45")

A7 Overdue flags (column)       B7
=COUNTIF(tblRequisitions[Ageing_Flag],"Overdue")
```

7. In Chat only, ask which recruiter generated the most estimated fees. Then ask Copilot (Allow editing) to add the SUMIFS check to the Control sheet and to log all prompts on Prompt_Log.

```
CHAT ONLY:

Using tblRequisitions, which Recruiter_Name has the highest total Est_Fee?
Show the total for every recruiter.



CHECK (Allow editing):

On the Control sheet, add this check for the top recruiter and tell me if
it matches your answer:

=SUMIFS(tblRequisitions[Est_Fee],tblRequisitions[Recruiter_Name],"<name>")



LOG (Allow editing):

Prompt_Log already lists every prompt in this lab. For each one I ran, fill
in What Copilot did and How I verified, and set Decision to Keep. I will
tell you any row to change to Revise or Undo.
```


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Sample prompts

Purpose	Prompt
Lookup	Add a column Recruiter_Name that looks up Recruiter_Name from tblRecruiters using Recruiter_ID with XLOOKUP. Return "Not found" if missing.
Duration	Add a column Days_Open: if Close_Date is blank use Control!B1 minus Open_Date, otherwise Close_Date minus Open_Date.
Ratio	Add a column Fill_Rate = Filled / Openings formatted as a percentage.
Business rule	Add a column Est_Fee = Filled x Monthly_Salary_Budget x 12 x Fee_Rate, formatted as S$ with no decimals.
Flag	Add a column Ageing_Flag that shows "Overdue" when Status is Open and Days_Open > 45, otherwise blank.
Explain	Explain the formula in the selected cell step by step, and tell me how blanks are handled.
Summary row	Add a total row to tblRequisitions that sums Openings, Filled and Est_Fee and averages Days_Open.
Question	Which recruiter has the highest total Est_Fee? Show every recruiter's total, highest first.
Several steps	Add Fill_Rate and Est_Fee columns, add a total row, then tell me which recruiter has the highest total Est_Fee.

Test it

Check	Expected result
Total estimated fees (Control B3 and B4)	Both S$1,030,512
Average days to fill (B5)	34.6 days (29 filled requisitions)
Overdue requisitions (B6 and B7)	Both 13
Sample row JOB-2002	Est_Fee S$58,800, Days_Open 36
Recruiter_Name lookup	Every row has a name - no "Not found"
Top recruiter by fees	Aisha Rahman - S$221,760

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Checkpoint and rejoin point

Keep the workbook in work-c34. Lab 3 uses its own metrics workbook in the Lab 3 folder.

Troubleshooting

If this happens	Fix
Days_Open is negative or huge for open requisitions.	The formula used today's date or a blank as zero. Ask Copilot to use Control!B1 explicitly, or edit the formula.
Est_Fee is 12 times too small or too large.	Re-read the rule: fee is on first-year salary (monthly x 12). Ask Copilot to explain the formula and correct it.
The new column is outside the table.	Click inside tblRequisitions before prompting and name the table in the prompt; or drag the table's resize handle.
Copilot cannot add a formula column.	Confirm Calculation Options is Automatic and the data is an Excel table; if it still fails, save, close and reopen the workbook.

Challenge

Ask Copilot to add a Fee_Achieved column that is Est_Fee for Filled requisitions only, then build a small summary of Fee_Achieved by Sector with SUMIFS. Check that the sector totals add up to the grand total. Then bring in other data: select + (Add work content) and attach Lab 1's BrightPath_Candidate_Pipeline.xlsx (Copilot can only attach files it can find in your OneDrive or SharePoint, so skip this part if you work locally only), and ask: 'Add a sheet Sector_View that compares open requisitions by Sector in this workbook with hires by Client_Sector in the attached pipeline.' Check one sector's hires with COUNTIFS in the pipeline workbook.

Reflection

Which of today's formulas would have looked correct but been wrong without a hand-check, and how did you catch it?

Note: The lab folder labs/lab-02-*/ holds the instruction PDF with sample prompts, sample-prompts.txt and the mock-data workbook (data/BrightPath_Job_Requisitions.xlsx). Use only the supplied fictional BrightPath data or information you are authorised to process. Do not paste credentials, confidential business material or real employees' personal data into Copilot, rules or skills.

Concepts for Lab 3: What Are PivotTables and PivotCharts?, PivotTables and PivotCharts from a Prompt, Choosing and Refining Charts.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

What Are PivotTables and PivotCharts?

A PivotTable summarises a table without writing formulas: you place fields in Rows, Columns, Values (Sum, Count or Average) and Filters, and Excel groups and totals the data. A PivotChart is a chart drawn from a PivotTable; it changes when the PivotTable is filtered, rearranged or refreshed. Create them from Insert > PivotTable, then PivotTable Analyze > PivotChart.

PivotTables answer 'how many' and 'how much by group' questions in seconds, and you can reshape the view by dragging a field instead of rewriting formulas. The grand total gives every chart a number you can check. One catch: a PivotTable does not update by itself - after the source data changes, select Data > Refresh All.

How it works

- Click inside the source table and select Insert > PivotTable > New Worksheet.
- Drag fields into Rows, Columns and Values; check the aggregation is Sum, Count or Average as intended.
- Insert a PivotChart from it, and refresh both after the data changes.

Worked example

- tblMonthly: Month_Label in Rows and Sum of Hires in Values gives hires for each of 18 months.
- Adding Sector to Columns splits each month by sector - no new formulas needed.
- A line PivotChart of that PivotTable shows the hiring trend.

Decision guide

Use when	Avoid when
You need totals, counts or averages by one or two categories.	The value must update live without a refresh - use a formula such as SUMIFS.
You want to explore the data by rearranging the summary.	The aggregation is wrong for the measure, e.g. summing a rate or an ID.

Practitioner quality lens

- Aggregation: Sum, Count or Average chosen on purpose.
- Tie-out: Grand total equals a SUM of the source column.
- Fresh: Refreshed after every data change.

Authoritative references

- https://support.microsoft.com/en-us/excel/overview-of-pivottables-and-pivotcharts

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

PivotTables and PivotCharts from a Prompt

A PivotTable summarises a table by the fields you choose - rows, columns, values and filters - and a PivotChart draws that summary and stays linked to it. Describe both in one prompt, for example 'Create a PivotTable with Month in rows and Sum of Hires, then a line PivotChart from it', and Copilot builds them on the sheet you name. Slicers and timelines added later filter them together.

A PivotTable gives every chart a visible, checkable total, and refreshes when the source table grows. Its grand total can be reconciled to a SUM or SUMIFS of the source in seconds. If the first result does not match your intent, add the missing detail - field, aggregation, filter or chart type - rather than starting over.

How it works

- Prompt for the PivotTable: source table, rows, columns, values, aggregation, filter and target sheet.
- Prompt for the PivotChart from that PivotTable, with the chart type and labels you need.
- Check the grand total against a SUM or SUMIFS of the source table.

Worked example

- 'Create a PivotTable from tblMonthly on Pivot_Trend with Month_Label in rows and Sum of Hires.'
- 'Create a line PivotChart of total hires by month from that PivotTable, with data labels.'
- Check: the 2026 Pivot total is 361 hires = SUMIFS(tblMonthly[Hires], ...).

Decision guide

Use when	Avoid when
The data is in a table and the measure has a defined aggregation.	The question, denominator or aggregation has not been agreed yet.
You need a summary and chart that update when the data changes.	A static picture from a Chat answer would be pasted into a recurring report.

Practitioner quality lens

- Grain: You know what one Pivot cell represents.
- Tie-out: Pivot grand total equals the source-table control.
- Linked: PivotChart linked to its PivotTable, not a pasted picture.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/visualize-your-data-with-copilot-in-excel
- https://support.microsoft.com/en-us/excel/overview-of-pivottables-and-pivotcharts

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- https://support.microsoft.com/en-us/excel/copilot/get-started-with-copilot-in-excel

Choosing and Refining Charts

Every chart answers one kind of question: comparison across categories uses a column or bar chart, change over time a line chart, a recruitment funnel a funnel or ordered bar chart, and two measures with different units a combo chart with a secondary axis. Follow-up prompts keep the conversation's context, so you can refine a chart one change at a time: sort, title, axis format, colours, labels and alt text.

Copilot will draw whatever you ask for, quickly and polished - but a pie chart of 18 months or a combo chart with S$ and % on one axis can mislead a leadership team. Deciding the question first, then refining with small, specific follow-ups, turns a default chart into a decision visual. Copilot can also create a whole new spreadsheet - such as a tracker with a Gantt chart - from a blank workbook.

How it works

- Write the question, choose the chart type that answers it, and name the fields in the prompt.
- Refine with one follow-up per change: sort, finding-style title, axis units, colours, alt text.
- Check the chart's values against its PivotTable or source total after formatting.

Worked example

- 'Create a combo chart: Hire_Rate as columns sorted highest first, Cost_per_Hire as a line on a secondary axis.'
- 'Change the title to: Referrals convert best - hire rate by source, Jan-Jun 2026.'
- Blank workbook: 'Create a spreadsheet to plan and track July hiring, with a Gantt chart visual.'

Decision guide

Use when	Avoid when
The audience needs one clear message from the visual.	A pie with many slices or a 3-D effect would distort comparison.
The chart is right in substance but not yet clear to its audience.	Many edits are bundled into one vague prompt such as 'make it pretty'.

Practitioner quality lens

- Fit: Chart type matches comparison, trend, funnel or two-measure question.
- Message: Title states the finding; axes labelled with units.
- Integrity: Zero-based bars, no hidden categories, values still match the source.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/visualize-your-data-with-copilot-in-excel
- https://support.microsoft.com/en-us/excel/copilot/data-insights-with-copilot-in-excel
- https://support.microsoft.com/en-us/excel/overview-of-pivottables-and-pivotcharts
- https://www.youtube.com/watch?v=4z4eIaEEH9A

Lab 3 · PivotTables, PivotCharts & Visuals — Build PivotTables, PivotCharts and Recruitment Charts with Copilot

Learning outcome: LO1: use Copilot to build PivotTables, PivotCharts and trend, comparison, funnel and combo charts from prompts, refine them with follow-up prompts and tie each chart to a checked total.

Goal: Produce four decision-ready recruitment charts - hiring trend, hires by sector, the H1 2026 funnel and source effectiveness - each backed by a reconciled summary.

BrightPath's leadership wants to see how hiring is moving and which sectors and sourcing channels perform best. You will ask Copilot to build PivotTables and PivotCharts from 18 months of funnel metrics and a sourcing summary, choose each chart from the question it answers, refine titles, labels, sort order and axes with follow-up prompts, and reconcile every chart to an independent SUMIFS check.

What you'll build

BrightPath_Recruitment_Metrics.xlsx with PivotTables and four refined charts on the Charts sheet: a monthly hires line PivotChart, a sorted 2026 hires-by-sector bar PivotChart, a 2026 recruitment funnel and a hire-rate vs cost-per-hire combo chart (Tools: Excel · Copilot (Allow editing) · PivotTables, PivotCharts · line, bar, funnel and combo charts · BrightPath_Recruitment_Metrics.xlsx.)

Prerequisites

- Labs 1-2 completed: you can open a lab workbook, switch Copilot modes and verify with formulas.
- This lab folder's data/BrightPath_Recruitment_Metrics.xlsx.

Step-by-step

1. Copy BrightPath_Recruitment_Metrics.xlsx from this lab's data folder into a work-c34 folder on your computer and open it in Excel for Microsoft 365 (desktop). Work on this local copy - no OneDrive upload is needed. Check that Formulas > Calculation Options is Automatic, then open Copilot from the Copilot button on the Home tab or the floating Copilot icon at the bottom right. Read the About_This_Data sheet before you prompt. The Charts sheet is empty: you will create each chart there

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

with a prompt, in a 2 x 2 grid. The data is on Monthly_Metrics and Source_Summary. Each chart answers one of the four questions below.

```
Tables : tblMonthly (108 rows = 18 months x 6 sectors) | tblSources (7
rows)



Q1 Trend      : How have total hires moved month by month since Jan 2025?

Q2 Comparison : Which sector produced the most hires in Jan-Jun 2026?

Q3 Funnel     : Where do candidates drop out between application and hire
in 2026?

Q4 Efficiency : Which sources convert best, and at what cost per hire?
```

2. Choose Allow editing. Ask Copilot to create the trend PivotTable and a line PivotChart on the Charts sheet. Then ask Copilot to check the Pivot grand total against =SUM(tblMonthly[Hires]) and name the peak month.

```
Create a PivotTable from tblMonthly on a new sheet named Pivot_Trend with
Month_Label in rows and Sum of Hires as values. Then create a line
PivotChart of total hires by month on the Charts sheet, placed over A1:H18.
Format it cleanly: white background, no border or effects, one blue line
with markers, data labels above the points, light grey gridlines, axis
titles Month and Hires.

Title: "Monthly hires, Jan 2025 - Jun 2026".



CHECK (Allow editing):

In an empty cell on Pivot_Trend, add this formula. Tell me whether it
matches the PivotTable grand total, and which month had the most hires:

=SUM(tblMonthly[Hires])
```

3. Ask Copilot to create the 2026 sector comparison chart on the Charts sheet. Then refine it with a follow-up prompt. Ask Copilot to add the SUMIFS check for Technology's 2026 hires.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
Create a PivotTable on a new sheet Pivot_Sector from tblMonthly with Sector
in rows and Sum of Hires, filtered to months in 2026 only. Then create a
bar PivotChart from it on the Charts sheet, placed over J1:Q18, in the same
clean style as the first chart.


FOLLOW-UP: Sort the bars from highest to lowest and change the title to
state the leading sector.


CHECK (Allow editing):

In an empty cell on Pivot_Sector, add this formula and tell me if it
matches Technology's bar:

=SUMIFS(tblMonthly[Hires],tblMonthly[Sector],"Technology",tblMonthly[Month]
,">="&DATE(2026,1,1))
```

4. Ask Copilot to build a 2026 funnel summary with formulas on its own sheet, then create a funnel chart on the Charts sheet. Ask Copilot to show the formula in each value cell to confirm the summary uses SUMIFS, not typed numbers.

```
On a new sheet named Funnel_2026, build a small table of 2026 totals for
Applications, Screened, Interviews, Offers and Hires from tblMonthly using
SUMIFS on Month >= 1 Jan 2026. Add a column showing each stage as a % of
Applications. Then create a funnel chart from it with data labels on the
Charts sheet, placed over A20:H37, in the same clean style as the first
chart.


FOLLOW-UP: Show the formula in each value cell of the funnel table.
```

5. Ask Copilot to add rate columns to tblSources and create a combo chart with two axes on the Charts sheet. Then ask it for the best hire rate and the lowest cost per hire.

```
In tblSources add Hire_Rate = Hires / Applications (percentage, 1 decimal)
and Cost_per_Hire = Sourcing_Spend / Hires (S$, no decimals). Create a
combo chart on the Charts sheet:

Hire_Rate as clustered columns sorted highest first, Cost_per_Hire as a
line on a secondary axis.

Label both axes with units. Place it over J20:Q37 in the same clean style
as the first chart.


FOLLOW-UP: Which source has the highest Hire_Rate, and which has the lowest
Cost_per_Hire? Give both values.
```


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

6. Refine the four charts on the Charts sheet with short follow-up prompts, one change at a time. Add alt text to each chart.

```
Make every chart title state the finding in one sentence.

Use the same blue colour for all hires series and format numbers with
thousands separators.

Make the four charts on the Charts sheet the same size and line them up in
a 2 x 2 grid.

Add alt text to each chart describing what it shows.
```

7. Ask Copilot (Chat only) to review the charts against the four questions, then ask it to log your prompts and checks on Prompt_Log.

```
CHAT ONLY:

Review the four charts on the Charts sheet. For each, tell me which
question it answers (Q1 Trend, Q2 Comparison, Q3 Funnel, Q4 Efficiency),
whether the chart type suits that question, and one improvement. Do not
change anything.


LOG (Allow editing):

Prompt_Log already lists every prompt in this lab. For each one I ran, fill
in What Copilot did and How I verified, and set Decision to Keep. I will
tell you any row to change to Revise or Undo.
```

Sample prompts

Purpose	Prompt
PivotTable	Create a PivotTable from tblMonthly with Month_Label in rows, Sector in columns and Sum of Hires as values.
PivotChart	Create a line PivotChart from the Pivot_Trend PivotTable showing total hires by month. Show data labels and gridlines.
Bar chart	Create a bar chart of 2026 hires by Sector, sorted from highest to lowest.
Funnel	Create a funnel chart of 2026 Applications, Screened, Interviews, Offers and Hires with data labels.
Combo chart	Create a combo chart of Hire_Rate as columns and Cost_per_Hire as a line on a secondary axis.
Refine	Change the chart title to: Technology led hiring in H1 2026.
Refine	Sort the bars from highest to lowest and add data labels formatted with thousands separators.
Accessibility	Add alt text to this chart that describes the trend it shows.
Review	Is a line chart the right choice for this data? Suggest a better chart if not, and explain why.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Test it

Check	Expected result
Total hires (Pivot_Trend)	1,065 = SUM(tblMonthly[Hires])
Peak month	2025-11 with 68 hires
2026 hires by sector	Technology first (84); Pivot total 361
Funnel	6,616 > 3,229 > 1,385 > 495 > 361
Best source	Referral: highest hire rate (8.7%); MyCareersFuture: lowest cost per hire (S$126)
Charts sheet	2 PivotCharts + funnel + combo in a 2 x 2 grid (A1:Q37), clean style, finding-style titles, labelled axes and alt text

Checkpoint and rejoin point

Keep the workbook in work-c34. Topic 2 starts from the client orders workbook in the Lab 4 folder.

Troubleshooting

If this happens	Fix
The 2026 filter includes 2025 months.	Ask Copilot to filter on the Month date field (>= 1 Jan 2026), not on Month_Label text, or add a Year field.
Copilot inserts a picture of a chart instead of a chart.	That came from a Chat answer and is static. Switch to Allow editing and ask it to create a chart linked to the data.
The funnel chart type is not offered.	Funnel charts need Excel 2019 or Microsoft 365. Ask for a sorted horizontal bar chart of the stages instead.
A chart lands on the PivotTable sheet, not on the Charts sheet.	Ask: 'Move this chart to the Charts sheet over A1:H18' (use that chart's range), or select the chart and use Move Chart > Object in: Charts.
The chart has a glow or gradient border, or the data labels overlap.	Ask: 'Remove the chart border and effects, use a white background and put the data labels above the points.'
Both series in the combo chart share one axis and the line is flat.	Ask: 'Put Cost_per_Hire on a secondary axis and format it as S$'.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Challenge

Ask Copilot for a 100% stacked column chart showing each sector's share of hires by quarter for 2025-2026, then decide whether it communicates better or worse than the bar chart, and why. Then try creating a spreadsheet from scratch: in a new blank workbook ask Copilot 'Create a spreadsheet I can use to plan and track BrightPath's July hiring campaign, with a Gantt chart visual.' Change one start date and check that the Gantt bar moves.

Reflection

Which of your four charts would most change a BrightPath leadership decision, and what check makes you trust it?

Note: The lab folder labs/lab-03-*/ holds the instruction PDF with sample prompts, sample-prompts.txt and the mock-data workbook (data/BrightPath_Recruitment_Metrics.xlsx). Use only the supplied fictional BrightPath data or information you are authorised to process. Do not paste credentials, confidential business material or real employees' personal data into Copilot, rules or skills.

Topic 01 Recap - Mapped to Learning Outcomes

Use this checkpoint to explain what you can now do and identify any lab evidence you still need to repair.

Learning outcome	Evidence from this topic
LO1 · Modes	Chat only to ask, Plan to review the steps, Allow editing to change - then Done or Undo.
LO1 · Data prep	Named tables, duplicates and spelling variants flagged and fixed, row counts unchanged.
LO1 · Formulas	Formulas and XLOOKUPs described in plain English, explained, and hand-checked on one row.
LO1 · PivotTables and charts	PivotTables, PivotCharts and refined charts, each tied to a SUM or SUMIFS total.

Topic 02 — Skills and Rules (Labs 4-6)

Personalisation · workbook rules on a .Rules sheet · built-in chart and theme skills · custom skills in SKILL.md · using Copilot to write a skill · Pareto charts

Key concepts

- Personalisation = you — Preferences that follow you to every workbook, e.g. 'Never merge cells'. Settings (...) > Personalization.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Rules = this workbook — A visible sheet named .Rules with one rule per cell in column A. The rules travel with the file.
- Skills = a repeatable recipe — Saved step-by-step instructions you call by name with @, in any workbook.
- Start with built-in skills — @chart-design plots a chart from a prompt; @theme-design gives the whole workbook one look.
- Let Copilot write your skill — Describe the task to Copilot on the web; it writes the SKILL.md. Upload it to its own OneDrive folder, then Refresh in Excel.
- Still check the result — Rules and skills guide Copilot. They do not guarantee the numbers are right.

Concepts for Lab 4: Personalisation: Preferences That Follow You, Workbook Rules: The .Rules Sheet, Personalization, Rules and Skills Compared.

Personalisation: Preferences That Follow You

Personalization stores your own working preferences for Copilot in Excel - chart types, colours, number and date formats, layout habits - and applies them in every workbook you open. You add them in the Copilot pane under Settings (...) > Personalization, one short preference per line. They belong to your account, not to the file, so they are not passed on when you share a workbook.

If you keep typing the same corrections - don't merge cells, use column charts, give PivotTable fields proper names - personalisation lets you say it once. Preferences are guidance, not locks: if a prompt asks for something different, the prompt wins. Vague preferences such as 'make it look nice' give Copilot nothing to work with.

How it works

- Write down the last three corrections you gave Copilot - that is your first list.
- Add each one on its own line in Settings (...) > Personalization, short and specific, and Save.
- Start a New chat so the preferences apply, then check a new chart or table follows them.

Worked example

- 'Use column charts rather than bar charts unless the category labels are long.'
- 'Use navy #1F4E79 and teal #2A9D8F as the main chart colours.'
- 'Show dates as dd-mmm-yyyy and money as S$ with no decimals.'

Decision guide

Use when	Avoid when
The preference is about how you like to work, in any workbook.	The standard belongs to one workbook or team - put it in that workbook's .Rules instead.
You have corrected Copilot the same way at least twice.	The preference is vague ('make it professional') or conflicts with your organisation's brand kit.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Practitioner quality lens

- Specific: One short, testable preference per line.
- Scoped: Personal habits here; workbook standards in .Rules.
- Refreshed: New chat started after every change.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-personalization
- https://techcommunity.microsoft.com/blog/excelblog/new-ways-to-customize-how-copilot-edits-your-workbooks/4527307
- https://www.youtube.com/watch?v=4z4eIaEEH9A
- https://www.youtube.com/watch?v=wZ8QAKiIfuo

Workbook Rules: The .Rules Sheet

Workbook rules teach Copilot how to handle one specific workbook: definitions, valid values, calculation methods, formatting and layout conventions, and sheets it must not change. They live on a worksheet named exactly .Rules, one rule per cell in column A, and Copilot reads them every time it works in that file. Select + (Add work content) > Create workbook rules to add the sheet with a template, or ask Copilot to create it.

Rules remove the need to repeat the same context in every prompt, so prompts get short and results get consistent. Because the sheet is part of the file, a colleague who opens the workbook gets the same rules with no setup. The sheet must stay visible - Copilot ignores a hidden .Rules sheet - and rules work best in English, short and specific, with an example.

How it works

- Select + (Add work content) > Create workbook rules: Copilot adds a sheet named .Rules with suggested rules. You can also create the sheet yourself, copy one from another workbook, or ask Copilot to write it.
- Write one rule per cell in column A, group them under ## headings (## NUMBERS, ## CHARTS) and add a short example.
- Every time anyone prompts Copilot in this workbook, Copilot reads the visible .Rules sheet first and follows it.
- Rules can be formulas, e.g. =IF(B1="Executive","Show KPI summary only","Include full tables"); Copilot reads the formula result on the next prompt.
- Start a New chat and give a short prompt; check the result follows each rule. Share the file and the rules go with it.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Worked example

- 'Status must be one of: Open, In Progress, On Hold, Completed, Cancelled. WIP = In Progress.'
- 'If Notes say the work is paused, the Status is On Hold, whatever the Status column says.'
- With the rules in place: 'Create Orders_Clean with a clean copy of Orders_Raw, following the workbook rules.'

Decision guide

Use when	Avoid when
A workbook has definitions or conventions that every prompt should respect.	The instruction is a personal preference for all your files - use Personalization.
Several people use the same workbook and need consistent results.	The process must run across many different workbooks - make it a skill.

Practitioner quality lens

- Clear: One rule per cell, ## headings, examples of good output.
- Visible: Sheet named exactly .Rules and not hidden.
- Tested: A short prompt produces output that follows every rule.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-rules
- https://techcommunity.microsoft.com/blog/excelblog/new-ways-to-customize-how-copilot-edits-your-workbooks/4527307
- https://www.youtube.com/watch?v=4z4eIaEEH9A
- https://www.youtube.com/watch?v=wZ8QAKiIfuo

Personalization, Rules and Skills Compared

Copilot in Excel has three places to keep instructions so you do not repeat them in every prompt. Personalization holds your own preferences and follows you to every workbook. A .Rules sheet holds the guidelines for one workbook and travels with that file. A skill holds the steps for one repeatable task and runs in any workbook when you call it with @.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

An instruction in the wrong place causes surprises. A personal colour choice in .Rules is forced on every colleague who opens the file; a workbook's definitions in Personalization leak into unrelated workbooks; a long recipe in either is hard to reuse. Ask two questions: who should it apply to, and is it a preference, a definition or a procedure?

How it works

- How you like results, in every file, for you only → Personalization (Settings (...) > Personalization).
- Definitions, valid values and layout for this file, for everyone → .Rules (+ > Create workbook rules).
- A multi-step task you repeat in many files → a skill (built-in, or a SKILL.md installed in OneDrive).
- They work together: a skill run in a workbook follows that workbook's .Rules and your Personalization. A specific instruction in your prompt overrides Personalization.

Personalization vs .Rules vs Skills

Aspect	Personalization	.Rules sheet	Skill
What it is	Your preferences for how Copilot works	Guidelines for one workbook	A recipe for one repeatable task
Where it lives	Your Microsoft 365 account	A visible sheet named .Rules in the file	Built in, or SKILL.md in your OneDrive skills folder
Applies to	You, in every workbook, on any device	Anyone using Copilot in this workbook	Any workbook, when you call @name
Shared?	No - only you	Yes - it travels with the file	Only with people who install the same skill
Set up	Settings (...) > Personalization	+ > Create workbook rules	Manage plugins & skills; custom: OneDrive + Refresh
Best for	Formats, colours, tone you always want	Definitions, valid values, layout	Multi-step tasks repeated across files
Example	Use navy and teal for charts	WIP = In Progress	@pareto-chart Job_Category

Worked example

- Personalization: 'Use navy #1F4E79 and teal #2A9D8F as the main chart colours.'
- .Rules: 'Offer acceptance rate = accepted / (accepted + declined); exclude Pending.'
- Skill: '@pareto-chart Plot a Pareto chart of Job_Category in tblJobs.'

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Decision guide

Use when	Avoid when
Personalization: a preference you want everywhere, just for you.	Personal taste in .Rules - it applies to every colleague who opens the file.
.Rules: everyone working in this file must use the same definitions.	One file's definitions in Personalization - they leak into other workbooks.
Skill: the same multi-step job comes back every week or month.	A skill for a one-off task - just write the prompt.

Practitioner quality lens

- Right place: Each instruction sits in the layer that matches who it is for.
- No conflicts: Personalization, .Rules and skills do not contradict each other.
- Tested: A short prompt shows all three applied as expected.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-personalization
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-rules
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-skills

Lab 4 · Workbook Rules & Personalisation — Clean Messy Client Orders with Cleanup, Personalisation and Rules

Learning outcome: LO2: set personal preferences, use Copilot's automated cleanup, and write a .Rules worksheet that makes Copilot clean and calculate a messy export the same way every time.

Goal: Turn a messy client-orders export into a clean, consistent table with short prompts, because the workbook's .Rules sheet already holds the standards.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

BrightPath's order system exports client orders that several people typed by hand: 'WIP', 'in progress' and 'Ongoing' all mean In Progress, regions are written 23 ways and client names carry 'Pte Ltd' suffixes. You will save your own preferences in Personalization, try Copilot's automated cleanup, then create a .Rules sheet that defines the workbook's standards. With the rules in place, a one-line prompt builds a clean table, and the same rules shape the XLOOKUP and budget columns you add next.

What you'll build

Your Personalization (saved to your account) and BrightPath_Client_Orders_Raw.xlsx with a .Rules sheet, a clean tblOrdersClean table (5 statuses, 5 regions, 12 clients), Rate, Delivered_Value, Budget_Used and Over_Budget columns, and a Checks sheet that proves the clean-up (Tools: Excel · Copilot (Allow editing, Chat only) · Personalization · Clean data with Copilot · .Rules worksheet · XLOOKUP.)

Prerequisites

- Topic 1 completed: you can switch Copilot modes, keep or undo changes, and verify with formulas.
- This lab folder's data/BrightPath_Client_Orders_Raw.xlsx and rules-template.txt.

Step-by-step

1. Copy BrightPath_Client_Orders_Raw.xlsx from this lab's data folder into a work-c34 folder on your computer and open it in Excel for Microsoft 365 (desktop). Work on this local copy - no OneDrive upload is needed. Check that Formulas > Calculation Options is Automatic, then open Copilot from the Copilot button on the Home tab or the floating Copilot icon at the bottom right. Read the About_This_Data sheet before you prompt. Scroll through Orders_Raw and spot three ways the same status or region is written.

```
Sheets : About_This_Data | Orders_Raw (64 orders, not a table) | Rate_Card
(tblRateCard) | Prompt_Log

Messy : 20 Status spellings | 23 Region spellings | 51 Client spellings

Clean : 5 statuses | 5 regions | 12 clients
```

2. Personalisation is about you, not this file. In the Copilot pane select Settings (...) > Personalization, type the preferences below one per line, select Save and then start a New chat. They now apply in every workbook you open. A prompt that asks for something different still wins.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
Charts      : Use column charts rather than bar charts unless the category
labels are long.

Colours     : Use navy #1F4E79 and teal #2A9D8F as the main chart colours.

Layout      : Never merge cells; leave one empty column between blocks of
content.

PivotTables : Give fields readable names, e.g. Hires instead of Sum of
Hires.
```

3. Try automated cleanup. Click inside Orders_Raw and select Data > Clean Data (or Show suggestions if Excel offers 'Clean data with Copilot'). Hover over each suggestion to see the cells it affects, then Apply the extra-space and capitalisation fixes. Then ask Copilot what is still inconsistent: cleanup fixes typing, but it cannot know that WIP means In Progress or that C means CENTRAL - that needs rules.

```
CHAT ONLY:

On Orders_Raw, list the distinct values in Status, Region and Client with a
count of each. Group the values that probably mean the same thing. Do not
change anything.
```

4. Create the rules sheet. In the prompt box select + (Add work content) > Create workbook rules. Copilot adds a .Rules sheet with suggested rules. Replace them with BrightPath's rules: open rules-template.txt from this lab folder, copy every line, click .Rules!A1 and paste (each line lands in its own cell in column A), or send the prompt below. Keep the .Rules sheet visible - Copilot ignores a hidden one.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

ALLOW EDITING:

On the .Rules sheet, replace everything in column A with these rules, one per cell from A1 down.

Keep each ## heading in its own cell. Do not change any other sheet.

ABOUT THIS WORKBOOK

Orders_Raw is the original export. Do not sort, delete or add rows on Orders_Raw. Build cleaned data on new sheets.

One row = one client order, identified by Order_ID.

Put "Created by Copilot" and today's date in cell A1 of every new sheet you create (except the Checks sheet), and start the data in row 3.

DATA VALUES

Status must be one of: Open, In Progress, On Hold, Completed, Cancelled. Map every variation: WIP and Ongoing = In Progress; Done and Closed - filled = Completed; Not started and New = Open; Paused and Hold = On Hold; Canceled and Client cancelled = Cancelled.

If Notes say the work is paused, the Status is On Hold, whatever the Status column says.

Region must be one of: CENTRAL, EAST, NORTH, NORTH-EAST, WEST (upper case). For example C = CENTRAL and Northeast = NORTH-EAST.

Client is the short trading name with no legal suffix, in title case. For example QUILLON SYSTEMS PTE. LTD. = Quillon Systems.

Owner names are trimmed and in title case, exactly as in tblRateCard[Owner].

DATES AND MONEY

Text dates in Orders_Raw are day-first. For example 09/03/2026 is 9 March 2026.

Show dates as dd-mmm-yyyy, for example 09-Mar-2026.

Budget is in Singapore dollars. Convert text such as 12.5k, SGD 12,500 and $12,500 to the number 12500.

Format money as S$ with thousands separators and no decimals, e.g. S$12,500. Show negative values in red in brackets.

TABLES AND FORMULAS

Format every new data range as an Excel table named tbl + the sheet name without underscores, e.g. tblOrdersClean.

Use XLOOKUP for lookups and return "Not found" when there is no match.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
Never merge cells.
```

5. Apply the rules with a one-line prompt in a New chat. Copilot reads .Rules before it works, so you do not repeat the standards. Inspect the result: A1 says Created by Copilot, the table is tblOrdersClean, ORD-302 and ORD-303 are On Hold (their notes say the work is paused), dates read like 09-Mar-2026 and budgets are numbers formatted as S$. Select Done to keep it.

```
ALLOW EDITING:

Create a new sheet Orders_Clean with a clean copy of every order on
Orders_Raw, following the workbook rules.
```

6. Prove the clean-up. Ask Copilot to add independent checks on a Checks sheet. Each result must equal the expected value in Test It.

```
CHECK (Allow editing):

Create a sheet named Checks. Enter these labels and formulas exactly as
written, then tell me each result:

A1 Orders              B1 =ROWS(tblOrdersClean[Order_ID])

A2 Distinct statuses   B2 =COUNTA(UNIQUE(tblOrdersClean[Status]))

A3 Distinct regions    B3 =COUNTA(UNIQUE(tblOrdersClean[Region]))

A4 Distinct clients    B4 =COUNTA(UNIQUE(tblOrdersClean[Client]))

A5 In Progress         B5 =COUNTIF(tblOrdersClean[Status],"In Progress")

A6 Total budget        B6 =SUM(tblOrdersClean[Budget])
```

7. Add calculated columns. The rules already say to use XLOOKUP with 'Not found' and how to format money, so the prompt only states the business logic. Check one row by hand: ORD-326 is 358 hours x S$115 (Priya Nair) = S$41,170 against a budget of S$36,500, so it is over budget.

```
ALLOW EDITING:

In tblOrdersClean add: Rate from tblRateCard by Owner; Delivered_Value =
Hours_Logged x Rate; Budget_Used = Delivered_Value / Budget as a percentage
with 1 decimal; Over_Budget = "Yes" when Delivered_Value is greater than
Budget, otherwise "No".



FOLLOW-UP:

On the Checks sheet, add the label Total delivered value in A7 with
=SUM(tblOrdersClean[Delivered_Value]) in B7, and the label Over budget in
A8 with =COUNTIF(tblOrdersClean[Over_Budget],"Yes") in B8.

Then list the over-budget orders.
```


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

8. Add a rule, then reuse it. Rules can grow: ask Copilot to add one, then apply it with a short prompt. Rules are saved in the file, so a colleague who opens this workbook gets them too. Log your prompts.

```
ALLOW EDITING:

Add a rule under ## TABLES AND FORMULAS on the .Rules sheet: Highlight rows
where Over_Budget is Yes in light red.


ALLOW EDITING:

Apply the workbook rules to tblOrdersClean.


LOG (Allow editing):

Prompt_Log already lists every prompt in this lab. For each one I ran, fill
in What Copilot did and How I verified, and set Decision to Keep. I will
tell you any row to change to Revise or Undo.
```

Sample prompts

Purpose	Prompt
Create rules	Create a .Rules worksheet based on the formatting already used in this workbook.
Add a rule	Add a rule to my .Rules worksheet that all charts should use navy #1F4E79 and teal #2A9D8F.
Apply rules	Create a new sheet Orders_Clean with a clean copy of Orders_Raw, following the workbook rules.
Find variants	List the distinct values in Status and Region with counts, and group the ones that mean the same thing.
Rules + lookup	Add Rate from tblRateCard by Owner and Delivered_Value = Hours_Logged x Rate to tblOrdersClean.
Question	Which client has the largest total budget, and how many orders does it have?
Explain	Which rules on the .Rules sheet did you follow to clean the Status column? Give two examples.
New sheet	Create a new sheet showing orders with a budget over S$50,000 by Owner.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Test it

Check	Expected result
Orders and distinct values (Checks B1:B4)	64 orders; 5 statuses, 5 regions, 12 clients
Status counts	Open 10, In Progress 24, On Hold 6, Completed 21, Cancelled 3
Paused orders	ORD-302 and ORD-303 are On Hold
Total budget (B6)	S$3,250,500
Delivered value and over budget (B7, B8)	S$1,961,030; 10 orders over budget
Sample ORD-326	358 h x S$115 = S$41,170 vs budget S$36,500 - Over_Budget Yes

Checkpoint and rejoin point

Keep the workbook in work-c34. Your Personalization stays with your account for the rest of the course.

Troubleshooting

If this happens	Fix
Copilot ignores the rules.	The sheet must be named exactly .Rules (with the full stop), be visible, and have the rules in column A. Start a New chat after changing it.
Create workbook rules is not in the + menu.	Create a sheet named .Rules yourself and paste rules-template.txt into A1, or ask Copilot: 'Create a .Rules worksheet with these rules ...'.
There is no Clean Data button.	It is rolling out and may be missing in your build. Skip Step 3 - the rules in Steps 4-5 do the same job.
ORD-302 or ORD-303 still shows Open.	Copilot missed the Notes rule. Ask: 'Apply the rule about paused work in Notes to tblOrdersClean.'

Challenge

Make a rule respond to the workbook: put a dropdown in .Rules!B1 with Executive and Analyst, and in A20 enter =IF(B1="Executive","New summary sheets show totals only","New summary sheets include a detail table"). Switch the dropdown and ask for an order summary by Region each time.

Reflection

Which three corrections do you give Copilot most often? Which belong in Personalization, and which in a workbook's .Rules?

Note: The lab folder labs/lab-04-*/ holds the instruction PDF with sample prompts, sample-prompts.txt and the mock-data workbook (data/BrightPath_Client_Orders_Raw.xlsx), plus rules-template.txt (the .Rules text to paste into column A). Use only the supplied fictional BrightPath data or information you are authorised to process. Do not paste credentials, confidential business material or real employees' personal data into Copilot, rules or skills.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Concepts for Lab 5: Built-in Skills: Chart Design and Theme Design, Themes: One Look for the Whole Workbook.

Built-in Skills: Chart Design and Theme Design

A skill gives Copilot ready-made instructions for a repeatable task. Copilot in Excel ships with built-in skills that you manage in Settings (...) > Manage plugins & skills. For this course the two that matter are Visualization (@chart-design) and Formatting (@theme-design); @brandkit applies your organisation's own colours and fonts, and a Finance library of about 20 skills is there to explore later. Call a skill by typing @ and its name, or choose it from + > Choose plugins & skills.

@chart-design applies the Excel design team's chart guidance: it picks a suitable chart type, builds it and formats it. @theme-design applies one coordinated theme - colours, fonts and formats - across cells, tables and charts from a single prompt. A skill uses its own defaults, so you still say where the chart goes and which colours to use, and you check the plotted numbers. Skills need Excel's display language set to English.

How it works

- Open Settings (...) > Manage plugins & skills; turn on chart-design (off by default) and theme-design if the Formatting folder is shown.
- Type @ and the skill name in the prompt, with the table, the position and the style you want.
- Check each plotted number on a Checks sheet, then steer the skill with a follow-up prompt.

Worked example

- '@chart-design Chart H1 2026 spend by Channel as bars, longest first, over A20:H37.'
- '@theme-design Apply one clean, professional theme to the Charts and Checks sheets.'
- '@theme-design Use navy #1F4E79 and teal #2A9D8F as the main colours.'

Decision guide

Use when	Avoid when
A built-in skill matches the task: plotting a chart or styling a workbook.	You need an exact layout the skill does not give - ask for the change in a follow-up prompt.
You can say where the output goes and check its numbers.	Your organisation has a brand kit - use @brandkit so the colours stay on-brand.

Practitioner quality lens

- Right skill: Chosen for the task; enabled, or called directly with @.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Directed: Position, colours and style stated in the prompt.
- Verified: Every plotted number reproduced on a Checks sheet.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-skills
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-built-in-skills
- https://www.youtube.com/watch?v=4z4eIaEEH9A
- https://www.youtube.com/watch?v=wZ8QAKiIfuo

Themes: One Look for the Whole Workbook

A theme is one coordinated set of colours, fonts and formats. Applied to a workbook it restyles cells, tables and charts together, so every sheet looks like part of the same report. The @theme-design skill applies a theme from a prompt, and you can steer it with your own colours. @brandkit does the same with your organisation's brand colours and fonts, if a brand kit has been set up.

Without a theme, every chart carries its own colours, fonts and borders and the report looks assembled from parts. A theme makes the look consistent in one prompt. It changes appearance only - values and formulas stay the same - but you still check that nothing moved, and that a colour choice does not hide a signal such as red, amber or green.

How it works

- Finish and check the charts first; style last.
- Call @theme-design and name the sheets and charts to style.
- Steer it with a follow-up prompt - your own colours, or a calmer or bolder look - and keep or undo the change.

Worked example

- '@theme-design Apply one clean, professional theme to the Charts and Checks sheets and all four charts.'
- '@theme-design Use navy #1F4E79 and teal #2A9D8F as the main colours, and keep every chart readable.'
- '@brandkit Apply our organisation's brand colours and fonts to the charts.'

Decision guide

Use when	Avoid when
Several sheets or charts must look like one report.	The numbers are not checked yet - style after you verify.
You have house or brand colours to apply.	A colour would hide a status signal such as red, amber or green.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Practitioner quality lens

- Consistent: Same colours, fonts and number formats on every sheet and chart.
- Readable: Enough contrast to read every label and data point.
- Unchanged data: Values and formulas are the same after styling.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-built-in-skills
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-skills

Lab 5 · Built-in Skills: Visual Design — Plot and Style Client Growth Charts with Built-in Visual Skills

Learning outcome: LO2: find, enable and call Copilot's built-in visual skills - chart-design and theme-design - to plot charts from a prompt and style them as one set, and verify what each skill produces.

Goal: Use @chart-design to plot four charts of BrightPath's HR-outsourcing growth, polish them as a set, then use @theme-design to give the whole sheet one professional look - and prove the numbers behind every chart.

BrightPath's HR-outsourcing business sells monthly payroll and HR services to client companies, and leadership wants four clear charts of how it is growing. You will switch on the built-in visual skills in Manage plugins & skills, then call @chart-design to plot each chart - it picks the chart type and formats it using the Excel design team's guidance - and place all four in a 2 x 2 grid on a new Charts sheet. You will polish the set, ask Copilot for a Checks sheet that proves the numbers behind the charts, and finish with @theme-design to give the sheet one coordinated theme.

What you'll build

BrightPath_HR_Outsourcing_Finance.xlsx with a Charts sheet of four skill-designed charts in a 2 x 2 grid (MRR and clients, new vs churned clients, H1 2026 spend by channel, active clients by plan), a Checks sheet that agrees with the charts, and one consistent theme (Tools: Excel · Copilot (Allow editing, Chat only) · Manage plugins & skills · @chart-design · @theme-design.)

Prerequisites

- Lab 4 completed: you know how rules guide Copilot inside one workbook.
- This lab folder's data/BrightPath_HR_Outsourcing_Finance.xlsx. Skills need Excel's display language set to English.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Step-by-step

1. Copy BrightPath_HR_Outsourcing_Finance.xlsx from this lab's data folder into a work-c34 folder on your computer and open it in Excel for Microsoft 365 (desktop). Work on this local copy - no OneDrive upload is needed. Check that Formulas > Calculation Options is Automatic, then open Copilot from the Copilot button on the Home tab or the floating Copilot icon at the bottom right. Read the About_This_Data sheet before you prompt. The workbook holds data only: you will create every chart with a prompt, in a 2 x 2 grid on a new Charts sheet. Read the Definitions row on About_This_Data first.

```
Tables : tblClientMonths (18 months) | tblClients (158 clients) | tblSpend
(spend by month and channel)

H1 2026 : Jan-Jun 2026

Chart 1 : MRR and active clients by month   -> Charts!A1:H18

Chart 2 : new vs churned clients by month   -> Charts!J1:Q18

Chart 3 : H1 2026 spend by Channel          -> Charts!A20:H37

Chart 4 : active clients by Plan, Jun 2026  -> Charts!J20:Q37
```

2. Turn on the skills. In the Copilot pane select Settings (...) > Manage plugins & skills. Open the Visualisation folder and turn on chart-design (it is off by default). Open the Formatting folder and turn on theme-design - if you have no Formatting folder yet, skip it; Step 7 shows what to do. Leave every other skill as it is. Close the dialog, type @ in the prompt box and confirm chart-design is listed. Then ask Copilot which skills fit this job.

```
Where         : Settings (...) > Manage plugins & skills - turn on only
these

Visualisation : chart-design (off by default)

Formatting    : theme-design - only if this folder is shown

Call a skill  : type @ and its name, e.g. @chart-design


CHAT ONLY:

Which of your skills would help me choose the right chart for this data and
style the finished sheet? Do not change anything.
```

3. Call @chart-design in Allow editing. It chooses and formats the chart using the Excel design team's guidance. Your prompt says where the chart goes and how it should look, because the default placement and style are rarely what you want. Check the values: MRR grows from S$238,200 in Jan 2025 to S$482,200 in Jun 2026, with 131 active clients at the end.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
ALLOW EDITING:

@chart-design On a new sheet named Charts, create a combo chart from
tblClientMonths, placed over A1:H18, with MRR as columns and Clients_End as
a line on a secondary axis, Jan 2025 to Jun 2026.

Format it cleanly: white background, no border or effects, axis titles with
units, and a title that states the finding.
```

4. Add the other three charts, one prompt each, in the same clean style. For chart 2 let the skill recommend the chart type. Check: 98 clients were won and 27 churned over the 18 months; LinkedIn Ads took the most H1 2026 spend (S$191,590) and Referral the least (S$41,440); in Jun 2026 Payroll + HR Admin has 56, Payroll Only has 49, Full HR Outsourcing has 26 active clients.

```
ALLOW EDITING:

@chart-design Recommend the best chart for new vs churned clients by month,
then create it on the Charts sheet over J1:Q18 in the same clean style as
the first chart.
```

```
ALLOW EDITING:

@chart-design Chart the sales and marketing spend for each Channel in H1
2026 (Jan-Jun) from tblSpend as bars, longest first, on the Charts sheet
over A20:H37 in the same clean style.
```

```
ALLOW EDITING:

@chart-design Show how many active clients each Plan has in Jun 2026 from
tblClients, as the chart type you think suits it best, on the Charts sheet
over J20:Q37 in the same clean style.
```

5. Polish the four charts as one set with a single call. If one chart is not what you wanted, select Undo and ask again for that chart only.

```
ALLOW EDITING:

@chart-design Review the four charts on the Charts sheet so they read as
one set: a title that states the finding on each, the same fonts and axis
style, data labels only where they help, and all four the same size.
```

6. Never trust a chart without a check. Ask Copilot to add a Checks sheet with formulas, then compare each value with its chart. If a chart differs, ask the skill which table and filter it used, and fix the chart: the Checks sheet is the reference.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
CHECK (Allow editing):

Add a Checks sheet with formulas that give the MRR and active clients in
Jun 2026, the total new and churned clients over the 18 months, the H1 2026
spend for each Channel, and the active clients for each Plan, so I can
check the four charts.
```

7. Style the workbook with @theme-design (Formatting). It applies one coordinated theme - colours, fonts and formats - to cells, tables and charts. Then steer it with a follow-up prompt. If theme-design is not in your @ list, your account does not have it yet: delete @theme-design and run the prompt as it is. If your organisation has set up a brand kit, try @brandkit instead. Then log your prompts.

```
ALLOW EDITING:

@theme-design Apply one clean, professional theme to the Charts and Checks
sheets and all four charts.


FOLLOW-UP:

@theme-design Use navy #1F4E79 and teal #2A9D8F as the main colours, and
keep every chart readable.


LOG (Allow editing):

Prompt_Log already lists every prompt in this lab. For each one I ran, fill
in What Copilot did and How I verified, and set Decision to Keep. I will
tell you any row to change to Revise or Undo.
```

Sample prompts

Purpose	Prompt
Find skills	Which skills do you have for charts and formatting? When would I use each one?
Chart skill	@chart-design Recommend the best chart for new vs churned clients by month, then create it.
Chart skill	@chart-design Chart the sales and marketing spend for each Channel in H1 2026 as bars, longest first.
Style skill	@theme-design Apply a coordinated theme to this workbook.
Colours	@theme-design Use navy #1F4E79 and teal #2A9D8F as the main colours on every chart.
Brand skill	@brandkit Apply our organisation's brand colours and fonts to the charts.
Explain	Explain why you chose this chart type for this data, and which other chart types would also work.
Question	Which acquisition channel took the most sales and marketing spend in H1 2026, and how much was it?

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Test it

Check	Expected result
MRR and active clients, Jun 2026	S$482,200; 131 clients (Jan 2025 MRR S$238,200)
New and churned clients, 18 months	98 new; 27 churned
H1 2026 spend, longest and shortest bar	LinkedIn Ads S$191,590; Referral S$41,440
H1 2026 spend, all channels	S$560,420
Active clients by plan	56 + 49 + 26 = 131
Charts sheet	Four charts in a 2 x 2 grid, one clean style, one theme

Checkpoint and rejoin point

Keep the workbook in work-c34. Lab 6 needs your OneDrive for one thing only: custom skills are stored there.

Troubleshooting

If this happens	Fix
Manage plugins & skills is missing or greyed out.	Wait 10 seconds - it loads after the pane. Then check Excel is up to date and the Office display language is English.
A skill is not listed when I type @.	Turn it on in Manage plugins & skills, or type its full name: an @mention works even when the skill is off.
The chart is in the wrong place or has a border or glow.	Ask: 'Move this chart to the Charts sheet over A1:H18 (use that chart's range), use a white background and remove the border and effects.'
@chart-design builds a different chart type from the one I wanted.	The skill recommends, your words decide. Name the type in the prompt, e.g. 'as bars, longest first'.
@theme-design is not in my list.	Your account may not have the Formatting folder yet. Ask without the skill: 'Apply one consistent colour theme and font to the Charts and Checks sheets and all four charts.'
A chart value differs from the Checks sheet.	Ask: 'Which table, columns and filter did this chart use?' Then fix the chart's data; the Checks sheet is the reference.

Challenge

Ask @chart-design for a fifth chart: monthly gross margin % as a line with the axis starting at 40%. Then use @theme-design so it matches the other four, and check one month's value on Client_Months.

Reflection

Which chart did the skill choose differently from the one you would have drawn, and was it better? What did the theme change that a prompt alone did not?

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Note: The lab folder labs/lab-05-*/ holds the instruction PDF with sample prompts, sample-prompts.txt and the mock-data workbook (data/BrightPath_HR_Outsourcing_Finance.xlsx). Use only the supplied fictional BrightPath data or information you are authorised to process. Do not paste credentials, confidential business material or real employees' personal data into Copilot, rules or skills.

Concepts for Lab 6: Custom Skills: The SKILL.md Recipe, Using Copilot to Write and Improve a Skill, Pareto Charts: Finding the Vital Few.

Custom Skills: The SKILL.md Recipe

A custom skill is a plain-text file named SKILL.md inside its own folder in your OneDrive skills folder. The file starts with front matter between --- lines: a name, which must match the folder name, and a description that tells Copilot when to use the skill. Below it, the body lists the steps in plain English - no code needed. Create the folder from Manage plugins & skills > Custom skills > Create OneDrive folder.

Rules belong to one workbook; a skill is a recipe you can run in any workbook. If you ask Copilot for the same report every week, a skill turns a long prompt into '@weekly-report' and gives the same instructions every time. Your OneDrive skills folder comes with a sample skill to read, and after you add or edit a skill you select Refresh so Copilot sees the change.

How it works

- Create the skills folder, then a sub-folder named after the skill, e.g. pareto-chart.
- Save SKILL.md in it: front matter (name, description), then numbered steps and a final check.
- In Excel select Custom skills > Refresh, turn the skill on and call it with @.

Worked example

- Folder: skills/pareto-chart/SKILL.md, with name: pareto-chart.
- Description: 'Use when I ask for a Pareto chart, an 80/20 analysis or the vital few categories in a table column.'
- Steps: count each category, sort high to low, add a cumulative % line, give every column its own colour.

Decision guide

Use when	Avoid when
You repeat the same multi-step task on new data every week or month.	It is a one-off task - a good prompt is enough.
The steps can be written down clearly enough for a new colleague to follow.	The folder name and the name: line differ - Copilot skips the skill.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Practitioner quality lens

- Findable: Folder name = name: line; description says when to use it.
- Followable: Numbered steps, exact sheet and column names, no guessing.
- Self-checking: Ends with checks Copilot must run and report.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-skills
- https://agentskills.io/specification
- https://www.youtube.com/watch?v=4z4eIaEEH9A
- https://www.youtube.com/watch?v=wZ8QAKiIfuo

Using Copilot to Write and Improve a Skill

You do not have to write SKILL.md yourself. Ask Copilot on the web (copilot.microsoft.com): describe the task, the input table, the output you want and the checks, and ask for a complete SKILL.md with front matter. You copy the reply into a plain-text file, upload it to the skill's OneDrive folder, refresh in Excel and call it. To improve the skill, ask Copilot to update the file and upload the new version over the old one.

Copilot knows the SKILL.md format and writes clear, numbered steps, so a non-technical user can build a skill in minutes. Treat the skill as a living recipe: each time you correct its output twice, add the correction to the steps. Skills run inside what Excel normally allows, but test a new skill on a copy of the workbook before you rely on it.

How it works

- In the web chat: give the skill name, description, input, numbered steps, output and checks; ask for the full file.
- Save it as SKILL.md (plain text), upload it to OneDrive > skills > <name>, select Refresh in Excel and turn it on.
- Run it on a copy, check the result, then ask Copilot to update the file with any fixes.

Worked example

- 'Write a SKILL.md named pareto-chart that plots a Pareto chart of a category column, a different colour for each column.'
- '@pareto-chart Plot a Pareto chart of Client_Sector in tblJobs.' reuses the skill on another column.
- 'Update the skill with a dashed 80% line.' - upload the new file, refresh, rerun.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Decision guide

Use when	Avoid when
You can describe the output and the checks precisely.	You would save Copilot's draft without reading every step.
Someone will own the skill and keep it up to date.	The skill would process data your organisation has not approved for Copilot.

Practitioner quality lens

- Reviewed: Every step read before saving.
- Tested: Run on a copy and checked against a known answer.
- Owned: A named owner improves it after repeated corrections.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-skills
- https://support.microsoft.com/en-us/excel/copilot/frequently-asked-questions-about-copilot-in-excel
- https://www.youtube.com/watch?v=4z4eIaEEH9A
- https://www.youtube.com/watch?v=wZ8QAKiIfuo

Pareto Charts: Finding the Vital Few

A Pareto chart sorts the categories of one column from the largest count to the smallest and adds a line for the cumulative percentage. It shows the 80/20 idea: a few categories - the vital few - usually account for most of the total, and a long tail of small ones for the rest. Excel has a built-in Pareto chart (Insert > Statistic Chart), but it draws every column in one colour and shows no summary table; a skill can build the summary with formulas and give each column its own colour.

A Pareto chart tells you where to act first. For BrightPath's 500 job postings it shows that six of the 16 job categories make up 83% of the work, so recruiters know where to focus. The steps are the same for any category column, which makes it a good first custom skill.

How it works

- Count the rows in each category and sort the counts from highest to lowest.
- Add each category's share and a running cumulative %.
- Draw columns for the counts and a line for the cumulative % on a second axis from 0% to 100%; read off where the line passes 80%.

Worked example

- Customer Service: 145 of 500 postings = 29.0%.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- The top three categories make up 61.0% of the postings.
- The line passes 80% at the sixth category: 6 of 16 categories make up 83.0%.

Decision guide

Use when	Avoid when
A few categories probably cause most of the volume, cost or complaints.	Every category is about the same size - there is no vital few to find.
You must choose where to focus first.	The counts are not comparable, e.g. hours mixed with jobs.

Practitioner quality lens

- Sorted: Columns run from highest to lowest.
- Complete: Counts add up to the number of rows; the line ends at 100%.
- Readable: A different colour for each column, labels on the columns, a title that states the finding.

Authoritative references

- https://support.microsoft.com/en-us/excel/create-a-pareto-chart
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-skills

Lab 6 · Custom Skills: Pareto Chart — Use Copilot to Build a Custom Pareto-Chart Skill

Learning outcome: LO2: use Copilot on the web to write a custom SKILL.md, upload it to the OneDrive skills folder, install it in Excel and call it with @ to plot a Pareto chart from a one-line prompt.

Goal: Create a pareto-chart skill that turns any category column into a Pareto chart - a different colour for each bar and a cumulative % line - and use it to plot BrightPath's 500 job postings by job category.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

BrightPath received 500 job postings from clients in H1 2026, spread over 16 job categories. Which few categories make up most of the work? A Pareto chart answers that: bars sorted from highest to lowest and a cumulative % line that shows where the 'vital few' end. Excel's built-in Pareto chart paints every bar the same colour, so you will write a custom skill instead. You will ask Copilot on the web to write the pareto-chart SKILL.md, save it, upload it to your OneDrive skills folder, install it in Excel and call it with @ to plot the job categories - then reuse it on another column and improve it.

What you'll build

A pareto-chart skill in your OneDrive skills folder, and BrightPath_Job_Postings.xlsx with a Pareto_Job_Category sheet and a Pareto_Client_Sector sheet - each a summary table and a Pareto chart with a different colour for every bar - plus a Checks sheet (Tools: Copilot on the web (copilot.microsoft.com) to draft the skill · OneDrive skills folder · Excel Copilot (Chat only, Allow editing) · SKILL.md.)

Prerequisites

- Lab 5 completed: you can find, enable and @mention skills.
- Access to https://copilot.microsoft.com with the account you use in Excel and OneDrive, and to your OneDrive in a browser (custom skills are stored there).
- This lab folder's data workbook and skills/pareto-chart/SKILL.md (fallback).

Step-by-step

1. Copy BrightPath_Job_Postings.xlsx from this lab's data folder into a work-c34 folder on your computer and open it in Excel for Microsoft 365 (desktop). Work on this local copy - no OneDrive upload is needed. Check that Formulas > Calculation Options is Automatic, then open Copilot from the Copilot button on the Home tab or the floating Copilot icon at the bottom right. Read the About_This_Data sheet before you prompt. The workbook stays local; only the skill file goes in OneDrive (Steps 4-5).

```
Table   : tblJobs (500 job postings, Jan-Jun 2026)

Columns : Job_ID, Posted_Date, Job_Category (16 values), Client_Sector (6
values), Employment_Type, Status, Openings

Pareto  : columns = jobs per category, highest to lowest, a different
colour for each column;

          line = cumulative % of all jobs, 0% to 100% on a secondary axis
```

2. Draft the skill in Copilot on the web. Open https://copilot.microsoft.com in your browser and sign in with the same account you use in Excel and OneDrive (with a work account you may be sent to Microsoft 365 Copilot Chat - use that chat). Start a new chat and paste the prompt below. The web chat cannot see your workbook, so the prompt describes the table, the chart and the colours. Read the reply: it must start with --- and include name: pareto-chart, a description that says when to use the

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

skill, and numbered steps that give every column a different colour. Ask for corrections in this chat until you are happy.

```
PROMPT (Microsoft Copilot web):

Write a complete SKILL.md for a Copilot in Excel skill named pareto-chart.

Return reusable skill instructions only; do not draw a chart or claim to
see my workbook in this chat.

Start with YAML front matter containing name: pareto-chart and a
description.

Description: Use when I ask for a Pareto chart, an 80/20 analysis or the
vital few categories in a table column.

When the skill runs in Excel I will name a table and a category column, for
example tblJobs and Job_Category. If I do not, it must ask me.

Steps:

1) Never change the source table or any existing sheet.

2) Create a new sheet named Pareto_<column name> with a summary table:
Category, Count, Share %, Cumulative %, sorted by Count from highest to
lowest. Use formulas that read the source table so it updates when rows are
added, and add a Total row.

3) Create one combo chart from the summary: Count as columns and Cumulative
% as a line with markers on a secondary axis from 0% to 100%.

4) Give every column a different colour. Never use one colour for all the
columns. Make the line dark grey.

5) Format the chart cleanly: white background, no border or effects, data
labels on the columns, axis titles, no legend, and a title that states the
finding, for example "6 of 16 categories make up 83% of the total".

6) Place the chart to the right of the summary table, starting at column G.

7) Under the table, list the vital few: the categories needed to reach 80%
and their combined share.

8) Check that the Count total equals the number of rows in the source
table, and report the row count, the number of categories, the top category
and how many categories reach 80%.

Return only the full SKILL.md text, starting with the --- front matter,
without code fences or commentary.
```

3. Save the reply as a plain-text file named SKILL.md. Select the whole reply and copy it - if it sits in a code block, copy only the text inside, with no ``` lines. Windows: open Notepad, paste, choose File > Save as, set Save as type to All files, type SKILL.md as the file name, set Encoding to UTF-8 and save it in work-c34. Mac:

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

open TextEdit, choose Format > Make Plain Text, paste, choose File > Save, type SKILL.md as the name, untick 'If no extension is provided, use .txt' and save it in work-c34. Check the file is called SKILL.md, not SKILL.md.txt, and that its first line is ---.

```
File   : work-c34/SKILL.md (plain text)

Line 1 : ---

Line 2 : name: pareto-chart

Check  : no ``` lines and no text before the first ---

Short of time? Use skills/pareto-chart/SKILL.md from this lab folder
instead.
```

4. Open your OneDrive skills folder from Excel. In Excel open the Copilot pane and select Settings (...) > Manage plugins & skills > Custom skills. Turn the Custom skills switch on, then select Add in OneDrive (in some versions: Create OneDrive folder, then Open skills folder). Your browser opens OneDrive at the skills folder, usually Documents > Copilot > Microsoft Excel > skills. A sample folder such as make-calendar.example shows the layout: one folder per skill.

```
Excel    : Copilot pane > Settings (...) > Manage plugins & skills > Custom
skills

Switch   : Custom skills = On

Then     : Add in OneDrive (or Create OneDrive folder, then Open skills
folder)

OneDrive : Documents > Copilot > Microsoft Excel > skills
```

5. Create the skill's folder and upload SKILL.md. In the OneDrive skills folder select Create or upload > Folder, name it pareto-chart (lower case, with a hyphen) and select Create. Open the new folder, select Create or upload > Files upload, choose SKILL.md from work-c34 and select Open. When the upload finishes, SKILL.md is listed inside the pareto-chart folder.

```
OneDrive : Documents > Copilot > Microsoft Excel > skills > pareto-chart >
SKILL.md

Check    : folder name = the name: line = pareto-chart (lower case, hyphen,
no spaces)

Check    : the file is called SKILL.md and sits directly inside the pareto-
chart folder
```

6. Install the skill in Excel. Go back to Excel: Copilot pane > Settings (...) > Manage plugins & skills > Custom skills. Check the Custom skills switch is on and select Refresh (the round arrow). Wait until the list loads, then turn pareto-chart on. Close

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

the dialog, click the Copilot prompt box and type @pare - pareto-chart should appear in the list. If it does not, wait a minute and select Refresh again.

```
Excel : Copilot pane > Settings (...) > Manage plugins & skills > Custom
skills > Refresh

Then  : turn pareto-chart on, close the dialog and type @pare in the prompt
box

Check : pareto-chart appears in the list
```

7. Use the skill. First check that the title bar shows BrightPath_Job_Postings: a skill is available in every workbook, but it only works where its table exists. Choose Allow editing and send the one-line prompt. Copilot should create a sheet Pareto_Job_Category with a summary table and a combo chart beside it: columns from Customer Service (145) down to Procurement (1), a different colour for each column, and a cumulative % line that passes 80% at category 6. Inspect it and select Done. Then ask Copilot to add a Checks sheet so you can compare the numbers.

```
ALLOW EDITING:

@pareto-chart Plot a Pareto chart of Job_Category in tblJobs.



CHECK (Allow editing):

Add a Checks sheet with formulas that count all the jobs, the Customer
Service jobs and the number of job categories, so I can check the Pareto
chart.
```

8. Reuse it. This is the point of a skill: a different column needs only its name. Run it on Client_Sector, then ask Copilot which job categories make up the vital few.

```
ALLOW EDITING:

@pareto-chart Plot a Pareto chart of Client_Sector in tblJobs.



CHAT ONLY:

Which job categories together make up 80% of the postings? Give their
combined share.
```

9. Improve the skill. A skill is a living recipe: improve it whenever you correct Copilot twice. Go back to the web chat, send the prompt below, then paste your current SKILL.md under it. Save the reply as SKILL.md as in Step 3. In OneDrive open the pareto-chart folder, select Create or upload > Files upload, choose the new SKILL.md and select Replace when OneDrive asks. In Excel select Custom skills > Refresh and rerun the skill on Job_Category: the chart now shows a dashed 80% line and one Other column that groups the 6 categories under 2% (29 postings,

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

5.8%). Finally log your prompts - fill in the two web-chat rows yourself, because Excel Copilot cannot see the web chat.

```
PROMPT (Microsoft Copilot web):

I will paste my current pareto-chart SKILL.md below. Update it so the chart
also shows a dashed 80% reference line and groups any category with less
than 2% share into one Other column at the end.

Preserve its front matter and numbered steps. Return the full file without
code fences. If I have not pasted the file, ask me for it first.



ALLOW EDITING:

@pareto-chart Plot a Pareto chart of Job_Category in tblJobs.



LOG (Allow editing):

In Prompt_Log, leave the web-chat rows (Step 2 / Prompt A and Step 9 /
Prompt F) unchanged. For each Excel prompt I ran, fill in What Copilot did
and How I verified, and set Decision to Keep. Do not invent results for web
prompts. I will tell you any row to change to Revise or Undo.
```

Sample prompts

Purpose	Prompt
Write a skill · Microsoft Copilot web	In the web chat at https://copilot.microsoft.com, use the complete Step 2 prompt below to draft pareto-chart. It describes the table, columns and chart because the web chat cannot see your workbook.
Call the skill	@pareto-chart Plot a Pareto chart of Job_Category in tblJobs.
Reuse	@pareto-chart Plot a Pareto chart of Client_Sector in tblJobs.
Check	Add a Checks sheet with formulas that count all the jobs and the Customer Service jobs, so I can check the Pareto chart.
Vital few	Which job categories together make up 80% of the postings? Show their combined share.
Explain	Explain in plain English how to read this Pareto chart: what the columns, the line and the 80% point tell me.
Improve the skill · Microsoft Copilot web	I will paste my current pareto-chart SKILL.md below. Update it so the chart also shows a dashed 80% reference line and groups any category with less than 2% share into one Other column. Preserve its front matter and numbered steps. Return the full file without code fences. If I have not pasted the file, ask me for it first.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Test it

Check	Expected result
Top category	Customer Service: 145 of 500 jobs (29.0%); 16 categories in all
Vital few	6 of 16 categories reach 83.0% (80% is passed at Nursing & Healthcare)
Pareto chart	Columns high to low, a different colour for each, cumulative % line 0-100% on a secondary axis
Client_Sector Pareto	Technology first (149 jobs, 29.8%); 4 sectors reach 80.8%
Improved skill	6 categories under 2% grouped into Other (29 jobs, 5.8%)
Skill	pareto-chart appears when you type @ and runs from a one-line prompt

Checkpoint and rejoin point

Keep the skill: it stays in your OneDrive and works in any workbook with a table and a category column. Topic 3 uses rules and skills to build dashboards.

Troubleshooting

If this happens	Fix
The skill does not appear after Refresh.	The folder name must match the name: line exactly (lower case, hyphens) and the file must be SKILL.md directly inside that folder. Select Refresh again and turn pareto-chart on.
There is no Add in OneDrive or Create OneDrive folder button.	Custom skills are rolling out and depend on your licence and update channel. Use the ready-made SKILL.md to read the format, and run the same steps as a normal prompt instead.
Copilot says tblJobs is not present in this workbook.	The skill ran in another lab's workbook. Open BrightPath_Job_Postings.xlsx and send the prompt again from its Copilot pane.
The web chat draws a chart or asks me to upload my workbook instead of writing SKILL.md.	Paste the full Step 2 prompt again. It asks for reusable skill instructions only; the workbook is used later in Excel, so nothing needs uploading.
The file saved as SKILL.md.txt, or it contains ``` lines.	Save as plain text with the exact name SKILL.md (Windows: Save as type All files; Mac: Format > Make Plain Text) and delete any ``` lines before the first ---.
All the columns are the same colour.	Ask: 'Give every column a different colour and keep the cumulative line dark grey.' Then add that sentence to the skill's steps, save, refresh and rerun.
The cumulative % line looks flat.	It is on the same axis as the columns. Ask: 'Move Cumulative % to a secondary axis from 0% to 100%.' Then add that to the skill's steps.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Challenge

Ask Copilot in Excel to create mock data of 500 rows for another question - for example helpdesk tickets with 12 issue categories, as a table named tblTickets. Run @pareto-chart on the Issue_Category column and name the vital few.

Reflection

Which report in your own job is really a Pareto question - a long list where a few causes matter most - and what would the skill's description say?

Note: The lab folder labs/lab-06-*/ holds the instruction PDF with sample prompts, sample-prompts.txt and the mock-data workbook (data/BrightPath_Job_Postings.xlsx), plus skills/pareto-chart/SKILL.md (ready-made skill to upload if you run short of time). Use only the supplied fictional BrightPath data or information you are authorised to process. Do not paste credentials, confidential business material or real employees' personal data into Copilot, rules or skills.

Topic 02 Recap - Mapped to Learning Outcomes

Use this checkpoint to explain what you can now do and identify any lab evidence you still need to repair.

Learning outcome	Evidence from this topic
LO2 · Personalisation	Your own preferences, saved once in Settings and applied in every workbook.
LO2 · .Rules	One workbook's standards in a visible .Rules sheet, so a one-line prompt cleans the data.
LO2 · Built-in skills	@chart-design plots the charts and @theme-design gives them one look - checked against a Checks sheet.
LO2 · Custom skills	A pareto-chart SKILL.md written with Copilot, uploaded to OneDrive, installed and reused with one @mention.

Topic 03 — Interactive Dashboards with Copilot, Skills and Rules (Labs 7-8)

What a skill is: reusable, installed in OneDrive · designing a highly visual dashboard · KPI definitions and style in .Rules · plan, build and polish with skills · slicers, timelines and refresh · a reusable dashboard skill · sharing people dashboards responsibly

Key concepts

- Define each KPI first — Write the formula in .Rules, e.g. Cost per hire = total sourcing cost / hires.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Put the standards in .Rules — KPI definitions, layout and colours in the rules keep the build prompt short.
- Plan, then build — Plan mode shows the dashboard plan. Fix a wrong KPI before Copilot copies it into five charts.
- Make it visual — KPI cards on top, charts in a grid, traffic-light colours, then @chart-design and @theme-design to polish.
- Make it interactive — Slicers and a timeline filter every PivotTable and chart at once, and the KPI cards must follow.
- Make it repeatable and safe — Save the recipe as a skill, test refresh with new rows, and hide groups under 5 people.

Concepts for Lab 7: What Is a Skill?, Designing a Highly Visual Dashboard, Plan and Build with Rules and Skills, Interactivity: Slicers, Timelines and KPI Cards.

What Is a Skill?

A skill is a saved recipe: a set of instructions Copilot follows to do one task the same way every time. You call it by name with @ in any workbook, e.g. @chart-design. Built-in skills come with Copilot in Excel - you only turn them on. A custom skill is a SKILL.md file you write, and it works only after you install it: save it in its own folder inside your OneDrive skills folder, select Refresh and turn it on.

A rule belongs to one workbook; a skill is reusable in every workbook and every month, so one line replaces a long brief and everyone who installs it gets the same steps. Excel reads custom skills only from your OneDrive skills folder: a SKILL.md left on your desktop or pasted into a chat does nothing. Your workbook can stay on your computer - the skill cannot.

How it works

- Built-in: Settings (...) > Manage plugins & skills; turn the skill on, then call it with @.
- Custom: put SKILL.md in OneDrive > ... > skills > <skill-name>; the folder name must match the name: line.
- Custom skills > Refresh, turn the skill on, then type @ to check it is listed.

Worked example

- @chart-design (built-in) polishes every chart on the recruitment dashboard in Lab 7.
- hr-workforce-dashboard (custom) is installed as skills/hr-workforce-dashboard/SKILL.md in OneDrive.
- Next month the same skill rebuilds the dashboard in a new workbook from one line.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Decision guide

Use when	Avoid when
You repeat the same multi-step task in different workbooks or every period.	The instruction is only about one workbook's data - put it in .Rules instead.
Several people must follow exactly the same steps.	It is a personal preference such as chart colours - use Personalization.

Practitioner quality lens

- Reusable: Runs in any workbook that has the tables it names.
- Installed: OneDrive skills/<name>/SKILL.md, refreshed and turned on.
- Clearly named: Folder name = name: line; the description says when to use it.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-skills
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-built-in-skills
- https://www.youtube.com/watch?v=4z4eIaEEH9A

Designing a Highly Visual Dashboard

A dashboard is one page that answers a leader's recurring questions at a glance. A highly visual design puts four to six KPI cards across the top, three or four charts in a grid below, slicers and a timeline at the side, and the data source and date in the header. Each KPI is a defined measure with a formula, a period and a target, and colour is used to signal status, not to decorate.

Two people can compute 'offer acceptance rate' differently and both look right, so the definitions come first. Visual hierarchy, consistent colours and finding-style titles let a leader read the page in seconds; traffic-light colours on a target card show where to act. Writing the design down once - in .Rules - means Copilot builds it the same way every month.

How it works

- List the 4-6 decisions the dashboard supports and one KPI, formula and target for each.
- Sketch the layout: KPI row, chart grid, slicers and timeline, title and data date.
- Choose a small palette and when to use it (e.g. amber for below target).

Worked example

- Offer acceptance rate = accepted / (accepted + declined); pending offers excluded.
- Hires vs target % card: green at 100% or more, amber 90-99.9%, red below 90%.
- Navy for hires, teal for targets, amber for warnings - written as a rule.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Decision guide

Use when	Avoid when
The same measures are reviewed regularly by the same audience.	A metric has no agreed definition or no one acts on it.
Each KPI has an owner who can act on a change.	Twenty KPIs and ten colours crowd out the message.

Practitioner quality lens

- Defined: Formula, period, exclusions and target written down.
- Readable: Clear hierarchy; titles state the finding.
- Purposeful colour: Colour signals status and follows one palette.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/visualize-your-data-with-copilot-in-excel
- https://support.microsoft.com/en-us/excel/copilot/data-insights-with-copilot-in-excel
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-rules
- https://www.youtube.com/watch?v=4z4eIaEEH9A

Plan and Build with Rules and Skills

Copilot can build a whole dashboard - KPI formulas, PivotTables, PivotCharts, slicers and layout - from one brief. With the KPI definitions, layout and colours already on the .Rules sheet, the brief only says what to show. Plan mode lets you review the build steps before anything changes; afterwards, @chart-design polishes the charts and @theme-design applies a coordinated theme.

A dashboard is a multi-step build, exactly where an agentic plan-execute-check loop saves time - and where one wrong definition gets copied into five objects. Reviewing the plan catches it early. Rules keep every rebuild consistent, and skills bring design expertise that most analysts do not have time to apply by hand.

How it works

- Write the dashboard rules and an independent Checks sheet first.
- Plan mode: send a short brief; check the plan's definitions and layout; approve.
- Polish one prompt at a time with @chart-design, conditional formatting and @theme-design.

Worked example

- Plan mode: 'Build a one-page H1 2026 recruitment dashboard following the workbook rules: six KPI cards, four charts, slicers and a timeline.'

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- The plan counts hires by Applied_Month; you reply 'Use Hire_Date month, as the rules say' before approving.
- '@chart-design Review every chart: finding-style titles, axis titles and the rule colours.'

Decision guide

Use when	Avoid when
The data is a clean table and the KPI definitions are written down.	The workbook is shared live with others and you have not saved a version.
You can review the plan and each created object afterwards.	You would accept the KPI values without checking a single one.

Practitioner quality lens

- Plan review: Definitions in the plan match the rules.
- Linked: KPI cards use formulas or GETPIVOTDATA, not typed numbers.
- Verified: Each KPI ties to the Checks sheet.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/get-started-with-copilot-in-excel
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-rules
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-built-in-skills
- https://www.microsoft.com/en-us/copilot/blog/2026/06/25/copilot-in-excel-built-for-the-era-of-frontier-finance/

Interactivity: Slicers, Timelines and KPI Cards

Slicers are on-sheet filter buttons for a field such as Sector; a timeline is a slider for a date field such as Hire_Date. Both can be connected to several PivotTables at once, so every PivotChart on the page changes together. KPI cards follow the slicers only when they read from the PivotTables, for example with GETPIVOTDATA, rather than from the raw table.

Interactivity lets a leader answer their own follow-up questions - 'and for Technology only?' - without a new report. But a slicer connected to only some charts, or KPI cards that ignore it, gives a page that contradicts itself. Testing one slicer value and one date range against independent COUNTIFS proves the page is wired correctly.

How it works

- Ask Copilot to add slicers and a timeline and connect them to every PivotTable on the data sheet.
- Make the KPI cards read from the PivotTables (GETPIVOTDATA) so they respond.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Test one slicer value and one date range against COUNTIFS checks, then clear them.

Worked example

- Sector = Technology: the Applications and Hires cards match two COUNTIFS checks.
- Timeline Apr-Jun 2026: the Hires card equals COUNTIFS on Hire_Date between 1 Apr and 30 Jun.
- A card that does not move is re-linked to its PivotTable with GETPIVOTDATA.

Decision guide

Use when	Avoid when
Users need to explore by sector, source, recruiter, department or date.	Slicers are left unconnected to some charts.
All objects on the page come from PivotTables on one data sheet.	A filter combination would expose a group small enough to identify a person.

Practitioner quality lens

- Connected: Every slicer and the timeline filter every related object.
- Responsive: KPI cards change with the filters.
- Tested: One slicer and one date range checked with COUNTIFS.

Authoritative references

- https://support.microsoft.com/en-us/excel/overview-of-pivottables-and-pivotcharts
- https://support.microsoft.com/en-us/office/create-a-pivottable-timeline-to-filter-dates-d3956083-01be-408c-906d-6fc99d9fadfa
- https://support.microsoft.com/en-us/excel/copilot/get-started-with-copilot-in-excel

Lab 7 · Interactive Dashboard — Build an Interactive Recruitment Dashboard with Rules and Skills

Learning outcome: LO3: combine a .Rules sheet, Plan mode and the chart-design and theme-design skills to build a highly visual recruitment dashboard with KPI cards, PivotCharts, slicers and a timeline, and verify every KPI.

Goal: Deliver a one-page H1 2026 recruitment dashboard that looks professional, responds to slicers and a timeline, and agrees with independent checks.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

BrightPath's Head of Recruitment wants one page that shows H1 2026 applications, hires, offer acceptance, time to hire, cost per hire and hires against target, and can be filtered by sector, source, recruiter and date. You will put the KPI definitions, layout and colours in a .Rules sheet, so the build prompt stays short. Copilot plans the dashboard in Plan mode, builds it, then @chart-design and @theme-design make it look professional. Finally you prove that every KPI, slicer and the timeline give the right numbers.

What you'll build

BrightPath_Recruitment_Dashboard_Data.xlsx with a .Rules sheet, a Checks sheet, PivotTables on Dash_Data and a Dashboard sheet with six formula-driven KPI cards (one with traffic-light colours), four PivotCharts, Sector, Source and Recruiter slicers and a Hire_Date timeline (Tools: Excel · Copilot (Plan, Allow editing, Chat only) · .Rules · @chart-design · @theme-design · PivotCharts, slicers, timeline.)

Prerequisites

- Topic 2 completed: you can write .Rules and call skills with @.
- This lab folder's data workbook and rules-template.txt.

Step-by-step

1. Copy BrightPath_Recruitment_Dashboard_Data.xlsx from this lab's data folder into a work-c34 folder on your computer and open it in Excel for Microsoft 365 (desktop). Work on this local copy - no OneDrive upload is needed. Check that Formulas > Calculation Options is Automatic, then open Copilot from the Copilot button on the Home tab or the floating Copilot icon at the bottom right. Read the About_This_Data sheet before you prompt. Read the KPI definitions on About_This_Data - they go into the rules next.

```
Tables : tblApps (600 applications, Jan-Jun 2026) | tblTargets (monthly
hire targets)

KPI definitions:

  Applications          = number of rows

  Hires                 = Furthest_Stage = "Hired", by Hire_Date month

  Offer acceptance rate = accepted / (accepted + declined)   (Pending
excluded)

  Avg time to hire      = average Time_to_Hire_Days of hires

  Cost per hire         = total Sourcing_Cost / hires
```

2. Write the dashboard's rules first. Select + (Add work content) > Create workbook rules, then replace the suggested rules with BrightPath's: paste rules-template.txt into .Rules!A1, or send the prompt below. From now on every prompt in this workbook follows these definitions, the layout and the colours.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
ALLOW EDITING:

On the .Rules sheet, replace everything in column A with these rules, one
per cell from A1 down.

Keep each ## heading in its own cell. Do not change any other sheet.

## DASHBOARD STANDARDS

This workbook builds BrightPath's H1 2026 recruitment dashboard. Never
change tblApps or tblTargets.

Applications = rows of tblApps. Hires = Furthest_Stage "Hired", counted by
Hire_Date month.

Offer acceptance rate = accepted / (accepted + declined). Pending offers
are excluded.

Avg time to hire = average Time_to_Hire_Days of hires. Cost per hire =
total Sourcing_Cost / hires.

KPI cards are formulas linked to the PivotTables (GETPIVOTDATA) so they
respond to slicers - never typed numbers.

## LAYOUT

Dashboard sheet: title in A1, "Data as at 2026-06-30" in A2, KPI cards in
row 4, charts in a grid below, slicers and the timeline on the right.

Put every PivotTable on a sheet named Dash_Data.

Never merge cells. Hide gridlines on the Dashboard sheet.

## VISUAL STYLE

Colours: navy #1F4E79 for hires, teal #2A9D8F for targets and comparisons,
amber #F4A261 for warnings.

Every chart title states the finding, e.g. Technology led H1 hiring.

Money as S$ with no decimals, except Cost per hire with 2 decimals. Rates
as % with 1 decimal. Days with 1 decimal.
```

3. Build the independent checks before the dashboard. These are the numbers the KPI cards must match.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
CHECK (Allow editing):

Create a sheet named Checks. Enter these labels and formulas exactly as
written, then tell me each result:

A1 Applications        B1 =ROWS(tblApps[Application_ID])

A2 Hires               B2 =COUNTIFS(tblApps[Furthest_Stage],"Hired")

A3 Offer acceptance    B3
=COUNTIFS(tblApps[Offer_Accepted],"Yes")/(COUNTIFS(tblApps[Offer_Accepted],
"Yes")+COUNTIFS(tblApps[Offer_Accepted],"No"))

A4 Avg time to hire    B4
=AVERAGEIFS(tblApps[Time_to_Hire_Days],tblApps[Furthest_Stage],"Hired")

A5 Cost per hire       B5 =SUM(tblApps[Sourcing_Cost])/B2

A6 Hires vs target     B6 =B2/SUM(tblTargets[Hire_Target])
```

4. Switch to Plan mode and send the brief. Because the rules hold the definitions, layout and colours, the brief only says what to show. Read the plan: does it exclude Pending offers, count hires by Hire_Date month and put PivotTables on Dash_Data? Reply with corrections until it does, then approve it. Watch the steps, and select Done when Copilot finishes.

```
PLAN MODE:

Build a one-page, highly visual H1 2026 recruitment dashboard on the
Dashboard sheet for BrightPath's Head of Recruitment, following the
workbook rules.

KPI cards: Applications, Hires, Offer acceptance rate, Avg time to hire,
Cost per hire, Hires vs target %.

Charts: hires by Hire_Date month vs Hire_Target (columns + line); hires by
Sector (bar, sorted); applications by Source (bar, sorted); hires by
Recruiter (column).

Interactivity: slicers for Sector, Source and Recruiter and a timeline on
Hire_Date, connected to every PivotTable.
```

5. Make it visual with skills, one prompt at a time, and keep or undo each change. @chart-design polishes every chart; the traffic-light rule makes the target card readable at a glance; @theme-design pulls the page together while keeping the rule colours.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
ALLOW EDITING:

@chart-design Review every chart on the Dashboard: titles that state the
finding, axis titles, data labels where they help, and the colours in the
workbook rules.


FOLLOW-UP:

Colour the Hires vs target % card green at 100% or more, amber from 90% to
99.9% and red below 90%.


FOLLOW-UP:

@theme-design Apply a clean, modern theme to the Dashboard that keeps the
colours in the workbook rules.
```

6. Verify. With no slicer or timeline selection, ask Copilot to compare each card with the Checks sheet and show the card formulas. Fix any difference with a targeted prompt - the most common error is including Pending offers.

```
CHAT ONLY:

Compare each KPI card on the Dashboard with Checks!B1:B6, with no slicer
selected. Show each card's formula, its value, the Checks value and whether
they match.


ALLOW EDITING (if needed):

The Offer acceptance rate card must exclude Offer_Accepted = "Pending", as
the workbook rules say.

Fix the card formula.
```

7. Test the interactivity. Set the Sector slicer to Technology and read the cards, then clear it. Then select April to June 2026 on the Hire_Date timeline and read the Hires card, then clear it. Ask Copilot to add the checks and compare.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
CHECK (Allow editing):

On the Checks sheet, add these formulas in D1:D3 with labels in C1:C3, and
tell me if they match the cards when Sector = Technology, and the Hires
card when the timeline shows Apr-Jun 2026:

=COUNTIFS(tblApps[Sector],"Technology")

=COUNTIFS(tblApps[Sector],"Technology",tblApps[Furthest_Stage],"Hired")

=COUNTIFS(tblApps[Hire_Date],">="&DATE(2026,4,1),tblApps[Hire_Date],"<="&DA
TE(2026,6,30))


If a KPI card does not change, ask: "Link the KPI cards to the PivotTables
with GETPIVOTDATA so they respond to the slicers and timeline."
```

8. Ask Copilot (Chat only) to review the dashboard as the Head of Recruitment would, act on the valid points, and log your prompts.

```
CHAT ONLY:

Review this dashboard for a Head of Recruitment. What is unclear, missing
or potentially misleading?

Does it follow every rule on the .Rules sheet?


LOG (Allow editing):

Prompt_Log already lists every prompt in this lab. For each one I ran, fill
in What Copilot did and How I verified, and set Decision to Keep. I will
tell you any row to change to Revise or Undo.
```

Sample prompts

Purpose	Prompt
Plan	Plan a recruitment dashboard following the workbook rules. Show me the plan first.
KPI card	Create a KPI card for Cost per hire linked to the PivotTable with GETPIVOTDATA, formatted as S$.
Chart skill	@chart-design Turn the hires-by-month chart into columns for hires and a line for Hire_Target.
Timeline	Add a timeline on Hire_Date and connect it to every PivotTable on Dash_Data.
Visual cue	Add data bars to the hires-by-recruiter table and traffic-light colours to the target card.
Theme skill	@theme-design Apply a modern theme that keeps the colours in the workbook rules.
Review	Does this dashboard follow every rule on the .Rules sheet? List any that it breaks.
Question	Which recruiter made the most hires in H1 2026, and what was their average time to hire?

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Test it

Check	Expected result
Applications and hires	600 applications, 41 hires (no slicer selected)
Offer acceptance rate	78.8% = 41 of 52; 10 pending excluded
Time to hire, cost per hire	27.8 days; S$348.20
Hires vs target (amber)	93.2% = 41 of 44
Slicer: Sector = Technology	124 applications, 5 hires, 42.0 days
Timeline: Apr-Jun 2026	22 hires; no KPI card holds a typed number

Checkpoint and rejoin point

Keep the workbook in work-c34. Lab 8 turns this dashboard recipe into a reusable skill for workforce data.

Troubleshooting

If this happens	Fix
Copilot builds before you approve the plan.	You were in Allow editing. Select Undo, switch to Plan mode and resubmit.
KPI cards do not change with the slicers or timeline.	Cards built with COUNTIFS on tblApps ignore slicers. Ask Copilot to link them to the PivotTables with GETPIVOTDATA.
The timeline cannot be added.	A timeline needs a date field in a PivotTable. Ask Copilot to make sure Hire_Date is a date column and is in a PivotTable on Dash_Data.
Hires appear in January.	The chart counts by Applied_Month. Ask Copilot to group hires by Hire_Date month, as the rules say.

Challenge

Ask Copilot to add a small 'What changed' panel under the KPI cards with two sentences that use formulas (for example ="Hires: "&Checks!B2&" of "&SUM(tblTargets[Hire_Target])&" target"), so the text updates with the data.

Reflection

Which rule on your .Rules sheet saved you the most prompting, and which visual element makes the dashboard easiest to read?

Note: The lab folder labs/lab-07-*/ holds the instruction PDF with sample prompts, sample-prompts.txt and the mock-data workbook (data/BrightPath_Recruitment_Dashboard_Data.xlsx), plus rules-template.txt (the .Rules text to paste into column A). Use only the supplied fictional BrightPath data or information you are authorised to process. Do not paste credentials, confidential business material or real employees' personal data into Copilot, rules or skills.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Concepts for Lab 8: Workforce Measures: Headcount, Attrition and Tenure, A Reusable Dashboard Skill and the Refresh Test, Sharing People Dashboards Responsibly.

Workforce Measures: Headcount, Attrition and Tenure

Headcount is the number of active employees on a date. Attrition rate is the number of exits in a period divided by the average headcount over that period, usually (opening headcount + closing headcount) / 2; voluntary attrition counts resignations only. Tenure is the time from hire date to exit date, or to the report date for staff who are still active.

These words are calculated differently across organisations, and small choices change the answer: dividing by closing headcount instead of the average, or counting people hired after the period, moves the rate. Writing the definitions into the workbook's .Rules sheet makes every rebuild - and every skill run - use the same ones. Small groups give volatile rates that can also identify individuals.

How it works

- Fix the period (e.g. 2025-07-01 to 2026-06-30) and define 'active on a date'.
- Count opening and closing headcount, exits and voluntary exits with COUNTIFS.
- Divide exits by the average headcount, and report groups of fewer than 5 people only in total.

Worked example

- Opening headcount 210, closing 237, average 223.5.
- 29 exits / 223.5 = 13.0% attrition; 25 voluntary exits = 11.2%.
- Recruitment has the highest attrition, so it is reviewed as a team, never person by person.

Decision guide

Use when	Avoid when
Reporting workforce trends to HR leaders over a fixed period.	The period or the headcount basis differs between reports.
Comparing departments or locations that are large enough to stay anonymous.	A group is so small that its rate could identify a person.

Practitioner quality lens

- Defined: Period, headcount basis and exit types written down.
- Reconciled: Rate rebuilt from COUNTIFS on the source table.
- Private: No group under 5 people shown on its own.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/frequently-asked-questions-about-copilot-in-excel

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-rules

A Reusable Dashboard Skill and the Refresh Test

Once a dashboard recipe works, write it down as a custom skill: read .Rules, add helper columns, build a Checks sheet, create the PivotTables, cards, charts and slicers, then compare every card with the checks. Because the source is an Excel table, new rows are included automatically; refreshing all PivotTables updates the cards and charts. The refresh test proves the dashboard is live, not a one-off report.

A monthly dashboard should take one line to rebuild, not a long brief - and every rebuild should follow the same definitions. A skill plus workbook rules gives exactly that. The refresh test exposes static pictures, typed numbers and tables that did not expand, which are the most common reasons a dashboard silently goes out of date.

How it works

- Ask Copilot (Chat only) to write the dashboard SKILL.md; save it, refresh and turn it on.
- Run '@skill-name' in Plan mode on the workbook with its .Rules sheet; review, approve, verify.
- Append test rows to the source table, refresh all, and confirm each KPI moves by the expected amount.

Worked example

- '@hr-workforce-dashboard Build the workforce dashboard for the 12 months ending 2026-06-30.'
- Eight July joiners are appended to tblEmployees; active headcount rises by exactly 8.
- A chart that did not update was a pasted picture; it is replaced with a linked PivotChart.

Decision guide

Use when	Avoid when
The dashboard will be rebuilt or refreshed with new data each period.	The skill builds its own checks and nobody compares them with known values.
The recipe has been tested once by hand and its checks pass.	Numbers are typed into KPI cards instead of calculated.

Practitioner quality lens

- Repeatable: One-line skill call plus .Rules rebuilds the page.
- Refresh-tested: Added rows change KPIs by the expected amount.
- Self-checking: Skill compares cards with Checks and reports differences.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-skills
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-rules
- https://support.microsoft.com/en-us/excel/overview-of-pivottables-and-pivotcharts
- https://www.youtube.com/watch?v=4z4eIaEEH9A

Sharing People Dashboards Responsibly

People data - salaries, performance, engagement and exits - is sensitive. A responsible HR dashboard shows aggregated results, suppresses groups too small to protect anonymity (for example fewer than 5 people), limits access through OneDrive or SharePoint permissions, and keeps a record of who changed what. Copilot can review the page for privacy risks and draft a leadership summary from the verified numbers.

Copilot does not give anyone access to data they could not already open - but anyone who can open the workbook sees everything in it, including hidden sheets and the raw table behind a dashboard. A privacy rule in .Rules and a check step in the skill make responsible sharing the default, and a human still approves every number before it leaves HR.

How it works

- Write the privacy rule into .Rules: no IDs, salaries or individual records; no group under 5.
- Ask Copilot which slicer combinations show fewer than 5 people, and suppress them.
- Share with specific people, review change history, and check every number in any summary.

Worked example

- Salary detail stays in the source file; the leadership copy shows only aggregates.
- Filtering IT + Director would show one person, so that combination is grouped into Other.
- Copilot drafts a 5-line summary using only dashboard numbers; HR checks each one before sending.

Decision guide

Use when	Avoid when
The dashboard leaves the HR team or is used in a leadership meeting.	Individual-level records are visible to a broad audience.
The data includes pay, performance, health or exit details.	A small group's result could identify a person.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Practitioner quality lens

- Minimise: Only the fields the audience needs.
- Protect: Small-group suppression and specific-people sharing.
- Audit: Change history and version history retained.

Authoritative references

- https://support.microsoft.com/en-us/excel/copilot/frequently-asked-questions-about-copilot-in-excel
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-change-history
- https://support.microsoft.com/en-us/excel/copilot/copilot-in-excel-rules

Lab 8 · Dashboard Skill, Refresh & Share — Turn the Dashboard into a Reusable Skill, Refresh It and Share It Safely

Learning outcome: LO3: use Copilot to write a dashboard skill, run it on a workforce workbook with rules, prove the dashboard refreshes with new rows, and check it is safe to share.

Goal: Build BrightPath's workforce and attrition dashboard from a one-line skill call, prove it updates when new joiners arrive, and make sure no small group can be identified.

BrightPath's HR Director needs the same kind of dashboard every month. Instead of repeating a long brief, you will ask Microsoft 365 Copilot at https://copilot.cloud.microsoft/ to write an hr-workforce-dashboard skill, save it to OneDrive and return to Excel to run it on the workforce workbook, whose .Rules sheet holds the period, the attrition definition and the privacy rule. Then you will append eight July joiners and refresh to prove the dashboard is live, check that no slicer combination exposes fewer than 5 people, and ask Copilot for a short leadership summary.

What you'll build

An hr-workforce-dashboard skill in OneDrive, and BrightPath_Workforce_Headcount.xlsx with a .Rules sheet, helper columns, a Checks sheet and an HR_Dashboard with six KPI cards, four charts and Location and Job_Level slicers - refresh-tested and privacy-checked (Tools: Microsoft 365 Copilot web (https://copilot.cloud.microsoft/) to draft the skill · Excel Copilot to run it · .Rules · PivotTables, slicers, refresh.)

Prerequisites

- Lab 6 and Lab 7 completed: you can save a custom skill to OneDrive and build a dashboard with rules.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- This lab folder's data workbook, rules-template.txt and skills/hr-workforce-dashboard/SKILL.md (fallback).
- Access to https://copilot.cloud.microsoft/ with the same work account used in Excel and OneDrive.

Step-by-step

1. Copy BrightPath_Workforce_Headcount.xlsx from this lab's data folder into a work-c34 folder on your computer and open it in Excel for Microsoft 365 (desktop). Work on this local copy - no OneDrive upload is needed. Check that Formulas > Calculation Options is Automatic, then open Copilot from the Copilot button on the Home tab or the floating Copilot icon at the bottom right. Read the About_This_Data sheet before you prompt. Do not touch the New_Joiners_Jul2026 sheet until the refresh test.

```
Table : tblEmployees (420 employees hired since 2019; Status Active or
Exited)

Period: 2025-07-01 to 2026-06-30

Attrition rate = exits in period / ((active on 2025-07-01 + active on 2026-
06-30) / 2)
```

2. Create the workbook rules: + (Add work content) > Create workbook rules, then paste rules-template.txt into .Rules!A1 or send the prompt below. Note the privacy rule - the skill will follow it.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
ALLOW EDITING:

On the .Rules sheet, replace everything in column A with these rules, one
per cell from A1 down.

Keep each ## heading in its own cell. Do not change any other sheet.

## WORKFORCE DASHBOARD STANDARDS

Never change or delete existing rows of tblEmployees.

Never show Employee_ID, Monthly_Salary or any individual record on a
dashboard.

The 12-month period is 2025-07-01 to 2026-06-30. Active on a date =
Hire_Date on or before it and Exit_Date blank or after it.

Active headcount = employees with Status Active now, so new joiners count
as soon as they are added to tblEmployees.

Attrition rate = exits in the period / ((active on 2025-07-01 + active on
2026-06-30) / 2). New joiners after 2026-06-30 do not change it.

Tenure_Years = years from Hire_Date to Exit_Date, or to 2026-06-30 if still
active; use 0 for anyone hired after 2026-06-30.

Do not show any group of fewer than 5 employees. Group it into Other or
leave it out.

## LAYOUT

Dashboard sheet HR_Dashboard: title in A1, "Data as at 2026-06-30" in A2,
KPI cards in row 4, charts in a grid below, slicers on the right.

Put every PivotTable on a sheet named Dash_Data. Never merge cells. Hide
gridlines on HR_Dashboard.

## VISUAL STYLE

Colours: navy #1F4E79 for headcount, teal #2A9D8F for hires, amber #F4A261
for exits and attrition.

Every chart title states the finding. Rates as % with 1 decimal. Years with
1 decimal.
```

3. Open https://copilot.cloud.microsoft/ in your browser and sign in with the same work account used in Excel. Start a new chat in Microsoft 365 Copilot on the web and paste Prompt B below to draft the skill. The web chat does not automatically see your local workbook or Excel chat, so this prompt supplies the table schema and dashboard recipe. No workbook upload is needed. Read the returned text: it must start with --- and include name: hr-workforce-dashboard and a description, followed by the numbered steps. Ask for corrections in this web chat before saving.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

PROMPT (Microsoft 365 Copilot web):

Write a complete SKILL.md for a Copilot in Excel skill named hr-workforce-dashboard.

Return reusable skill instructions; do not build a dashboard or claim to inspect my local workbook in this chat.

Start with YAML front matter containing name: hr-workforce-dashboard and a description.

Description: Use when I ask for a workforce, headcount or attrition dashboard from an employee table.

Workbook context for the skill when it runs in Excel: tblEmployees has Employee_ID, Department, Location, Job_Level, Employment_Type, Hire_Date, Exit_Date, Exit_Type, Status, Monthly_Salary, Engagement_Score, and Training_Hours_YTD. Status is Active or Exited; blank Exit_Date means no recorded exit.

The .Rules worksheet holds the reporting period (2025-07-01 to 2026-06-30 for this lab), KPI definitions, privacy limits and formatting. Read it at run time; ask if it is missing or unclear.

Attrition = exits in period / ((headcount at period start + headcount at period end) / 2).

Voluntary attrition uses voluntary exits and the same denominator; handle a zero denominator explicitly.

Never display Employee_ID, salary, individual records or groups smaller than 5 on the dashboard.

Steps:

1) Read the .Rules sheet first and follow it.

2) Add helper columns Active_Start, Exit_In_Period and Tenure_Years using the period in the rules.

3) Create a Checks sheet with independent COUNTIFS formulas for active headcount (Status Active), headcount at period start, headcount at period end, exits, voluntary exits, attrition rate and hires.

4) Put all PivotTables on Dash_Data.

5) Build HR_Dashboard: six KPI cards (Active headcount, Exits, Attrition rate, Voluntary attrition rate,

Avg tenure of active staff, Hires), charts of headcount by Department, attrition rate by Department, hires vs exits by quarter and headcount by Location, and slicers for Location and Job_Level.

6) Compare every KPI card with Checks and report any difference.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
7) Check slicer combinations for groups smaller than 5; suppress their
values and report the privacy check.

8) Use tblEmployees as a dynamic source and refresh all PivotTables after
new rows are appended.

Return only the full SKILL.md text, starting with the --- front matter,
without code fences or commentary.
```

4. Copy the skill text from the web chat into a plain-text file named SKILL.md (not SKILL.md.txt). Do not include Markdown code fences around the file. Return to Excel: Settings (...) > Manage plugins & skills > Custom skills > Open skills folder (select Create OneDrive folder first if needed). Create the folder hr-workforce-dashboard in your OneDrive skills folder and upload the file (or upload the ready-made one from this lab folder). In Excel select Settings (...) > Manage plugins & skills > Custom skills > Refresh and turn the skill on.

```
OneDrive : .../skills/hr-workforce-dashboard/SKILL.md

Check    : folder name = name: line = hr-workforce-dashboard
```

5. Run the skill in Plan mode: one line replaces the long brief, because the skill holds the steps and the rules hold the definitions. Review the plan, approve it, and select Done when Copilot finishes.

```
PLAN MODE:

@hr-workforce-dashboard Build the workforce dashboard for the 12 months
ending 2026-06-30.
```

6. Verify. Ask Copilot to compare the KPI cards with the Checks sheet the skill built, and to show the attrition formula. Compare both with the Test It values - a skill can build a wrong check too.

```
CHAT ONLY:

Compare each KPI card on HR_Dashboard with the Checks sheet and tell me
which, if any, do not match.

Show the formula behind the Attrition rate card.


ALLOW EDITING (if needed):

The attrition rate must use average headcount = (active on 2025-07-01 +
active on 2026-06-30) / 2, as the rules say.
```

7. Refresh test: ask Copilot to append the 8 rows from New_Joiners_Jul2026 to tblEmployees and refresh every PivotTable. Every KPI and chart that counts active staff must update.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
ALLOW EDITING:

Copy the 8 data rows in New_Joiners_Jul2026!A2:L9 to the first empty rows
directly below tblEmployees so the table expands. Then refresh all
PivotTables in the workbook and tell me the new Active headcount and the
number of rows in tblEmployees.



Expected after refresh:

Active headcount : 237 -> 245

tblEmployees rows: 420 -> 428

New joiners by department: Recruitment +2, Sales & Client Services +2, IT
+4
```

8. Check it is safe to share, then ask for a leadership summary that uses only dashboard numbers. Copilot drafts; you check every number before it leaves HR. Manually fill in the Step 3 / Prompt B row in Prompt_Log: record that the web chat drafted SKILL.md and how you checked the front matter and steps. Excel Copilot cannot see that web conversation. Then log the Excel prompts with Prompt I.

```
CHAT ONLY:

Review HR_Dashboard before I share it with the leadership team. Does any
element expose individual employee data or a group smaller than 5? Is each
KPI labelled with its period and definition?



CHAT ONLY:

Write a 5-line summary of HR_Dashboard for BrightPath's leadership team.
Use only numbers shown on the dashboard, and label any explanation as a
hypothesis to test.



LOG (Allow editing):

In Prompt_Log, leave the Step 3 / Prompt B web-chat row unchanged. For each
Excel prompt I ran, fill in What Copilot did and How I verified, and set
Decision to Keep. Do not invent results for web prompts.

I will tell you any row to change to Revise or Undo.
```


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Sample prompts

Purpose	Prompt
Write a skill · Microsoft 365 Copilot web	In the web chat at https://copilot.cloud.microsoft/, use the complete Step 3 prompt below to draft hr-workforce-dashboard. It includes the workbook schema and rules that this chat cannot see.
Run a skill	@hr-workforce-dashboard Build the workforce dashboard for the 12 months ending 2026-06-30.
Refresh	I added rows to tblEmployees. Refresh all PivotTables and tell me which KPI values changed.
Privacy	Which slicer combinations show a group of fewer than 5 employees? Suggest how to suppress them.
Explain	Explain how the Attrition rate card is calculated, step by step.
Improve the skill · Microsoft 365 Copilot web	I will paste my current hr-workforce-dashboard SKILL.md below. Update it so it also adds a timeline on Hire_Date. Preserve its front matter, KPI definitions and privacy rules. Return the full file without code fences. If I have not pasted the file, ask me for it first.
Summary	Write a 5-line leadership summary using only the numbers on HR_Dashboard.

Test it

Check	Expected result
Active headcount	237 before the refresh
Exits and attrition	29 exits (25 voluntary); 13.0% attrition
Hires and tenure	56 hires; average tenure about 3.1 years
Highest-attrition department	Recruitment: 21.8% (12 exits)
Refresh test	After adding the July joiners: headcount 245, 428 rows
Privacy	No Employee_ID, salary, individual record or group under 5 on the dashboard

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Checkpoint and rejoin point

You now have two custom skills in OneDrive. Run hr-workforce-dashboard again next month on new data, and improve the skill whenever you correct Copilot twice.

Troubleshooting

If this happens	Fix
The web chat asks to see my workbook or outputs a dashboard instead of SKILL.md.	Use the full Step 3 prompt at https://copilot.cloud.microsoft/. Ask for reusable skill instructions only; the local workbook is used later in Excel. Do not upload it just to draft the skill.
The skill does not appear in Excel after saving.	Use the skills folder opened from Excel, check the file is SKILL.md rather than SKILL.md.txt, and ensure the folder name and front-matter name are both hr-workforce-dashboard. Select Refresh and enable it. If custom skills are unavailable for your account, use the supplied skill text as a normal Excel prompt and record that the installation could not be completed.
The new rows did not join the table and nothing changed on refresh.	Ask Copilot to resize tblEmployees to include the 8 new rows, then refresh all PivotTables again.
Attrition shows 12.2% (29 / 237) instead of 13.0%.	The card divides by closing headcount only. Ask Copilot to use the average of opening and closing headcount, then add that wording to the skill.
The skill ignores the .Rules sheet.	Check the sheet is named .Rules and is visible, and that step 1 of the skill says to read it. Start a New chat.
Helper columns show #VALUE! for blank Exit_Date.	Ask Copilot to treat blank Exit_Date explicitly, e.g. OR([@Exit_Date]="", [@Exit_Date]>DATE(2025,7,1)).

Challenge

Improve the skill so it also adds a Timeline on Hire_Date and a chart of average Engagement_Score by Department for active staff. Save, refresh and rerun it, then check one department's average with AVERAGEIFS.

Reflection

What would happen to trust in this dashboard if one leader could filter it down to a single named team member?

Note: The lab folder labs/lab-08-*/ holds the instruction PDF with sample prompts, sample-prompts.txt and the mock-data workbook (data/BrightPath_Workforce_Headcount.xlsx), plus rules-template.txt (the .Rules text to paste into column A), plus skills/hr-workforce-dashboard/SKILL.md (ready-made skill to upload if you run short of time). Use only the supplied fictional BrightPath data or information you are authorised to process. Do not paste credentials, confidential business material or real employees' personal data into Copilot, rules or skills.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Topic 03 Recap - Mapped to Learning Outcomes

Use this checkpoint to explain what you can now do and identify any lab evidence you still need to repair.

Learning outcome	Evidence from this topic
LO3 · Design	KPI definitions, layout and colours written in .Rules before anything is built.
LO3 · Build	Plan mode, then @chart-design and @theme-design; every KPI card matches the Checks sheet.
LO3 · Interact	Slicers, a timeline and GETPIVOTDATA cards tested against COUNTIFS.
LO3 · Reuse and share	A dashboard skill, a passing refresh test, and no group under 5 people on view.

Wrap-Up - The Complete C34 Workflow

Across eight labs you moved from single prompts to rules, skills and a reusable, interactive dashboard - always with a verification step between Copilot's output and a people decision.

Excel fundamentals

- Choose Chat only, Plan or Allow editing on purpose, and keep or undo every change.
- Prepare named tables, fix data quality, and describe formulas and XLOOKUPs in plain English.
- Build PivotTables, PivotCharts and charts, and tie each one to an independent total.

Skills and rules

- Personal preferences go in Personalization; one workbook's standards go in a visible .Rules sheet.
- Call built-in skills with @ - and hold them to your definitions.
- Let Copilot write a SKILL.md, save it in its OneDrive folder, refresh, and improve it over time.

Interactive dashboards

- Define KPIs, layout and colours in .Rules; plan, build and polish with Plan mode and skills.
- Wire slicers, a timeline and formula-driven KPI cards, and prove refresh with new rows.
- Save the recipe as a skill, and share only aggregated, permissioned views.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Next Steps

- Re-run all eight labs from the original data workbooks without looking at your finished files.
- Add your three most common Copilot corrections to Personalization this week.
- Create a .Rules sheet for one important workbook in your role - it takes a few minutes.
- Turn one weekly or monthly report into a custom skill, test it on a copy, and improve it after each run.
- Check Microsoft Support regularly: Copilot in Excel's modes, skills and labels change frequently.

Glossary

- **.Rules sheet —** A visible worksheet named .Rules whose column A holds rules Copilot follows in that workbook.
- **@mention —** Typing @ and a skill's name in the prompt to call that skill, e.g. @chart-design.
- **Allow editing —** The default Copilot mode: it plans and makes changes to the workbook in one go.
- **Attrition rate —** Exits in a period divided by average headcount in that period.
- **Chat only —** The Copilot mode that answers and analyses without changing the workbook.
- **Clean data with Copilot —** Automated cleanup (Data > Clean Data) that suggests fixes for spaces, capitals and similar issues.
- **Cost per hire —** Total recruiting cost in a period divided by hires in that period.
- **Cumulative % —** A running total of each category's share, so the Pareto line shows how much the top categories cover.
- **Custom skill —** A SKILL.md file you save in its own folder in your OneDrive skills folder.
- **Front matter —** The block between --- lines at the top of SKILL.md holding the skill's name and description.
- **Sheet reference —** Sheet!Cell, e.g. Control!B1 - a cell on another sheet; $ (e.g. $B$1) locks it when the formula is copied.
- **Structured reference —** A formula reference by table and column name; [@Column] means this row, Table[Column] the whole column.
- **GETPIVOTDATA —** An Excel function that reads a value from a PivotTable, so a KPI card follows its slicers.
- **KPI card —** A dashboard cell or shape that shows one headline measure, calculated by formula.
- **Offer acceptance rate —** Accepted offers divided by offers with a decision (accepted + declined).
- **Pareto chart —** Columns sorted high to low plus a cumulative % line, to find the few categories behind most of the total.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- **Personalization —** Your own Copilot preferences, stored with your account and applied in every workbook.
- **PivotChart —** A chart linked to a PivotTable that updates and filters with it.
- **Plan mode —** The Copilot mode that shows its planned steps and waits for your approval before changing anything.
- **Skill —** Saved instructions that tell Copilot how to do a repeatable task; built-in or custom.
- **Slicer —** An on-sheet filter button that can control several PivotTables and charts.
- **Theme —** One coordinated set of colours, fonts and formats for cells, tables and charts, e.g. applied with @theme-design.
- **Timeline —** A slider filter for a date field that can control several PivotTables.
- **XLOOKUP —** An Excel function that finds a value in one range and returns the matching value from another.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg