



TERTIARY INFOTECH ACADEMY PTE LTD

Learner Guide

Generative AI for Script Development and Storytelling

v1.0 · 19 September 2026

UEN 201200696W

Document Version Control Record

Version	Release date	Change	Owner
v1.0	19 September 2026	Non-WSQ edition of the script development and storytelling course	Tertiary Infotech Academy

Contents

1. Topic 1: Story architecture, world-building and character systems
 2. Topic 2: Prompt contracts, storyboard grammar and visual continuity
 3. Topic 3: Script analysis, revision and multimodal production
 4. Topic 4: Bias, authenticity and responsible creative control
 5. Topic 5: Copyright, provenance and release governance
- Lab 01: Premise, story spine and beat architecture
 - Lab 02: Character arcs, relationships and world bible
 - Lab 03: Prompt contract and shot grammar
 - Lab 04: Storyboard continuity and animatic plan
 - Lab 05: Script parsing and diagnostic analysis
 - Lab 06: Revision, voiceover and rough-cut plan
 - Lab 07: Bias, culture and factual integrity
 - Lab 08: Authenticity, privacy and disclosure gate
 - Lab 09: Rights, licences and similarity review
 - Lab 10: Provenance and final release packet

Learning outcomes

- LO1: Use generative AI techniques to develop compelling script elements enriched with narrative structure and creative storytelling.
- LO2: Identify effective prompt terms and narrative components to enhance AI-generated storyboards for visual storytelling.
- LO3: Utilise generative AI tools to refine video scripts for clarity, tone, and narrative consistency.
- LO4: Analyse generative AI outputs for ethical issues, bias, and copyright risks, applying appropriate corrective actions.
- LO5: Identify copyright risks in generative AI production and apply corrective actions to avoid copyright infringement.

How to use this guide

Complete the labs in order. The slides explain mechanisms and evidence; this guide and the lab packs contain the detailed procedures. Use only fictional classroom data and assets with a recorded rights basis.

Topic 1: Story architecture, world-building and character systems

Premise contract

Input: creative brief and audience need. Control: compress protagonist, goal, obstacle, stakes and change into one causal sentence. Output: premise record. Accept when every clause must affect the central conflict. Watch for theme without dramatic action. Measure premise field coverage.

Story question and controlling idea

Input: premise and intended audience effect. Control: frame the uncertain dramatic question and the value change the ending proves. Output: story spine. Accept when ending must answer the opening question. Watch for message stated before it is earned. Measure question-to-resolution trace.

Three-act turning-point model

Input: story spine and target duration. Control: allocate setup, confrontation and resolution around irreversible decisions. Output: beat sheet. Accept when each act turn changes goal, cost or available options. Watch for episodic events without escalation. Measure causal beat ratio.

Five-beat short-form arc

Input: single objective and platform duration. Control: map hook, trigger, escalation, crisis and payoff to timed beats. Output: short-form beat map. Accept when each beat changes audience knowledge or emotion. Watch for montage without progression. Measure beat function coverage.

Character want, need and misbelief

Input: premise and character seed. Control: separate external objective, internal need and belief under pressure. Output: character arc card. Accept when climax forces a choice between want and need. Watch for traits without decisions. Measure decision-to-arc alignment.

Character relationship engine

Input: two character arc cards. Control: define power, dependence, conflict, history and change across scenes. Output: relationship matrix. Accept when each relationship beat must alter trust or leverage. Watch for dialogue that repeats exposition. Measure relationship-state changes.

World rule ledger

Input: genre promise and setting constraints. Control: record physical, social, economic and cultural rules with consequences. Output: world bible. Accept when a rule is usable only when violation has a cost. Watch for decorative lore. Measure rule-to-consequence coverage.

Scene objective-obstacle-turn

Input: beat sheet and character state. Control: encode objective, tactic, obstacle, turn and exit value for every scene. Output: scene card. Accept when scene exits with changed value or information. Watch for talking scene with no turn. Measure scene-change rate.

Scenario iteration tree

Input: approved premise and constraints. Control: vary one narrative variable per branch and compare consequences. Output: option matrix. Accept when select by audience fit, originality and feasibility. Watch for random novelty without brief fit. Measure controlled-variable score.

Human creative authorship record

Input: AI suggestions and creator decisions. Control: log selection, rejection, recombination and original contribution. Output: creative decision log. Accept when human must make consequential expressive choices. Watch for unmodified model output. Measure documented human contribution.

Lab 01: Premise, story spine and beat architecture

Course: Generative AI for Script Development and Storytelling · C364 · v1.0

Outcome: LO1: Use generative AI techniques to develop compelling script elements enriched with narrative structure and creative storytelling.

Build: premise contract, story spine and two beat-map variants.

1. Open story-assets/story-brief.md. Record the intended audience effect, central conflict and duration constraint.
2. Open story-assets/character-cards.md and scene-slate.md. Fill only facts that are supported by your creative decisions; label unresolved items TBD.
3. Open both CSV ledgers. Confirm all names and events are fictional classroom material and do not substitute personal data or unlicensed media.
4. Start a new workspace or chat in a generative AI tool available to you. Paste the relevant role prompt from prompts.pdf and attach only this lab's files.
5. Ask the story architect for two controlled variants. Compare them using audience fit, causality, originality, feasibility and ethical risk. Record why you selected one.
6. Write three premise variants using protagonist, goal, obstacle, stakes and change fields.
7. Score each premise for causality, originality, audience fit and 90-second feasibility.
8. Turn the selected premise into both a three-act map and a five-beat map; reconcile their turning points.
9. Run the editor prompt. Copy each defect into a revision table, revise only the failed criteria and preserve the earlier version for comparison.
10. Run the reviewer prompt. Resolve or assign every bias, fact, rights, privacy, disclosure and accessibility finding. Update rights-ledger.csv for every generated or imported asset.
11. Act as the human creative director. Approve, revise or block the artifact; record the decision, creative rationale, version and date. Do not publish during class.

- Deliverable exists: premise contract, story spine and two beat-map variants.
- Every scene has an ID and produces a measurable change in knowledge, value or emotion.
- Continuity states are complete or explicitly TBD; generated assets have rights/provenance entries.
- At least one revision shows a before/after difference tied to a named criterion.
- Reviewer records PASS, REVISE or BLOCK and human creative approval is distinct.

Save the brief, prompt/output transcript, artifact versions, continuity and rights ledgers, review result and human decision in an evidence/ folder named for this lab. Include one screenshot of the final approved state.

Lab 02: Character arcs, relationships and world bible

Course: Generative AI for Script Development and Storytelling · C364 · v1.0

Outcome: LO1: Use generative AI techniques to develop compelling script elements enriched with narrative structure and creative storytelling.

Build: character cards, relationship matrix, world-rule ledger and scene cards.

1. Open story-assets/story-brief.md. Record the intended audience effect, central conflict and duration constraint.
 2. Open story-assets/character-cards.md and scene-slate.md. Fill only facts that are supported by your creative decisions; label unresolved items TBD.
 3. Open both CSV ledgers. Confirm all names and events are fictional classroom material and do not substitute personal data or unlicensed media.
 4. Start a new workspace or chat in a generative AI tool available to you. Paste the relevant role prompt from prompts.pdf and attach only this lab's files.
 5. Ask the story architect for two controlled variants. Compare them using audience fit, causality, originality, feasibility and ethical risk. Record why you selected one.
 6. Complete want, need, misbelief, tactic and irreversible-choice fields for both central characters.
 7. Define five world rules and the consequence of violating each rule.
 8. Write six scene cards with objective, obstacle, turn and exit value; remove any scene with no state change.
 9. Run the editor prompt. Copy each defect into a revision table, revise only the failed criteria and preserve the earlier version for comparison.
 10. Run the reviewer prompt. Resolve or assign every bias, fact, rights, privacy, disclosure and accessibility finding. Update rights-ledger.csv for every generated or imported asset.
 11. Act as the human creative director. Approve, revise or block the artifact; record the decision, creative rationale, version and date. Do not publish during class.
- Deliverable exists: character cards, relationship matrix, world-rule ledger and scene cards.
 - Every scene has an ID and produces a measurable change in knowledge, value or emotion.
 - Continuity states are complete or explicitly TBD; generated assets have rights/provenance entries.
 - At least one revision shows a before/after difference tied to a named criterion.
 - Reviewer records PASS, REVISE or BLOCK and human creative approval is distinct.

Save the brief, prompt/output transcript, artifact versions, continuity and rights ledgers, review result and human decision in an evidence/ folder named for this lab. Include one screenshot of the final approved state.

Topic 2: Prompt contracts, storyboard grammar and visual continuity

Prompt role and boundary

Input: approved story bible and task. Control: separate durable constraints, task input, references and output schema. Output: prompt contract. Accept when untrusted text cannot override creative or safety constraints. Watch for prompt injection from references. Measure role-boundary violations.

Narrative constraint stack

Input: character, world, tone and audience rules. Control: rank hard continuity constraints above optional style preferences. Output: constraint ledger. Accept when reject output that violates a hard rule. Watch for contradictory character or setting. Measure hard-rule pass rate.

Few-shot scene imitation control

Input: original example scenes and target schema. Control: demonstrate format and pacing without copying protected expression. Output: example pack. Accept when examples teach structure, not distinctive wording. Watch for near-copy reproduction. Measure phrase-overlap review.

Storyboard shot grammar

Input: scene card and emotional intention. Control: map shot size, angle, movement, duration and transition to story function. Output: shot list. Accept when camera choice must reveal information or emotion. Watch for random cinematic adjectives. Measure motivated-shot share.

Continuity state ledger

Input: approved scenes and character bible. Control: track wardrobe, props, geography, time, eyeline and emotional state. Output: continuity sheet. Accept when next shot inherits all unchanged states. Watch for visual discontinuity. Measure state mismatch count.

Image prompt anatomy

Input: shot list and continuity state. Control: specify subject, action, setting, composition, lens, light, palette and exclusions. Output: visual prompt record. Accept when prompt must encode story function and continuity anchors. Watch for beautiful but unusable image. Measure prompt field completeness.

Reference image control

Input: owned or licensed references. Control: label style, subject, composition and edit-target roles separately. Output: reference manifest. Accept when do not imply permission from mere access. Watch for unlicensed or ambiguous reference. Measure rights-labelled reference rate.

Iterative variation protocol

Input: baseline prompt and generated frames. Control: change one parameter, preserve invariants and score against rubric. Output: variation log. Accept when retain a frame only when it improves named criteria. Watch for untraceable prompt drift. Measure single-variable iteration rate.

Storyboard evaluation rubric

Input: panels, shot list and story beat. Control: score clarity, continuity, composition, emotion, feasibility and rights. Output: storyboard QA sheet. Accept when block any critical continuity or rights failure. Watch for subjective approval only. Measure rubric agreement.

Animatic timing model

Input: approved storyboard and dialogue timing. Control: combine shot durations, pauses, transitions and audio cues. Output: timed animatic plan. Accept when total duration must fit delivery constraint. Watch for pacing collapse in edit. Measure duration variance.

Lab 03: Prompt contract and shot grammar

Course: Generative AI for Script Development and Storytelling · C364 · v1.0

Outcome: LO2: Identify effective prompt terms and narrative components to enhance AI-generated storyboards for visual storytelling.

Build: structured prompt pack, shot list and visual reference manifest.

1. Open story-assets/story-brief.md. Record the intended audience effect, central conflict and duration constraint.
2. Open story-assets/character-cards.md and scene-slate.md. Fill only facts that are supported by your creative decisions; label unresolved items TBD.
3. Open both CSV ledgers. Confirm all names and events are fictional classroom material and do not substitute personal data or unlicensed media.
4. Start a new workspace or chat in a generative AI tool available to you. Paste the relevant role prompt from prompts.pdf and attach only this lab's files.
5. Ask the story architect for two controlled variants. Compare them using audience fit, causality, originality, feasibility and ethical risk. Record why you selected one.
6. Build a prompt contract with role, task, story bible, hard constraints, output schema and exclusions.
7. Extract one shot per story beat and assign shot size, angle, movement, duration and story purpose.
8. Create two controlled image-prompt variants by changing only lens or lighting; keep character and prop invariants fixed.
9. Run the editor prompt. Copy each defect into a revision table, revise only the failed criteria and preserve the earlier version for comparison.
10. Run the reviewer prompt. Resolve or assign every bias, fact, rights, privacy, disclosure and accessibility finding. Update rights-ledger.csv for every generated or imported asset.
11. Act as the human creative director. Approve, revise or block the artifact; record the decision, creative rationale, version and date. Do not publish during class.

- Deliverable exists: structured prompt pack, shot list and visual reference manifest.

- Every scene has an ID and produces a measurable change in knowledge, value or emotion.

- Continuity states are complete or explicitly TBD; generated assets have rights/provenance entries.
- At least one revision shows a before/after difference tied to a named criterion.
- Reviewer records PASS, REVISE or BLOCK and human creative approval is distinct.

Save the brief, prompt/output transcript, artifact versions, continuity and rights ledgers, review result and human decision in an evidence/ folder named for this lab. Include one screenshot of the final approved state.

Lab 04: Storyboard continuity and animatic plan

Course: Generative AI for Script Development and Storytelling · C364 · v1.0

Outcome: LO2: Identify effective prompt terms and narrative components to enhance AI-generated storyboards for visual storytelling.

Build: six-panel storyboard, continuity ledger, rubric and timing plan.

1. Open story-assets/story-brief.md. Record the intended audience effect, central conflict and duration constraint.
 2. Open story-assets/character-cards.md and scene-slate.md. Fill only facts that are supported by your creative decisions; label unresolved items TBD.
 3. Open both CSV ledgers. Confirm all names and events are fictional classroom material and do not substitute personal data or unlicensed media.
 4. Start a new workspace or chat in a generative AI tool available to you. Paste the relevant role prompt from prompts.pdf and attach only this lab's files.
 5. Ask the story architect for two controlled variants. Compare them using audience fit, causality, originality, feasibility and ethical risk. Record why you selected one.
 6. Generate six low-fidelity panels and assign each a scene and shot ID.
 7. Populate the continuity ledger after every panel; resolve wardrobe, prop, geography, eyeline and time mismatches.
 8. Calculate the animatic duration from shot lengths, dialogue, pauses and transitions; revise to the 90-second limit.
 9. Run the editor prompt. Copy each defect into a revision table, revise only the failed criteria and preserve the earlier version for comparison.
 10. Run the reviewer prompt. Resolve or assign every bias, fact, rights, privacy, disclosure and accessibility finding. Update rights-ledger.csv for every generated or imported asset.
 11. Act as the human creative director. Approve, revise or block the artifact; record the decision, creative rationale, version and date. Do not publish during class.
- Deliverable exists: six-panel storyboard, continuity ledger, rubric and timing plan.
 - Every scene has an ID and produces a measurable change in knowledge, value or emotion.

- Continuity states are complete or explicitly TBD; generated assets have rights/provenance entries.
- At least one revision shows a before/after difference tied to a named criterion.
- Reviewer records PASS, REVISE or BLOCK and human creative approval is distinct.

Save the brief, prompt/output transcript, artifact versions, continuity and rights ledgers, review result and human decision in an evidence/ folder named for this lab. Include one screenshot of the final approved state.

Topic 3: Script analysis, revision and multimodal production

Script document schema

Input: draft script and format target. Control: parse slugline, action, character, dialogue, parenthetical and transition roles. Output: structured script. Accept when every line has one production function. Watch for mixed prose and screenplay syntax. Measure schema-valid line rate.

Dialogue subtext test

Input: character objectives and scene conflict. Control: compare spoken line with hidden tactic, status and emotional pressure. Output: subtext annotation. Accept when retain line only if it advances tactic or reveals conflict. Watch for on-the-nose explanation. Measure subtext-bearing line rate.

Readability and rhythm profile

Input: script text and audience level. Control: measure sentence length, lexical difficulty, repetition and pause pattern. Output: language report. Accept when revise outliers without flattening voice. Watch for mechanical simplification. Measure target-band compliance.

Tone vector control

Input: brand or genre samples and draft. Control: score warmth, formality, urgency, humour and intensity with cited examples. Output: tone matrix. Accept when revision must move failed dimensions while preserving plot facts. Watch for tone drift. Measure dimension delta.

Narrative consistency graph

Input: character, prop, location and event claims. Control: link entities and temporal dependencies across scenes. Output: continuity graph. Accept when flag impossible order or unsupported state change. Watch for contradiction hidden in long context. Measure unresolved contradiction count.

Pacing by information load

Input: scene durations and new information units. Control: estimate reveal density, emotional beat spacing and recovery time. Output: pacing map. Accept when slow or split overloaded sequences. Watch for constant tempo. Measure information units per minute.

Revision diff and rationale

Input: baseline draft and review rubric. Control: change only failed criteria and explain each consequential edit. Output: revision log. Accept when every edit maps to evidence or creative intent. Watch for endless cosmetic rewrite. Measure defect closure rate.

Voiceover and dialogue split

Input: visual action and information needs. Control: assign only non-visible information to narration and preserve scene sound. Output: audio script. Accept when remove narration that merely describes the picture. Watch for redundant voiceover. Measure audio-visual complementarity.

Multimodal asset map

Input: script, storyboard, audio and captions. Control: bind asset IDs, scene IDs, timing, owner and version. Output: production manifest. Accept when no orphan asset enters the edit. Watch for wrong-version media. Measure manifest completeness.

Rough-cut acceptance gate

Input: edit timeline and delivery brief. Control: review narrative clarity, sync, pacing, captions, mix and export settings. Output: rough-cut report. Accept when release only when critical defects are zero. Watch for technically exported but narratively unclear. Measure critical defect count.

Lab 05: Script parsing and diagnostic analysis

Course: Generative AI for Script Development and Storytelling · C364 · v1.0

Outcome: LO3: Utilise generative AI tools to refine video scripts for clarity, tone, and narrative consistency.

Build: structured script, readability report, tone matrix and continuity graph.

1. Open story-assets/story-brief.md. Record the intended audience effect, central conflict and duration constraint.
2. Open story-assets/character-cards.md and scene-slate.md. Fill only facts that are supported by your creative decisions; label unresolved items TBD.
3. Open both CSV ledgers. Confirm all names and events are fictional classroom material and do not substitute personal data or unlicensed media.
4. Start a new workspace or chat in a generative AI tool available to you. Paste the relevant role prompt from prompts.pdf and attach only this lab's files.
5. Ask the story architect for two controlled variants. Compare them using audience fit, causality, originality, feasibility and ethical risk. Record why you selected one.
6. Tag each draft line as slugline, action, character, dialogue, parenthetical or transition.
7. Measure sentence length, repeated phrases, tone dimensions and information units per scene.
8. Build a character-prop-location-event consistency graph and list every unsupported state change.
9. Run the editor prompt. Copy each defect into a revision table, revise only the failed criteria and preserve the earlier version for comparison.
10. Run the reviewer prompt. Resolve or assign every bias, fact, rights, privacy, disclosure and accessibility finding. Update rights-ledger.csv for every generated or imported asset.

11. Act as the human creative director. Approve, revise or block the artifact; record the decision, creative rationale, version and date. Do not publish during class.

- Deliverable exists: structured script, readability report, tone matrix and continuity graph.
- Every scene has an ID and produces a measurable change in knowledge, value or emotion.
- Continuity states are complete or explicitly TBD; generated assets have rights/provenance entries.
- At least one revision shows a before/after difference tied to a named criterion.
- Reviewer records PASS, REVISE or BLOCK and human creative approval is distinct.

Save the brief, prompt/output transcript, artifact versions, continuity and rights ledgers, review result and human decision in an evidence/ folder named for this lab. Include one screenshot of the final approved state.

Lab 06: Revision, voiceover and rough-cut plan

Course: Generative AI for Script Development and Storytelling · C364 · v1.0

Outcome: LO3: Utilise generative AI tools to refine video scripts for clarity, tone, and narrative consistency.

Build: revision diff, audio script, production manifest and rough-cut checklist.

1. Open story-assets/story-brief.md. Record the intended audience effect, central conflict and duration constraint.
2. Open story-assets/character-cards.md and scene-slate.md. Fill only facts that are supported by your creative decisions; label unresolved items TBD.
3. Open both CSV ledgers. Confirm all names and events are fictional classroom material and do not substitute personal data or unlicensed media.
4. Start a new workspace or chat in a generative AI tool available to you. Paste the relevant role prompt from prompts.pdf and attach only this lab's files.
5. Ask the story architect for two controlled variants. Compare them using audience fit, causality, originality, feasibility and ethical risk. Record why you selected one.
6. Create a revision table with scene ID, failed criterion, evidence, edit and intended audience effect.
7. Separate visible information from voiceover; delete narration that merely describes the image.
8. Map script, panel, voice, sound and caption asset IDs on a 90-second rough-cut timeline and run the acceptance checklist.
9. Run the editor prompt. Copy each defect into a revision table, revise only the failed criteria and preserve the earlier version for comparison.
10. Run the reviewer prompt. Resolve or assign every bias, fact, rights, privacy, disclosure and accessibility finding. Update rights-ledger.csv for every generated or imported asset.

11. Act as the human creative director. Approve, revise or block the artifact; record the decision, creative rationale, version and date. Do not publish during class.

- Deliverable exists: revision diff, audio script, production manifest and rough-cut checklist.
- Every scene has an ID and produces a measurable change in knowledge, value or emotion.
- Continuity states are complete or explicitly TBD; generated assets have rights/provenance entries.
- At least one revision shows a before/after difference tied to a named criterion.
- Reviewer records PASS, REVISE or BLOCK and human creative approval is distinct.

Save the brief, prompt/output transcript, artifact versions, continuity and rights ledgers, review result and human decision in an evidence/ folder named for this lab. Include one screenshot of the final approved state.

Topic 4: Bias, authenticity and responsible creative control

Bias surface map

Input: story bible, audience and generated draft. Control: inspect representation, agency, descriptors, roles, harm and omission. Output: bias review matrix. Accept when review impact, not only model intent. Watch for stereotype reproduced as realism. Measure flagged pattern count.

Counterfactual character test

Input: character and scene records. Control: change one protected or social attribute and compare role, agency and outcome. Output: counterfactual report. Accept when investigate unexplained quality or outcome shifts. Watch for token diversity without agency. Measure outcome asymmetry.

Cultural specificity check

Input: setting claims and cultural references. Control: separate researched detail, lived contribution and generic inference. Output: sensitivity notes. Accept when escalate high-impact claims to an informed reviewer. Watch for flattened cultural shorthand. Measure verified-detail share.

Factual claim ledger

Input: script claims and sources. Control: classify supported, disputed, uncertain, fictional or opinion. Output: claim register. Accept when block unsupported real-world claims. Watch for hallucinated authority. Measure supported-claim rate.

Authenticity boundary

Input: human experience and AI-assisted language. Control: record whose experience, voice and consent supports the narrative. Output: authenticity statement. Accept when do not fabricate testimony or lived experience. Watch for synthetic personal story presented as real. Measure consent coverage.

Synthetic media disclosure

Input: generated image, audio or video and context. Control: assess audience expectation, materiality and deceptive potential. Output: disclosure decision. Accept when disclose when generation could

mislead a reasonable viewer. Watch for undisclosed realistic fabrication. Measure decision trace completeness.

Privacy-minimised prompting

Input: source material and tool policy. Control: remove identifiers, secrets and unnecessary personal data before upload. Output: safe prompt pack. Accept when use only data necessary for the creative task. Watch for personal data copied into public tool. Measure PII leakage count.

Safety and harm review

Input: story content and audience context. Control: screen self-harm, violence, sexual content, defamation and vulnerable groups. Output: harm review. Accept when escalate high-severity or uncertain cases. Watch for creative framing masks harm. Measure severity-weighted findings.

Human red-team session

Input: near-final assets and failure hypotheses. Control: assign reviewers to challenge evidence, bias, continuity and deception. Output: red-team log. Accept when every high-risk issue has owner and disposition. Watch for group confirmation bias. Measure closed finding rate.

Responsible release decision

Input: QA packet and named approver. Control: record approve, revise or block with conditions and exceptions. Output: release authorization. Accept when AI cannot self-approve external publication. Watch for automatic release after generation. Measure approval audit completeness.

Lab 07: Bias, culture and factual integrity

Course: Generative AI for Script Development and Storytelling · C364 · v1.0

Outcome: LO4: Analyse generative AI outputs for ethical issues, bias, and copyright risks, applying appropriate corrective actions.

Build: counterfactual test, cultural notes, claim ledger and corrected draft.

1. Open story-assets/story-brief.md. Record the intended audience effect, central conflict and duration constraint.
2. Open story-assets/character-cards.md and scene-slate.md. Fill only facts that are supported by your creative decisions; label unresolved items TBD.
3. Open both CSV ledgers. Confirm all names and events are fictional classroom material and do not substitute personal data or unlicensed media.
4. Start a new workspace or chat in a generative AI tool available to you. Paste the relevant role prompt from prompts.pdf and attach only this lab's files.
5. Ask the story architect for two controlled variants. Compare them using audience fit, causality, originality, feasibility and ethical risk. Record why you selected one.
6. Run a counterfactual test by changing one character attribute while holding role and plot constant.
7. Separate verified setting detail, lived contribution, inference and fiction in the cultural notes.

8. Classify every real-world statement as supported, disputed, uncertain, fictional or opinion; correct unsupported claims.

9. Run the editor prompt. Copy each defect into a revision table, revise only the failed criteria and preserve the earlier version for comparison.

10. Run the reviewer prompt. Resolve or assign every bias, fact, rights, privacy, disclosure and accessibility finding. Update rights-ledger.csv for every generated or imported asset.

11. Act as the human creative director. Approve, revise or block the artifact; record the decision, creative rationale, version and date. Do not publish during class.

- Deliverable exists: counterfactual test, cultural notes, claim ledger and corrected draft.
- Every scene has an ID and produces a measurable change in knowledge, value or emotion.
- Continuity states are complete or explicitly TBD; generated assets have rights/provenance entries.
- At least one revision shows a before/after difference tied to a named criterion.
- Reviewer records PASS, REVISE or BLOCK and human creative approval is distinct.

Save the brief, prompt/output transcript, artifact versions, continuity and rights ledgers, review result and human decision in an evidence/ folder named for this lab. Include one screenshot of the final approved state.

Lab 08: Authenticity, privacy and disclosure gate

Course: Generative AI for Script Development and Storytelling · C364 · v1.0

Outcome: LO4: Analyse generative AI outputs for ethical issues, bias, and copyright risks, applying appropriate corrective actions.

Build: safe prompt pack, authenticity statement, disclosure decision and release record.

1. Open story-assets/story-brief.md. Record the intended audience effect, central conflict and duration constraint.
2. Open story-assets/character-cards.md and scene-slate.md. Fill only facts that are supported by your creative decisions; label unresolved items TBD.
3. Open both CSV ledgers. Confirm all names and events are fictional classroom material and do not substitute personal data or unlicensed media.
4. Start a new workspace or chat in a generative AI tool available to you. Paste the relevant role prompt from prompts.pdf and attach only this lab's files.
5. Ask the story architect for two controlled variants. Compare them using audience fit, causality, originality, feasibility and ethical risk. Record why you selected one.
6. Remove names, contact details and unnecessary personal data from the prompt pack.
7. Write whose experience supports the story and obtain consent for any real contribution or voice.

8. Decide whether synthetic media disclosure is material, then record PASS, REVISE or BLOCK with human approval.
 9. Run the editor prompt. Copy each defect into a revision table, revise only the failed criteria and preserve the earlier version for comparison.
 10. Run the reviewer prompt. Resolve or assign every bias, fact, rights, privacy, disclosure and accessibility finding. Update rights-ledger.csv for every generated or imported asset.
 11. Act as the human creative director. Approve, revise or block the artifact; record the decision, creative rationale, version and date. Do not publish during class.
- Deliverable exists: safe prompt pack, authenticity statement, disclosure decision and release record.
 - Every scene has an ID and produces a measurable change in knowledge, value or emotion.
 - Continuity states are complete or explicitly TBD; generated assets have rights/provenance entries.
 - At least one revision shows a before/after difference tied to a named criterion.
 - Reviewer records PASS, REVISE or BLOCK and human creative approval is distinct.
- Save the brief, prompt/output transcript, artifact versions, continuity and rights ledgers, review result and human decision in an evidence/ folder named for this lab. Include one screenshot of the final approved state.

Topic 5: Copyright, provenance and release governance

Copyright subject-matter screen

Input: script, image, audio and source manifest. Control: identify protected expression, public-domain material, facts and ideas. Output: rights classification. Accept when rights attach to expression, not a vague topic. Watch for assuming online means free. Measure classified asset rate.

Human authorship evidence

Input: creative decision log and final work. Control: separate machine proposals from human selection, arrangement and revision. Output: authorship dossier. Accept when claim only demonstrable human contribution. Watch for copyright claim over raw AI output. Measure decision evidence density.

Licence compatibility matrix

Input: asset licences and intended channels. Control: compare permitted use, modification, attribution, territory and duration. Output: licence matrix. Accept when block use outside licence scope. Watch for incompatible or expired licence. Measure compatible asset share.

Similarity and plagiarism review

Input: draft and reference corpus. Control: inspect distinctive phrases, plot sequences, characters and visual composition. Output: similarity report. Accept when rewrite or replace material with substantial expressive overlap. Watch for surface paraphrase of source. Measure resolved match count.

Style imitation risk

Input: creator request and living-artist references. Control: translate named style into generic visual attributes and original references. Output: style-safe brief. Accept when avoid prompts seeking close imitation of a living creator. Watch for signature-style mimicry. Measure named-creator prompt count.

Music and voice rights

Input: audio assets, performers and generation settings. Control: record composition, recording, voice consent and synthetic-use permissions. Output: audio rights ledger. Accept when each audio layer needs a valid rights basis. Watch for voice clone without consent. Measure cleared audio share.

Provenance manifest

Input: all final media assets and generation records. Control: store source, tool, prompt hash, editor, version, licence and disclosure status. Output: provenance package. Accept when no asset without owner and origin enters export. Watch for lost source trail. Measure manifest completeness.

Correction and takedown route

Input: published asset and rights contacts. Control: define complaint intake, evidence hold, decision owner and replacement path. Output: remediation plan. Accept when pause distribution on credible high-risk complaint. Watch for no accountable response path. Measure response time.

Platform and client terms check

Input: current tool terms and production brief. Control: compare commercial use, retention, training and indemnity terms. Output: terms review. Accept when use only tools approved for the content class. Watch for rights assumption based on marketing claim. Measure terms attestation.

Final release checklist

Input: approved script, cut, rights and QA records. Control: verify version, captions, disclosures, permissions and destination. Output: release packet. Accept when all mandatory gates must pass. Watch for correct file sent to wrong audience. Measure release-gate pass rate.

Lab 09: Rights, licences and similarity review

Course: Generative AI for Script Development and Storytelling · C364 · v1.0

Outcome: LO5: Identify copyright risks in generative AI production and apply corrective actions to avoid copyright infringement.

Build: rights classification, licence matrix and similarity corrections.

1. Open story-assets/story-brief.md. Record the intended audience effect, central conflict and duration constraint.
2. Open story-assets/character-cards.md and scene-slate.md. Fill only facts that are supported by your creative decisions; label unresolved items TBD.
3. Open both CSV ledgers. Confirm all names and events are fictional classroom material and do not substitute personal data or unlicensed media.
4. Start a new workspace or chat in a generative AI tool available to you. Paste the relevant role prompt from prompts.pdf and attach only this lab's files.

5. Ask the story architect for two controlled variants. Compare them using audience fit, causality, originality, feasibility and ethical risk. Record why you selected one.
 6. Classify each script, image and audio element as original, licensed, public domain, factual or unresolved.
 7. Compare intended use with licence scope, modification, attribution, territory and duration.
 8. Inspect distinctive phrases, plot sequences and visual composition; rewrite or replace substantial overlap.
 9. Run the editor prompt. Copy each defect into a revision table, revise only the failed criteria and preserve the earlier version for comparison.
 10. Run the reviewer prompt. Resolve or assign every bias, fact, rights, privacy, disclosure and accessibility finding. Update rights-ledger.csv for every generated or imported asset.
 11. Act as the human creative director. Approve, revise or block the artifact; record the decision, creative rationale, version and date. Do not publish during class.
- Deliverable exists: rights classification, licence matrix and similarity corrections.
 - Every scene has an ID and produces a measurable change in knowledge, value or emotion.
 - Continuity states are complete or explicitly TBD; generated assets have rights/provenance entries.
 - At least one revision shows a before/after difference tied to a named criterion.
 - Reviewer records PASS, REVISE or BLOCK and human creative approval is distinct.

Save the brief, prompt/output transcript, artifact versions, continuity and rights ledgers, review result and human decision in an evidence/ folder named for this lab. Include one screenshot of the final approved state.

Lab 10: Provenance and final release packet

Course: Generative AI for Script Development and Storytelling · C364 · v1.0

Outcome: LO5: Identify copyright risks in generative AI production and apply corrective actions to avoid copyright infringement.

Build: audio rights ledger, provenance manifest, remediation plan and final gate.

1. Open story-assets/story-brief.md. Record the intended audience effect, central conflict and duration constraint.
2. Open story-assets/character-cards.md and scene-slate.md. Fill only facts that are supported by your creative decisions; label unresolved items TBD.
3. Open both CSV ledgers. Confirm all names and events are fictional classroom material and do not substitute personal data or unlicensed media.
4. Start a new workspace or chat in a generative AI tool available to you. Paste the relevant role prompt from prompts.pdf and attach only this lab's files.

5. Ask the story architect for two controlled variants. Compare them using audience fit, causality, originality, feasibility and ethical risk. Record why you selected one.
 6. Record composition, recording, performer, voice consent and synthetic-use permissions for every audio layer.
 7. Complete the provenance manifest with source, tool, prompt hash, human editor, version, licence and disclosure status.
 8. Simulate a rights complaint, execute the correction route, then run the final release gate against the intended destination.
 9. Run the editor prompt. Copy each defect into a revision table, revise only the failed criteria and preserve the earlier version for comparison.
 10. Run the reviewer prompt. Resolve or assign every bias, fact, rights, privacy, disclosure and accessibility finding. Update rights-ledger.csv for every generated or imported asset.
 11. Act as the human creative director. Approve, revise or block the artifact; record the decision, creative rationale, version and date. Do not publish during class.
- Deliverable exists: audio rights ledger, provenance manifest, remediation plan and final gate.
 - Every scene has an ID and produces a measurable change in knowledge, value or emotion.
 - Continuity states are complete or explicitly TBD; generated assets have rights/provenance entries.
 - At least one revision shows a before/after difference tied to a named criterion.
 - Reviewer records PASS, REVISE or BLOCK and human creative approval is distinct.

Save the brief, prompt/output transcript, artifact versions, continuity and rights ledgers, review result and human decision in an evidence/ folder named for this lab. Include one screenshot of the final approved state.

Sources and further reading

- <https://www.tertiarycourses.com.sg/generative-ai-for-script-development-and-storytelling.html>
- Original Master Trainer Slides - Visual Storytelling with Generative AI - v1 (68 slides)
- AI and Creative Writing, edited by Graeme Harper (Springer Nature, 2025)
- Story Intelligence by Gabrielle Dolan (Wiley, 2026)
- Generative AI Applications: Planning, Design and Implementation by David Spuler and Michael Sharpe (Aussie AI, 2024)
- Singapore Copyright Act 2021 and current tool/licence terms must be checked at production time