CUT · COLOUR

COURSE SLIDES · NON-WSQ

Adobe Premiere Pro Masterclass

Course code C387

Duration 2 days · 15 instructional hours

Provider Tertiary Infotech Academy Pte Ltd · UEN: 201200696W

Version v12 · 21 August 2026



© 2026 Tertiary Infotech Academy Pte Ltd · C387

FACILITATOR TEMPLATE

General Trainer Profile



TRAINER NAME

Insert approved profile photo and professional designation before delivery.

Industry practice

Relevant video-editing and post-production experience.

Training practice

Adult-learning and facilitation credentials.

Course fit

Examples aligned to learner productions and delivery channels.

Contact

Approved professional contact route.

TRAINER PROFILE

Dr Alfred Ang

Role

Principal Trainer · Tertiary Infotech Academy

Expertise

Digital transformation, AI, courseware and adult learning.

Facilitation

Concept-led explanation, coached edit decisions and evidence review.

Quality

Traceable versions, technical QC and clear acceptance criteria.

Learning culture

Explain why each cut, mix, grade and export choice fits the brief.

Contact

enquiry@tertiaryinfotech.com · +65 6100 0613

OPENING DISCUSSION

Your Video-Editing Context

Role

What video content do you create or review?

Channel

Web, social, training, corporate or documentary?

Friction

Which editing stage consumes the most time?

Quality

Which picture or audio defect is most visible?

Experience

Which NLE or mobile editor have you used?

Evidence

What finished sequence will demonstrate improvement?

GROUND RULES

Working Agreements

Participate

Edit, test and explain decisions.

Respect

Critique the work, not the person.

Protect media

Use supplied footage and do not publish it outside the course.

Version

Preserve sources and use clear sequence/file names.


Share safely

Protect learner work and project files.

Verify

Reopen every exported MP4 before hand-off.

Download Course Materials



LESSON PLAN

Two-Day Learning Journey

1 **Analyse**

2 **Assemble**

3 **Refine**

4 **Finish**

5 **Deliver**

OUTCOME

Day 1 develops editorial structure and shot control; Day 2 integrates sound, graphics, colour, QC and delivery.

FIVE CONNECTED TOPICS

Course Outline

Topic 1

Get Started on Premiere Pro
Video theory · project setup · import · codecs · proxies · bins · logs · rough-cut planning
LO1

Topic 2

Shot Editing
Source and Program monitors · three-point editing · track control · trim types · pacing · transitions
LO2

Topic 3

Audio and Graphics Editing
Gain and volume · keyframes · repair · music · sync · stills · graphics · effects · masks
LO3

Topic 4

Clip and Colour Editing
Speed · time remapping · colour correction · scopes · matching · review and collaboration
LO4

Topic 5

Final Touch-up and Delivery
Titles · captions · reframing · quality control · export · archive · production hand-off
LO5

GITHUB COURSE REPOSITORY

Open the Hands-On Labs

Option A · Clone

Clone the linked repository. The exact command is in the Learner Guide.

Open GitHub repository

Option B · ZIP

Open GitHub · Code · Download ZIP, then extract the complete labs tree.

Each lab

Open README.pdf or README.md, then work from the supplied .prproj and MP4 files.

PRODUCTION SETUP

Tools, Media and Workspace

Hardware

Supported laptop/workstation, headphones, reliable storage and a suitable display.

Software

Current supported Premiere desktop release; Media Encoder where available.

Media

Supplied MP4, still and audio assets plus valid .prproj starter files.

Organisation

Named bins, tracks, sequences, exports and a written edit log.

Performance

Configured cache, playback resolution and proxy workflow.

Safety

Verified copies, autosave, versioned projects and reopened exports.

TOOL CONTEXT

Premiere Scope

Industry use

Non-linear editing, audio, graphics, colour and delivery.

Not Adobe certification

This course does not award an Adobe credential.

Interface drift

Panels and labels may move; editorial principles remain stable.

Decision over clicks

Choose tools by story, signal path, timing and specification.

AI-assisted tools

Review automatic transcripts, reframing, matching and generated results.

Trademark

Adobe and Premiere are Adobe trademarks; the provider is not affiliated with Adobe.

01


Get Started on Premiere Pro

Video theory · project setup · import · codecs · proxies · bins · logs · rough-cut planning

LO1

EDITABLE PLANNING CHART

Editing Workload by Stage



READ THE CHART

Illustrative planning split: rushing the brief or QC creates expensive rework later. Adjust the editable data for the production.

Editable native PowerPoint chart

Story Purpose and Audience



1

How it works

Editing selects and orders picture and sound so a defined audience can follow an intended message and emotional arc.

2

Best used for

Turning a brief, interview or documentary theme into edit decisions.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A one-sentence story intention and a shot-selection rationale are recorded.

KEY CONTROLS · FAILURE MODE · PROOF

Story Purpose and Audience · control and judgement

CONTROL MAP

Audience; purpose; duration; channel; call to action; tone; constraints.

WATCH FOR

Choosing attractive shots that do not advance the story or meet the brief.

QUALITY PROOF

A one-sentence story intention and a shot-selection rationale are recorded.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Shot Size, Angle and Visual Grammar

1

How it works

Wide, medium and close shots establish context, action and detail; angle and screen direction change meaning.

2

Best used for

Building coverage that orients viewers and supports clean cuts.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The sequence preserves orientation and uses shot-size contrast intentionally.



KEY CONTROLS · FAILURE MODE · PROOF

Shot Size, Angle and Visual Grammar · control and judgement

CONTROL MAP

Establishing shot; eyeline; headroom; lead room; 180-degree rule; match on action.

WATCH FOR

Jumping screen direction, missing context or cutting between nearly identical framings.


QUALITY PROOF

The sequence preserves orientation and uses shot-size contrast intentionally.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

CONCEPT 03 · HOW IT WORKS

Continuity and Montage



1

How it works

Continuity hides construction across cuts; montage uses juxtaposition to compress time or create a new idea.

2

Best used for

Choosing between invisible narrative flow and expressive association.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A viewer can explain place, time and action without verbal repair.

Continuity and Montage · control and judgement

CONTROL MAP

Action match; eyeline match; cutaway; reaction; insert; temporal compression.

WATCH FOR

Continuity errors that distract, or montage shots with no conceptual relationship.

QUALITY PROOF

A viewer can explain place, time and action without verbal repair.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Project, Sequence and Media

How it works

A project stores edit decisions and metadata, a sequence stores the timeline, and source media remains external.

Best used for

Designing a portable, recoverable editing workspace.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Project, media and export locations are documented and recoverable.

KEY CONTROLS · FAILURE MODE · PROOF

Project, Sequence and Media · control and judgement

CONTROL MAP

Project location; scratch disks; sequence settings; media paths; cache; autosave.

WATCH FOR

Assuming a .prproj contains the media, or saving projects inside disposable cache folders.

QUALITY PROOF

Project, media and export locations are documented and recoverable.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Containers, Codecs and Frame Rates

How it works

A container packages streams; codecs encode picture or sound; frame rate defines temporal sampling.

Best used for

Diagnosing compatibility, playback and delivery decisions.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Media properties and sequence decisions are recorded before editing.

Containers, Codecs and Frame Rates · control and judgement

CONTROL MAP

MP4/MOV;
H.264/HEVC/ProRes;
CFR/VFR;
23.976/25/29.97/50/60 fps.

WATCH FOR

Treating MP4 as a codec or mixing frame rates without an explicit interpretation plan.

QUALITY PROOF

Media properties and sequence decisions are recorded before editing.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Import and Ingest

How it works

Import registers source files in the project; ingest can copy, transcode or create proxies while preserving source relationships.

Best used for

Starting projects from cameras, recorders, stills and shared storage.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

All sources appear in named bins and the verified master copy remains untouched.

Import and Ingest · control and judgement

CONTROL MAP

Media Browser; Import mode; copy; transcode; proxy preset; checksum; naming.

WATCH FOR

Renaming or moving camera-card structures before a verified copy exists.

QUALITY PROOF

All sources appear in named bins and the verified master copy remains untouched.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Proxy Workflow

How it works

Proxies are lighter alternate files attached to high-quality originals and toggled for smoother editing.

Best used for

High-resolution, long-GOP or multi-camera media on constrained hardware.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Proxy status is visible, playback improves and final export uses approved masters.

Proxy Workflow · control and judgement

CONTROL MAP

Create Proxies; preset; frame size; watermark; attach; toggle; full-resolution export.

WATCH FOR

Exporting the proxies accidentally or losing source/proxy relink relationships.

QUALITY PROOF

Proxy status is visible, playback improves and final export uses approved masters.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

CONCEPT 08 · HOW IT WORKS

Bins, Metadata and Search

1

How it works

Bins create human-readable hierarchy while metadata and search bins expose technical and editorial attributes.

2

Best used for

Large interview and B-roll libraries.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A second editor can locate a requested moment quickly.



Bins, Metadata and Search · control and judgement

CONTROL MAP

Scene; take; camera; good; description; label; search bin; icon/list/freeform view.

WATCH FOR

Deep anonymous folders, duplicate names or metadata that exists only in a separate spreadsheet.

QUALITY PROOF

A second editor can locate a requested moment quickly.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Offline Media and Relinking

How it works

Premiere retains clip metadata when source files move and can reconnect them by name, path and media properties.

Best used for

Portable drives, shared storage and handed-off projects.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Every clip is online and spot checks match picture, duration and timecode.

Offline Media and Relinking · control and judgement

CONTROL MAP

Link Media; Locate; relink others automatically; file extension; media start; timecode.

WATCH FOR

Relinking a same-named but different clip or breaking folder structure after approval.

QUALITY PROOF

Every clip is online and spot checks match picture, duration and timecode.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Lab 01 · Project Setup, Ingest and Proxies



A documentary team has supplied mixed interview and B-roll files. The edit must remain portable and responsive on a training laptop.

Set up a recoverable project, inspect source properties, import media into bins and attach proxies.

1. **Analyse**
2. **Assemble**
3. **Refine**
4. **Verify**
5. **Retain**

EVIDENCE — **Lab01-Working.prproj, media-property log, bin screenshot, proxy-status screenshot and verified MP4.**

Full procedure · Learner Guide / Lab 01

Lab 02 · Editing Logs, Markers and Rough-Cut Plan



A producer needs a traceable shortlist of interview ideas and supporting B-roll before the first assembly.

Create an editing log, mark selects and assemble a clear story spine.

1. **Analyse**
2. **Assemble**
3. **Refine**
4. **Verify**
5. **Retain**

EVIDENCE — **Lab02-Working.prproj, completed log, marker screenshot and selects-reel MP4.**

Full procedure · Learner Guide / Lab 02

EXPLAIN THE EDIT

Topic 1 Checkpoint

Purpose

What should the audience understand or feel?

Choice

Why does this shot, sound or effect fit the brief?

Control

Which setting most changes the result?

Failure

What defect would make the edit unacceptable?

Proof

Which timecode, scope, meter or export property proves quality?

Next

What traceable revision would improve the sequence?

02


Shot Editing

Source and Program monitors · three-point editing · track control · trim types · pacing · transitions

LO2

EDITABLE PACING CHART

Average Shot Length and Perceived Energy



READ THE CHART

Illustrative relationship, not a fixed rule: movement, audio rhythm and information density also shape pacing.

Editable native PowerPoint chart

Source, Program and Timeline Roles

How it works

The Source Monitor prepares individual clips; the Program Monitor shows sequence output; the Timeline holds edit relationships.

Best used for

Separating source decisions from sequence review.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

The correct monitor and timecode are named in the editing log.

Source, Program and Timeline Roles · control and judgement

CONTROL MAP

Playhead; In/Out; track headers; time ruler; safe margins; playback resolution.

WATCH FOR

Marking the sequence when intending to mark the source, or judging quality at low playback resolution.

QUALITY PROOF

The correct monitor and timecode are named in the editing log.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

In, Out and Three-Point Editing

How it works

Any three of source In, source Out, sequence In and sequence Out define an edit; Premiere calculates the fourth.

Best used for

Precise duration-controlled assembly.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

The inserted segment starts, ends and lands at the logged timecodes.

In, Out and Three-Point Editing · control and judgement

CONTROL MAP

I/O; clear In/Out; insert; overwrite; source duration; sequence target.

WATCH FOR

Leaving stale marks or forcing a duration that changes the wrong source boundary.

QUALITY PROOF

The inserted segment starts, ends and lands at the logged timecodes.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

CONCEPT 12 · HOW IT WORKS

Insert vs Overwrite

How it works

Insert opens time and ripples later clips; overwrite replaces occupied duration without changing later timing.

Best used for

Choosing whether new material should move or replace downstream content.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Before/after duration and displaced tracks match the editing intention.

Insert vs Overwrite · control and judgement

CONTROL MAP

Comma/period shortcuts; source patching; track targeting; sync locks.

WATCH FOR

Using insert in a locked-duration programme or overwriting wanted content.

QUALITY PROOF

Before/after duration and displaced tracks match the editing intention.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Source Patching and Track Targeting

How it works

Source patches route incoming channels; track targets determine many timeline commands and navigation operations.

Best used for

Controlling where video and audio land in multi-track sequences.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Imported channels land on named tracks without disturbing protected content.

Source Patching and Track Targeting · control and judgement

CONTROL MAP

V1/A1 patches; target highlights; sync locks; linked selection.

WATCH FOR

Sending audio to the wrong track or misunderstanding target versus patch state.

QUALITY PROOF

Imported channels land on named tracks without disturbing protected content.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Selection, Razor and Add Edit

How it works

Selection moves and trims clips; Razor or Add Edit creates edit points; keyboard methods reduce tool switching.

Best used for

Building and restructuring rough cuts.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Edit points are deliberate and no orphaned frames or audio pieces remain.

Selection, Razor and Add Edit · control and judgement

CONTROL MAP

Selection; Razor; Cmd/Ctrl+K; linked selection; snapping; track selection.

WATCH FOR

Cutting every enabled track or separating linked audio unintentionally.

QUALITY PROOF

Edit points are deliberate and no orphaned frames or audio pieces remain.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Ripple and Rolling Trims

How it works

Ripple changes one side and sequence duration; Rolling moves the cut while preserving combined duration.

Best used for

Tightening pauses or shifting emphasis between adjacent shots.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

The intended timing changes and downstream sync remains verified.

Ripple and Rolling Trims · control and judgement

CONTROL MAP

Ripple tool; Rolling tool; Q/W trims; trim mode; sync locks.

WATCH FOR

Breaking sync or rippling a locked timing milestone.

QUALITY PROOF

The intended timing changes and downstream sync remains verified.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Slip and Slide Edits

How it works

Slip changes a clip's source In/Out while holding timeline position; Slide moves the clip while adjusting its neighbours.

Best used for

Refining content without rebuilding sequence timing.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Sequence duration is unchanged and the chosen action frames improve continuity.

KEY CONTROLS · FAILURE MODE · PROOF

Slip and Slide Edits · control and judgement

CONTROL MAP

Slip tool; Slide tool; four-up display; handles; neighbouring coverage.

WATCH FOR

Insufficient handles or changing the wrong narrative beat.

QUALITY PROOF

Sequence duration is unchanged and the chosen action frames improve continuity.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Pacing and Shot Duration



1

How it works

Shot duration, movement, audio rhythm and information density shape perceived energy and comprehension.

2

Best used for

Matching fast action, reflective interviews and instructional content.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A pacing log links key cuts to story beats and audience response.

Pacing and Shot Duration · control and judgement

CONTROL MAP

Average shot length; pause; reaction; beat; J-cut/L-cut; music phrase.

WATCH FOR

Uniform shot duration or speed used without story justification.

QUALITY PROOF

A pacing log links key cuts to story beats and audience response.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

CONCEPT 18 · HOW IT WORKS

Transitions and Handles

1

How it works

A transition overlaps outgoing and incoming media, requiring unused source frames called handles.

2

Best used for

Signalling time, place, memory or a deliberate stylistic change.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Most edits work as cuts; selected transitions have a documented narrative purpose.



KEY CONTROLS · FAILURE MODE · PROOF

Transitions and Handles · control and judgement

CONTROL MAP

Cut; dissolve; dip; wipe; duration; alignment; handles; default transition.

WATCH FOR

Using transitions to hide weak shot choice, or repeated decorative effects.

QUALITY PROOF

Most edits work as cuts; selected transitions have a documented narrative purpose.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

J-Cuts, L-Cuts and Continuity Bridges

How it works

A J-cut lets incoming audio lead picture; an L-cut lets outgoing audio continue under the next shot.

Best used for

Smoother dialogue, interview B-roll and scene connections.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Audio bridges hide picture edits while speech remains natural.

J-Cuts, L-Cuts and Continuity Bridges · control and judgement

CONTROL MAP

Linked selection; rolling audio; constant power; room tone; cutaway.

WATCH FOR

Audible discontinuities, exposed gaps or dialogue cut mid-phoneme.

QUALITY PROOF

Audio bridges hide picture edits while speech remains natural.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Lab 03 · Three-Point Editing, Trims and Pacing



An interview section feels slow and repetitive. The director wants a concise version that keeps the speaker's meaning.

Use three-point edits and multiple trim types to produce a deliberate 25–35 second sequence.

1. **Analyse**
2. **Assemble**
3. **Refine**
4. **Verify**
5. **Retain**

EVIDENCE — **Lab03-Working.prproj, trim-decision log and paced MP4.**

Full procedure · Learner Guide / Lab 03

Lab 04 · Continuity, Cutaways and Transitions



A farm-work montage needs clear geography and one motivated passage of time without decorative transition overload.

Build a continuity sequence and use a transition only where it communicates story meaning.

1. **Analyse**
2. **Assemble**
3. **Refine**
4. **Verify**
5. **Retain**

EVIDENCE — **Lab04-Working.prproj, continuity map, transition rationale and montage MP4.**

Full procedure · Learner Guide / Lab 04

Topic 2 Checkpoint

Purpose

What should the audience understand or feel?

Choice

Why does this shot, sound or effect fit the brief?

Control

Which setting most changes the result?

Failure

What defect would make the edit unacceptable?

Proof

Which timecode, scope, meter or export property proves quality?

Next

What traceable revision would improve the sequence?

03


Audio and Graphics Editing

Gain and volume · keyframes · repair · music · sync · stills · graphics · effects · masks

LO3

EDITABLE MIXING CHART

Dialogue-to-Music Balance



READ THE CHART

Illustrative relative values encourage hierarchy. Use meters and listening tests; do not treat these numbers as loudness standards.

Editable native PowerPoint chart

Gain, Volume and Signal Flow

How it works

Gain changes clip input level; volume and track controls change level later in the sequence signal path.

Best used for

Normalising inconsistent recordings before mixing.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Dialogue is consistent, unclipped and leaves suitable headroom.

Gain, Volume and Signal Flow · control and judgement

CONTROL MAP

Audio Gain; peak amplitude; normalize; clip volume; track fader; meters.

WATCH FOR

Boosting noisy audio excessively or confusing gain with track automation.

QUALITY PROOF

Dialogue is consistent, unclipped and leaves suitable headroom.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Meters, Headroom and Clipping

How it works

Digital meters show sample peaks; 0 dBFS is the ceiling and clipping cannot be repaired by lowering volume later.

Best used for

Preventing distortion and balancing dialogue, music and effects.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Full-programme playback shows stable, unclipped levels.

Meters, Headroom and Clipping · control and judgement

CONTROL MAP

Peak meter; dBFS; true-peak awareness; channel layout; mute/solo.

WATCH FOR

Mixing by ear alone or allowing red clip indicators to persist.

QUALITY PROOF

Full-programme playback shows stable, unclipped levels.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Clip Keyframes and Automation

How it works

Keyframes store parameter values over time and interpolate volume, pan, opacity, motion and effects.

Best used for

Fades, ducking, emphasis and animated properties.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

The envelope is smooth and parameter changes occur at intended story beats.

Clip Keyframes and Automation · control and judgement

CONTROL MAP

Add/remove keyframe; Bezier/linear; temporal interpolation; rubber band; automation mode.

WATCH FOR

Too few keyframes causing abrupt change or too many creating noisy automation.

QUALITY PROOF

The envelope is smooth and parameter changes occur at intended story beats.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Dialogue Repair and Essential Sound



1

How it works

Dialogue tools classify clips and provide repair, clarity and loudness controls around common speech problems.

2

Best used for

Noise, hum, rumble, sibilance and inconsistent interview recordings.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A/B review improves intelligibility without audible artefacts.

Dialogue Repair and Essential Sound · control and judgement

CONTROL MAP

Dialogue tag; Reduce Noise; Reduce Rumble; DeHum; DeEss; Enhance Speech; loudness.

WATCH FOR

Over-processing that creates metallic or phasey speech.

QUALITY PROOF

A/B review improves intelligibility without audible artefacts.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

CONCEPT 24 · HOW IT WORKS

Music Editing, Remix and Fades

1

How it works

Music edits can follow phrase boundaries; Remix changes duration algorithmically; fades and ducking protect dialogue.

2

Best used for

Fitting music to locked duration and shaping scene energy.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The music ends musically and dialogue remains clear.



Music Editing, Remix and Fades · control and judgement

CONTROL MAP

Waveform; beat; remix duration; crossfade; keyframes; Essential Sound ducking.

WATCH FOR

Cutting across a musical phrase or masking speech with midrange energy.

QUALITY PROOF

The music ends musically and dialogue remains clear.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Synchronising Audio and Video

How it works

Premiere can synchronise by timecode, markers or matching waveforms; manual slips handle residual offsets.

Best used for

Dual-system sound and multi-camera interviews.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Lip sync and transient checks match at multiple points.

Synchronising Audio and Video · control and judgement

CONTROL MAP

Synchronize; merge clips; timecode; waveform; slate; linked selection.

WATCH FOR

Syncing noisy reference audio blindly or deleting production audio before verification.

QUALITY PROOF

Lip sync and transient checks match at multiple points.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Still Images and Motion

1

How it works

Still images occupy time like clips; Motion properties and keyframes create reframing and pan/zoom movement.

2

Best used for

Photographs, documents, maps and title cards.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Image detail holds at delivery size and motion supports the narration.



Still Images and Motion · control and judgement

CONTROL MAP

Default still duration; Set/Scale to Frame Size; Position; Scale; anchor; keyframes.

WATCH FOR

Scaling beyond available pixels or creating distracting constant motion.

QUALITY PROOF

Image detail holds at delivery size and motion supports the narration.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Graphics and Lower Thirds



1

How it works

Text and vector shapes remain editable graphics clips whose properties can be styled and animated.

2

Best used for

Names, roles, locations, chapter labels and calls to action.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The lower third reads at playback speed and survives safe-area review.

Graphics and Lower Thirds · control and judgement

CONTROL MAP

Type tool; Properties; alignment; safe margins; responsive design; styles.

WATCH FOR

Low contrast, tiny type, inconsistent margins or covering important picture content.

QUALITY PROOF

The lower third reads at playback speed and survives safe-area review.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Effects and Adjustment Layers

How it works

Clip effects affect one item; adjustment layers apply effects to the composite beneath and preserve shared control.

Best used for

Consistent looks, effects stacks and reusable treatments.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Effect order is documented and an A/B toggle proves the intended contribution.

KEY CONTROLS · FAILURE MODE · PROOF

Effects and Adjustment Layers · control and judgement

CONTROL MAP

Effects panel; Effect Controls; order; enable/disable; adjustment layer; render bar.

WATCH FOR


Duplicating inconsistent settings or stacking effects without isolating the cause.

QUALITY PROOF

Effect order is documented and an A/B toggle proves the intended contribution.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Masks, Tracking and Stabilisation



1

How it works

Effect masks limit treatment; tracking follows motion; Warp Stabilizer analyses camera motion and reframes edges.

2

Best used for

Privacy blur, selective correction and unwanted camera shake.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The mask follows the subject and stabilisation does not distort important geometry.

Masks, Tracking and Stabilisation · control and judgement

CONTROL MAP

Ellipse/pen mask; feather; expansion; track; stabilisation method; smoothness; crop.

WATCH FOR

Tracking poor contrast, masking the wrong object or accepting heavy warping.

QUALITY PROOF

The mask follows the subject and stabilisation does not distort important geometry.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Lab 05 · Dialogue Repair, Music and Keyframes



The interview is uneven and contains background noise; music must support the scene without masking speech.

Repair dialogue, balance music and create smooth level automation.

1. **Analyse**
2. **Assemble**
3. **Refine**
4. **Verify**
5. **Retain**

EVIDENCE — **Lab05-Working.prproj, before/after level notes, keyframe screenshot and mixed MP4.**

Full procedure · Learner Guide / Lab 05

Lab 06 · Stills, Graphics and Adjustment Effects



A short documentary section needs a still photograph, a lower third and a restrained shared treatment.

Animate a still, build a readable lower third and apply a shared effect non-destructively.

1. **Analyse**
2. **Assemble**
3. **Refine**
4. **Verify**
5. **Retain**

EVIDENCE — **Lab06-Working.prproj, keyframe screenshot, safe-margin screenshot and graphics MP4.**

Full procedure · Learner Guide / Lab 06

Lab 07 · Masks, Tracking and Visual Clean-up



An outdoor clip contains camera shake and a distracting region that must be reduced without damaging the subject.

Stabilise the clip and track a feathered effect mask to clean a local imperfection.

1. **Analyse**
2. **Assemble**
3. **Refine**
4. **Verify**
5. **Retain**

EVIDENCE — **Lab07-Working.prproj, stabilisation/mask settings, A/B notes and cleaned MP4.**

Full procedure · Learner Guide / Lab 07

Topic 3 Checkpoint

Purpose

What should the audience understand or feel?

Choice

Why does this shot, sound or effect fit the brief?

Control

Which setting most changes the result?

Failure

What defect would make the edit unacceptable?

Proof

Which timecode, scope, meter or export property proves quality?

Next

What traceable revision would improve the sequence?

04


Clip and Colour Editing

Speed · time remapping · colour correction · scopes · matching · review and collaboration

LO4

EDITABLE QUALITY CHART

Shot-Matching Review Score



READ THE CHART

Use scopes and visual review to improve consistency. The values are an editable example rubric, not measured source data.

Editable native PowerPoint chart

CONCEPT 30 · HOW IT WORKS

Speed and Duration

1

How it works

Speed percentage and duration are inversely related; frame blending or optical methods create intermediate frames.

2

Best used for

Slow motion, time compression and fitting action to timing.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Motion is visually acceptable and final duration matches the brief.



Speed and Duration · control and judgement

CONTROL MAP

Speed/Duration; reverse; ripple trailing clips; frame sampling; frame blending; optical flow.

WATCH FOR

Using optical flow on occlusions or violating production frame-rate requirements.

QUALITY PROOF

Motion is visually acceptable and final duration matches the brief.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Rate Stretch and Time Remapping

How it works

Rate Stretch fits a clip to timeline duration; Time Remapping changes speed over time with keyframes and ramps.

Best used for

Variable-speed emphasis and precise gap filling.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

The ramp enters and exits smoothly at meaningful action points.

KEY CONTROLS · FAILURE MODE · PROOF

Rate Stretch and Time Remapping · control and judgement

CONTROL MAP

Rate Stretch tool; speed keyframes; ramp handles; time interpolation.

WATCH FOR

Unmotivated ramps, audio pitch artefacts or action changing too abruptly.

QUALITY PROOF

The ramp enters and exits smoothly at meaningful action points.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Correction vs Grading

How it works

Correction neutralises technical differences; grading applies an intentional creative look after correction.

Best used for

Matching cameras before establishing visual style.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Shots match first, then the approved grade remains consistent.

Correction vs Grading · control and judgement

CONTROL MAP

White balance; exposure; contrast; saturation; look; bypass; order.

WATCH FOR

Using a LUT as repair or grading inconsistent sources before matching.

QUALITY PROOF

Shots match first, then the approved grade remains consistent.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Video Scopes



1

How it works

Waveform displays signal level by horizontal position; parade separates RGB channels; vectorscope shows hue and saturation.

2

Best used for

Objective exposure, balance, skin-tone and legal-range review.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Scope captures and visual review support each correction decision.

Video Scopes · control and judgement

CONTROL MAP

Luma waveform; RGB parade; vectorscope; scale; clipping; reference frame.

WATCH FOR

Trusting an uncalibrated display alone or reading scopes without scene context.

QUALITY PROOF

Scope captures and visual review support each correction decision.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

White Balance and Exposure

How it works

Temperature/tint and tonal controls neutralise casts and place key picture regions in usable ranges.

Best used for

Mixed interviews, outdoor shifts and camera mismatch.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Neutral references and important skin/detail areas remain plausible.

White Balance and Exposure · control and judgement

CONTROL MAP

Eyedropper; temperature; tint; exposure; highlights; shadows; whites; blacks.

WATCH FOR

Forcing neutral balance in intentionally warm/cool scenes or clipping highlights.

QUALITY PROOF

Neutral references and important skin/detail areas remain plausible.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Curves and Colour Wheels

How it works

Curves reshape tonal relationships; wheels move shadows, midtones and highlights toward chosen colour vectors.

Best used for

Targeted contrast, cast repair and controlled creative shaping.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Before/after scopes show controlled change without new clipping.

Curves and Colour Wheels · control and judgement

CONTROL MAP

RGB curves; hue/saturation curves; shadow/midtone/highlight wheels; luma vs chroma.

WATCH FOR

Crossing channels aggressively or creating banding and unnatural skin.

QUALITY PROOF

Before/after scopes show controlled change without new clipping.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Shot Matching and Comparison View

1

How it works

Comparison View places a reference beside the current shot so visual and automatic matching can be evaluated.

2

Best used for

Interviews, multi-camera scenes and sequences under one lighting condition.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Adjacent shots cut without distracting shifts in exposure or colour.



Shot Matching and Comparison View · control and judgement

CONTROL MAP

Reference frame; current frame; face detection; colour wheels; shot match; wipe.

WATCH FOR

Matching to an unrepresentative frame or accepting automatic results without review.

QUALITY PROOF

Adjacent shots cut without distracting shifts in exposure or colour.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Collaborative Review and Change Control

How it works

Timecoded comments, sequence versions and change logs make creative decisions traceable across production roles.

Best used for

Director, producer, editor and client review cycles.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Every accepted change links to a comment, version and verifier.

KEY CONTROLS · FAILURE MODE · PROOF

Collaborative Review and Change Control · control and judgement

CONTROL MAP

Version name; locked review export; timecode burn-in; comment status; change log.

WATCH FOR

Overwriting approved versions or implementing ambiguous feedback without confirmation.

QUALITY PROOF

Every accepted change links to a comment, version and verifier.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Lab 08 · Speed, Duration and Time Remapping



A farm-action montage must compress time while preserving one moment of emphasis and meeting a fixed duration.

Create constant and variable speed treatments and verify motion quality.

1. **Analyse**
2. **Assemble**
3. **Refine**
4. **Verify**
5. **Retain**

EVIDENCE — **Lab08-Working.prproj, three treatment variants, interpolation comparison and MP4.**

Full procedure · Learner Guide / Lab 08

Lab 09 · Colour Correction, Shot Matching and Review



Two shots recorded under different conditions must cut together naturally before a subtle approved grade is applied.

Correct exposure and white balance with scopes, match shots and record review changes.

1. **Analyse**
2. **Assemble**
3. **Refine**
4. **Verify**
5. **Retain**

EVIDENCE — **Lab09-Working.prproj, before/after scopes, review v01/v02, comment log and final MP4.**

Full procedure · Learner Guide / Lab 09

Topic 4 Checkpoint

Purpose

What should the audience understand or feel?

Choice

Why does this shot, sound or effect fit the brief?

Control

Which setting most changes the result?

Failure

What defect would make the edit unacceptable?

Proof

Which timecode, scope, meter or export property proves quality?

Next

What traceable revision would improve the sequence?

05


Final Touch-up and Delivery

Titles · captions · reframing · quality control · export · archive · production hand-off

LO5

EDITABLE EXPORT CHART

Bitrate and Approximate 60-Second File Size




READ THE CHART

Approximation: file size ≈ bitrate × duration ÷ 8. Audio and container overhead add a little more.

Editable native PowerPoint chart

EDITABLE QUALITY CHART

Final QC Weighting



READ THE CHART

A polished picture is not sufficient: story, sound, accessibility and technical delivery all contribute to approval.

Editable native PowerPoint chart

Text Hierarchy and Safe Placement

How it works

Title size, weight, spacing and placement establish reading order while safe margins protect delivery visibility.

Best used for

Openers, lower thirds, end cards and instructional labels.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Text passes contrast, spelling, safe-area and playback-duration checks.

KEY CONTROLS · FAILURE MODE · PROOF

Text Hierarchy and Safe Placement · control and judgement

CONTROL MAP

Font; size; leading; tracking; alignment; safe margins; duration; contrast.

WATCH FOR

Too much text, weak hierarchy or appearing for too little reading time.

QUALITY PROOF

Text passes contrast, spelling, safe-area and playback-duration checks.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Captions and Accessibility



1

How it works

Caption tracks align text to speech and can be styled, burned in, embedded or exported as sidecar files.

2

Best used for

Accessible dialogue, multilingual delivery and silent autoplay.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Captions match speech, identify speakers where needed and pass a full read-through.

Captions and Accessibility · control and judgement

CONTROL MAP

Transcribe; speaker names; caption creation; track style; line length; timing; SRT.

WATCH FOR

Uncorrected transcription, poor line breaks or captions covering essential visuals.

QUALITY PROOF

Captions match speech, identify speakers where needed and pass a full read-through.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Aspect Ratios and Auto Reframe

1

How it works

Reframing adapts composition to another canvas; Auto Reframe analyses motion and creates position keyframes.

2

Best used for

16:9, 1:1, 4:5 and 9:16 derivatives.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Each derivative preserves the focal subject and readable graphics.



KEY CONTROLS · FAILURE MODE · PROOF

Aspect Ratios and Auto Reframe · control and judgement

CONTROL MAP

Sequence size; nest; Auto Reframe; motion tracking; safe zones; graphic repositioning.

WATCH FOR

Blindly accepting automated framing or cropping gestures and text.

QUALITY PROOF

Each derivative preserves the focal subject and readable graphics.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Technical Quality Control



1

How it works

QC combines uninterrupted playback with targeted inspection of picture, sound, captions and specifications.

2

Best used for

Final approval before client or platform delivery.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A signed checklist records full-duration playback and spot checks.

Technical Quality Control · control and judgement

CONTROL MAP

Resolution; frame rate; aspect; field order; audio channels; peaks; captions; black frames.

WATCH FOR

Checking only favourite scenes or verifying the timeline but not the exported file.

QUALITY PROOF

A signed checklist records full-duration playback and spot checks.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Export Format, Codec and Bitrate

How it works

Export mode encodes the sequence into a delivery container and codec using frame, audio and bitrate settings.

Best used for

Web MP4, review files, mezzanine masters and archive derivatives.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

The export reopens, reports expected properties and meets the destination brief.

Export Format, Codec and Bitrate · control and judgement

CONTROL MAP

H.264; QuickTime; preset; frame size/rate; VBR; target/max bitrate; hardware/software encoding.

WATCH FOR

Choosing the smallest file without quality review or changing frame rate unintentionally.

QUALITY PROOF

The export reopens, reports expected properties and meets the destination brief.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Audio and Caption Export

How it works

Delivery includes explicit audio channel, sample-rate, loudness and caption-mode decisions.

Best used for

Accessible web delivery, broadcast hand-off and social publishing.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

A package inventory confirms picture, audio and caption deliverables.

Audio and Caption Export · control and judgement

CONTROL MAP

Stereo/mono; 48 kHz; bitrate; normalization; embed/burn-in/sidecar; SRT frame rate.

WATCH FOR

Missing caption files, wrong channels or clipped programme peaks.

QUALITY PROOF

A package inventory confirms picture, audio and caption deliverables.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Project Archiving and Consolidation

1

How it works

Project Manager can collect, transcode or trim used media so the edit can be restored later.

2

Best used for

Handover, long-term retention and freeing active storage.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The archive opens on another path with all required media online.



Project Archiving and Consolidation · control and judgement

CONTROL MAP

Exclude unused clips; handles; collect/copy; transcode; destination; verification.

WATCH FOR

Archiving only the .prproj or deleting sources before the archive opens successfully.

QUALITY PROOF

The archive opens on another path with all required media online.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Final Hand-off and Versioning

How it works

A delivery package separates editable master, review export, approved final, captions, rights records and change notes.

Best used for

Production team hand-off and auditable client delivery.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

The manifest, checksum and approval record identify the exact delivered version.

Final Hand-off and Versioning · control and judgement

CONTROL MAP

Version convention; checksum; manifest; approval status; archive location; retention.

WATCH FOR

Using 'final-final' names or sending unapproved sources and personal data.

QUALITY PROOF

The manifest, checksum and approval record identify the exact delivered version.

Decision rule · preserve a baseline, isolate the intended change, then review at full speed and at the delivery size.

Lab 10 · Captions, Reframe, QC and Final Export



The completed documentary excerpt needs accessible captions, 16:9 and 9:16 versions, technical QC and an archive-ready hand-off.

Finish titles/captions, create a vertical derivative, export verified deliverables and archive the project.

1. **Analyse**
2. **Assemble**
3. **Refine**
4. **Verify**
5. **Retain**

EVIDENCE — **Lab10-Capstone-v01.prproj, QC checklist, 16:9 MP4, 9:16 MP4, SRT, manifest and verified archive.**

Full procedure · Learner Guide / Lab 10

Topic 5 Checkpoint

Purpose

What should the audience understand or feel?

Choice

Why does this shot, sound or effect fit the brief?

Control

Which setting most changes the result?

Failure

What defect would make the edit unacceptable?

Proof

Which timecode, scope, meter or export property proves quality?

Next

What traceable revision would improve the sequence?

COURSE SYNTHESIS

Professional Post-Production Loop

Brief

Clarify story, audience, channel and constraints.

Ingest

Verify, organise and proxy source media.

Edit

Build a rough cut, then refine pacing and continuity.

Finish

Mix sound, complete graphics and match colour.

Review

Record timecoded feedback and control versions.

Deliver

QC, export, reopen and archive the exact approved package.

Production Collaboration

Lock review files

Use stable filenames and timecode for comments.

Name versions

Increment sequence and export versions deliberately.

Clarify feedback

Resolve ambiguous notes before changing the cut.

Record disposition

Accept, adapt or reject each comment with reason.

Protect media

Share only authorised footage and deliverables.

Approve

Identify the exact final version and approver.

AFTER THE COURSE

Support

Email

enquiry@tertiaryinfotech.com

Telephone

+65 6100 0613

Portal

https://lms-tms.tertiaryinfotech.com/

Provider

Tertiary Infotech Academy Pte Ltd

Website

www.tertiarycourses.com.sg

Privacy

Do not share course media or learner work publicly.

Course Feedback

Rate the course

Tell us how well the content, pace and labs met your goals.

Rate the trainer

Share feedback on explanations, demonstrations and lab support.

Keep practising

Complete any remaining labs using each lab folder's README.

Thank You

Shape the story · protect the signal · verify the delivery