Lab 07 — Masks, Tracking and Visual Clean-up

Adobe Premiere Pro Masterclass

C387 · Version 12 · 21 August 2026

Course: Adobe Premiere Pro Masterclass (C387)

Version: v12 · 21 August 2026

Scenario

An outdoor clip contains camera shake and a distracting region that must be reduced without damaging the subject.

Objective

Stabilise the clip and track a feathered effect mask to clean a local imperfection.

Supplied Premiere Pro and MP4 files

- Lab07-masks-stabilise-clean-Starter.prproj
- Lab07-Reference-Output.mp4
- Lab07-Source.mp4

Detailed procedure

1. Open the Lab07 starter, save as Lab07-Working.prproj and import Lab07-Source.mp4.

2. Duplicate the source clip or sequence so the untreated baseline remains available.

3. Apply Warp Stabilizer and let analysis complete before changing settings.

4. Start with a conservative Smooth Motion value and check edges and subject geometry.

5. Create an effect mask around the distracting area and set appropriate feather and expansion.

6. Track the mask forward; stop and correct it whenever it leaves the target.

7. Apply a restrained blur, denoise or correction inside the mask.

8. Review at 100% and full speed for warping, halos and mask slips.

9. Compare baseline and treated versions with the effect bypassed.

10. Export the approved version and record the rejected settings.

Evidence to retain

Lab07-Working.prproj, stabilisation/mask settings, A/B notes and cleaned MP4.

Acceptance criteria

- Stabilisation does not introduce visible geometry distortion.
- The mask follows the target for the full clip.
- Feathering avoids a hard treatment edge.
- The baseline remains available for comparison.

Reflection prompts

- Which edit decision most improved story clarity or pacing?
- How do the sequence, track names and edit log prove that the workflow remains traceable?
- Which technical risk should be checked again before delivery?