



COURSEWARE

# Agentic AI for Video Creation

---

## Learner Guide

|                   |                                                    |
|-------------------|----------------------------------------------------|
| Course Code       | C436                                               |
| Version           | v3.0                                               |
| Release Date      | 16 September 2026                                  |
| Training Provider | Tertiary Infotech Academy Pte Ltd (UEN 201200696W) |
| Trainer           | Dr Alfred Ang                                      |

*Controlled document. Verify the version before use.*

# Document Control

| Document      | Version | Date              | Owner                             | Change summary                                                                                                                             |
|---------------|---------|-------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Learner Guide | 1.0     | 29 August 2026    | Tertiary Infotech Academy Pte Ltd | Agentic-video workflow with n8n, generative media, approval and YouTube release controls                                                   |
| Learner Guide | 2.0     | 15 September 2026 | Tertiary Infotech Academy Pte Ltd | Replaced n8n with Hermes Agent, MiniMax M3, video skills, Kanban orchestration and scheduled private YouTube publishing                    |
| Learner Guide | 3.0     | 16 September 2026 | Tertiary Infotech Academy Pte Ltd | Simplified the course around practical video creation, four connected labs, prompt examples and a consistent one-minute micro-drama series |

## Contents

| Section                                              | Page     |
|------------------------------------------------------|----------|
| 1. Course Overview                                   | <b>3</b> |
| 2. Meet AI Agents and Create Your First Video        | 4        |
| 3. Improve the Video with Tools and Skills           | 9        |
| 4. Build a Multi-Agent Video Team                    | 14       |
| 5. Create a Consistent One-Minute Micro-Drama Series | 19       |
| 6. Hands-on Lab Guide                                | 24       |
| 7. Publishing and Scheduling                         | 32       |
| 8. References                                        | 32       |

# 1. Course Overview

This Learner Guide supports a practical video-creation journey with Hermes Agent and MiniMax M3. Learners create a first short video, improve it with suitable tools and reusable skills, coordinate five creative roles on Kanban, prepare a private YouTube upload, schedule the workflow, and produce a consistent one-minute micro-drama episode. Detailed setup and lab instructions are kept here so the slide deck can remain visual.

## SAFETY BOUNDARY

All lab data are synthetic. YouTube visibility remains private during practice. Never place MiniMax keys, OAuth tokens or other credentials in prompts, lab files, screenshots or repositories.

## 1.1 Learning Outcomes

- LO1: Explain the agentic loop, set up Hermes Agent with MiniMax M3, and create a first short video from a clear prompt.
- LO2: Improve the first video by choosing suitable video tools, adding reusable skills, and applying brand, tone and style guidance.
- LO3: Coordinate research, script, video, review and YouTube agents on a Kanban board and schedule the workflow.
- LO4: Plan a consistent one-minute micro-drama series with reusable story, character, location and visual references.

## 1.3 Learning Journey

1. Install Hermes Desktop from the official page and connect MiniMax M3 using the plan available to your account.
2. Turn one clear message into a three-shot prompt and create a first 15-second video.
3. Improve the first draft by choosing suitable tools and applying a reusable brand, tone and style skill.
4. Create Researcher, Scriptwriter, Video Creator, Auditor and YouTube Publisher profiles in Hermes.
5. Coordinate the profiles on Kanban, review the improved video and prepare a private YouTube upload.
6. Create a paused schedule only after the full workflow has been tested manually.
7. Use the same pipeline with a series bible, character bible and six-shot storyboard to create a one-minute micro-drama.

## 2. Meet AI Agents and Create Your First Video

Understand the agentic loop, set up Hermes with MiniMax M3, and turn one simple idea into a first video.

### TOPIC FOCUS

Learn the idea through a visual example, adapt a copy-ready prompt, create a draft, and improve it after review.

### 2.1 What is an AI agent?

#### How it works

1. Receive a goal
2. Make a plan
3. Use a tool
4. Check the result

| Goal           | Plan        | Action     | Review           |
|----------------|-------------|------------|------------------|
| Receive a goal | Make a plan | Use a tool | Check the result |

#### Creative guidance

##### KEY INSIGHT

An agent does more than answer: it works through a goal and checks what it produced.

**Common mistake:** Treating every chatbot reply as a finished result.

**Best practice:** Ask the agent to show its plan and review the output before stopping.

**Example:** Idea: Create a 15-second welcome video for a neighbourhood cafe.

## 2.2 The agentic loop

### How it works

1. Observe
2. Think
3. Act
4. Improve

| What do we have? | What should happen? | What can be done? | What needs changing? |
|------------------|---------------------|-------------------|----------------------|
| Observe          | Think               | Act               | Improve              |

### Creative guidance

#### KEY INSIGHT

The loop turns a vague idea into a series of visible creative decisions.

**Common mistake:** Repeating the same prompt without explaining what went wrong.

**Best practice:** Give one focused revision at a time: pacing, framing, colour, caption or sound.

**Example:** Observe the first draft, request a stronger opening, then compare both versions.

## 2.3 Install Hermes Agent

### How it works

- 1. Open official page
- 2. Choose your computer
- 3. Install the app
- 4. Start a project

| Mac or Windows     | Download             | Open Hermes     | Choose a folder |
|--------------------|----------------------|-----------------|-----------------|
| Open official page | Choose your computer | Install the app | Start a project |

### Creative guidance

**KEY INSIGHT**

Hermes Desktop provides one place for chat, files, skills and agent profiles.

**Common mistake:** Downloading from an unofficial page or opening the wrong project folder.

**Best practice:** Use the official Hermes Desktop page and keep each video project in its own folder.

**Example:** Project folder: My First AI Video.

## 2.4 Connect MiniMax M3

### How it works

1. Create MiniMax account
2. Review the live plan
3. Add the provider
4. Test a message

| Account                | Plan                 | Model            | Test           |
|------------------------|----------------------|------------------|----------------|
| Create MiniMax account | Review the live plan | Add the provider | Test a message |

### Creative guidance

#### KEY INSIGHT

MiniMax M3 can guide planning and operate tools; a video tool still creates the media.

**Common mistake:** Assuming a promotion or free-trial duration is identical for every learner.

**Best practice:** Confirm the current trial and pricing shown in your account before subscribing.

**Example:** Test prompt: Help me plan a three-shot vertical video about better coffee.

## 2.5 Prompt your first video

### How it works

1. Name the goal
2. Describe the scene
3. Add video choices
4. Ask for a review

| Audience      | Subject and action | Look and movement | Length and format |
|---------------|--------------------|-------------------|-------------------|
| Name the goal | Describe the scene | Add video choices | Ask for a review  |

### Creative guidance

#### KEY INSIGHT

The best starter prompt describes one audience, one message and one simple visual journey.

**Common mistake:** Using adjectives such as amazing or cinematic without describing what viewers see.

**Best practice:** Use SUBJECT + ACTION + SETTING + CAMERA + STYLE + FORMAT, then ask for a shot list first.

**Example:** Create a 15-second vertical cafe tip video: warm morning light, close-up coffee grind, slow push-in, calm practical tone, three five-second shots, captions included.

## 3. Improve the Video with Tools and Skills

Understand tools and skills, add suitable video capabilities, and turn the first draft into a polished branded video.

### TOPIC FOCUS

Learn the idea through a visual example, adapt a copy-ready prompt, create a draft, and improve it after review.

### 3.1 What is a tool?

#### How it works

1. Choose a job
2. Select a tool
3. Create media
4. Bring back the result

| Images       | Motion        | Voice        | Editing               |
|--------------|---------------|--------------|-----------------------|
| Choose a job | Select a tool | Create media | Bring back the result |

#### Creative guidance

##### KEY INSIGHT

A tool performs a practical job such as creating a shot, animating text or assembling clips.

**Common mistake:** Choosing a tool because it is fashionable instead of because it fits the shot.

**Best practice:** Match the tool to the job: generate, animate, assemble, caption or check.

**Example:** Use Higgsfield for a cinematic shot, Remotion for branded motion graphics, Manim for an explanatory animation, and FFmpeg for assembly.

## 3.2 What is a skill?

### How it works

1. Name the repeatable task
2. Save the instructions
3. Add examples
4. Reuse the skill

| Trigger                  | Creative rules        | Steps        | Expected result |
|--------------------------|-----------------------|--------------|-----------------|
| Name the repeatable task | Save the instructions | Add examples | Reuse the skill |

### Creative guidance

#### KEY INSIGHT

A skill teaches Hermes how you want a recurring task done.

**Common mistake:** Writing a skill that is so broad that it gives different results every time.

**Best practice:** Make one skill for one repeatable outcome, such as a branded 15-second product tip.

**Example:** Skill: Create a calm Harbour Bean short using the approved colours, caption style and closing frame.

## 3.3 Choose the right video toolkit

### How it works

1. Start with the story
2. Identify missing capability
3. Choose one tool
4. Combine only when useful

| Generative shots     | Motion graphics             | Diagrams        | Final edit               |
|----------------------|-----------------------------|-----------------|--------------------------|
| Start with the story | Identify missing capability | Choose one tool | Combine only when useful |

### Creative guidance

#### KEY INSIGHT

Most videos need a small toolkit, not every available tool.

**Common mistake:** Adding several tools before the creative direction is clear.

**Best practice:** Choose the simplest tool that can deliver the intended shot and keep the style consistent.

**Example:** First draft + one generated establishing shot + branded title cards + captions + music.

## 3.4 Improve with a creative brief

### How it works

1. Keep the message
2. Strengthen the opening
3. Clarify the middle
4. Finish with one action

| Hook             | Value                  | Proof              | Call to action         |
|------------------|------------------------|--------------------|------------------------|
| Keep the message | Strengthen the opening | Clarify the middle | Finish with one action |

### Creative guidance

#### KEY INSIGHT

A clear narrative improves the video more than extra effects.

**Common mistake:** Trying to repair a weak story with transitions and filters.

**Best practice:** Rewrite the video as Hook - Value - Proof - Action before asking for new visuals.

**Example:** Hook: Your coffee tastes bitter. Value: check the grind. Proof: compare two textures. Action: save this guide.

## 3.5 Create your own video skill

### How it works

1. Set the brand
2. Set the tone
3. Set the visual style
4. Save examples

| Colours and logo | Voice        | Pacing               | Do and avoid  |
|------------------|--------------|----------------------|---------------|
| Set the brand    | Set the tone | Set the visual style | Save examples |

### Creative guidance

#### KEY INSIGHT

A custom skill makes good creative choices repeatable across future videos.

**Common mistake:** Defining style only as modern, engaging or professional.

**Best practice:** Include concrete examples: colours, shot rhythm, caption placement, words to use and styles to avoid.

**Example:** Calm, useful and warm; steady camera; short sentences; cream background; teal accent; no flashing text.

## 4. Build a Multi-Agent Video Team

Create five Hermes profiles, coordinate them on Kanban, improve the video, prepare YouTube publishing and schedule the pipeline.

### TOPIC FOCUS

Learn the idea through a visual example, adapt a copy-ready prompt, create a draft, and improve it after review.

### 4.1 Why use multiple agents?

#### How it works

1. Split the work
2. Give each role a focus
3. Pass the work on
4. Review the whole

| Research       | Script                 | Video            | Review           |
|----------------|------------------------|------------------|------------------|
| Split the work | Give each role a focus | Pass the work on | Review the whole |

#### Creative guidance

##### KEY INSIGHT

Separate roles make the creative process easier to follow and improve.

**Common mistake:** Using many agents for a task that one clear conversation could complete.

**Best practice:** Create another agent only when the role has a distinct outcome and point of view.

**Example:** A research agent finds facts; a script agent turns facts into a story; a review agent challenges the result.

## 4.2 Create five Hermes profiles

### How it works

1. Researcher
2. Scriptwriter
3. Video creator
4. Auditor

| Research agent | Script agent | Video agent   | Audit and upload agents |
|----------------|--------------|---------------|-------------------------|
| Researcher     | Scriptwriter | Video creator | Auditor                 |

### Creative guidance

#### KEY INSIGHT

A profile gives each agent a stable job, voice and set of responsibilities.

**Common mistake:** Giving every profile the same vague instruction to make the video better.

**Best practice:** State what each profile receives, what it returns and when its work is complete.

**Example:** Research returns a fact sheet; Script returns a one-minute script; Video returns a draft; Auditor returns clear feedback; Upload returns a private YouTube link.

## 4.3 Use Kanban to coordinate the team

### How it works

1. Ideas
2. Ready
3. In progress
4. Review and done

| Task  | Owner | Input       | Next step       |
|-------|-------|-------------|-----------------|
| Ideas | Ready | In progress | Review and done |

### Creative guidance

#### KEY INSIGHT

Kanban shows who is doing what and what must happen next.

**Common mistake:** Moving the upload card forward before review is complete.

**Best practice:** Make the order visible and keep publishing blocked until review and approval are done.

**Example:** First research, then write the script, create the video, review it, ask for human approval, and finally upload to YouTube.

## 4.4 Publish to YouTube

### How it works

- 1. Connect YouTube
- 2. Prepare title and thumbnail
- 3. Upload as private
- 4. Review then publish

| Channel         | Metadata                    | Privacy           | Final approval      |
|-----------------|-----------------------------|-------------------|---------------------|
| Connect YouTube | Prepare title and thumbnail | Upload as private | Review then publish |

### Creative guidance

**KEY INSIGHT**

Private upload creates a safe review step before the audience can see the video.

**Common mistake:** Publishing publicly on the first automated run.

**Best practice:** Ask Hermes to set up the YouTube connection, upload privately, and stop for human review.

**Example:** Prompt: Upload the approved video as Private, add the supplied title and description, then return the private review link. Do not publish publicly.

## 4.5 Schedule the pipeline

### How it works

- 1. Choose a cadence
- 2. Set the starting task
- 3. Run a rehearsal
- 4. Turn on the schedule

| Day and time     | Topic source          | Approval point  | Notification         |
|------------------|-----------------------|-----------------|----------------------|
| Choose a cadence | Set the starting task | Run a rehearsal | Turn on the schedule |

### Creative guidance

#### KEY INSIGHT

Scheduling works best when the workflow is already reliable as a manual run.

**Common mistake:** Automating an untested pipeline or forgetting who approves publication.

**Best practice:** Run the whole pipeline once, inspect every handoff, then enable the schedule.

**Example:** Every Tuesday at 9:00 AM: research one topic, draft, create, review, wait for approval, then upload privately.

## 5. Create a Consistent One-Minute Micro-Drama Series

Use a story bible, character sheet and six-shot storyboard to create repeatable one-minute episodes with consistent people, places and style.

### TOPIC FOCUS

Learn the idea through a visual example, adapt a copy-ready prompt, create a draft, and improve it after review.

### 5.1 Start with the series promise

#### How it works

1. Choose the audience
2. Choose the world
3. Choose the recurring tension
4. Choose the episode payoff

| Who watches?        | Where does it happen? | What repeats?                | Why return?               |
|---------------------|-----------------------|------------------------------|---------------------------|
| Choose the audience | Choose the world      | Choose the recurring tension | Choose the episode payoff |

#### Creative guidance

##### KEY INSIGHT

A series feels consistent when every episode fulfils the same clear promise.

**Common mistake:** Beginning with isolated scenes before deciding what the series is about.

**Best practice:** Write one sentence that describes the world, character and recurring emotional question.

**Example:** In a neighbourhood cafe, a shy barista solves one small customer misunderstanding in every one-minute episode.

## 5.2 Build a character bible

### How it works

1. Define identity
2. Fix visible traits
3. Define behaviour
4. Save references

| Face and age    | Hair and wardrobe  | Voice and manner | Reference views |
|-----------------|--------------------|------------------|-----------------|
| Define identity | Fix visible traits | Define behaviour | Save references |

### Creative guidance

#### KEY INSIGHT

Consistency comes from repeating concrete character details, not just the character name.

**Common mistake:** Changing clothing, age, hairstyle or personality between shots.

**Best practice:** Use the same reference image and repeat five essential traits in every character prompt.

**Example:** Mei, 28, shoulder-length black hair, teal overshirt, cream apron, observant expression, gentle measured speech.

## 5.3 Storyboard a one-minute episode

### How it works

1. Hook
2. Set-up
3. Complication
4. Choice

| 0-5 seconds | 5-20 seconds | 20-40 seconds | 40-60 seconds |
|-------------|--------------|---------------|---------------|
| Hook        | Set-up       | Complication  | Choice        |

### Creative guidance

#### KEY INSIGHT

Six short shots give a one-minute story enough movement without becoming confusing.

**Common mistake:** Asking one prompt to generate the full minute with many changing actions.

**Best practice:** Create the storyboard first, then generate each shot separately using the same references.

**Example:** Six shots: arrival, clue, reaction, misunderstanding, reveal, emotional closing image.

## 5.4 Keep continuity across shots

### How it works

1. Lock the character
2. Lock the location
3. Track props
4. Match screen direction

| Character reference | Location reference | Prop list   | Previous-frame check   |
|---------------------|--------------------|-------------|------------------------|
| Lock the character  | Lock the location  | Track props | Match screen direction |

### Creative guidance

#### KEY INSIGHT

Each new shot should inherit what must remain unchanged from the previous shot.

**Common mistake:** Describing only what changes and forgetting what must stay the same.

**Best practice:** Add a continuity line to every shot prompt and compare adjacent frames before moving on.

**Example:** Keep Mei's teal overshirt, cream apron, hairstyle and left-to-right movement unchanged; same morning cafe lighting.

## 5.5 Use the agentic pipeline for a series

### How it works

1. Research the episode
2. Write and storyboard
3. Create and assemble
4. Audit and learn

| Series bible         | Episode brief        | Approved references | Continuity notes |
|----------------------|----------------------|---------------------|------------------|
| Research the episode | Write and storyboard | Create and assemble | Audit and learn  |

### Creative guidance

#### KEY INSIGHT

The team improves over time when each episode updates reusable story and visual references.

**Common mistake:** Starting every episode from a blank prompt and repeating old mistakes.

**Best practice:** After release, save what worked as examples and revise the series skill before the next episode.

**Example:** Episode 02 reuses the same character pack, cafe reference, title style, sound palette and review checklist.

## 6. Hands-on Lab Guide

The four connected labs take one idea from a simple first draft to a polished video, a multi-agent workflow and a consistent one-minute micro-drama episode. Each lab includes copy-ready prompts in Markdown and PDF.

### 6.1 Lab 01: Create Your First Video with Hermes

#### OBJECTIVE

Install Hermes Desktop, connect MiniMax M3, improve a simple prompt and create a 15-second first video.

#### Folder contents

- labs/lab-01-create-first-video-with-hermes/README.md — detailed procedure
- AI-PROMPTS.md and AI-PROMPTS.pdf — identical copy-ready prompts
- data/ - supplied brief, brand, character or planning information
- starter/ and custom-skill/ - templates and reusable examples
- evidence/checklist.md - a viewer-focused review guide

#### Detailed procedure

1. Open the lab folder as the current project in Hermes Desktop.
2. Read README.md and look through the supplied brief, examples and creative references.
3. Open AI-PROMPTS.md or AI-PROMPTS.pdf and adapt the audience, subject, setting and style for your idea.
4. Ask Hermes to show the creative plan or storyboard before generating the video.
5. Create the first draft and watch it once without stopping, as a viewer would.
6. Write specific feedback using times or shot numbers, then request one focused revision.
7. Compare the two versions and explain which change improved the video most.
8. Keep paid generation, YouTube upload and scheduling in preview or paused mode until approved.
9. Complete the review checklist and save the prompt, draft, feedback and improved result.
10. Remove passwords, account details and unrelated personal information from shared evidence.

#### Lab-specific execution checks

| Sequence | Hermes stage        | What to inspect                                              |
|----------|---------------------|--------------------------------------------------------------|
| 1        | Install Hermes      | What the viewer should see, understand or feel at this stage |
| 2        | Review MiniMax plan | What the viewer should see, understand or feel at this stage |
| 3        | Connect M3          | What the viewer should see, understand or feel at this stage |
| 4        | Write prompt        | What the viewer should see, understand or feel at this stage |
| 5        | Create video        | What the viewer should see, understand or feel at this stage |
| 6        | Review result       | What the viewer should see, understand or feel at this stage |

Main prompt

*Help me create a 15-second vertical video for Harbour Bean. Audience: busy office workers. Message: check your coffee grind. Show three five-second shots: an attention-grabbing close-up, a clear comparison, and a closing save-this-guide message. Warm morning light, calm practical tone, slow camera movement, readable captions, no invented claims. First show me the shot list; after I approve it, create the video and ask me what should improve.*

---

Acceptance check

PASS ONLY WHEN

Hermes opens the correct project, MiniMax M3 is selected or the available approved fallback is recorded, the shot list has three clear shots, and the first video is saved.

Troubleshooting

| Observed issue              | Likely cause                      | Remedial action                                                      |
|-----------------------------|-----------------------------------|----------------------------------------------------------------------|
| The story feels confusing   | Too many ideas or actions         | Keep one message and one main action per shot.                       |
| The video looks generic     | Style words are vague             | Describe visible choices: light, colour, framing, movement and pace. |
| The character changes       | Continuity details were omitted   | Repeat the same reference and fixed character traits in every shot.  |
| The workflow cannot publish | Connection or approval is missing | Prepare a Private preview and ask the trainer before continuing.     |

## 6.2 Lab 02: Improve the Video with Tools and Skills

### OBJECTIVE

Choose appropriate video tools, add reusable Hermes skills and create a more polished branded version of the first video.

### Folder contents

- labs/lab-02-improve-video-with-tools-and-skills/README.md — detailed procedure
- AI-PROMPTS.md and AI-PROMPTS.pdf — identical copy-ready prompts
- data/ - supplied brief, brand, character or planning information
- starter/ and custom-skill/ - templates and reusable examples
- evidence/checklist.md - a viewer-focused review guide

### Detailed procedure

1. Open the lab folder as the current project in Hermes Desktop.
2. Read README.md and look through the supplied brief, examples and creative references.
3. Open AI-PROMPTS.md or AI-PROMPTS.pdf and adapt the audience, subject, setting and style for your idea.
4. Ask Hermes to show the creative plan or storyboard before generating the video.
5. Create the first draft and watch it once without stopping, as a viewer would.
6. Write specific feedback using times or shot numbers, then request one focused revision.
7. Compare the two versions and explain which change improved the video most.
8. Keep paid generation, YouTube upload and scheduling in preview or paused mode until approved.
9. Complete the review checklist and save the prompt, draft, feedback and improved result.
10. Remove passwords, account details and unrelated personal information from shared evidence.

### Lab-specific execution checks

| Sequence | Hermes stage          | What to inspect                                              |
|----------|-----------------------|--------------------------------------------------------------|
| 1        | Review first draft    | What the viewer should see, understand or feel at this stage |
| 2        | Choose tools          | What the viewer should see, understand or feel at this stage |
| 3        | Add skills            | What the viewer should see, understand or feel at this stage |
| 4        | Apply brand style     | What the viewer should see, understand or feel at this stage |
| 5        | Create improved video | What the viewer should see, understand or feel at this stage |
| 6        | Compare versions      | What the viewer should see, understand or feel at this stage |

### Main prompt

*Improve my first cafe video without changing its main message. Use the available video tools and skills only where they help. Strengthen the opening, keep one visual style, add clean captions, apply the supplied Harbour Bean colours and calm tone, and end with one clear call to action. Show which tool or skill you will*

*use for each improvement before creating version two. Return a side-by-side review of version one and version two.*

---

### Acceptance check

#### PASS ONLY WHEN

The learner explains the difference between a tool and a skill, chooses suitable capabilities, applies the brand guide, and produces an improved second video with a written comparison.

### Troubleshooting

| Observed issue              | Likely cause                      | Remedial action                                                      |
|-----------------------------|-----------------------------------|----------------------------------------------------------------------|
| The story feels confusing   | Too many ideas or actions         | Keep one message and one main action per shot.                       |
| The video looks generic     | Style words are vague             | Describe visible choices: light, colour, framing, movement and pace. |
| The character changes       | Continuity details were omitted   | Repeat the same reference and fixed character traits in every shot.  |
| The workflow cannot publish | Connection or approval is missing | Prepare a Private preview and ask the trainer before continuing.     |

## 6.3 Lab 03: Improve the Video with a Multi-Agent Team

### OBJECTIVE

Create five Hermes profiles, coordinate them on Kanban, improve the video, prepare a private YouTube upload and set a paused schedule.

### Folder contents

- labs/lab-03-multi-agent-video-kanban-youtube-schedule/README.md — detailed procedure
- AI-PROMPTS.md and AI-PROMPTS.pdf — identical copy-ready prompts
- data/ - supplied brief, brand, character or planning information
- starter/ and custom-skill/ - templates and reusable examples
- evidence/checklist.md - a viewer-focused review guide

### Detailed procedure

1. Open the lab folder as the current project in Hermes Desktop.
2. Read README.md and look through the supplied brief, examples and creative references.
3. Open AI-PROMPTS.md or AI-PROMPTS.pdf and adapt the audience, subject, setting and style for your idea.
4. Ask Hermes to show the creative plan or storyboard before generating the video.
5. Create the first draft and watch it once without stopping, as a viewer would.
6. Write specific feedback using times or shot numbers, then request one focused revision.
7. Compare the two versions and explain which change improved the video most.
8. Keep paid generation, YouTube upload and scheduling in preview or paused mode until approved.
9. Complete the review checklist and save the prompt, draft, feedback and improved result.
10. Remove passwords, account details and unrelated personal information from shared evidence.

### Lab-specific execution checks

| Sequence | Hermes stage            | What to inspect                                              |
|----------|-------------------------|--------------------------------------------------------------|
| 1        | Create five profiles    | What the viewer should see, understand or feel at this stage |
| 2        | Build Kanban            | What the viewer should see, understand or feel at this stage |
| 3        | Run research and script | What the viewer should see, understand or feel at this stage |
| 4        | Create and audit video  | What the viewer should see, understand or feel at this stage |
| 5        | Upload privately        | What the viewer should see, understand or feel at this stage |
| 6        | Schedule pipeline       | What the viewer should see, understand or feel at this stage |

### Main prompt

*Create a five-agent team for this video: Researcher, Scriptwriter, Video Creator, Auditor and YouTube Publisher. Put their work on a Kanban board in dependency order. Ask Researcher to improve the factual angle, Scriptwriter to rewrite the 15-second story, Video Creator to create version three using our saved video skill, and Auditor to return time-coded feedback. Keep the YouTube task blocked until I*

*approve the final draft. Then upload it as Private and create a paused weekly schedule for the same pipeline.*

---

### Acceptance check

#### PASS ONLY WHEN

Five distinct profiles and a dependency-based Kanban board exist, the first video is improved through the team, YouTube is prepared as private, and the schedule remains paused until approval.

### Troubleshooting

| Observed issue              | Likely cause                      | Remedial action                                                      |
|-----------------------------|-----------------------------------|----------------------------------------------------------------------|
| The story feels confusing   | Too many ideas or actions         | Keep one message and one main action per shot.                       |
| The video looks generic     | Style words are vague             | Describe visible choices: light, colour, framing, movement and pace. |
| The character changes       | Continuity details were omitted   | Repeat the same reference and fixed character traits in every shot.  |
| The workflow cannot publish | Connection or approval is missing | Prepare a Private preview and ask the trainer before continuing.     |

## 6.4 Lab 04: Create a One-Minute Micro-Drama Episode

### OBJECTIVE

Create a series promise, character bible, six-shot storyboard and consistent one-minute pilot episode using the Hermes agentic pipeline.

### Folder contents

- labs/lab-04-create-one-minute-micro-drama-series/README.md — detailed procedure
- AI-PROMPTS.md and AI-PROMPTS.pdf — identical copy-ready prompts
- data/ - supplied brief, brand, character or planning information
- starter/ and custom-skill/ - templates and reusable examples
- evidence/checklist.md - a viewer-focused review guide

### Detailed procedure

1. Open the lab folder as the current project in Hermes Desktop.
2. Read README.md and look through the supplied brief, examples and creative references.
3. Open AI-PROMPTS.md or AI-PROMPTS.pdf and adapt the audience, subject, setting and style for your idea.
4. Ask Hermes to show the creative plan or storyboard before generating the video.
5. Create the first draft and watch it once without stopping, as a viewer would.
6. Write specific feedback using times or shot numbers, then request one focused revision.
7. Compare the two versions and explain which change improved the video most.
8. Keep paid generation, YouTube upload and scheduling in preview or paused mode until approved.
9. Complete the review checklist and save the prompt, draft, feedback and improved result.
10. Remove passwords, account details and unrelated personal information from shared evidence.

### Lab-specific execution checks

| Sequence | Hermes stage           | What to inspect                                              |
|----------|------------------------|--------------------------------------------------------------|
| 1        | Define series          | What the viewer should see, understand or feel at this stage |
| 2        | Create character bible | What the viewer should see, understand or feel at this stage |
| 3        | Write episode          | What the viewer should see, understand or feel at this stage |
| 4        | Storyboard six shots   | What the viewer should see, understand or feel at this stage |
| 5        | Create and assemble    | What the viewer should see, understand or feel at this stage |
| 6        | Audit continuity       | What the viewer should see, understand or feel at this stage |

### Main prompt

*Create a one-minute pilot for a micro-drama series called **The Last Cup**. The recurring setting is a warm neighbourhood cafe in Singapore. The lead is Mei, 28, shoulder-length black hair, teal overshirt, cream apron, observant expression and gentle measured speech. First write a six-beat story with a hook, set-up, complication, choice, reveal and emotional final image. Then create one prompt*

*per shot. Repeat the character, wardrobe, location, lighting and screen-direction continuity in every prompt. Use the same approved reference images for all shots. After assembly, ask the Auditor to compare adjacent shots and list any continuity change before approval.*

---

Acceptance check

PASS ONLY WHEN

The series and character bibles are complete, the storyboard covers six timed shots, the same character and setting details appear throughout, and the continuity review identifies or clears visible changes.

Troubleshooting

| Observed issue              | Likely cause                      | Remedial action                                                      |
|-----------------------------|-----------------------------------|----------------------------------------------------------------------|
| The story feels confusing   | Too many ideas or actions         | Keep one message and one main action per shot.                       |
| The video looks generic     | Style words are vague             | Describe visible choices: light, colour, framing, movement and pace. |
| The character changes       | Continuity details were omitted   | Repeat the same reference and fixed character traits in every shot.  |
| The workflow cannot publish | Connection or approval is missing | Prepare a Private preview and ask the trainer before continuing.     |

## 7. Publishing and Scheduling

Use Hermes to connect the approved YouTube account, prepare the title, description and thumbnail, and upload the reviewed video as Private. Watch the uploaded copy before deciding whether it is ready for viewers. Build the schedule only after the manual workflow works from beginning to end.

### SAFE PUBLISHING HABIT

Keep practice uploads Private, ask a person to approve the final version, and begin every new schedule in Paused state.

## 8. References

- **Official course page:** <https://www.tertiarycourses.com.sg/agent-ai-for-video-creation.html> — Course identity, duration and learning outcomes
- **Hermes Desktop:** <https://hermes-agent.nousresearch.com/desktop> — Official desktop download and product overview
- **Hermes Agent documentation:** <https://hermes-agent.nousresearch.com/docs> — Current setup, skills, profiles, Kanban and scheduling guidance
- **MiniMax M3:** <https://www.minimax.io/models/text/m3> — Current M3 model and subscription information
- **Remotion:** <https://www.remotion.dev/> — Code-driven branded motion graphics
- **Manim:** <https://www.manim.community/> — Explanatory animation
- **Higgsfield:** <https://higgsfield.ai/> — Generative video shots and creative effects
- **YouTube Help:** <https://support.google.com/youtube/> — Upload, privacy and channel guidance

Course repository: <https://github.com/tertiarycourses/C436-Agent-AI-for-Video-Creation>

Learning platform: <https://lms-tms.tertiaryinfotech.com/>