

Lab 03 Engineer Video Prompts with FRAME-CUT

Course: Agentic AI for Video Creation (C436) Version: v2.0 Primary deliverable: prompt-pack.json and prompt-score.csv

Objective

Transform a vague creative request into portable shot prompts using the FRAME-CUT framework and evaluate them with a deterministic rubric.

Files

- data/prompt-cases.csv
- starter/frame-cut-template.md
- verify.py
- solution/prompt-pack-approved.json
- AI-PROMPTS.md and AI-PROMPTS.pdf - identical copy-ready learner prompt resources.
- evidence/checklist.md and evidence/checklist.pdf - evidence gate.
- verify.py - deterministic acceptance verifier.

Detailed procedure

- 1 Diagnose vague prompt
 - 2 Complete FRAME fields
 - 3 Complete CUT fields
 - 4 Generate shot JSON
 - 5 Score rubric
 - 6 Repair one defect
-
- 1 Open this lab folder as the current project in Hermes Desktop.
 - 2 Read AI-PROMPTS.md; replace only the named placeholders with supplied synthetic values.
 - 3 Ask Hermes to inspect the local files before it proposes a plan.
 - 4 Require a preview before any network, paid-generation, upload or scheduling side effect.
 - 5 Run `python3 verify.py` and retain the PASS output with the requested evidence.

Acceptance check

Every shot has all FRAME-CUT fields, one dominant action, one camera move, explicit continuity and negative constraints, and a measurable output check.

Troubleshooting

- If Hermes reports the wrong model, start a new session after selecting MiniMax-M3; an existing session may retain its original model.
- If a tool is missing, use the documented deterministic fallback and record the limitation instead of inventing a successful call.
- If a skill is not discovered, check its YAML frontmatter, directory name and SKILL.md filename, then restart skill discovery.

- If review or upload is blocked, inspect the exact dependency status and compare the approved payload hash with the current master hash.
- If a trial or quota differs from the course note, record the current live account terms and use the fallback path.

Safety boundary

Use only supplied or authorized assets. Never paste a MiniMax key, OAuth token or YouTube credential into a prompt, lab file, screenshot or repository. YouTube examples default to private; public visibility requires an explicit trainer-supervised decision.