

Lab 08 Schedule Controlled Video Publishing with Hermes Cron

Course: Agentic AI for Video Creation (C436) Version: v2.0 Primary deliverable: cron-preview.json and operations-ledger.csv

Objective

Create a paused Hermes cron job that prepares a release from a self-contained prompt, dry-run it, and enable a cadence only after evidence review.

Files

- data/cron-job.json
- starter/cron-commands.md
- starter/release-job-prompt.md
- verify.py
- AI-PROMPTS.md and AI-PROMPTS.pdf - identical copy-ready learner prompt resources.
- evidence/checklist.md and evidence/checklist.pdf - evidence gate.
- verify.py - deterministic acceptance verifier.

Detailed procedure

- 1 Write self-contained job
 - 2 Attach video skill
 - 3 Create paused cron
 - 4 Trigger dry run
 - 5 Inspect next run
 - 6 Approve enablement
-
- 1 Open this lab folder as the current project in Hermes Desktop.
 - 2 Read AI-PROMPTS.md; replace only the named placeholders with supplied synthetic values.
 - 3 Ask Hermes to inspect the local files before it proposes a plan.
 - 4 Require a preview before any network, paid-generation, upload or scheduling side effect.
 - 5 Run `python3 verify.py` and retain the PASS output with the requested evidence.

Acceptance check

The schedule and timezone are explicit, the prompt is self-contained, the custom skill is attached, the job begins paused, and the dry run cannot publish an unapproved or duplicate video.

Troubleshooting

- If Hermes reports the wrong model, start a new session after selecting MiniMax-M3; an existing session may retain its original model.
- If a tool is missing, use the documented deterministic fallback and record the limitation instead of inventing a successful call.
- If a skill is not discovered, check its YAML frontmatter, directory name and SKILL.md filename, then restart skill discovery.

- If review or upload is blocked, inspect the exact dependency status and compare the approved payload hash with the current master hash.
- If a trial or quota differs from the course note, record the current live account terms and use the fallback path.

Safety boundary

Use only supplied or authorized assets. Never paste a MiniMax key, OAuth token or YouTube credential into a prompt, lab file, screenshot or repository. YouTube examples default to private; public visibility requires an explicit trainer-supervised decision.