



COURSE SLIDES

Agentic AI for Facebook Marketing (C526)

Course Code: C526

Conducted by Tertiary Infotech Academy Pte Ltd · UEN 201200696W

Version v1.0 · 3 August 2026

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg



COURSE ADMINISTRATION

Welcome & Housekeeping

About the Trainer



Course Trainer

Principal Trainer
Tertiary Infotech Academy Pte. Ltd.

ROLE

Principal Trainer, Tertiary Infotech Academy Pte. Ltd.

CERTIFICATION

Digital marketing and applied AI practitioner

DELIVERS

Facebook marketing, digital advertising, analytics, and applied AI workflows

FOUNDER

Founder and lead instructor at Tertiary Infotech / Tertiary Courses.

Let's Know Each Other

1 Your name, role, and the Facebook Page or business context you support.

2 One Facebook marketing task that currently takes too much time.

3 One decision you would never allow an AI agent to make without approval.

Ground Rules

1

Set your mobile phone to silent mode.

2

Participate actively — no question is too small.

3

Mutual respect: agree to disagree.

4

One conversation at a time.


5

Be punctual; return from breaks on time.

6

Learn by doing — try every hands-on lab.

Download Course Material



Portal: <https://lms-tms.tertiaryinfotech.com>

Lesson Plan — 2 Days, 8 hours/day

Day 1

- Day 1 — Strategy, prompting, and Facebook content creation
 - Topic 1: Getting Started with Agentic AI for Facebook Marketing (Labs 1–2)
 - Topic 2: Content Creation and Ad Copy with AI (Labs 3–4)

Day 2

- Day 2 — Campaign design, performance learning, automation, and scaling
 - Topic 3: Building and Optimising Ad Campaigns with AI (Labs 5–6)
 - Topic 4: Automating and Scaling Facebook Marketing with AI Agents (Labs 7–8)
- Daily timing
 - 9:00 am - 6:00 pm (1-hour lunch; two 15-minute tea breaks)

Learning Outcomes

1

Marketing System

Explain how Facebook organic marketing, paid media, and an agentic AI workflow connect to a measurable business objective.

2

Prompt Contract

Create a reusable campaign brief and prompt contract that defines audience evidence, brand voice, tools, guardrails, and approval gates.

3

Content System

Produce an aligned Facebook content calendar, post set, ad-copy matrix, and creative briefs with consistent brand voice.

4

Campaign Design

Design a Facebook campaign blueprint across campaign, ad set, and ad levels, including audience, budget, placement, and experiment choices.

5

Performance Learning


Calculate and interpret Facebook performance metrics, diagnose a result, and recommend a controlled next action from evidence.

6

Governed Automation

Design a governed agentic workflow for scheduling, responses, reporting, optimisation, and scaling with privacy and advertising safeguards.

How You'll Learn



CORE CONCEPTS

Agentic Facebook Marketing Fundamentals

The Five Decisions Every Workflow Must Preserve

1

Why

Which business result and customer action matter?

2

Who

Which evidence-backed audience need are we serving?

3

What

Which promise, proof, offer, and creative communicate value?

4

Where

Should the message use organic, paid, or community delivery?

5

Next

Which metric and rule determine the next controlled action?

The G-C-A-T-E Agent Framework

1

Goal

Business result, customer action, KPI, time horizon, and finish condition.

2

Context

Brand, offer, audience evidence, channel role, and authorised inputs.

3

Actions

Ordered steps and tools the workflow may use.

4

Tests

Factual, brand, privacy, advertising, and performance checks.

5

Escalation

Approval gates, stop conditions, owner, and recovery path.

OPERATING PRINCIPLE

Let AI accelerate the loop; keep people accountable for the outcome.

Drafting and analysis can move quickly only when goals, evidence, permissions, and approval gates are explicit.

The Campaign Operations Pack You Will Build

Strategy Pack

- Success brief
- Audience evidence map
- Prompt contract

Creative Pack

- Content calendar
- Post set
- Copy and creative matrix

Growth Pack

- Campaign blueprint
- Performance diagnosis
- Automation and scale policy

How Every Lab Progresses

1

Start from the shared Harbour & Hearth brand brief and the previous lab checkpoint.

2

Use AI to propose structured work from authorised inputs, not to invent business facts.

3

Apply a human quality gate and record corrections in the campaign operations pack.

4

Verify observable evidence before carrying the artifact into the next lab.

TOPIC 01

Getting Started with Agentic AI for Facebook Marketing

Facebook ecosystem | objectives and audiences | agent anatomy | prompting | approval gates

KEY CONCEPTS

Key Concepts — Getting Started with Agentic AI for Facebook Marketing

1

Outcome before output

Start with a business result and customer action, not a request to 'make posts'.

2

Organic and paid roles

Organic content builds attention and proof; paid delivery buys controlled reach and learning.

3

Agentic loop

An agent plans, uses tools, checks evidence, and iterates until a stop condition is reached.

4

Evidence boundary

Facts, customer data, and performance numbers need provenance; unknowns remain labelled assumptions.

5

Prompt contract

Role, goal, context, inputs, rules, output schema, and review criteria make work repeatable.

6

Audience hypothesis

A segment is a testable need and behaviour pattern, not a stereotype or invented demographic.

Key Concepts — Getting Started with Agentic AI for Facebook Marketing (cont.)

7

Human authority


Publishing, spend, targeting changes, and sensitive replies remain approval-controlled actions.

8

Audit trail

Save the brief, inputs, versions, approvals, and final decision so the workflow can be reviewed.

Facebook Marketing as a Connected System



From Generative AI to an Agentic Workflow

Single AI task

- One prompt produces one draft
- The user manually supplies every input
- No persistent state or explicit stop rule
- Quality depends on one response

Agentic workflow

- A goal is decomposed into multiple steps
- Tools retrieve data or create controlled outputs
- State, checks, retries, and stop conditions are explicit
- A person approves high-impact actions

The Six-Part Marketing Agent

1

Goal

The result, customer action, time horizon, and success threshold.

2

Context

Brand, offer, audience evidence, channel role, and constraints.

3

Instructions

Decision rules, required steps, output format, and escalation logic.

4

Tools

Approved data sources, content tools, calendars, and reporting surfaces.

5

Memory


Briefs, past variants, decisions, and lessons that should persist.

6

Checks

Brand, factual, privacy, policy, and performance validation before action.

Objective, Customer Action, and KPI Chain



Audience Evidence Before Targeting

1

Observed

Existing customer questions, purchases, site behaviour, and Page interactions.

2

Declared

Needs and preferences people voluntarily shared through interviews or forms.

3

Inferred

A labelled hypothesis derived from patterns, never presented as fact.

4

Excluded

Sensitive traits, unjustified personal data, and segments the offer should not reach.

5

Testable


A need, trigger, barrier, message angle, and measurable response.

6

Revisable

A segment changes when evidence contradicts the original hypothesis.

The Prompt Contract



Hands-On Labs — Getting Started with Agentic AI for Facebook Marketing

Lab 1

- Build the Facebook Campaign Success Brief

Lab 2

- Create the Audience Evidence Map and Prompt Contract

Build the Facebook Campaign Success Brief

LAB 1


You begin the connected Harbour & Hearth scenario by turning an approved brand brief into a concise success brief of no more than 600 words. The lab establishes the objective, customer action, evidence, limits, and decision metrics that every later content, campaign, and automation artifact must follow.

You'll build

C526-campaign-pack/01-success-brief.md of no more than 600 words containing the campaign decision chain, approved facts, KPI definitions, guardrails, stop conditions, and retained Test Evidence.

Tools: Web browser, approved generative AI assistant, text editor, [labs/resources/harbour-hearth-brand-brief.md](#)

Lab 1 — Key Route



Create the Audience Evidence Map and Prompt Contract

LAB 2


You convert synthetic audience signals into three testable audience hypotheses, select one primary segment, and write the G-C-A-T-E prompt contract that governs later AI work. The contract teaches the agent to separate evidence from assumptions and to stop at high-impact actions.

You'll build

C526-campaign-pack/02-audience-and-prompt-contract.md containing an evidence map, three audience hypotheses, a selected segment, and a tested G-C-A-T-E prompt contract.

Tools: Approved generative AI assistant, text editor, spreadsheet viewer, [labs/resources/harbour-hearth-audience-signals.csv](#)

Lab 2 — Key Route



Recap — Getting Started with Agentic AI for Facebook Marketing

1

You can now: LO1: Connect a Facebook marketing workflow to a measurable business objective, customer action, KPI, and guardrails

2

You can now: LO2: Define evidence-backed audience hypotheses and reusable agent instructions with explicit output, review, and escalation rules

TOPIC 02

Content Creation and Ad Copy with AI

content pillars | message hierarchy | post and ad copy | creative briefs | brand consistency

Key Concepts — Content Creation and Ad Copy with AI

1

One message hierarchy

Audience tension, promise, proof, offer, and action align every content format.

2

Content pillars

Repeatable themes create variety without losing strategic focus.

3

Hook with relevance

Earn attention by naming a useful tension, not by exaggerating or withholding truth.

4

Proof before pressure

Specific evidence reduces uncertainty more effectively than louder claims.

5

Format follows job

Image, carousel, and video choices should match the message and stage of awareness.

6

Brand voice rules

Observable language patterns are easier for AI to follow than vague adjectives.

KEY CONCEPTS

Key Concepts — Content Creation and Ad Copy with AI (cont.)

7

Variant discipline

Change one meaningful variable at a time so later performance can teach you something.

8

Human creative review

Check accuracy, rights, representation, readability, and platform fit before use.

The Facebook Message Hierarchy



Content Pillars and the Customer Journey

1

Teach

Answer a useful question and build problem awareness.

2

Show

Demonstrate the product, process, or customer experience.

3

Prove

Use evidence, reviews, comparisons, or behind-the-scenes detail.

4

Invite

Present an offer and make the next action unmistakable.

5

Engage

Ask a meaningful question or respond to community signals.

6

Learn

Use performance and comments to refine the next content cycle.

Brand Voice as Observable Rules


Weak instruction

- Sound friendly and premium
- Make it engaging
- Use our usual tone
- Avoid sounding robotic

Operational rule

- Use warm, direct sentences of 8-18 words
- Open with a specific customer situation
- Use Singapore English naturally; avoid forced slang
- One helpful detail before one invitation

Facebook Copy Anatomy



Creative System: Image, Carousel, and Video

1

Single image

One idea, one focal point, fast recognition, strong offer or proof.

2

Carousel

A sequence, comparison, product range, or step-by-step story.

3

Short video

Motion, demonstration, personality, transformation, or process.

4

First frame

Make the subject and value understandable before sound or context.

5

Mobile clarity


Large type, high contrast, simple composition, and safe cropping.

6

Rights and truth

Use authorised assets; review generated details and implied claims.

Content Quality Gate



Hands-On Labs — Content Creation and Ad Copy with AI

Lab 3

- Build a Seven-Day Facebook Content System

Lab 4

- Create the Ad Copy and Creative Matrix

Build a Seven-Day Facebook Content System

LAB 3


You use the success brief, selected audience, and prompt contract to design a seven-day Facebook calendar that balances teaching, proof, invitation, and learning. You then turn the selected Invite entry into one publication-ready control post while keeping every fact traceable.

You'll build

C526-campaign-pack/03-content-system.md containing four content pillars, a seven-day calendar, one complete control post, a quality gate, a reviewer correction log, and retained Test Evidence.

Tools: Approved generative AI assistant, text editor or spreadsheet, Lab 1 and Lab 2 files

Lab 3 — Key Route



Create the Ad Copy and Creative Matrix

LAB 4


You turn the strongest Invite message from Lab 3 into a controlled creative matrix. The lab produces three same-format hook-angle copy variants that reuse one control image, plus clearly separated carousel and short-video extension briefs, then applies a human quality gate before anything reaches an advertising account.

You'll build

C526-campaign-pack/04-ad-copy-creative-matrix.md, one 1080 × 1080 control image, one 360-pixel phone-preview screenshot, and non-experiment carousel and short-video extension briefs.

Tools: Approved generative AI assistant, approved image tool or Canva, text editor, Labs 2-3 files, labs/resources/harbour-hearth-brand-brief.md

Lab 4 — Key Route



Recap — Content Creation and Ad Copy with AI

1

You can now: LO3: Produce a journey-aligned Facebook content calendar and post set from approved facts, audience evidence, and brand rules

2

You can now: LO3: Generate controlled ad-copy variants and AI-assisted creative prototypes while preserving message, brand, truth, and review evidence

TOPIC 03

Building and Optimising Ad Campaigns with AI

campaign hierarchy | audiences | budgets and placements | metrics | experiments | optimisation

Key Concepts — Building and Optimising Ad Campaigns with AI

1

Campaign level

The objective and overall campaign decision live here.

2

Ad set level

Audience, placements, budget, schedule, conversion location, and performance goal live here.

3

Ad level

Identity, format, media, text, headline, destination, and tracking live here.

4

Signal quality

Optimisation is only as useful as the event definition and data feeding it.

5

Metric tree

Delivery, attention, action, conversion, and value metrics answer different questions.

6

One-variable test

A controlled comparison changes one main factor and keeps the rest stable.

Key Concepts — Building and Optimising Ad Campaigns with AI (cont.)

7

Diagnosis before action


A weak result may come from delivery, creative, audience, offer, destination, or tracking.

8

Learning stability

Frequent major edits destroy comparability and interrupt the platform's learning.

Campaign, Ad Set, and Ad Hierarchy



Objective, Event, and Optimisation Alignment

1

Objective

The type of result the campaign is designed to pursue.

2

Conversion location

Where the desired action occurs: website, app, messaging, or another supported surface.

3

Performance goal

The result the delivery system should seek within the objective.

4

Event

The observed action that represents progress or value.

5

Data quality

Accuracy, completeness, timeliness, match quality, and lawful collection.

6

Decision KPI

The metric and threshold used to continue, change, stop, or scale.

Audience Strategy: Prospecting and Re-engagement

Prospecting

- Reach people who have not yet shown a direct signal
- Use broad delivery or evidence-based suggestions
- Teach the problem and establish relevance
- Exclude recent purchasers when the offer makes that appropriate

Re-engagement

- Reach people with an authorised prior interaction
- Use Page, site, video, lead, or customer-list signals where permitted
- Resolve objections and make the next step easy
- Control recency, frequency, exclusions, and data rights

The Facebook Performance Metric Tree

1

Delivery

Impressions, reach, frequency, spend, $\text{CPM} = \text{spend} / \text{impressions} \times 1,000$.

2

Attention

Link CTR = link clicks / impressions; use one click definition consistently.

3

Traffic cost

CPC = spend / link clicks; low cost is useful only when visits are relevant.

4

Conversion

Conversion rate = purchases / link clicks; CPA = spend / purchases.

5

Value


ROAS = attributed revenue / ad spend; interpret with margin and attribution limits.

6


Quality guards

Negative feedback rate = negative feedback / impressions $\times 100$, plus operational exceptions.

A/B Testing as Causal Learning



Optimisation Diagnosis Before Change



Hands-On Labs — Building and Optimising Ad Campaigns with AI

Lab 5

- Design the Facebook Campaign Blueprint

Lab 6

- Diagnose Performance and Design One Controlled Test

Design the Facebook Campaign Blueprint

LAB 5


You translate the campaign brief and creative matrix into a draft Meta Ads Manager blueprint without spending money. The blueprint makes every decision at campaign, ad set, and ad level visible, identifies account inputs that are still unknown, and keeps publication behind an authorised approval gate.

You'll build

C526-campaign-pack/05-campaign-blueprint.md containing a named campaign hierarchy, delivery rationale, experiment controls, preflight checklist, and optional unsubmitted Ads Manager draft screenshots.

Tools: Approved generative AI assistant, text editor, optional Meta Ads Manager draft view, Labs 1-4 outputs

Lab 5 — Key Route



Diagnose Performance and Design One Controlled Test

LAB 6


You calculate delivery, attention, conversion, and value metrics from a synthetic Facebook result table, then use an AI analyst under the prompt contract to diagnose the pattern. The lab finishes with one controlled next test rather than a bundle of untraceable changes.

You'll build

C526-campaign-pack/06-performance-diagnosis.md plus 06-facebook-metrics.xlsx with date window, CTR, CPC, conversion rate, CPA, ROAS, negative feedback rate, evidence-linked findings, and one experiment card.

Tools: Spreadsheet application, approved generative AI assistant, labs/resources/harbour-hearth-facebook-performance.csv, Lab 5 blueprint

Lab 6 — Key Route



Recap — Building and Optimising Ad Campaigns with AI

1

You can now: LO4: Design an aligned campaign, ad set, and ad structure with explicit audience, budget, placement, signal, and experiment rationale

2

You can now: LO5: Calculate Facebook metrics, locate a funnel break, distinguish evidence from inference, and recommend one bounded experiment

TOPIC 04

Automating and Scaling Facebook Marketing with AI Agents

workflow design | scheduling and responses | reporting | bounded optimisation | scaling | privacy and advertising safeguards

KEY CONCEPTS

Key Concepts — Automating and Scaling Facebook Marketing with AI Agents

1

Automate repetition

Use rules for stable steps; reserve agent reasoning for contextual choices.

2

Draft before action

Early workflows prepare and recommend while a person approves publication or spend.

3

Risk-tier tools

Reading data is lower risk than publishing, editing budgets, or messaging a customer.

4

Stop conditions

Every loop needs limits for retries, spend, time, confidence, and policy uncertainty.

5

Response triage

Routine questions may use approved answers; complaints, safety, and personal data escalate.

6

Evidence-linked reports

Each insight names the metric, comparison, date window, and supporting row.

Key Concepts — Automating and Scaling Facebook Marketing with AI Agents (cont.)

7

Scale by proof


Increase exposure only when results, operations, and customer experience remain healthy.

8


Reversible actions

Prefer drafts, small changes, cooldowns, logs, and rollback paths.

Should This Task Be Automated?



The Governed Agentic Operating Loop



Facebook Operations You Can Coordinate

1

Planning

Turn approved strategy into a dated calendar with owners and dependencies.

2

Scheduling

Prepare or schedule approved Page posts in Meta Business Suite.

3

Inbox

Classify messages and comments, then draft from an approved response bank.

4

Automations

Use greetings, away messages, instant replies, or keywords for bounded routine cases.

5

Insights

Collect reach, engagement, and post-level evidence for a consistent date window.

6

Reporting

Summarise movements, causes, limitations, and the next controlled experiment.

Bounded Optimisation Policy

1

Eligibility

Minimum data volume and clean tracking before any recommendation.

2

Allowed action

Exactly what may change: pause, draft a variant, or propose a budget adjustment.

3

Magnitude

Maximum percentage or absolute change in one decision cycle.

4

Cooldown

Minimum observation time before another material change.

5

Stop rule


Spend, CPA, tracking, negative-feedback, capacity, or policy condition that halts the loop.

6

Approval and log

Named approver plus before/after values, reason, and rollback instruction.

Scale Through a Learning Ladder



Privacy, Advertising, and Incident Safeguards

1

Purpose and consent

Use personal data only for an appropriate notified purpose with a valid basis.

2

Data minimisation

Give the agent only the fields needed; use synthetic or aggregated data for practice.

3

Truthful advertising

Substantiate claims and ensure creative and destination tell the same story.

4

Fair treatment

Avoid discriminatory assumptions, sensitive inference, manipulation, or exclusion without justification.

5

Access and security

Use least privilege, approved tools, protected secrets, and retention limits.

6

Incident response

Pause, preserve logs, contain harm, notify the owner, correct the output, and learn.

Hands-On Labs — Automating and Scaling Facebook Marketing with AI Agents

Lab 7

- Design the Facebook Operations Agent Runbook

Lab 8

- Simulate a Bounded Optimisation and Scale Loop

Design the Facebook Operations Agent Runbook

LAB 7


You design a draft-first operations workflow that coordinates approved Facebook content, Meta Business Suite surfaces, routine Inbox responses, and a weekly report. You then simulate message triage on synthetic scenarios so routine questions and human-escalation cases follow different paths.

You'll build

C526-campaign-pack/07-operations-agent-runbook.md containing the workflow map, permission table, response bank, triage results, scheduling checklist, weekly report schema, and retained Test Evidence.

Tools: Approved generative AI assistant, text editor or spreadsheet, brand brief, message scenarios, runbook template, optional Meta Business Suite view

Lab 7 — Key Route



Simulate a Bounded Optimisation and Scale Loop

LAB 8

You complete the course by converting all prior guardrails into a bounded optimisation policy, then run synthetic scenarios through an agent that may recommend but cannot execute. The final campaign operations pack shows when to hold, pause, investigate, or propose a small scale step and records the evidence behind each decision.

You'll build

C526-campaign-pack/08-bounded-scale-policy.md plus a final manifest linking all eight campaign-pack checkpoints, owners, approvals, stop conditions, and rollback evidence.

Tools: Approved generative AI assistant, spreadsheet or text editor, scale scenarios, bounded-policy template, Labs 1-7 outputs

Lab 8 — Key Route



Recap — Automating and Scaling Facebook Marketing with AI Agents

1

You can now: LO6: Design a governed workflow for content scheduling, routine responses, escalation, and evidence-linked reporting

2

You can now: LO6 and LO5: Apply performance, operational, privacy, and customer-impact limits to a human-governed scaling decision



WRAP-UP

Course Summary & Next Steps

What You Achieved

1

Marketing System

Explain how Facebook organic marketing, paid media, and an agentic AI workflow connect to a measurable business objective.

2

Prompt Contract

Create a reusable campaign brief and prompt contract that defines audience evidence, brand voice, tools, guardrails, and approval gates.

3

Content System

Produce an aligned Facebook content calendar, post set, ad-copy matrix, and creative briefs with consistent brand voice.

4

Campaign Design

Design a Facebook campaign blueprint across campaign, ad set, and ad levels, including audience, budget, placement, and experiment choices.

5

Performance Learning

Calculate and interpret Facebook performance metrics, diagnose a result, and recommend a controlled next action from evidence.

6

Governed Automation

Design a governed agentic workflow for scheduling, responses, reporting, optimisation, and scaling with privacy and advertising safeguards.

Put the Workflow into Practice

1

Choose one authorised Facebook offer and rebuild the campaign pack in draft mode.

2

Measure reviewer corrections and turn repeated failures into clearer rules or examples.

3

Pilot one low-risk automation with an owner, stop rule, log, and rollback path.

4

Review performance and customer-impact guardrails before increasing autonomy or spend.

Keep Practising After the Course

1

Re-run the labs on your own machine — repetition is what makes the skills stick.

2

Apply the techniques to a real process or project in your own organisation.

3

Your course material stays available at <https://lms-tms.tertiaryinfotech.com/>.

4

Explore the follow-on courses at www.tertiarycourses.com.sg.

C526 · KEEP BUILDING, CHECKING, AND LEARNING

Thank You!

You can now coordinate Facebook strategy, content, campaigns, performance learning, and automation as one evidence-led, human-governed system.