NON-WSQ COURSE SLIDES

Claude Design for UX/UI

Design clear, accessible and testable interfaces with Claude Design

Course Code: C744

Version v2.0 · 23 August 2026

Tertiary Infotech Academy Pte Ltd · UEN 201200696W



About the Trainer



General Trainer

Complete this template before class

NAME _____

TITLE / DESIGNATION _____

QUALIFICATIONS _____

AREAS OF EXPERTISE _____

TRAINING EXPERIENCE _____

CONTACT _____

© 2026 Tertiary Infotech Academy Pte Ltd

About the Trainer



Dr Alfred Ang

Principal Trainer · Tertiary Infotech Academy

ROLE	Principal Trainer
CERTIFICATION	Digital design, AI and technology education
DELIVERS	UI/UX and AI courses
FOUNDER	Tertiary Infotech / Tertiary Courses
INDUSTRY FOCUS	Applied AI, software and digital learning
CONTACT	tertiarycourses.com.sg

© 2026 Tertiary Infotech Academy Pte Ltd

Let's know each other

1 **Name**

Your name, organisation and current role.

DESIGN LENS

2 **Experience**

Tools or design work you have already tried.

DESIGN LENS

3 **Product**

An interface you use often and why it works.

DESIGN LENS

4 **Goal**

What you want to create or improve today.

DESIGN LENS

SYNTHESIS

Your name, organisation and current role; what you want to create or improve today.

© 2026 Tertiary Infotech Academy Pte Ltd

Ground rules

1 Participate

Ask questions, test assumptions and share observations.

DESIGN LENS

2 Respect

One conversation at a time; critique the work, not the person.

DESIGN LENS

3 Focus

Phones silent; keep sensitive data out of design prompts.

DESIGN LENS

4 Punctuality

Return from breaks on time.

DESIGN LENS


SYNTHESIS

Ask questions, test assumptions and share observations; return from breaks on time.

© 2026 Tertiary Infotech Academy Pte Ltd

COURSE UPDATE · CURRENT TOOLCHAIN

From Adobe XD to Claude Design



THE POINT

The course retains UI design fundamentals while replacing obsolete Adobe XD procedures.

© 2026 Tertiary Infotech Academy Pte Ltd

COURSE ADMINISTRATION · FOUR CONNECTED MODULES

Course roadmap

1 **Module 1**

Requirements and Principle-Led UI Design

DESIGN LENS

2 **Module 2**

Claude Design Workflow and Design Systems

DESIGN LENS

3 **Module 3**

Components, Prototypes and Evidence-Based Evaluation

DESIGN LENS

4 **Module 4**

Documentation, Collaboration and Handoff

DESIGN LENS

SYNTHESIS

Requirements and Principle-Led UI Design; documentation, collaboration and handoff.

© 2026 Tertiary Infotech Academy Pte Ltd

COURSE ADMINISTRATION · 9:30 AM–5:30 PM


Lesson Plan · One Day

Time	Topic / Activity	Method	Slides
09:30–10:30	Welcome, outcomes; Module 1 — requirements, research and information flow	Admin + concept	10–44
10:30–11:20	Labs 1–2 — Research Brief; Information Flow and Principle Audit	Hands-on	37–42
11:20–12:15	Module 2 — Claude Design workflow and design systems	Concept + demo	45–77
12:15–13:05	**Labs 3–4 — Design System Project; Prompted Wireframes and Variants**	Hands-on	70–75
13:05–13:35	Lunch	Break	—
13:35–14:30	Module 3 — components, states and interaction	Concept + cases	78–110
14:30–15:20	**Labs 5–6 — Reusable Components and States; Responsive Prototype**	Hands-on	103–108
15:20–16:20	Module 4 — evaluation, documentation and handoff	Concept + demo	111–135
16:20–16:45	Lab 7 — Usability and Accessibility Evaluation	Hands-on	128–130
16:45–17:10	**Lab 8 — Documentation, Export and Handoff**	Hands-on	131–133
17:10–17:30	**Course recap, Q&A and next steps**	Recap	—

© 2026 Tertiary Infotech Academy Pte Ltd

COURSE ADMINISTRATION · LAB ACCESS

Access the hands-on labs



THE POINT **Every lab folder includes its own files, README and Sample-Code.pdf.**

https://github.com/tertiarycourses/C744-Claude-Design-for-UX-UI

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 1 · LO1

01

Requirements and Principle-Led UI Design

From user needs and information flow to defensible interface decisions

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 1 · PRINCIPLE

UI and UX: different lenses, one outcome

1 UX lens

The complete journey, task success and emotional experience.

DESIGN LENS

2 UI lens

The visual and interactive layer users touch to complete the journey.

DESIGN LENS

3 Shared ground

Research, flows, accessibility, testing and iteration connect both.

DESIGN LENS

4 Outcome

A useful flow expressed through clear, predictable interface decisions.

DESIGN LENS

SYNTHESIS

The complete journey, task success and emotional experience; a useful flow expressed through clear, predictable interface decisions.

© 2026 Tertiary Infotech Academy Pte Ltd
Maze; UXPin

MODULE 1 · CASE LENS

UI and UX: different lenses, one outcome — applied judgement

1 CONTEXT

A booking page looks polished but hides the next available date below the fold.

2 DESIGN MOVE

Repair the task flow first, then use hierarchy to make the next action obvious.

3 EVIDENCE STANDARD

Task completion and error evidence outrank aesthetic preference.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

User-centricity begins with a job

1 Actor

Name the primary user and the context in which they act.

DESIGN LENS

2 Job

State the outcome the user is trying to achieve, not the feature requested.

DESIGN LENS

3 Barrier

Capture what makes the job slow, risky or confusing today.

DESIGN LENS

4 Success

Define an observable result the interface should make easier.

DESIGN LENS

SYNTHESIS

Name the primary user and the context in which they act; define an observable result the interface should make easier.

© 2026 Tertiary Infotech Academy Pte Ltd

User-centricity begins with a job — applied judgement

1 CONTEXT

A team asks for a dashboard because competitors have one.

2 DESIGN MOVE

Reframe the request around the decisions users must make and the signals they need.

3 EVIDENCE STANDARD

A strong brief connects business intent to a real user outcome.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

Design thinking with AI support

1 Empathise

Use interviews, observations and existing evidence; AI helps synthesize.

DESIGN LENS

2 Define

Turn patterns into a focused problem statement and constraints.

DESIGN LENS

3 Ideate

Generate divergent directions without confusing volume with quality.

DESIGN LENS

4 Prototype + test

Make assumptions visible, test them, and iterate from evidence.

DESIGN LENS

SYNTHESIS

Use interviews, observations and existing evidence; AI helps synthesize; make assumptions visible, test them, and iterate from evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Design thinking with AI support — applied judgement

1 CONTEXT

Claude produces ten attractive concepts from a vague prompt.

2 DESIGN MOVE

Anchor exploration in a research-backed problem statement and evaluation criteria.

3 EVIDENCE STANDARD

AI accelerates options; humans remain accountable for evidence and judgement.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 1 · PRINCIPLE

Research evidence: signal before synthesis

1 Behaviour

Analytics and observations reveal what people actually do.

DESIGN LENS

2 Attitude

Interviews and surveys reveal expectations, language and motivations.

DESIGN LENS

3 Context

Devices, interruptions, environment and accessibility needs shape use.

DESIGN LENS

4 Triangulate

Combine sources before turning patterns into design requirements.

DESIGN LENS

SYNTHESIS

Analytics and observations reveal what people actually do; combine sources before turning patterns into design requirements.

© 2026 Tertiary Infotech Academy Pte Ltd
Contentsquare; Maze

Research evidence: signal before synthesis — applied judgement

1 CONTEXT

Three interviewees request a feature that usage data shows almost nobody needs.

2 DESIGN MOVE

Treat the request as a hypothesis and investigate the underlying task or barrier.

3 EVIDENCE STANDARD

A single source is a clue, not a conclusion.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd
Contentsquare; Maze

MODULE 1 · PRINCIPLE

Personas, segments and jobs-to-be-done

1 Persona

A research-backed behavioural archetype, not invented demographics.

DESIGN LENS

2 Segment

A measurable group useful for product or service decisions.

DESIGN LENS

3 Job story

When situation, I want motivation, so I can expected outcome.

DESIGN LENS

4 Anti-bias check

Separate evidence from assumptions and decorative biography.

DESIGN LENS

SYNTHESIS

A research-backed behavioural archetype, not invented demographics; separate evidence from assumptions and decorative biography.

© 2026 Tertiary Infotech Academy Pte Ltd

Personas, segments and jobs-to-be-done — applied judgement

1 CONTEXT

A persona says 'busy professional' but provides no task, context or behaviour.

2 DESIGN MOVE

Replace generic traits with a job story and evidence-linked constraints.

3 EVIDENCE STANDARD

Useful personas change a design decision.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

Information architecture: organise for recognition

1 Inventory

List content, actions, entities and states users need.

DESIGN LENS

2 Grouping

Cluster items using user language and mental models.

DESIGN LENS

3 Labels

Use specific nouns and verbs; avoid clever but ambiguous wording.

DESIGN LENS

4 Validation

Card sorting and tree testing reveal findability problems early.

DESIGN LENS

SYNTHESIS

List content, actions, entities and states users need; card sorting and tree testing reveal findability problems early.

© 2026 Tertiary Infotech Academy Pte Ltd

Information architecture: organise for recognition — applied judgement

1 CONTEXT

A service portal groups content by internal department names.

2 DESIGN MOVE

Reorganise around user goals and test whether users can predict where items live.

3 EVIDENCE STANDARD

Findability is measurable before high-fidelity design begins.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 1 · PRINCIPLE

User flows expose hidden interface states

1 Entry

Show where the user starts and what context arrives with them.

DESIGN LENS

2 Happy path

Map the shortest valid route to the outcome.

DESIGN LENS

3 Decisions

Name branch criteria and what the user needs to choose well.

DESIGN LENS

4 Exceptions

Include empty, loading, error, permission and recovery states.

DESIGN LENS

SYNTHESIS

Show where the user starts and what context arrives with them; include empty, loading, error, permission and recovery states.

© 2026 Tertiary Infotech Academy Pte Ltd

User flows expose hidden interface states — applied judgement

1 **CONTEXT**

A checkout flow documents payment success but not a declined card.

2 **DESIGN MOVE**

Add failure, retry and saved-progress branches before designing screens.

3 **EVIDENCE STANDARD**

A complete flow maps states, not just pages.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 1 · PRINCIPLE

Clarity: make purpose and next action obvious

1 Screen purpose

A clear heading says where the user is and why it matters.

DESIGN LENS

2 Action labels

Use outcome-specific verbs such as 'Save draft' or 'Book slot'.

DESIGN LENS

3 Visible priority

One primary action dominates; secondary actions remain available.

DESIGN LENS

4 Plain feedback

Say what happened, what it means and what to do next.

DESIGN LENS

SYNTHESIS

A clear heading says where the user is and why it matters; say what happened, what it means and what to do next.

© 2026 Tertiary Infotech Academy Pte Ltd
Contentsquare; UXPin; MockFlow

Clarity: make purpose and next action obvious — applied judgement

1 CONTEXT

A form ends with two identical buttons labelled 'Continue'.

2 DESIGN MOVE

Name outcomes, establish a primary action and clarify the consequence of each choice.

3 EVIDENCE STANDARD

If users must decode the interface, clarity has failed.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 1 · PRINCIPLE

Visual hierarchy: design the reading order

1 Scale

Larger elements signal importance when used sparingly.

DESIGN LENS

2 Contrast

Value, colour and weight create emphasis and separation.

DESIGN LENS

3 Position

Placement and whitespace determine what users encounter first.

DESIGN LENS

4 Grouping

Proximity and alignment reveal relationships without explanation.

DESIGN LENS

SYNTHESIS

Larger elements signal importance when used sparingly; proximity and alignment reveal relationships without explanation.

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 1 · CASE LENS

Visual hierarchy: design the reading order — applied judgement

1 CONTEXT

Every card, heading and button on a dashboard has equal visual weight.

2 DESIGN MOVE

Choose a reading order, strengthen the primary signal and quiet supporting content.

3 EVIDENCE STANDARD

A five-second glance should reveal purpose, status and next action.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 1 · PRINCIPLE

Consistency and familiarity build prediction

1 Internal

The same pattern looks and behaves the same across the product.

DESIGN LENS

2 External

Conventions reduce relearning when they match user expectations.

DESIGN LENS

3 Semantic

Colours, labels and icons keep the same meaning in every context.

DESIGN LENS

4 Systemic

Tokens and components make consistency easier to maintain.

DESIGN LENS

SYNTHESIS

The same pattern looks and behaves the same across the product; tokens and components make consistency easier to maintain.

© 2026 Tertiary Infotech Academy Pte Ltd

Consistency and familiarity build prediction — applied judgement

1 CONTEXT

The same icon opens search on one page and filters on another.

2 DESIGN MOVE

Standardise meaning and encode the pattern in a reusable component.

3 EVIDENCE STANDARD

Consistency turns prior learning into speed and confidence.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 1 · PRINCIPLE

Simplicity and progressive disclosure

1 Essential first

Show what most users need to begin the task.

DESIGN LENS

2 Advanced later

Reveal complexity when context or intent makes it useful.

DESIGN LENS

3 Reduce decisions

Limit competing choices at each moment of the flow.

DESIGN LENS

4 Preserve access

Do not hide frequently needed actions behind arbitrary layers.

DESIGN LENS

SYNTHESIS

Show what most users need to begin the task; do not hide frequently needed actions behind arbitrary layers.

© 2026 Tertiary Infotech Academy Pte Ltd

Simplicity and progressive disclosure — applied judgement

1 CONTEXT

A settings page exposes forty controls in one uninterrupted list.

2 DESIGN MOVE

Group by user goal and reveal advanced options only when requested.

3 EVIDENCE STANDARD

Simple means focused, not feature-poor.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

Accessibility is a design input

1 Perceivable

Contrast, text alternatives and scalable type support different senses.

DESIGN LENS

2 Operable

Keyboard access, focus visibility and reachable targets support action.

DESIGN LENS

3 Understandable

Plain language and predictable behaviour reduce confusion.

DESIGN LENS

4 Robust

Semantic structure survives devices and assistive technology.

DESIGN LENS

SYNTHESIS

Contrast, text alternatives and scalable type support different senses; semantic structure survives devices and assistive technology.

© 2026 Tertiary Infotech Academy Pte Ltd

Accessibility is a design input — applied judgement

1 CONTEXT

A status uses only red and green dots with no labels.

2 DESIGN MOVE

Add text or shape cues, verify contrast and include a visible focus state.

3 EVIDENCE STANDARD

Accessibility checks the interface under realistic variation.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 1 · PRINCIPLE

Feedback, error prevention and user control

1 Immediate feedback

Every action receives a visible, proportional response.

DESIGN LENS

2 Prevent

Constraints and defaults block invalid actions before submission.

DESIGN LENS

3 Recover

Errors explain cause, preserve input and offer a direct next step.

DESIGN LENS

4 Control

Undo, cancel and review reduce the cost of mistakes.

DESIGN LENS

SYNTHESIS

Every action receives a visible, proportional response; undo, cancel and review reduce the cost of mistakes.

© 2026 Tertiary Infotech Academy Pte Ltd

Feedback, error prevention and user control — applied judgement

1 CONTEXT

A destructive action succeeds silently and cannot be undone.

2 DESIGN MOVE

Add confirmation where risk is high, show completion and provide recovery when possible.

3 EVIDENCE STANDARD

Good feedback keeps users oriented and in control.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd
UXPin; Dribbble; Microsoft

MODULE 1 · HANDS-ON ACTIVITY

25 MIN

Lab 1 · Research Brief and Requirements

A neighbourhood wellness service needs a mobile experience for daily support and appointment booking.

YOU WILL PRODUCE


research-backed product brief, required-function list and measurable success criteria

Tools: Claude Design · browser · supplied brief template · Full detailed procedure: Learner Guide and labs/lab-01-*

LO1

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 1 · Workflow



THE POINT

Detailed click-by-click steps and files are in the Learner Guide and lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 1 · Evidence and acceptance

- ✓ Names a primary user and job
- ✓ Separates evidence from assumptions
- ✓ Lists essential functions
- ✓ Defines observable success

Evidence package: brief-template.md, evidence-notes.csv, prompt.txt · capture the final Claude Design version link or export.

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 1 · HANDS-ON ACTIVITY

25 MIN

Lab 2 · Information Flow and Principle Audit

Map the wellness appointment task and inspect a flawed flow against clarity, hierarchy, consistency, accessibility and feedback.

YOU WILL PRODUCE


complete user flow with exception states and a prioritised UI audit

Tools: Claude Design · Mermaid-compatible flow sample · audit checklist · Full detailed procedure: Learner Guide and labs/lab-02-*

LO1

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 2 · Workflow



THE POINT

Detailed click-by-click steps and files are in the Learner Guide and lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd


Lab 2 · Evidence and acceptance

- ✓ Flow includes success and recovery
- ✓ Every issue names a principle
- ✓ Severity connects to task impact
- ✓ Recommendations are testable

Evidence package: user-flow.mmd, audit-checklist.csv, prompt.txt · capture the final Claude Design version link or export.

© 2026 Tertiary Infotech Academy Pte Ltd

Choice load grows faster than perceived simplicity



WHAT THE DATA SHOWS

Indicative teaching figures: more competing choices increase search and decision effort.

Use charts to support a decision—not as decoration.

© 2026 Tertiary Infotech Academy Pte Ltd

Module 1 · Decision recap

1 UI and UX

Task completion and error evidence outrank aesthetic preference.

DESIGN LENS

2 User-centricity begins w

A strong brief connects business intent to a real user outcome.

DESIGN LENS

3 Design thinking with AI

AI accelerates options; humans remain accountable for evidence and judgement.

DESIGN LENS

4 Research evidence

A single source is a clue, not a conclusion.

DESIGN LENS

SYNTHESIS

Task completion and error evidence outrank aesthetic preference; a single source is a clue, not a conclusion.

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · LO2

02

Claude Design Workflow and Design Systems

Context-rich prompting, systematic exploration and controlled refinement

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · PRINCIPLE

What Claude Design is—and is not

1 Design surface

Conversation and a live canvas support visual exploration.

DESIGN LENS

2 Prototype engine

Outputs can be interactive and shared for feedback.

DESIGN LENS

3 System-aware

Projects can inherit or import real design-system context.

DESIGN LENS

4 Not autopilot

Research validity, accessibility and acceptance remain human duties.

DESIGN LENS

SYNTHESIS

Conversation and a live canvas support visual exploration; research validity, accessibility and acceptance remain human duties.

© 2026 Tertiary Infotech Academy Pte Ltd

What Claude Design is—and is not — applied judgement

1 CONTEXT

A stakeholder treats the first generated screen as a finished product.

2 DESIGN MOVE

Position generation as a hypothesis and define the review evidence required before approval.

3 EVIDENCE STANDARD

The first generation is a starting point, not a sign-off.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · PRINCIPLE

Access, interface and beta boundaries

1 Availability

Web and desktop access for supported Pro, Max, Team and Enterprise plans.

DESIGN LENS

2 Workspace

Chat on the left; a working design canvas on the right.

DESIGN LENS

3 Enterprise

The feature may require administrator enablement.

DESIGN LENS

4 Beta limits

Expect evolving comments, large-repo and multi-editor behaviour.

DESIGN LENS

SYNTHESIS

Web and desktop access for supported Pro, Max, Team and Enterprise plans; expect evolving comments, large-repo and multi-editor behaviour.

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · CASE LENS

Access, interface and beta boundaries — applied judgement

1 CONTEXT

A class cannot see Claude Design even though accounts are active.

2 DESIGN MOVE

Check plan eligibility, enterprise settings and web/desktop availability before the lab.

3 EVIDENCE STANDARD

Tool readiness is part of instructional readiness.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · PRINCIPLE

A project is a context boundary

1 Purpose

One project holds a coherent design goal and its evolving decisions.

DESIGN LENS

2 System

The project can inherit an organisation design system.

DESIGN LENS

3 Inputs

Screenshots, documents, codebases and design files add concrete context.

DESIGN LENS

4 Outputs

Versions, comments, exports and handoff remain linked to the work.

DESIGN LENS

SYNTHESIS

One project holds a coherent design goal and its evolving decisions; versions, comments, exports and handoff remain linked to the work.

© 2026 Tertiary Infotech Academy Pte Ltd

A project is a context boundary — applied judgement

1 CONTEXT

Unrelated product concepts accumulate in one project and influence later generations.

2 DESIGN MOVE

Separate goals into projects and keep context specific to the intended product.

3 EVIDENCE STANDARD

Good boundaries reduce accidental design drift.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · PRINCIPLE

Import a design system before generating

1 Tokens

Colour, type, spacing, radius and elevation define visual decisions.

DESIGN LENS

2 Components

Reusable structures encode interaction and accessibility patterns.

DESIGN LENS

3 Guidelines

Voice, layout rules and do/don't criteria preserve intent.

DESIGN LENS

4 Quality of source

Incomplete or messy inputs produce inconsistent outputs.

DESIGN LENS

SYNTHESIS

Colour, type, spacing, radius and elevation define visual decisions; incomplete or messy inputs produce inconsistent outputs.

© 2026 Tertiary Infotech Academy Pte Ltd

Import a design system before generating — applied pattern

```
:root {
  --color-action: #724cd6;
  --space-1: 4px;
  --space-2: 8px;
  --radius-control: 8px;
}
.button { min-height: 44px; padding: var(--space-2) 16px; }
```

1. **Tokens name decisions**
2. **Components consume tokens**
3. **The source must be clean**

© 2026 Tertiary Infotech Academy Pte Ltd

Prompt anatomy for interface work

1 Goal

Name the product outcome and the screen or flow to create.

DESIGN LENS

2 Audience

Describe the primary user, context and accessibility needs.

DESIGN LENS

3 Content

Provide real labels, entities, states and data priorities.

DESIGN LENS

4 Constraints

Specify system, breakpoints, required states and acceptance checks.

DESIGN LENS

SYNTHESIS

Name the product outcome and the screen or flow to create; specify system, breakpoints, required states and acceptance checks.

© 2026 Tertiary Infotech Academy Pte Ltd

Prompt anatomy for interface work — applied pattern

```
Goal: Design a 4-screen booking flow
Audience: Adults with varied digital confidence
Content: Real services, times, error and success states
Constraints: Mobile-first, WCAG contrast, 44px targets
Acceptance: Task completes and conflict recovery preserves
input
```

1. **State the job**
2. **Supply real content**
3. **Define acceptance**

© 2026 Tertiary Infotech Academy Pte Ltd

Direction without AI design slop

1 One personality

Choose a clear product character: precise, calm, warm or expressive.

DESIGN LENS

2 One depth model

Use borders, tonal surfaces or shadows consistently.

DESIGN LENS

3 One spacing system

A small scale prevents random gaps and component drift.

DESIGN LENS

4 Explicit exclusions

Name patterns to avoid when they conflict with product intent.

DESIGN LENS

SYNTHESIS

Choose a clear product character: precise, calm, warm or expressive; name patterns to avoid when they conflict with product intent.

© 2026 Tertiary Infotech Academy Pte Ltd

Direction without AI design slop — applied judgement

1 CONTEXT

Every generated page uses gradient headlines, floating blobs and oversized rounded cards.

2 DESIGN MOVE

Set a restrained direction and tie each visual treatment to product meaning.

3 EVIDENCE STANDARD

Polish comes from coherent decisions, not accumulated decoration.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · PRINCIPLE

Move from structure to fidelity

1 Low fidelity

Validate content, hierarchy, flow and screen coverage quickly.

DESIGN LENS

2 Mid fidelity

Introduce components, realistic content and interaction states.

DESIGN LENS

3 High fidelity

Apply brand, responsive behaviour and precise visual polish.

DESIGN LENS

4 Prototype

Connect states so behaviour can be tested, not merely described.

DESIGN LENS

SYNTHESIS

Validate content, hierarchy, flow and screen coverage quickly; connect states so behaviour can be tested, not merely described.

© 2026 Tertiary Infotech Academy Pte Ltd

Move from structure to fidelity — applied judgement

1 CONTEXT

A team debates colour while the navigation model is unresolved.

2 DESIGN MOVE

Return to structural wireframes, resolve the flow, then increase fidelity.

3 EVIDENCE STANDARD

Each fidelity level should answer a different question.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · PRINCIPLE

Variants are hypotheses, not wallpaper

1 Diverge

Ask for alternatives that differ in information strategy, not just colour.

DESIGN LENS

2 Name trade-offs

State what each direction optimises and what it sacrifices.

DESIGN LENS

3 Evaluate

Use the same success criteria for every variant.

DESIGN LENS

4 Converge

Combine evidence-backed strengths rather than voting by taste.

DESIGN LENS

SYNTHESIS

Ask for alternatives that differ in information strategy, not just colour; combine evidence-backed strengths rather than voting by taste.

© 2026 Tertiary Infotech Academy Pte Ltd

Variants are hypotheses, not wallpaper — applied judgement

1 CONTEXT

Three alternatives share the same layout and differ only in accent colour.

2 DESIGN MOVE

Request distinct hierarchy and navigation strategies tied to the user goal.

3 EVIDENCE STANDARD

Useful variation changes the decision, not the decoration.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · PRINCIPLE

Choose the right refinement channel

1 Chat

Broad changes affecting overall layout, tone or information strategy.

DESIGN LENS

2 Inline comment

A local issue that benefits from contextual discussion.

DESIGN LENS

3 Direct edit

Deterministic text or property corrections on the canvas.

DESIGN LENS

4 Sliders

Controlled exploration of a repeated visual property.

DESIGN LENS

SYNTHESIS

Broad changes affecting overall layout, tone or information strategy; controlled exploration of a repeated visual property.

© 2026 Tertiary Infotech Academy Pte Ltd

Choose the right refinement channel — applied judgement

1 CONTEXT

A broad request is repeated as dozens of tiny element comments.

2 DESIGN MOVE

Use chat for the system-level change, then comments for remaining local exceptions.

3 EVIDENCE STANDARD

Match the communication channel to the scope of change.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · PRINCIPLE

Versions turn iteration into evidence

1 Checkpoint

Save a named state before a significant direction change.

DESIGN LENS

2 Compare

Review versions against the same task and criteria.

DESIGN LENS

3 Explain

Record why the change was made and what evidence informed it.

DESIGN LENS

4 Recover

Return to a known-good state when exploration degrades the design.

DESIGN LENS

SYNTHESIS

Save a named state before a significant direction change; return to a known-good state when exploration degrades the design.

© 2026 Tertiary Infotech Academy Pte Ltd

Versions turn iteration into evidence — applied judgement

1 CONTEXT

A strong version is overwritten by successive experimental prompts.

2 DESIGN MOVE

Create checkpoints and log the rationale before broad iterations.

3 EVIDENCE STANDARD

Version history supports judgement, not only undo.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · PRINCIPLE

Responsive design is a set of priorities

1 Content priority

Decide what remains, collapses, moves or disappears by breakpoint.

DESIGN LENS

2 Layout

Use fluid grids, min/max constraints and intentional stacking.

DESIGN LENS

3 Interaction

Adjust navigation, touch targets and hover-dependent behaviour.

DESIGN LENS

4 Validation

Test realistic content and states across widths.

DESIGN LENS

SYNTHESIS

Decide what remains, collapses, moves or disappears by breakpoint; test realistic content and states across widths.

© 2026 Tertiary Infotech Academy Pte Ltd

Responsive design is a set of priorities — applied judgement

1 CONTEXT

A desktop table is simply squeezed until labels become unreadable on mobile.

2 DESIGN MOVE

Transform the information model: prioritise columns, support drill-down and keep actions reachable.

3 EVIDENCE STANDARD

Responsive is behavioural adaptation, not uniform shrinking.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

Tokens and components create a shared language

1 Token

A named decision such as space-3 or color-action-primary.

DESIGN LENS

2 Component

A reusable structure with defined anatomy and behaviour.

DESIGN LENS

3 Variant

A controlled expression such as primary, secondary or danger.

DESIGN LENS

4 State

A condition such as hover, focus, disabled, loading or error.

DESIGN LENS

SYNTHESIS

A named decision such as space-3 or color-action-primary; a condition such as hover, focus, disabled, loading or error.

© 2026 Tertiary Infotech Academy Pte Ltd

Tokens and components create a shared language — applied pattern

```
.button--primary { background: var(--color-action); }
.button:focus-visible { outline: 3px solid var(--color-focus);
}
.button[aria-busy='true'] { cursor: progress; }
.button:disabled { opacity: .55; }
```

1. **Variant is intentional**
2. **Focus stays visible**
3. **States are explicit**

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · HANDS-ON ACTIVITY

25 MIN

Lab 3 · Claude Design Project and Design System

Create a Claude Design project and provide a compact design-system contract for the wellness product.

YOU WILL PRODUCE

project context pack with tokens, component rules and explicit design direction

Tools: Claude Design · tokens.css · component contract · Full detailed procedure: Learner Guide and labs/lab-03-*

LO2

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 3 · Workflow



THE POINT

Detailed click-by-click steps and files are in the Learner Guide and lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 3 · Evidence and acceptance

- ✓ Uses named tokens
- ✓ Defines component variants
- ✓ Includes accessibility rules
- ✓ Test screen matches the system

Evidence package: project-context.md, tokens.css, component-contract.md, prompt.txt · capture the final Claude Design version link or export.

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 2 · HANDS-ON ACTIVITY

25 MIN

Lab 4 · Prompted Wireframes and Variants

Generate a four-screen wellness booking flow, then compare two structurally different directions.

YOU WILL PRODUCE


low-fidelity responsive wireframes and a documented variant decision

Tools: Claude Design · supplied realistic content · decision matrix · Full detailed procedure: Learner Guide and labs/lab-04-*

LO2

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 4 · Workflow



THE POINT

Detailed click-by-click steps and files are in the Learner Guide and lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd


Lab 4 · Evidence and acceptance

- ✓ All required screens appear
- ✓ Real content replaces lorem ipsum
- ✓ Variants differ structurally
- ✓ Selection cites criteria

Evidence package: content.json, decision-matrix.csv, wireframe.html, prompt.txt · capture the final Claude Design version link or export.

© 2026 Tertiary Infotech Academy Pte Ltd

Design systems accelerate repeatable work



WHAT THE DATA SHOWS

Figma reported participants with a design system completed an objective 34% faster.

Use charts to support a decision—not as decoration.

© 2026 Tertiary Infotech Academy Pte Ltd

Module 2 · Decision recap

1 What Claude Design is—an

The first generation is a starting point, not a sign-off.

DESIGN LENS

2 Access, interface and be

Tool readiness is part of instructional readiness.

DESIGN LENS

3 A project is a context b

Good boundaries reduce accidental design drift.

DESIGN LENS

4 Import a design system b

A design system is executable context, not a mood-board adjective.

DESIGN LENS

SYNTHESIS

The first generation is a starting point, not a sign-off; a design system is executable context, not a mood-board adjective.

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 3 · LO2 · LO3

03

Components, Prototypes and Evidence-Based Evaluation

Design realistic states, validate behaviour and iterate from observable results

© 2026 Tertiary Infotech Academy Pte Ltd

Component anatomy defines responsibility

1 Container

Controls layout, grouping and responsive behaviour.

DESIGN LENS

2 Content

Labels, icons and values communicate purpose and status.

DESIGN LENS

3 Action

Interaction rules state what users can do and what follows.

DESIGN LENS

4 Contract

Props, variants, states and constraints define safe reuse.

DESIGN LENS

SYNTHESIS

Controls layout, grouping and responsive behaviour; props, variants, states and constraints define safe reuse.

© 2026 Tertiary Infotech Academy Pte Ltd

Component anatomy defines responsibility — applied judgement

1 **CONTEXT**

A card component accepts unlimited actions and content shapes.

2 **DESIGN MOVE**

Define supported anatomy and create separate patterns when responsibilities diverge.

3 **EVIDENCE STANDARD**

Reusable does not mean infinitely configurable.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

States are part of the component

1 Default

The stable state communicates purpose and available action.

DESIGN LENS

2 Interactive

Hover, pressed and focus states acknowledge user input.

DESIGN LENS

3 Unavailable

Disabled and permission states explain why action is blocked.

DESIGN LENS

4 System

Loading, success and error states reveal progress and outcome.

DESIGN LENS

SYNTHESIS

The stable state communicates purpose and available action; loading, success and error states reveal progress and outcome.

© 2026 Tertiary Infotech Academy Pte Ltd

States are part of the component — applied pattern

```
const states =
['default','hover','focus','loading','disabled','error'];
function setState(name) {
  preview.dataset.state = name;
  status.textContent = `State: ${name}`;
}
```

1. List the state matrix
2. Make state observable
3. Test transitions

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 3 · PRINCIPLE

Interaction design makes cause and effect visible

1 Trigger

Click, tap, type, drag, time or system event starts a transition.

DESIGN LENS

2 Rule

Conditions determine whether the action is allowed and where it leads.

DESIGN LENS

3 Response

Visual, content and navigation feedback confirms the effect.

DESIGN LENS

4 Recovery

Undo, retry or correction protects users from cost and confusion.

DESIGN LENS

SYNTHESIS

Click, tap, type, drag, time or system event starts a transition; undo, retry or correction protects users from cost and confusion.

© 2026 Tertiary Infotech Academy Pte Ltd

Interaction design makes cause and effect visible — applied judgement

1 **CONTEXT**

A button changes pages without preserving the user's entered data.

2 **DESIGN MOVE**

Define state persistence and recovery as part of the interaction contract.

3 **EVIDENCE STANDARD**

Every interaction needs a comprehensible before, during and after.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 3 · PRINCIPLE

Navigation should match the information model

1 Global

Persistent routes connect the product's major destinations.

DESIGN LENS

2 Local

Tabs, subnavigation and filters organise a bounded context.

DESIGN LENS

3 Contextual

Links and actions appear where their meaning is strongest.

DESIGN LENS

4 Wayfinding

Current location, history and next options remain visible.

DESIGN LENS

SYNTHESIS

Persistent routes connect the product's major destinations; current location, history and next options remain visible.

© 2026 Tertiary Infotech Academy Pte Ltd
Maze; Dribbble

MODULE 3 · CASE LENS

Navigation should match the information model — applied judgement

1 CONTEXT

A mobile app hides the current section and relies on a back button for all movement.

2 DESIGN MOVE

Expose location and primary destinations without overwhelming the task view.

3 EVIDENCE STANDARD

Users should know where they are, what is nearby and how to recover.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd
Maze; Dribbble

MODULE 3 · PRINCIPLE

Forms are conversations with constraints

1 Ask less

Request only information needed for the current outcome.

DESIGN LENS

2 Label clearly

Persistent labels beat placeholders that disappear.

DESIGN LENS

3 Validate locally

Place specific guidance next to the field that needs attention.

DESIGN LENS

4 Preserve progress

Do not erase correct input when one value fails.

DESIGN LENS

SYNTHESIS

Request only information needed for the current outcome; do not erase correct input when one value fails.

© 2026 Tertiary Infotech Academy Pte Ltd
UXPin; Dribbble

Forms are conversations with constraints — applied pattern

```
<label for="email">Work email</label>
<input id="email" type="email" aria-describedby="email-help
email-error">
<p id="email-help">We'll send the booking receipt here.</p>
<p id="email-error" role="alert"></p>
```

1. **Persistent label**
2. **Help is associated**
3. **Error is announced**

© 2026 Tertiary Infotech Academy Pte Ltd

Feedback and microcopy close the loop

1 Status

Tell users whether the system is working, waiting or complete.

DESIGN LENS

2 Specific

Name the item and action rather than saying 'Success'.

DESIGN LENS

3 Proportional

Match prominence and persistence to consequence.

DESIGN LENS

4 Actionable

Errors and empty states offer a realistic next step.

DESIGN LENS

SYNTHESIS

Tell users whether the system is working, waiting or complete; errors and empty states offer a realistic next step.

© 2026 Tertiary Infotech Academy Pte Ltd
Microsoft; MockFlow

Feedback and microcopy close the loop — applied pattern

```
async function saveBooking(data) {
  setStatus('Saving your booking…');
  try { await api.save(data); setStatus('Booking saved'); }
  catch { setStatus('Could not save. Your details are
preserved. Retry.'); }
}
```

1. **Expose progress**
2. **Name the result**
3. **Preserve and recover**

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 3 · PRINCIPLE

Prototype the riskiest behaviour

1 Task risk

Prototype the path most important to user success.

DESIGN LENS

2 Interaction risk

Test novel controls, dependencies and state transitions.

DESIGN LENS

3 Content risk

Use realistic labels and edge-case data.

DESIGN LENS

4 Technical risk

Represent latency, permissions and system boundaries honestly.

DESIGN LENS

SYNTHESIS

Prototype the path most important to user success; represent latency, permissions and system boundaries honestly.

© 2026 Tertiary Infotech Academy Pte Ltd

Prototype the riskiest behaviour — applied judgement

1 CONTEXT

A prototype animates the hero banner but ignores a complex approval flow.

2 DESIGN MOVE

Move effort to the interaction whose failure would invalidate the design.

3 EVIDENCE STANDARD

Prototype uncertainty, not decoration.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

Define usability metrics before testing

1 Effectiveness

Task success, completion quality and critical error rate.

DESIGN LENS

2 Efficiency

Time, steps and help required to reach the outcome.

DESIGN LENS

3 Satisfaction

Confidence, ease and perceived effort after the task.

DESIGN LENS

4 Accessibility

Keyboard, focus, contrast and assistive-technology checks.

DESIGN LENS

SYNTHESIS

Task success, completion quality and critical error rate; keyboard, focus, contrast and assistive-technology checks.

© 2026 Tertiary Infotech Academy Pte Ltd
Maze; Contentsquare

Define usability metrics before testing — applied judgement

1 CONTEXT

A team asks participants whether they 'like' a dashboard.

2 DESIGN MOVE

Give a realistic task and measure success, time, errors and confidence.

3 EVIDENCE STANDARD

A metric must connect to the design's intended outcome.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd
Maze; Contentsquare

Heuristic review is a structured expert lens

1 Status

The interface keeps users informed about what is happening.

DESIGN LENS

2 Match

Language and concepts align with users' real-world understanding.

DESIGN LENS

3 Control

Users can leave, undo and recover from unwanted states.

DESIGN LENS

4 Consistency

Patterns follow product rules and familiar standards.

DESIGN LENS

SYNTHESIS

The interface keeps users informed about what is happening; patterns follow product rules and familiar standards.

© 2026 Tertiary Infotech Academy Pte Ltd

Heuristic review is a structured expert lens — applied judgement

1 CONTEXT

Review comments say only 'this feels confusing'.

2 DESIGN MOVE

Name the violated heuristic, show evidence and propose a testable correction.

3 EVIDENCE STANDARD

Heuristics turn opinion into an inspectable rationale.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

Accessibility review across the state matrix

1 Contrast

Check text, icons, controls and focus indicators in every state.

DESIGN LENS

2 Keyboard

Order, reachability, traps and visible focus support non-pointer use.

DESIGN LENS

3 Semantics

Names, roles, headings and error relationships convey structure.

DESIGN LENS

4 Motion

Purposeful motion respects reduced-motion preferences.

DESIGN LENS

SYNTHESIS

Check text, icons, controls and focus indicators in every state; purposeful motion respects reduced-motion preferences.

© 2026 Tertiary Infotech Academy Pte Ltd

Accessibility review across the state matrix — applied judgement

1 CONTEXT

The default button passes contrast, but its disabled and focus states do not.

2 DESIGN MOVE

Audit variants and states as a matrix rather than checking one screenshot.

3 EVIDENCE STANDARD

Accessibility defects often hide in transitions and exceptions.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 3 · PRINCIPLE

User testing observes behaviour, not performance

1 **Task**

Give a goal and context without teaching the path.

DESIGN LENS

2 **Observe**

Record navigation, pauses, errors and spontaneous interpretation.

DESIGN LENS

3 **Probe**

Ask neutral questions after behaviour occurs.

DESIGN LENS

4 **Synthesize**

Group evidence by pattern, severity and affected outcome.

DESIGN LENS

SYNTHESIS

Give a goal and context without teaching the path; group evidence by pattern, severity and affected outcome.

© 2026 Tertiary Infotech Academy Pte Ltd

User testing observes behaviour, not performance — applied judgement

1 CONTEXT

A facilitator explains each feature while the participant attempts the task.

2 DESIGN MOVE

Use neutral task wording and allow the interface to communicate for itself.

3 EVIDENCE STANDARD

Testing the participant invalidates evidence about the design.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 3 · PRINCIPLE

Iteration needs a change hypothesis

1 Evidence

Name the observed problem and who it affects.

DESIGN LENS

2 Hypothesis

Predict how a specific change should improve the outcome.

DESIGN LENS

3 Change

Alter the smallest coherent part that addresses the cause.

DESIGN LENS

4 Retest

Use the same task and metrics to see whether the prediction holds.

DESIGN LENS

SYNTHESIS

Name the observed problem and who it affects; use the same task and metrics to see whether the prediction holds.

© 2026 Tertiary Infotech Academy Pte Ltd
Contentsquare; Maze

Iteration needs a change hypothesis — applied judgement

1 CONTEXT

A redesign changes layout, copy and navigation after one failed task.

2 DESIGN MOVE

Isolate the likely cause, make a bounded change and compare the same measure.

3 EVIDENCE STANDARD

Iteration becomes learning when the prediction is explicit.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd
Contentsquare; Maze

MODULE 3 · HANDS-ON ACTIVITY

25 MIN

Lab 5 · Reusable Components and States

Turn the selected wireframe into a component system with accessible buttons, fields, cards and navigation.

YOU WILL PRODUCE


component sheet and coded reference with default, focus, loading, disabled and error states

Tools: Claude Design · HTML · CSS · JavaScript · Full detailed procedure: Learner Guide and labs/lab-05-*

LO2

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 5 · Workflow



THE POINT

Detailed click-by-click steps and files are in the Learner Guide and lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 5 · Evidence and acceptance

- ✓ Components use tokens
- ✓ Focus is visible
- ✓ Loading/error states are distinct
- ✓ Reuse does not create drift

Evidence package: index.html, styles.css, states.js, state-matrix.csv, prompt.txt · capture the final Claude Design version link or export.

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 3 · HANDS-ON ACTIVITY

25 MIN

Lab 6 · Interactive Responsive Prototype

Build and connect the high-fidelity wellness flow across desktop and mobile widths.

YOU WILL PRODUCE


interactive prototype covering booking success, conflict and recovery

Tools: Claude Design · standalone HTML prototype · Full detailed procedure: Learner Guide and labs/lab-06-*

LO3

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 6 · Workflow



THE POINT

Detailed click-by-click steps and files are in the Learner Guide and lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd


Lab 6 · Evidence and acceptance

- ✓ Primary task is complete
- ✓ Conflict state preserves progress
- ✓ Mobile layout adapts
- ✓ All actions provide feedback

Evidence package: index.html, styles.css, app.js, prototype-test.md, prompt.txt · capture the final Claude Design version link or export.

© 2026 Tertiary Infotech Academy Pte Ltd

Find expensive defects earlier



WHAT THE DATA SHOWS

Indicative teaching ratio: validation cost rises when flow and state defects survive into build.

Use charts to support a decision—not as decoration.

© 2026 Tertiary Infotech Academy Pte Ltd

Module 3 · Decision recap

1 **Component anatomy define**

Reusable does not mean infinitely configurable.

DESIGN LENS

2 **States are part of the c**

A component without states is an illustration, not an interaction.

DESIGN LENS

3 **Interaction design makes**

Every interaction needs a comprehensible before, during and after.

DESIGN LENS

4 **Navigation should match**

Users should know where they are, what is nearby and how to recover.

DESIGN LENS

SYNTHESIS

Reusable does not mean infinitely configurable; users should know where they are, what is nearby and how to recover.

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 4 · LO4

04

Documentation, Collaboration and Handoff

Keep design intent, decisions and deliverables usable beyond the canvas

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 4 · PRINCIPLE

Collaboration needs permission clarity

1 **View**

Stakeholders can inspect the current design without changing it.

DESIGN LENS

2 **Comment**

Reviewers discuss decisions in context while authors retain control.

DESIGN LENS

3 **Edit**

Collaborators can modify the design and should follow ownership rules.

DESIGN LENS

4 **Organisation scope**

Sharing remains aligned with workplace access boundaries.

DESIGN LENS

SYNTHESIS

Stakeholders can inspect the current design without changing it; sharing remains aligned with workplace access boundaries.

© 2026 Tertiary Infotech Academy Pte Ltd

Collaboration needs permission clarity — applied judgement

1 **CONTEXT**

A public edit link is shared for a confidential internal prototype.

2 **DESIGN MOVE**

Match permission to the collaborator's role and review sensitive content before sharing.

3 **EVIDENCE STANDARD**

Convenience does not replace access governance.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 4 · PRINCIPLE

Choose export by downstream job

1 PDF

Fixed review, archive or presentation with stable layout.

DESIGN LENS

2 PPTX

Editable presentation content for facilitated communication.

DESIGN LENS

3 HTML / ZIP

Interactive handoff, local review or implementation starting point.

DESIGN LENS

4 Tool transfer

Continue refinement in supported design or delivery tools.

DESIGN LENS

SYNTHESIS

Fixed review, archive or presentation with stable layout; continue refinement in supported design or delivery tools.

© 2026 Tertiary Infotech Academy Pte Ltd

Choose export by downstream job — applied judgement

1 CONTEXT

A developer receives only a flat screenshot of an interactive stateful prototype.

2 DESIGN MOVE

Export an interactive or code-bearing format and include the design contract.

3 EVIDENCE STANDARD

The best format preserves what the next role needs to know.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 4 · PRINCIPLE

Claude Design and Claude Code handoff

1 Synchronise

Bring design-system context into the workflow with /design-sync.

DESIGN LENS

2 Connect

The Claude Design MCP path supports design work from Claude Code.

DESIGN LENS

3 Bundle

Handoff packages design intent, assets and structure together.

DESIGN LENS

4 Verify

Implementation still needs visual, responsive and accessibility checks.

DESIGN LENS

SYNTHESIS

Bring design-system context into the workflow with /design-sync; implementation still needs visual, responsive and accessibility checks.

© 2026 Tertiary Infotech Academy Pte Ltd

Claude Design and Claude Code handoff — applied pattern

```
claude mcp add --scope user --transport http claude-design \
  https://api.anthropic.com/v1/design/mcp
/design-login
/design-sync
```

1. **Connect once**
2. **Authenticate**
3. **Synchronise the system**

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 4 · PRINCIPLE

A decision log explains why the UI changed

1 Context

Describe the user problem, constraint and affected flow.

DESIGN LENS

2 Decision

State what changed and the component or screen impacted.

DESIGN LENS

3 Rationale

Connect the change to research, testing or system rules.

DESIGN LENS

4 Consequence

Record trade-offs, follow-up work and the new version.

DESIGN LENS

SYNTHESIS

Describe the user problem, constraint and affected flow; record trade-offs, follow-up work and the new version.

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 4 · CASE LENS

A decision log explains why the UI changed — applied judgement

1 CONTEXT

A button moved between versions with no explanation or test evidence.

2 DESIGN MOVE

Add a concise decision entry tied to the observed navigation problem.

3 EVIDENCE STANDARD

Documentation preserves intent when people and tools change.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 4 · PRINCIPLE

User guides are task support, not feature inventory

1 Audience

Use the language and context of the people performing the task.

DESIGN LENS

2 Goal

Organise guidance around outcomes, not product architecture.

DESIGN LENS

3 Action

Give a short sequence with visible checkpoints and recovery.

DESIGN LENS

4 Maintenance

Link guidance to versions and update it when the interface changes.

DESIGN LENS

SYNTHESIS

Use the language and context of the people performing the task; link guidance to versions and update it when the interface changes.

© 2026 Tertiary Infotech Academy Pte Ltd

User guides are task support, not feature inventory — applied pattern

```
## Book an appointment
1. Choose a service and available time.
2. Review your details and select Confirm.
3. Check for the confirmation message.

If the slot is no longer available, select another suggested
time; your details remain saved.
```

1. **Organise by outcome**
2. **Give checkpoints**
3. **Include recovery**

© 2026 Tertiary Infotech Academy Pte Ltd

Case study: community wellness mobile flow

1 Need

Support users with varied confidence, vision and health literacy.

DESIGN LENS

2 Flow

Onboarding → daily overview → appointment selection → confirmation.

DESIGN LENS

3 System

Reusable navigation, cards, progress, support and error components.

DESIGN LENS

4 Evidence

Task success, error recovery, focus order and language comprehension.

DESIGN LENS

SYNTHESIS

Support users with varied confidence, vision and health literacy; task success, error recovery, focus order and language comprehension.

© 2026 Tertiary Infotech Academy Pte Ltd

Case study: community wellness mobile flow

CONTEXT


An appointment slot becomes unavailable after the user selects it.

DESIGN MOVE

Preserve the user's choices, explain the conflict and offer the nearest valid options.

EVIDENCE STANDARD

Resilient states matter more than the perfect happy path.



© 2026 Tertiary Infotech Academy Pte Ltd

Case study: sustainable retail operations

1 Need

Help an operations manager spot exceptions and approve work quickly.

DESIGN LENS

2 Hierarchy

Status cards lead to exception details and an approval queue.

DESIGN LENS

3 States

Normal, empty, loading, error and focus behaviour are all represented.

DESIGN LENS

4 Evidence

Time to detect risk, approval accuracy and keyboard completion.

DESIGN LENS

SYNTHESIS

Help an operations manager spot exceptions and approve work quickly; time to detect risk, approval accuracy and keyboard completion.

© 2026 Tertiary Infotech Academy Pte Ltd

Case study: sustainable retail operations

CONTEXT


An approval card highlights amount but hides risk and requester context.

DESIGN MOVE

Reorder information around the approval decision and show exception severity consistently.

EVIDENCE STANDARD

A dashboard earns its density by supporting real decisions.



© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 4 · PRINCIPLE

Governance protects design quality at scale

1 **Ownership**

Name who approves tokens, components, content and accessibility rules.

DESIGN LENS

2 **Change control**

Review impact before modifying widely reused patterns.

DESIGN LENS

3 **Privacy**

Remove sensitive data from prompts, screenshots and shared prototypes.

DESIGN LENS

4 **Lifecycle**

Deprecate, migrate and archive components with clear version guidance.

DESIGN LENS

SYNTHESIS

Name who approves tokens, components, content and accessibility rules; deprecate, migrate and archive components with clear version guidance.

© 2026 Tertiary Infotech Academy Pte Ltd

Governance protects design quality at scale — applied judgement

1 CONTEXT

A shared component changes silently and breaks dozens of screens.

2 DESIGN MOVE

Require impact review, version notes and a migration path for breaking changes.

3 EVIDENCE STANDARD

Governance makes reuse safer, not slower.

Ask: what user outcome changes, and what evidence would prove it?

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 4 · HANDS-ON ACTIVITY

25 MIN

Lab 7 · Usability and Accessibility Evaluation

Evaluate the prototype with a realistic task, heuristic review and accessibility checks, then perform one evidence-led iteration.

YOU WILL PRODUCE


test record, prioritised findings and before/after design checkpoint

Tools: Claude Design comments · keyboard · audit worksheet · Full detailed procedure: Learner Guide and labs/lab-07-*

LO3

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 7 · Workflow



THE POINT

Detailed click-by-click steps and files are in the Learner Guide and lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 7 · Evidence and acceptance

- ✓ Metrics defined before testing
- ✓ Findings cite evidence
- ✓ Accessibility covers states
- ✓ Retest uses the same task

Evidence package: test-script.md, results.csv, accessibility-check.js, iteration-log.md, prompt.txt · capture the final Claude Design version link or export.

© 2026 Tertiary Infotech Academy Pte Ltd

MODULE 4 · HANDS-ON ACTIVITY

25 MIN

Lab 8 · Documentation, Export and Handoff

Prepare the final prototype for stakeholder review, developer handoff and end-user guidance.

YOU WILL PRODUCE


versioned export bundle, decision log, handoff brief and task-based user guide

Tools: Claude Design export · Claude Code handoff · documentation templates · Full detailed procedure: Learner Guide and labs/lab-08-*

LO4

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 8 · Workflow



THE POINT

Detailed click-by-click steps and files are in the Learner Guide and lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd


Lab 8 · Evidence and acceptance

- ✓ Change log explains rationale
- ✓ Export matches downstream need
- ✓ Guide supports a real task
- ✓ Handoff includes states and acceptance

Evidence package: CHANGELOG.md, HANDOFF.md, USER-GUIDE.md, export-checklist.md, prompt.txt · capture the final Claude Design version link or export.

© 2026 Tertiary Infotech Academy Pte Ltd

Handoff quality depends on preserved intent



WHAT THE DATA SHOWS

Indicative teaching score: richer handoff retains behaviour, states and acceptance criteria.

Use charts to support a decision—not as decoration.

© 2026 Tertiary Infotech Academy Pte Ltd

Module 4 · Decision recap

1 Collaboration needs perm

Convenience does not replace access governance.

DESIGN LENS

2 Choose export by downstr

The best format preserves what the next role needs to know.

DESIGN LENS

3 Claude Design and Claude

A shared source reduces translation loss but does not remove QA.

DESIGN LENS

4 A decision log explains

Documentation preserves intent when people and tools change.

DESIGN LENS

SYNTHESIS

Convenience does not replace access governance; documentation preserves intent when people and tools change.

© 2026 Tertiary Infotech Academy Pte Ltd

What you can now do

1 Frame

Translate user evidence into requirements and complete information flows.

DESIGN LENS

2 Generate

Use Claude Design with context, systems and explicit acceptance criteria.

DESIGN LENS

3 Evaluate

Test components, states and flows with usability and accessibility evidence.

DESIGN LENS

4 Handoff

Document decisions, export the right format and guide the next role.

DESIGN LENS

SYNTHESIS

Translate user evidence into requirements and complete information flows; document decisions, export the right format and guide the next role.

© 2026 Tertiary Infotech Academy Pte Ltd

REFERENCES · LIVE LINKS

Sources and further reading · 1 of 2

Figma — Seven essential UI design principles	https://www.figma.com/resource-library/ui-design-principles/
Microsoft — Key UI/UX design principles	https://learn.microsoft.com/en-us/dynamics365/guidance/develop/ui-ux-design-principles
UXPin — Essential UI design principles	https://www.uxpin.com/studio/blog/ui-design-principles/
Contentsquare — Core UI design principles	https://contentsquare.com/guides/ui-design/principles/
MockFlow — Design principles for intuitive UI	https://mockflow.com/resources/ui-design-principles
MockFlow — UI principles for usability	https://mockflow.com/blog/ui-design-principles
WeWeb — UI design principles	https://www.weweb.io/blog/ui-design-principles
Visily — Visual design principles	https://www.visily.ai/blog/visual-design-principles

© 2026 Tertiary Infotech Academy Pte Ltd

REFERENCES · LIVE LINKS

Sources and further reading · 2 of 2

Dribbble — Fundamental UI design principles	https://dribbble.com/resources/education/ui-design-principles
Maze — Key principles of UI design	https://maze.co/collections/ux-ui-design/ui-design-principles/
GeeksforGeeks — Principles of UI/UX design	https://www.geeksforgeeks.org/techtips/principles-of-ui-ux-design/
Duck.Design — Key UI design principles	https://duck.design/key-ui-design-principles/
Anthropic — Introducing Claude Design	https://www.anthropic.com/news/claude-design-anthropic-labs
Anthropic Help — Get started with Claude Design	https://support.claude.com/en/articles/14604416-get-started-with-claude-design
Developers Digest — Claude Design developer guide	https://www.developersdigest.tech/blog/claude-design-developer-guide
Interface Design — systematic UI patterns	https://github.com/Dammyjay93/interface-design

© 2026 Tertiary Infotech Academy Pte Ltd

Thank you

Design with evidence. Generate with context. Refine with intent.

https://www.tertiarycourses.com.sg/claude-design-for-ux-ui.html

Tertiary Infotech Academy Pte Ltd · UEN 201200696W

© 2026 Tertiary Infotech Academy Pte Ltd