AGENTIC AI

BUSINESS INNOVATION

COURSE SLIDES · NON-WSQ

Business Innovation with AI

Course Code: C798

Conducted by Tertiary Infotech Academy Pte Ltd · UEN 201200696W

Version v1.0 · 1 October 2026

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

COURSE ADMINISTRATION

Welcome & Course Orientation

© 2026 Tertiary Infotech Academy Pte Ltd

YOUR TRAINER · TEMPLATE

About the Trainer



Your Trainer

To be completed by the trainer

NAME

DESIGNATION

QUALIFICATIONS

AI EXPERIENCE

INDUSTRY EXPERIENCE

CONTACT

© 2026 Tertiary Infotech Academy Pte Ltd

YOUR TRAINER

About the Trainer



Dr. Alfred Ang

Principal Trainer · Tertiary Infotech Academy

FOCUS
Business innovation, applied AI, automation and software delivery.

PRACTICE
Designs practical AI-enabled workflows, courseware and digital products.

APPROACH
Evidence-led experimentation with explicit controls and human accountability.

ORGANISATION
Tertiary Infotech Academy Pte Ltd · UEN 201200696W

© 2026 Tertiary Infotech Academy Pte Ltd

LEARNER INTRODUCTION

Let's Know Each Other

1

Who are you?

Name, organisation and current role.

2

Where is the friction?

One repetitive or slow workflow in your work.

3

What have you tried?

Your experience with generative AI, automation or agents.

4

What would success mean?

A business outcome you want AI to improve.

© 2026 Tertiary Infotech Academy Pte Ltd

HOUSEKEEPING

Ground Rules

1. Phones on silent
2. Participate actively
3. Respect different views
4. One conversation at a time
5. Return punctually
6. Protect confidential data

© 2026 Tertiary Infotech Academy Pte Ltd

SCHEDULE · 09:30–17:30

One-Day Learning Journey

Morning

- 09:30 orientation
- Topics 1–2
- Labs 1–2

Afternoon

- Topics 3–5
- Labs 3–5
- Implementation roadmap

Wrap-up

- Course recap and Q&A
- Implementation commitments
- Course feedback · 17:30 close

© 2026 Tertiary Infotech Academy Pte Ltd

01

TOPIC 01

Evolution of Business AI from Generative AI to Autonomous AI Agents

2023-2026 timeline · prompt to context to harness · AI-enabled business models

© 2026 Tertiary Infotech Academy Pte Ltd

Key Concepts — Topic 1

1

2023 — generate

Copilots and chat interfaces made content generation broadly usable.

2

2024 — connect

Tool use, retrieval and multimodal models connected AI to business knowledge.

3

2025 — act

Agentic systems planned and executed multi-step work with tools and approvals.

4

2026 — operate

Persistent agents, digital workers and orchestration systems coordinate ongoing work.

5

Engineering progression

Prompt engineering → context engineering → harness engineering.

6

Business progression

AI feature → redesigned workflow → AI-enabled operating model.

© 2026 Tertiary Infotech Academy Pte Ltd

1.1 Concept Lens — 2023 — generate

1

Meaning

Copilots and chat interfaces made content generation broadly usable.

2

Business question

Where does 2023 — generate change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

1.2 Concept Lens — 2024 — connect

1

Meaning

Tool use, retrieval and multimodal models connected AI to business knowledge.

2

Business question

Where does 2024 — connect change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

1.3 Concept Lens — 2025 — act

1

Meaning

Agentic systems planned and executed multi-step work with tools and approvals.

2

Business question

Where does 2025 — act change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

1.4 Concept Lens — 2026 — operate

1

Meaning

Persistent agents, digital workers and orchestration systems coordinate ongoing work.

2

Business question

Where does 2026 — operate change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

1.5 Concept Lens — Engineering progression

1

Meaning

Prompt engineering → context engineering → harness engineering.

2

Business question

Where does engineering progression change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

1.6 Concept Lens — Business progression

1

Meaning

AI feature → redesigned workflow → AI-enabled operating model.

2

Business question

Where does business progression change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

1.F1 Framework — AI maturity ladder

What it explains

- Classify an initiative as assistive, connected, agentic or operational. Maturity is determined by responsibility, access and persistence - not by marketing language.

When to use it

- Use the ladder to prevent a content-generation pilot from being governed as if it could change business records.

Watch for

- A common failure is granting autonomy before the process, data and escalation path are stable.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply AI maturity ladder to a governed decision

1

Problem

State the process problem that AI maturity ladder should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use AI maturity ladder to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

1.F2 Framework — Engineering progression

What it explains

- Prompt engineering shapes a request; context engineering curates the working set; harness engineering shapes the environment in which an agent acts.

When to use it

- Use the progression to diagnose whether a weak result comes from wording, missing context or an unsafe execution environment.

Watch for

- A longer prompt cannot compensate for missing evidence, unclear tool contracts or absent approvals.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Engineering progression to a governed decision

1

Problem

State the process problem that Engineering progression should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Engineering progression to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

1.F3 Framework — Business-model redesign

What it explains

- Examine value proposition, customer interface, key activities, resources, partners, revenue and cost through an AI-enabled lens.

When to use it

- Use this framework when AI changes how value is delivered rather than merely making one task faster.

Watch for

- Do not automate an inefficient hand-off and call it innovation; redesign the flow and ownership.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Business-model redesign to a governed decision

1

Problem

State the process problem that Business-model redesign should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Business-model redesign to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

1.F4 Framework — Human-AI operating model

What it explains

- Allocate intent, judgement, repetition, approval, exception handling and accountability deliberately between people and systems.

When to use it

- Use role clarity to show where an agent may recommend, prepare, execute or escalate.

Watch for

- Avoid vague statements such as 'the AI handles it'; name the owner and approval threshold.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Human-AI operating model to a governed decision

1

Problem

State the process problem that Human-AI operating model should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Human-AI operating model to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

Case 1.1 — From campaign brief to approved video

Scenario

- A retail SME needs weekly product videos but has a two-week agency cycle. The team trials Gemini/Veo for first drafts while brand and legal reviewers retain approval.

Your decision

- Map the old and AI-enabled value chains. Identify new capabilities, costs, risks and human decisions.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

Case 1.2 — Service operations redesign

Scenario

- A facilities company receives requests by email and relies on coordinators to copy data into three systems.

Your decision

- Describe the difference between adding a drafting assistant and redesigning the operating model around a governed agent.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

Case 1.3 — The autonomy claim

Scenario

- A vendor calls its chatbot an autonomous digital employee, but it has no tools, memory or persistent task state.

Your decision

- Use the maturity ladder and agent definition to challenge the claim with evidence.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 01

Four years changed the unit of AI value

1

2023 — Prompt → generated answer

2

2024 — Context + multimodal tools

3

2025 — Goal → multi-step execution

4

2026 — Persistent digital worker

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 01

AI value moved from content to completed work

Generative

- Drafts an output
- Human coordinates the workflow

Agentic

- Pursues an outcome
- System coordinates tools and feedback


Autonomous

- Operates over time
- Controls bound authority and persistence

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 01

Engineering evolved with agent responsibility



© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 01

Traditional and AI-enabled business models

Traditional

- People navigate apps
- Hand-offs, queues and fixed capacity

AI-enabled

- People state intent
- Agents coordinate systems under policy

Design question

- Where must people decide?
- Where can software act safely?

© 2026 Tertiary Infotech Academy Pte Ltd

LO1 · Topic 1 · PRACTICE

Create a Business Story Video with Gemini

LAB 1

Create a short business-innovation video with Gemini/Veo, then compare the human decisions, cycle time and controls with a conventional production process.

You'll build


A 6–8 second business story video, prompt record and before/after workflow comparison

Tools: Gemini, Veo video generation, browser download

© 2026 Tertiary Infotech Academy Pte Ltd

AUTHENTIC VISUAL

Lab 1 · Tool View



© 2026 Tertiary Infotech Academy Pte Ltd

Create a Business Story Video with Gemini

✅ Test it

The clip plays, matches the brief, contains no invented brand claims, and the comparison explains how generative AI changes cycle time without removing human accountability.

© 2026 Tertiary Infotech Academy Pte Ltd

CHECK YOUR UNDERSTANDING

Topic 1 Recap

1

Business decision

2023-2026 timeline · prompt to context to harness · AI-enabled business models

2

Capability

Compare a generative-AI content workflow with a traditional production workflow

3

Control

Humans retain accountability for consequential outcomes.

4

Evidence

Use logs, tests and measurable acceptance criteria.

© 2026 Tertiary Infotech Academy Pte Ltd

02

TOPIC 02

Generative AI, Agentic AI and AI Agent Technologies

LLMs · models, workflows and agents · n8n · Claude Code · Codex · OpenClaw · Hermes · Paperclip

© 2026 Tertiary Infotech Academy Pte Ltd

Key Concepts — Topic 2

1

Generative AI

Produces a response or artifact from a prompt; the user drives each turn.

2

Agentic AI

Uses goals, state, tools and feedback to complete a multi-step outcome.

3

AI agent

A deployed system with model, instructions, memory, tools, skills and execution loop.

4

Workflow agent

n8n combines deterministic nodes, AI decisions and human approvals.

5

Coding agents

Claude Code and Codex inspect repositories, edit files, run tools and verify results.

6

Autonomous runtimes

OpenClaw and Hermes persist across channels; Paperclip coordinates teams of agents.

© 2026 Tertiary Infotech Academy Pte Ltd

2.1 Concept Lens — Generative AI

1

Meaning

Produces a response or artifact from a prompt; the user drives each turn.

2

Business question

Where does generative ai change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

2.2 Concept Lens — Agentic AI

1

Meaning

Uses goals, state, tools and feedback to complete a multi-step outcome.

2

Business question

Where does agentic ai change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

2.3 Concept Lens — AI agent

1

Meaning

A deployed system with model, instructions, memory, tools, skills and execution loop.

2

Business question

Where does ai agent change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

2.4 Concept Lens — Workflow agent

1

Meaning

n8n combines deterministic nodes, AI decisions and human approvals.

2

Business question

Where does workflow agent change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

2.5 Concept Lens — Coding agents

1

Meaning

Claude Code and Codex inspect repositories, edit files, run tools and verify results.

2

Business question

Where does coding agents change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

2.6 Concept Lens — Autonomous runtimes

1

Meaning

OpenClaw and Hermes persist across channels; Paperclip coordinates teams of agents.

2

Business question

Where does autonomous runtimes change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

2.F1 Framework — Capability-behaviour-system taxonomy

What it explains

- Generative AI is a capability, agentic AI is goal-directed behaviour, and an AI agent is the deployed system that packages model, context, memory, tools and loop.

When to use it

- Use the taxonomy to compare products without confusing a chatbot response with an operational agent.

Watch for

- Do not infer autonomy from fluent language; inspect tools, state, persistence and permissions.

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 02 · FRAMEWORK APPLICATION 1

Apply Capability-behaviour-system taxonomy to a governed decision

1

Problem

State the process problem that Capability-behaviour-system taxonomy should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Capability-behaviour-system taxonomy to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

2.F2 Framework — Agent architecture stack

What it explains

- Map goal, instructions, context, reasoning, memory, tools, skills, channels, loop, evaluator and human oversight.

When to use it

- Use the stack to find missing components before selecting a platform.

Watch for

- Adding more tools can increase risk and ambiguity; every tool needs a contract and owner.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Agent architecture stack to a governed decision

1

Problem

State the process problem that Agent architecture stack should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Agent architecture stack to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

2.F3 Framework — Technology selection matrix

What it explains

- Match the work boundary to generation, deterministic workflow, coding-agent, knowledge-worker or persistent digital-worker technology.

When to use it

- Use a matrix of task variability, integrations, persistence, consequence and required evidence.

Watch for

- Avoid choosing a fashionable tool before defining the business outcome and control boundary.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Technology selection matrix to a governed decision

1. **Problem**
   State the process problem that Technology selection matrix should clarify.

2. **Baseline**
   Record current time, cost, error, experience or control performance.

3. **Decision**
   Use Technology selection matrix to choose a bounded operating design.

4. **Evidence**
   Specify the source, test result, metric and audit record required.

5. **Human owner**
   Name who approves the consequential action and exception.

6. **Review**
   Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

2.F4 Framework — Digital-worker boundary

What it explains

- Define what the worker may read, draft, decide, change, communicate and remember.

When to use it

- Use the boundary as a practical contract between business owner, technology owner and users.

Watch for

- Never treat an agent account as an unnamed employee; access and accountability must remain attributable.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Digital-worker boundary to a governed decision

1

Problem

State the process problem that Digital-worker boundary should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Digital-worker boundary to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

Case 2.1 — Lead triage portfolio

Scenario

- A sales team needs structured intake, classification, CRM updates and manager approval for high-value leads.

Your decision

- Compare n8n, a general chat assistant and a persistent agent against the required work boundary.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

Case 2.2 — Repository modernisation

Scenario

- A product team needs an agent to inspect code, implement a change, run tests and prepare a reviewable diff.

Your decision

- Compare Claude Code and Codex using context, tool, verification and human-control requirements.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

Case 2.3 — Always-on operations assistant

Scenario

- A manager wants one agent reachable from chat and terminal that remembers approved preferences and runs scheduled briefings.

Your decision

- Evaluate whether OpenClaw, Hermes Agent or a deterministic workflow is the better fit.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 02

What is a Large Language Model (LLM)?

1

Large

Learns patterns from very large collections of text and code.

2

Language

Represents text as tokens and learns relationships among them in context.

3

Model

A trained mathematical system whose parameters encode learned statistical patterns.

4

Inference

Given context, estimates probabilities for the next token and generates one token at a time.

5

Transformer

Attention helps the model relate relevant tokens across the supplied context.

6


Important limit

A fluent answer is a generated prediction, not automatic proof that the answer is true.

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 02

How an LLM turns text into a response



© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 02

The LLM is the engine—not the whole agent

LLM

- Predictive language model
- Generates and transforms content within supplied context

Harness

- Operational envelope
- Provides instructions, memory, tools, permissions, workflow and tests

AI agent

- Goal-seeking system
- Runs the model in a loop, observes results and chooses the next controlled step

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 02

What an LLM can and cannot do alone

1

Strong at

Draft, summarise, extract, classify, translate, code and propose plans.

2

Does not own

Guaranteed facts, durable memory, current data, permissions or accountability.

3

Business-ready

Ground with approved knowledge, connect tools, validate outputs and retain human judgement.

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 02

Choose an LLM by the business requirement

1

Task quality

Evaluate on representative cases and failure modes, not a generic leaderboard alone.

2

Context capacity

Fit the instructions, evidence and working state needed for the task.

3

Speed and cost

Balance response time, volume, model price and total workflow cost.

4

Input and output

Check required text, image, audio, video, code and structured-data capabilities.

5

Tool reliability

Test tool calling, schema compliance and recovery from failed actions.

6

Risk boundary

Match privacy, security, residency, deployment and vendor controls to the data.

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 02

Generative AI, agentic AI and AI agents are not synonyms

Generative AI

- Capability
- Creates text, image, audio, video or code

Agentic AI

- Behaviour
- Plans and adapts across multiple steps


AI agent

- System
- Packages model, context, memory, tools and loop

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 02

An agent turns a goal into verified task execution



© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 02

The six building blocks of an AI agent

1. Reasoning
2. Instructions
3. Memory
4. Tools
5. Skills
6. Channels

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 02


Choose the technology by the work boundary

1. n8n
2. Claude Code
3. Codex
4. OpenClaw
5. Hermes Agent
6. Paperclip

© 2026 Tertiary Infotech Academy Pte Ltd

AUTHENTIC TOOL VIEW

n8n: visual orchestration with an AI agent




n8n editor showing trigger, AI Agent, chat model, memory and tool ports


© 2026 Tertiary Infotech Academy Pte Ltd

AUTHENTIC TOOL VIEWS

Coding agents operate on real repositories



Claude Code




Codex


© 2026 Tertiary Infotech Academy Pte Ltd

AGENT ECOSYSTEM

Persistent runtimes and agent teams



OpenClaw workspace



Paperclip agent orchestration

© 2026 Tertiary Infotech Academy Pte Ltd

LO2-LO3 · Topic 2 · PRACTICE

Build an Agentic Lead-Triage Workflow in n8n

LAB 2

Build a controlled n8n workflow that receives a lead, asks an AI agent to classify intent and urgency, routes the result, records the decision and pauses high-value actions for approval.

You'll build


A lead-triage workflow with structured AI output, deterministic routing, audit data and human approval

Tools: n8n Form Trigger, AI Agent, Chat Model, Structured Output Parser, Switch, Data Table

© 2026 Tertiary Infotech Academy Pte Ltd

N8N · CONTROLLED AGENTIC LOOP

Lab 2 · Governed Lead-Triage Flow



© 2026 Tertiary Infotech Academy Pte Ltd

LAB 2 · LO2-LO3 · Topic 2 · ACCEPTANCE CHECK

Build an Agentic Lead-Triage Workflow in n8n

✅ Test it

All four test leads finish in the expected branch, every decision is logged, low-confidence or consequential actions require approval, and no unapproved external message is sent.

© 2026 Tertiary Infotech Academy Pte Ltd

CHECK YOUR UNDERSTANDING

Topic 2 Recap

1

Business decision

LLMs · models, workflows and agents · n8n · Claude Code · Codex · OpenClaw · Hermes · Paperclip

2

Capability

Identify and apply a suitable agentic-AI technology to a business workflow

3

Control

Humans retain accountability for consequential outcomes.

4

Evidence

Use logs, tests and measurable acceptance criteria.

© 2026 Tertiary Infotech Academy Pte Ltd

03

TOPIC 03

Context, Harness and Loop Engineering for AI Agents

Context · memory · instructions · tools · permissions · tests · oversight · iteration

© 2026 Tertiary Infotech Academy Pte Ltd

Key Concepts — Topic 3

1

Context engineering

Select the right instructions, knowledge, memory and current state for each step.

2

Memory design

Separate working memory, durable preferences, business records and audit history.

3

Harness engineering

Shape the environment: permissions, tools, workflow, tests, logs and approvals.

4

Agentic loop

Plan → act → observe → evaluate → improve or stop.

5

Controls

Least privilege, allowlists, budgets, timeouts, idempotency, checkpoints and kill switches.

6

Human oversight

Humans set intent, approve consequential actions and resolve ambiguous outcomes.

© 2026 Tertiary Infotech Academy Pte Ltd

3.1 Concept Lens — Context engineering

1

Meaning

Select the right instructions, knowledge, memory and current state for each step.

2

Business question

Where does context engineering change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

3.2 Concept Lens — Memory design

1

Meaning

Separate working memory, durable preferences, business records and audit history.

2

Business question

Where does memory design change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

3.3 Concept Lens — Harness engineering

1

Meaning

Shape the environment: permissions, tools, workflow, tests, logs and approvals.

2

Business question

Where does harness engineering change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

3.4 Concept Lens — Agentic loop

1

Meaning

Plan → act → observe → evaluate → improve or stop.

2

Business question

Where does agentic loop change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

3.5 Concept Lens — Controls

1

Meaning

Least privilege, allowlists, budgets, timeouts, idempotency, checkpoints and kill switches.

2

Business question

Where does controls change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

3.6 Concept Lens — Human oversight

1

Meaning

Humans set intent, approve consequential actions and resolve ambiguous outcomes.

2

Business question

Where does human oversight change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

3.F1 Framework — Context stack

What it explains

- Layer system instructions, task goal, constraints, source knowledge, current state, memory, examples and tool results.

When to use it

- Use the stack to keep the working set relevant and to separate durable rules from temporary information.

Watch for

- More context is not always better; irrelevant or conflicting material can reduce reliability.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Context stack to a governed decision

1. **Problem**
   State the process problem that Context stack should clarify.

2. **Baseline**
   Record current time, cost, error, experience or control performance.

3. **Decision**
   Use Context stack to choose a bounded operating design.

4. **Evidence**
   Specify the source, test result, metric and audit record required.

5. **Human owner**
   Name who approves the consequential action and exception.

6. **Review**
   Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

3.F2 Framework — Memory lifecycle

What it explains

- Define capture, validation, storage, retrieval, update, expiry and deletion for every memory type.

When to use it

- Use the lifecycle to distinguish working notes, approved preferences, business records and audit history.

Watch for

- Do not store secrets, uncertain claims or personal data merely because an agent can remember them.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Memory lifecycle to a governed decision

1

Problem

State the process problem that Memory lifecycle should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Memory lifecycle to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

3.F3 Framework — Harness control plane

What it explains

- Combine permissions, tool schemas, workflow state, sandboxes, tests, evaluators, logs, approvals and recovery paths.

When to use it

- Use the control plane to make the safe action the easiest action for the agent.

Watch for

- A policy written only in prose is weak if the environment still permits the prohibited action.

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 03 · FRAMEWORK APPLICATION 3

Apply Harness control plane to a governed decision

1

Problem

State the process problem that Harness control plane should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Harness control plane to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

3.F4 Framework — Loop state machine

What it explains

- Represent planning, action, observation, evaluation, retry, escalation, completion and stop as explicit states.

When to use it

- Use state transitions to make retries, budgets and ownership observable.

Watch for

- Unbounded retries create duplicate actions, cost and noise; every loop needs a stop condition.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Loop state machine to a governed decision

1

Problem

State the process problem that Loop state machine should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Loop state machine to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

Case 3.1 — Conflicting policy sources

Scenario

- A knowledge-work agent receives two leave policies with different effective dates and produces a confident answer.

Your decision

- Redesign context selection, source priority, evaluation and escalation so the conflict is visible.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

Case 3.2 — Duplicate customer update

Scenario

- A tool call times out after sending an email, so the agent retries and sends the message twice.

Your decision

- Specify idempotency, observation and retry controls that prevent the duplicate effect.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

Case 3.3 — Memory without governance

Scenario

- An agent saves every conversation as durable memory, including tentative claims and personal information.

Your decision

- Design memory categories, validation, retention and deletion rules.


Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 03

Reliable agents need three engineering layers



© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 03

Context is a designed working set

1. Goal and constraints
2. Relevant knowledge
3. Current state
4. Durable memory
5. Tool results
6. Examples

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 03


The harness makes good behaviour easier

1. Scoped permissions
2. Tool contracts
3. Workflow state
4. Tests and evaluators
5. Logs and traces
6. Human checkpoints

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 03

The loop must know when to continue and when to stop



© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 03


Controls prevent expensive or repetitive failure

1. Least privilege
2. Action allowlists
3. Budgets and timeouts
4. Idempotency
5. Loop limits
6. Kill switch


© 2026 Tertiary Infotech Academy Pte Ltd

AUTHENTIC PRODUCT VIEWS

Knowledge-work agents need context and control



Claude Cowork



ChatGPT Work

© 2026 Tertiary Infotech Academy Pte Ltd

LO3-LO4 · Topic 3 · PRACTICE

Delegate Knowledge Work with Claude Cowork and ChatGPT Work

LAB 3

Give the same business brief to Claude Cowork and ChatGPT Work, request a decision memo and action register, then compare how each system handles files, context, tool use, progress and approvals.

You'll build


Two evidence-grounded deliverables plus a context-and-harness comparison scorecard

Tools: Claude Cowork, ChatGPT Work, local files, connected apps where authorised


© 2026 Tertiary Infotech Academy Pte Ltd

OBSERVE · COMPARE · IMPROVE

Lab 3 · Compare the work harness



Claude Cowork



ChatGPT Work

© 2026 Tertiary Infotech Academy Pte Ltd

LAB 3 · LO3-LO4 · Topic 3 · ACCEPTANCE CHECK

Delegate Knowledge Work with Claude Cowork and ChatGPT Work

✅ Test it

Both deliverables trace claims to supplied sources, no unapproved external action occurs, the scorecard distinguishes context from harness quality, and the rerun improves a recorded acceptance measure.

© 2026 Tertiary Infotech Academy Pte Ltd

CHECK YOUR UNDERSTANDING

Topic 3 Recap

1

Business decision

Context · memory · instructions · tools · permissions · tests · oversight · iteration

2

Capability

Design context, instructions, tools and human checkpoints for reliable knowledge work

3

Control

Humans retain accountability for consequential outcomes.

4

Evidence

Use logs, tests and measurable acceptance criteria.

© 2026 Tertiary Infotech Academy Pte Ltd

04

TOPIC 04

Business Opportunities and Innovative Agentic AI Use Cases

Digital workers · natural-language interfaces · cross-system workflows · functional value

© 2026 Tertiary Infotech Academy Pte Ltd

Key Concepts — Topic 4

1

Administration

Prepare documents, reconcile records, schedule follow-ups and route approvals.

2

Marketing

Research markets, create campaigns, generate video and learn from performance.

3

Sales

Enrich leads, draft outreach, update CRM and surface next-best actions.

4

Customer service

Retrieve knowledge, resolve routine cases and escalate exceptions with context.

5

Operations

Monitor events, coordinate systems, investigate anomalies and trigger playbooks.

6

Natural-language operations

People state intent; agents translate it into controlled software actions.

© 2026 Tertiary Infotech Academy Pte Ltd

4.1 Concept Lens — Administration

1

Meaning

Prepare documents, reconcile records, schedule follow-ups and route approvals.

2

Business question

Where does administration change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

4.2 Concept Lens — Marketing

1

Meaning

Research markets, create campaigns, generate video and learn from performance.

2

Business question

Where does marketing change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

4.3 Concept Lens — Sales

1

Meaning

Enrich leads, draft outreach, update CRM and surface next-best actions.

2

Business question

Where does sales change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

4.4 Concept Lens — Customer service

1

Meaning

Retrieve knowledge, resolve routine cases and escalate exceptions with context.

2

Business question

Where does customer service change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

4.5 Concept Lens — Operations

1

Meaning

Monitor events, coordinate systems, investigate anomalies and trigger playbooks.

2

Business question

Where does operations change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

4.6 Concept Lens — Natural-language operations

1

Meaning

People state intent; agents translate it into controlled software actions.

2

Business question

Where does natural-language operations change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

4.F1 Framework — Opportunity discovery lens

What it explains

- Look for volume, repeated hand-offs, search across sources, frequent drafting, rules with exceptions and measurable delays.

When to use it

- Use the lens during interviews and process walks to find friction that staff have normalised.

Watch for

- High frequency alone is not enough; the outcome must matter and the process must be governable.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Opportunity discovery lens to a governed decision

1

Problem

State the process problem that Opportunity discovery lens should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Opportunity discovery lens to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

4.F2 Framework — Digital-worker canvas

What it explains

- Document customer, trigger, goal, inputs, decisions, tools, outputs, owner, controls, metrics and exceptions on one page.

When to use it

- Use the canvas to align business and technical teams before prototyping.

Watch for

- Do not begin integration work while the owner, success measure or prohibited actions remain unclear.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Digital-worker canvas to a governed decision

1

Problem

State the process problem that Digital-worker canvas should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Digital-worker canvas to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

4.F3 Framework — Natural-language control model

What it explains

- Translate human intent into a proposed plan, validated tool calls, previewed consequential actions and an auditable outcome.

When to use it

- Use this model when an agent becomes the interface to multiple applications or datasets.

Watch for

- Natural language is ambiguous; confirmations and structured parameters remain necessary.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Natural-language control model to a governed decision

1

Problem

State the process problem that Natural-language control model should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Natural-language control model to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

4.F4 Framework — Functional use-case map

What it explains

- Compare administration, marketing, sales, customer service, operations and management opportunities using shared criteria.

When to use it

- Use the map to create a balanced portfolio instead of concentrating all pilots in content generation.

Watch for

- Avoid counting the same underlying workflow as several separate use cases.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Functional use-case map to a governed decision

1

Problem

State the process problem that Functional use-case map should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Functional use-case map to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

Case 4.1 — Administration digital worker

Scenario

- A finance team reconciles invoices, purchase orders and approvals across email, spreadsheets and an ERP.

Your decision

- Identify the high-value agent boundary and the transactions that still require approval.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

Case 4.2 — Customer-service interface

Scenario

- Customers describe problems in natural language; the agent searches knowledge, checks account status and proposes resolution.

Your decision

- Design the hand-off between retrieval, tool use, confidence, escalation and customer communication.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

Case 4.3 — Operations exception coordinator

Scenario

- A logistics agent monitors late events, investigates supporting data and proposes rerouting options.

Your decision

- Define metrics, tool permissions and incident controls for a pilot.


Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 04

Digital workers coordinate across the system of work



© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 04

Look for work with volume, friction and clear outcomes

1. Repeated hand-offs
2. Search across sources
3. Frequent drafting
4. Rules plus exceptions
5. Cross-system updates
6. Measurable cycle time

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 04

A natural-language interface changes who can operate software

Before

- Learn each application
- People translate intent into clicks

With agents

- State goal and constraints
- Agent translates intent into tool calls

Control

- Preview consequential actions
- Human remains accountable

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 04

Opportunity map across business functions

1. Administration
2. Marketing
3. Sales
4. Customer service
5. Operations
6. Management

© 2026 Tertiary Infotech Academy Pte Ltd

LO2-LO4 · Topic 4 · PRACTICE

Build an AI Opportunity Scoring App with Claude Code and Codex

LAB 4

Use Claude Code and Codex on the same repository to build and verify a small browser app that scores business opportunities by value, feasibility, risk and human-oversight needs.

You'll build


A responsive opportunity-scoring web app with tests, sample data, README and review evidence

Tools: Claude Code, Codex, HTML/CSS/JavaScript, local browser, Git


© 2026 Tertiary Infotech Academy Pte Ltd

PLAN · EDIT · TEST · REVIEW

Lab 4 · Build, review and verify



Claude Code



Codex

© 2026 Tertiary Infotech Academy Pte Ltd

Build an AI Opportunity Scoring App with Claude Code and Codex

✅ Test it

The app calculates the documented score, works at desktop and mobile widths, handles invalid inputs, passes its checks, and the final diff was reviewed by a human before acceptance.

© 2026 Tertiary Infotech Academy Pte Ltd

CHECK YOUR UNDERSTANDING

Topic 4 Recap

1

Business decision

Digital workers · natural-language interfaces · cross-system workflows · functional value

2

Capability

Prototype an AI-enabled natural-language interface and compare coding-agent workflows

3

Control

Humans retain accountability for consequential outcomes.

4

Evidence

Use logs, tests and measurable acceptance criteria.

© 2026 Tertiary Infotech Academy Pte Ltd

05

TOPIC 05

Evaluating and Implementing AI-Driven Business Innovation

Value and feasibility · process redesign · prototype · measurement · roadmap · governance

© 2026 Tertiary Infotech Academy Pte Ltd

Key Concepts — Topic 5

1

Value

Revenue, cost, cycle time, quality, experience, capacity and strategic learning.

2

Feasibility

Data readiness, process stability, integration effort, skills, risk and change capacity.

3

Process redesign

Allocate judgement, repetition, approval and accountability deliberately between people and agents.

4

Prototype

Test a narrow workflow with representative cases, failure modes and measurable acceptance criteria.

5

Governance

Ownership, access, privacy, security, auditability, incident response and vendor controls.

6

Roadmap

Discover → prioritise → prototype → pilot → scale → monitor and continuously improve.

© 2026 Tertiary Infotech Academy Pte Ltd

5.1 Concept Lens — Value

1

Meaning

Revenue, cost, cycle time, quality, experience, capacity and strategic learning.

2

Business question

Where does value change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

5.2 Concept Lens — Feasibility

1

Meaning

Data readiness, process stability, integration effort, skills, risk and change capacity.

2

Business question

Where does feasibility change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

5.3 Concept Lens — Process redesign

1

Meaning

Allocate judgement, repetition, approval and accountability deliberately between people and agents.

2

Business question

Where does process redesign change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

5.4 Concept Lens — Prototype

1

Meaning

Test a narrow workflow with representative cases, failure modes and measurable acceptance criteria.

2

Business question

Where does prototype change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

5.5 Concept Lens — Governance

1

Meaning

Ownership, access, privacy, security, auditability, incident response and vendor controls.

2

Business question

Where does governance change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

5.6 Concept Lens — Roadmap

1

Meaning

Discover → prioritise → prototype → pilot → scale → monitor and continuously improve.

2

Business question

Where does roadmap change value, workflow, decision quality or capacity?

3

Evidence to collect

Baseline, approved sources, process owner, acceptance criterion and observed result.

4

Control to retain

Name the human owner, allowed action, exception path and review point.

© 2026 Tertiary Infotech Academy Pte Ltd

5.F1 Framework — Value-feasibility matrix

What it explains

- Score value and feasibility separately before considering urgency or sponsorship.

When to use it

- Use the matrix to distinguish pilot-now opportunities from prepare-first opportunities.

Watch for

- A high-value idea with unstable data or unacceptable risk is not ready for automation.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Value-feasibility matrix to a governed decision

1

Problem

State the process problem that Value-feasibility matrix should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Value-feasibility matrix to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

5.F2 Framework — Total business case

What it explains

- Include labour, cycle time, quality, rework, revenue, integration, licences, model usage, oversight, change and risk exposure.

When to use it

- Use ranges and sensitivity analysis rather than a single confident return estimate.

Watch for

- Do not omit human review and maintenance costs from an agentic-AI business case.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Total business case to a governed decision

1

Problem

State the process problem that Total business case should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Total business case to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

5.F3 Framework — Human-AI process design

What it explains

- Assign each step as human-led, AI-assisted, agent-executed with review, or fully automated within policy.

When to use it

- Use the design to remove duplicate checks while preserving accountable decisions.

Watch for

- Avoid designing a shadow process in which staff repeat every agent action because trust was never engineered.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Human-AI process design to a governed decision

1

Problem

State the process problem that Human-AI process design should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Human-AI process design to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

5.F4 Framework — Stage-gated roadmap

What it explains

- Use discover, prioritise, prototype, pilot, scale and improve gates with evidence required at each transition.

When to use it

- Use stage gates to stop weak initiatives early and concentrate investment on proven workflows.

Watch for

- A successful demo is not evidence of operational readiness, security or sustainable value.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Stage-gated roadmap to a governed decision

1

Problem

State the process problem that Stage-gated roadmap should clarify.

2

Baseline

Record current time, cost, error, experience or control performance.

3

Decision

Use Stage-gated roadmap to choose a bounded operating design.

4

Evidence

Specify the source, test result, metric and audit record required.

5

Human owner

Name who approves the consequential action and exception.

6

Review

Set the gate, threshold and date for continue, change or stop.

© 2026 Tertiary Infotech Academy Pte Ltd

Case 5.1 — Pilot with impressive demos

Scenario

- A prototype works on ten curated examples but fails on missing data and ambiguous requests.

Your decision

- Define representative testing, baseline measures and a stage-gate decision.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

Case 5.2 — ROI under uncertainty

Scenario

- A sponsor claims a six-month payback using only labour savings and ignores integration, review and change costs.

Your decision

- Rebuild the business case with ranges, sensitivity and risk-adjusted benefits.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

Case 5.3 — Scaling responsibly

Scenario

- A successful internal agent is proposed for customer-facing use across several countries.

Your decision

- Create a roadmap covering data classification, security, legal review, monitoring, localisation and rollback.

Evidence pack

- Business outcome and baseline
- Value and feasibility factors
- Risks, controls and human owner
- Next test or stage-gate decision

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 05

Prioritise opportunities on value and feasibility

High value / high feasibility

- Pilot now
- Narrow scope with measurable outcome

High value / low feasibility

- Prepare
- Fix data, process or control gaps first

Low value

- Defer
- Do not automate noise

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 05


Build the business case beyond model cost

1. Labour and cycle time
2. Quality and rework
3. Integration and licences
4. Change and training
5. Risk exposure
6. Learning option value

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 05

Prototype the workflow, not just the prompt



© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 05


Governance travels with the agent

1. Named owner
2. Data classification
3. Access control
4. Approval thresholds
5. Audit trail
6. Incident response

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 05


An implementation roadmap compounds learning



© 2026 Tertiary Infotech Academy Pte Ltd

DIGITAL WORKER VIEW

Hermes Agent: persistent skills, memory and tasks



Use only approved sources, scoped tools and consequential-action approvals.

© 2026 Tertiary Infotech Academy Pte Ltd

LO5 · Topic 5 · PRACTICE

Configure a Governed Digital Worker with Hermes Agent

LAB 5

Configure a small Hermes digital worker that remembers approved operating preferences, uses one audited skill, produces a scheduled briefing and escalates consequential actions.

You'll build


A named digital worker with durable memory, one skill, a safe recurring task and an implementation control sheet

Tools: Hermes Agent, persistent memory, skills, scheduling, channels, human approval

© 2026 Tertiary Infotech Academy Pte Ltd

AUTHENTIC VISUAL

Lab 5 · Tool View



© 2026 Tertiary Infotech Academy Pte Ltd

Configure a Governed Digital Worker with Hermes Agent

✅ Test it

Hermes recalls only the approved preferences, the skill uses expected tools, the scheduled task creates one local briefing, consequential actions remain blocked, and the control sheet names the owner and rollback path.

© 2026 Tertiary Infotech Academy Pte Ltd

CHECK YOUR UNDERSTANDING

Topic 5 Recap

1

Business decision

Value and feasibility · process redesign · prototype · measurement · roadmap · governance

2

Capability

Develop an implementation roadmap with memory, skills, channels, controls and continuous improvement

3

Control

Humans retain accountability for consequential outcomes.

4

Evidence

Use logs, tests and measurable acceptance criteria.

© 2026 Tertiary Infotech Academy Pte Ltd

WRAP-UP

From Opportunity to Governed Implementation

© 2026 Tertiary Infotech Academy Pte Ltd

COURSE OUTCOMES

What You Can Now Do

1

LO1

Compare traditional business models with AI-enabled models and explain the 2023-2026 shift from generative AI to autonomous agents.

2

LO2

Identify high-value business opportunities for generative AI, agentic AI and AI agents across functions.

3

LO3

Select suitable LLMs and AI technologies and explain reasoning, memory, tools, skills, channels and task execution.

4

LO4

Evaluate AI opportunities using value, feasibility, cost, risk, operational impact and human oversight.

5


LO5

Design an implementation roadmap using context, harness and loop engineering with governance and continuous improvement.

© 2026 Tertiary Infotech Academy Pte Ltd

WRAP-UP

Implementation Roadmap



© 2026 Tertiary Infotech Academy Pte Ltd

GO-LIVE CHECKLIST

Before Any Agent Goes Live

1. Named business owner
2. Approved data boundary
3. Least-privilege tools
4. Human approval thresholds
5. Test and rollback plan
6. Logs, metrics and review cadence

© 2026 Tertiary Infotech Academy Pte Ltd

OFFICIAL PRODUCT SOURCES · ACCESSED 3 AUGUST 2026

Sources & Further Reading

- OpenAI — Harness engineering: openai.com/index/harness-engineering/
- OpenAI — Codex: openai.com/codex/
- Anthropic — Claude Code and Claude Cowork: claude.com/product/claude-code · claude.com/product/cowork
- n8n — AI workflows: n8n.io/ai/
- Nous Research — Hermes Agent: hermes-agent.nousresearch.com/
- OpenClaw: openclaw.ai/ · Paperclip: github.com/paperclipai/paperclip

© 2026 Tertiary Infotech Academy Pte Ltd

Course Feedback

1

Share feedback

Complete the course feedback form provided by your trainer.

2

What worked

Tell us which topics and labs helped you most.

3

What to improve

Suggest one change that would make the course more useful.

4

Certificate

Your certificate of completion will be emailed to you after the course.

© 2026 Tertiary Infotech Academy Pte Ltd

THANK YOU

Design agents around outcomes — and controls.

Start narrow, measure real work, preserve human accountability and improve from evidence.

© 2026 Tertiary Infotech Academy Pte Ltd