



COURSE SLIDES

Copilot for Power Apps (C803)

Course Code: C803

Conducted by Tertiary Infotech Academy Pte Ltd · UEN 201200696W

Version v1.0 · 27 July 2026

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg



COURSE ADMINISTRATION

Welcome & Housekeeping

About the Trainer



Your Trainer

General Trainer template —
to be completed by the trainer

NAME

TITLE / DESIGNATION

QUALIFICATIONS

AREAS OF EXPERTISE

TRAINING & INDUSTRY EXPERIENCE

CONTACT

About the Trainer



Dr. Alfred Ang

Principal Trainer
Tertiary Infotech Academy Pte. Ltd.

ROLE

Principal Trainer, Tertiary Infotech Academy Pte. Ltd.

CERTIFICATION

Industry certified in the subject area of this course.

DELIVERS

Professional short courses for Tertiary Infotech Academy.

FOUNDER

Founder and lead instructor at Tertiary Infotech / Tertiary Courses.

Let's Know Each Other

1 Your name and organisation / role.

2 Your experience with this subject (if any).

3 What you want to be able to do after this course.

Ground Rules

1

Set your mobile phone to silent mode.

2

Participate actively — no question is too small.

3

Mutual respect: agree to disagree.

4

One conversation at a time.


5

Be punctual; return from breaks on time.

6

Learn by doing — try every hands-on lab.

Download Course Material



Portal: <https://lms-tms.tertiaryinfotech.com>

Lesson Plan — 1 Day, 8 hours/day

Day 1

- Day 1 — Getting Copilot ready in Power Apps, building a canvas app with Copilot, then automating and governing it with Power Automate
 - Topic 1: Get Started with Copilot in Power Apps (Labs 1–3)
 - Topic 2: Build Canvas Apps with Copilot (Labs 4–7)
 - Topic 3: Automate and Extend with Copilot (Labs 8–10)

Day 1

- Day 1 — Getting Copilot ready in Power Apps, building a canvas app with Copilot, then automating and governing it with Power Automate
 - Topic 1: Get Started with Copilot in Power Apps (Labs 1–3)
 - Topic 2: Build Canvas Apps with Copilot (Labs 4–7)
 - Topic 3: Automate and Extend with Copilot (Labs 8–10)
- Daily timing
 - 9:30am–6:30pm · 1-hour lunch · tea breaks within training time

Learning Outcomes

1

Enable Copilot & Studio

Enable Copilot in Power Apps and navigate Power Apps Studio ready to build.

2

Prepare Dataverse data

Prepare a Dataverse table with clear names and descriptions so Copilot can build accurate apps.

3

Prompt for apps

Write effective prompts that get Copilot to build the app you actually want.

4

App from a prompt

Create a working canvas app from a single plain-language prompt.

5

Refine screens

Refine an app's screens, controls and layouts by describing the changes to Copilot.

6

Power Fx formulas

Generate and explain Power Fx formulas with Copilot, and verify them against your data.

Learning Outcomes (cont.)

7

In-app Copilot chat

Add an in-app Copilot chat so end users can query the app's data in natural language.

8

Flows with Copilot

Build a Power Automate flow with Copilot and call it from a canvas app.

9

Approvals & notifications


Automate approval and notification scenarios with Copilot-built flows.

10

Share & govern

Share and govern AI-assisted apps responsibly.

How You'll Learn





CORE CONCEPTS

Course Fundamentals

How Copilot Works in Power Apps

1

From dragging controls to describing outcomes — you tell Copilot the app you want and it builds the screens, the data connections and the formulas.

2

It works on your real data — point Copilot at a Dataverse table and the app reads and writes your records, not a generic sample.

3

Two surfaces, one assistant — Copilot builds the app in Studio, and a Copilot control lets your users query the app's data in plain language too.

4

You stay accountable — Copilot drafts screens, Power Fx and flows; you run, test and decide what to publish.

The Describe–Review–Refine Loop

1

Prepare

Know the app's purpose, who will use it, and which Dataverse table holds its data.

2

Describe

Write a clear prompt — the purpose, the data, the screens and the audience.

3

Generate

Let Copilot build the app, the formula or the flow.

4

Review

Run it, test it against known data, and read any Power Fx before you trust it.

5

Refine

Ask Copilot to adjust, then publish and share when it is right.

THE WORKING RULE

Copilot builds fastest when your prompt is specific and your data is well described.

This course is hands-on: you build one connected solution — a Maintenance Request app for a facilities team, backed by Dataverse, with Power Fx, an in-app Copilot chat and an approval-and-notification flow — describing each part to Copilot and checking its work before you publish.

What You'll Build

A Copilot-ready foundation

- Copilot enabled in Power Apps Studio
- A well-described Dataverse table
- A reusable app-prompt pattern

A working canvas app

- An app generated from a prompt
- Refined screens and layouts
- Power Fx formulas you understand
- An in-app Copilot chat for users

Automation and governance

- An approval-and-notification flow
- The flow called from the app
- The app shared and governed safely

How Every Lab Works

1

The trainer demonstrates the Copilot technique on the shared Harbourfront Facilities app.

2

You do it yourself in Power Apps — on the sample scenario, or on your own non-confidential app idea.

3

You run and verify the result against the lab's explicit 'Test it' check.

4

You read any Power Fx or flow Copilot generated and confirm it does what you asked.

5

You keep the working app, formula or flow — it becomes part of your Copilot-for-Power-Apps toolkit.

TOPIC 01

Get Started with Copilot in Power Apps

What Copilot in Power Apps and the Power Platform is · Licensing, requirements and enabling Copilot · Copilot in Power Apps Studio · Effective prompting for app building · Preparing data with Dataverse for Copilot

Key Concepts — Get Started with Copilot in Power Apps

1

Copilot in Power Apps — Microsoft's AI assistant built into Power Apps that turns plain-English descriptions into working app screens, tables and formulas.

2

The Power Platform — Microsoft's low-code suite (Power Apps, Power Automate, Power BI and Copilot Studio); Copilot spans it, so an app you build can connect to flows and data.

3

Canvas apps — the app type you build here: you describe a screen and Copilot lays out the controls, while you keep full control of the design.

4

Licensing and requirements — Copilot features need a Power Apps environment with Copilot switched on and a Microsoft work or school account, not a personal one; some tenants also need an admin toggle.

5

Enabling Copilot — Copilot is turned on per environment in the Power Platform admin center and in Studio's settings; the trainer confirms it is on before the labs.

6

Power Apps Studio — the browser-based design surface where you build the app; the Copilot pane sits alongside the canvas, the tree view and the property pane.

Key Concepts — Get Started with Copilot in Power Apps (cont.)

7

Effective prompting for apps — a good app-building prompt names the app's purpose, the data it works with, the screens you want and the audience, so Copilot builds the right thing.

8

Dataverse — Microsoft's structured cloud database; clear table and column names with descriptions give Copilot the context it needs to build accurate apps and formulas.

Hands-On Labs — Get Started with Copilot in Power Apps

Lab 1

- Enable Copilot and Get Oriented in Power Apps Studio

Lab 2

- Prepare Your Data with Dataverse for Copilot

Lab 3

- Write Effective Prompts for App Building

Enable Copilot and Get Oriented in Power Apps Studio

LAB 1

This lab gets Copilot working for you. You sign in at make.powerapps.com, check you are in the right environment, confirm Copilot is switched on, and create a throwaway app so you can see the Copilot pane, the canvas, the tree view and the property pane — the surfaces you use all day. BUILDING BLOCK — what you do in this lab becomes part of your Harbourfront Facilities Maintenance Request solution, the single deliverable you build, refine, automate and govern across all 10 labs.

You'll build

A confirmed, Copilot-enabled Power Apps environment and a short tour note of where the Copilot pane, tree view, canvas and property pane are.

Tools: make.powerapps.com, Power Apps Studio, Copilot pane, a Microsoft work or school account

Enable Copilot and Get Oriented in Power Apps Studio

STEP 1 OF 7



Open a browser and sign in at make.powerapps.com with your Microsoft work or school account (not a personal Microsoft account). This is the Power Apps maker portal where you build all day.

Enable Copilot and Get Oriented in Power Apps Studio

STEP 2 OF 7

2

Check your environment: at the top-right, open the environment picker and select the environment your trainer names. Copilot and Dataverse must be enabled there — if the picker is empty or Copilot is missing, tell the trainer.

Enable Copilot and Get Oriented in Power Apps Studio

STEP 3 OF 7

3

Confirm Copilot is available: from the home page choose 'Start with Copilot' (or '+ Create' > 'Start with a page design'). If a prompt box invites you to 'Describe the app you'd like to build', Copilot is enabled.

Enable Copilot and Get Oriented in Power Apps Studio

STEP 4 OF 7

4

Create a throwaway canvas app to explore Studio: choose '+ Create' > 'Blank app' > 'Blank canvas app', name it 'Studio Tour', pick Tablet format, and click Create. This opens Power Apps Studio.

Enable Copilot and Get Oriented in Power Apps Studio

STEP 5 OF 7



5

Find the four surfaces you will use all day, and note where each is: the Tree view (left) listing screens and controls; the Canvas (centre) where the app is designed; the Property pane (right) for the selected control; and the Copilot pane (open it from the Copilot icon on the top toolbar).

Enable Copilot and Get Oriented in Power Apps Studio

STEP 6 OF 7

6

Ask Copilot what it can do, so you see the pane respond, then read its answer.

\$ What can you help me build and change in this Power Apps canvas app?

Enable Copilot and Get Oriented in Power Apps Studio

STEP 7 OF 7



Confirm the ground rule: Copilot drafts screens, formulas and flows inside Studio, but nothing is shared or published until you choose to. Close the 'Studio Tour' app without saving — it was only for the tour.

Enable Copilot and Get Oriented in Power Apps Studio

Test it

You are signed in to make.powerapps.com in the correct environment, the Copilot pane opens and responds to a question, and you can point to the tree view, canvas, property pane and Copilot pane in Studio.

Prepare Your Data with Dataverse for Copilot

LAB 2

Copilot builds better apps on well-described data. You create the Maintenance Requests table in Dataverse, add clearly named columns with descriptions and choice options, and add a couple of sample rows — so that when Copilot builds the app in Domain 2 it understands each field. BUILDING BLOCK — what you do in this lab becomes part of your Harbourfront Facilities Maintenance Request solution, the single deliverable you build, refine, automate and govern across all 10 labs.

You'll build

A Dataverse table named 'Maintenance Requests' with clearly named, described columns, choice options for Category, Priority and Status, and two sample records.

Tools: Dataverse, Tables, columns, choice columns

Prepare Your Data with Dataverse for Copilot

STEP 1 OF 9



In the maker portal left menu, open 'Tables' (under Dataverse), then choose '+ New table' > 'New table'. Name it 'Maintenance Request' (Power Apps sets the plural 'Maintenance Requests' automatically).

Prepare Your Data with Dataverse for Copilot

STEP 2 OF 9



2

Keep the default primary column but rename its display name to 'Title' with the description 'Short summary of the fault' — clear names and descriptions are exactly what Copilot reads to understand your data.

Prepare Your Data with Dataverse for Copilot

STEP 3 OF 9

3

Add a single-line text column 'Location' (description: 'Building, floor and room, e.g. Tower A, L3, Server Room').

Prepare Your Data with Dataverse for Copilot

STEP 4 OF 9

4

Add a Choice column 'Category' with the choices: Electrical, Plumbing, HVAC, General (description: 'Type of maintenance issue').

Prepare Your Data with Dataverse for Copilot

STEP 5 OF 9

5

Add a Choice column 'Priority' with the choices: Low, Medium, High (description: 'How urgent the request is').

Prepare Your Data with Dataverse for Copilot

STEP 6 OF 9

6

Add a multiline text column 'Description' (description: 'What is wrong, in the requester's own words').

Prepare Your Data with Dataverse for Copilot

STEP 7 OF 9



Add a Choice column 'Status' with the choices: New, Approved, In Progress, Resolved (description: 'Where the request is in its lifecycle'), and set its default to New.

Prepare Your Data with Dataverse for Copilot

STEP 8 OF 9

8

Add a single-line text column 'Assigned To' (description: 'Technician handling the request') and a multiline text column 'Resolution Notes' (description: 'What was done to fix it'). Save the table.

Prepare Your Data with Dataverse for Copilot

STEP 9 OF 9

9

Add two sample rows via 'Edit' (data): e.g. Title 'Flickering light in Tower A lobby', Location 'Tower A, L1, Lobby', Category Electrical, Priority Medium, Status New; and Title 'Server room too warm', Location 'Tower B, L4, Server Room', Category HVAC, Priority High, Status New.

Prepare Your Data with Dataverse for Copilot

Test it

The 'Maintenance Requests' table exists in Dataverse with named, described columns, Category/Priority/Status have the right choices, and two sample requests are saved.

Write Effective Prompts for App Building

LAB 3

A generated app is only as good as the prompt behind it. You draft a vague prompt, then a specific one that names the app's purpose, the data, the screens and the audience, and distil what worked into a reusable pattern you will use for the rest of the course. You do this in the Copilot prompt box without building the full app yet. **BUILDING BLOCK** — what you do in this lab becomes part of your Harbourfront Facilities Maintenance Request solution, the single deliverable you build, refine, automate and govern across all 10 labs.

You'll build

A written four-part app-prompt pattern (Purpose · Data · Screens · Audience) and one strong, tested app-building prompt saved for reuse.

Tools: Copilot prompt box, prompt design, Purpose/Data/Screens/Audience pattern

Write Effective Prompts for App Building

STEP 1 OF 8



From the Power Apps home page, open the 'Start with Copilot' prompt box (you will preview prompts here; you build the real app in Lab 4).

Write Effective Prompts for App Building

STEP 2 OF 8

2

Type a deliberately vague prompt and read how generic Copilot's proposed app is.

\$ Build me an app for maintenance.

Write Effective Prompts for App Building

STEP 3 OF 8

3

Now type a specific prompt for the same intent and compare what Copilot proposes.

\$ Build a canvas app for building staff to log maintenance requests using my Maintenance Requests table in Dataverse. It needs a screen to browse open requests, a screen to view one request in detail, and a form to submit a new request. The audience is non-technical facilities staff, so keep it simple and clearly labelled.

Write Effective Prompts for App Building

STEP 4 OF 8



4

Write down the four parts that made the second prompt work: the Purpose (what the app is for), the Data (which table), the Screens (what pages you want) and the Audience (who uses it).

Write Effective Prompts for App Building

STEP 5 OF 8

5

Capture your reusable pattern where you can find it — a notes doc, or pinned in your team's notes.

\$ PURPOSE: what the app is for | DATA: which Dataverse table | SCREENS: the pages you want | AUDIENCE: who uses it and how simple it must be

Write Effective Prompts for App Building

STEP 6 OF 8

6

Add the conditions that keep results trustworthy: always name the exact table, list the screens explicitly, and state the audience so Copilot pitches the design correctly.

Write Effective Prompts for App Building

STEP 7 OF 8

7

Rewrite one app idea of your own using the pattern (or refine the maintenance prompt), and read Copilot's proposal — do not build it yet.

Write Effective Prompts for App Building

STEP 8 OF 8

A green circle with a white number 8 inside, indicating the current step in the lab.

Save your best app-building prompt — you will reuse this pattern and this exact prompt in Lab 4 to generate the app.

Write Effective Prompts for App Building

Test it

You can show two proposals for the same intent (vague vs specific), a written four-part prompt pattern, and one saved app-building prompt ready to use in Lab 4.

Recap — Get Started with Copilot in Power Apps

1

You can now: Sign in to Power Apps, confirm Copilot is enabled, and find your way around Power Apps Studio and the Copilot pane.

2

You can now: Create a well-described Dataverse table so Copilot has the context it needs to build an accurate app.

3

You can now: Compare a vague app prompt with a specific one and capture a reusable four-part prompt pattern for building apps.

TOPIC 02

Build Canvas Apps with Copilot

Creating an app from a prompt · Refining screens, controls and layouts with Copilot · Generating and explaining Power Fx formulas with Copilot · Adding an in-app Copilot chat for users

Key Concepts — Build Canvas Apps with Copilot

1

Creating an app from a prompt — describe the app you want (its purpose and its data) and Copilot generates a working, multi-screen canvas app you can run straight away.

2

Grounding on your data — point Copilot at your Dataverse table so the generated app reads and writes your real records, not placeholder data.

3

Refining with Copilot — keep the conversation going: ask Copilot to add a screen, change a layout, sort a gallery or restyle a control, all in plain language.

4

Controls and layouts — galleries, forms, labels, buttons and containers are the building blocks Copilot arranges; you then fine-tune them in the property pane.

5

Power Fx — Power Apps' Excel-like formula language; Copilot writes Power Fx for you from a description, and explains any formula step by step.

6

Reading and trusting formulas — always read the Power Fx Copilot generates, test it against known data, and ask Copilot to explain anything unfamiliar before you rely on it.

Key Concepts — Build Canvas Apps with Copilot (cont.)

7

In-app Copilot chat — a Copilot control you can add to an app so your end users can ask questions of the app's data in natural language.

8

Human in the loop — Copilot drafts screens, formulas and flows; you run them, test them and decide what to publish.

Hands-On Labs — Build Canvas Apps with Copilot

Labs 4–5

- Create a Canvas App from a Prompt
- Refine Screens, Controls and Layouts with Copilot

Labs 6–7

- Generate and Explain Power Fx Formulas with Copilot
- Add an In-App Copilot Chat for Users

Create a Canvas App from a Prompt

LAB 4

Now you build the real app. You give Copilot the app-building prompt you saved in Lab 3, point it at your Maintenance Requests table, and let it generate a working canvas app with a browse screen, a detail screen and a submit form. You run it, confirm it reads and writes your real data, and save it. **BUILDING BLOCK** — what you do in this lab becomes part of your Harbourfront Facilities Maintenance Request solution, the single deliverable you build, refine, automate and govern across all 10 labs.

You'll build

A working canvas app, 'Harbourfront Maintenance', generated by Copilot and grounded on the Maintenance Requests table, that you can run to browse, view and submit requests.

Tools: Start with Copilot, canvas app generation, Dataverse grounding, Play/Preview

Create a Canvas App from a Prompt

STEP 1 OF 8



From the Power Apps home page choose 'Start with Copilot' and paste the specific app-building prompt you saved in Lab 3.

\$ Build a canvas app for building staff to log maintenance requests using my Maintenance Requests table in Dataverse. It needs a screen to browse open requests, a screen to view one request in detail, and a form to submit a new request. The audience is non-technical facilities staff, so keep it simple and clearly labelled.

Create a Canvas App from a Prompt

STEP 2 OF 8

2

When Copilot asks which data to use, choose 'Dataverse' and select your 'Maintenance Requests' table so the app is grounded on your real records, not sample data.

Create a Canvas App from a Prompt

STEP 3 OF 8

3

Review Copilot's plan (the screens and controls it proposes). If it looks right, choose 'Create app' and let Copilot build it — this opens the generated app in Power Apps Studio.

Create a Canvas App from a Prompt

STEP 4 OF 8

4

Rename the app 'Harbourfront Maintenance' (File > Save, then set the name) and Save it.

Create a Canvas App from a Prompt

STEP 5 OF 8

5

Run the app with Preview (the play button, or F5). Check the browse screen lists your two sample requests, that selecting one opens its details, and that the new-request form shows your columns.

Create a Canvas App from a Prompt

STEP 6 OF 8

6

Submit a test request through the form (for example 'Blocked drain in Tower B washroom', Plumbing, Low), then confirm it appears in the browse gallery — proving the app writes back to Dataverse.

Create a Canvas App from a Prompt

STEP 7 OF 8



Verify in the data: open the Maintenance Requests table's data view in another tab and confirm your test request is stored there.

Create a Canvas App from a Prompt

STEP 8 OF 8



Close Preview and Save. You now have a working, data-connected app to refine in the next labs.

Create a Canvas App from a Prompt

Test it

The 'Harbourfront Maintenance' app runs, its browse screen lists real records from Dataverse, and a request submitted through the form appears both in the app and in the Maintenance Requests table.

Refine Screens, Controls and Layouts with Copilot

LAB 5

A generated app is a starting point. You keep the conversation going with Copilot to make the app clearer and more useful: sort and filter the gallery, relabel and reorder fields, tidy the layout and adjust styling — all by describing what you want rather than editing by hand. BUILDING BLOCK — what you do in this lab becomes part of your Harbourfront Facilities Maintenance Request solution, the single deliverable you build, refine, automate and govern across all 10 labs.

You'll build

A refined 'Harbourfront Maintenance' app: the browse gallery sorted and filtered sensibly, clearer labels, and a tidier layout produced by describing changes to Copilot.

Tools: Copilot pane in Studio, galleries, forms, labels, layout and styling

Refine Screens, Controls and Layouts with Copilot

STEP 1 OF 8



Open the 'Harbourfront Maintenance' app in Studio and open the Copilot pane.

Refine Screens, Controls and Layouts with Copilot

STEP 2 OF 8

2

Ask Copilot to sort the browse gallery so the newest requests are first.

\$ Sort the requests gallery on the browse screen so the most recently created requests appear at the top.

Refine Screens, Controls and Layouts with Copilot

STEP 3 OF 8

3

Ask Copilot to show only open work by filtering out resolved requests.

\$ On the browse screen, show only requests whose Status is not Resolved.

Refine Screens, Controls and Layouts with Copilot

STEP 4 OF 8

4

Ask Copilot to make each gallery item clearer by showing the key fields.

\$ In each item of the requests gallery, show the Title in bold, then Location and Category on one line, and show the Priority as a coloured tag.

Refine Screens, Controls and Layouts with Copilot

STEP 5 OF 8

5

Ask Copilot to improve a label and the screen title for a non-technical audience.

\$ Rename the browse screen's title to 'Open Maintenance Requests' and change the new-request button label to '+ New Request'.

Refine Screens, Controls and Layouts with Copilot

STEP 6 OF 8

6

Ask Copilot to tidy the detail screen's layout.

\$ On the detail screen, group the request fields into a single readable card with clear field labels and consistent spacing.

Refine Screens, Controls and Layouts with Copilot

STEP 7 OF 8



After each change, run Preview (F5) and confirm the app still works and looks clearer; if a change is not what you meant, tell Copilot what to adjust and re-run.

Refine Screens, Controls and Layouts with Copilot

STEP 8 OF 8



8

Save the app. Keep note of one change Copilot made that you would otherwise have done by hand — that is the time it saves you.

Refine Screens, Controls and Layouts with Copilot

Test it

The browse gallery is sorted newest-first and hides resolved requests, gallery items and the detail screen are clearer, and the app still runs correctly in Preview after the refinements.

Generate and Explain Power Fx Formulas with Copilot

LAB 6

Power Fx is what makes the app smart. You ask Copilot to write Power Fx from a plain description — a priority colour, a count of open requests, a days-open calculation — paste each formula onto the right control, then ask Copilot to explain a formula step by step and verify every result against your data. BUILDING BLOCK — what you do in this lab becomes part of your Harbourfront Facilities Maintenance Request solution, the single deliverable you build, refine, automate and govern across all 10 labs.

You'll build

Several verified Power Fx formulas on your app (a priority colour, an open-requests count, and a days-open value), plus a plain-English explanation of one formula.

Tools: Power Fx, Copilot formula generation and explanation, verification

Generate and Explain Power Fx Formulas with Copilot

STEP 1 OF 8



With the app open, select the Priority tag/label in the gallery. Ask Copilot for a formula that colours it by priority.

\$ Write a Power Fx formula for the Fill (or Color) of this label that shows red when Priority is High, amber when Medium, and green when Low.

Generate and Explain Power Fx Formulas with Copilot

STEP 2 OF 8

2

Paste Copilot's formula onto the control's Color/Fill property. Below is the shape to expect — adjust the field and choice names to match your table.

```
$ Switch(ThisItem.Priority.Value, "High", Color.Red, "Medium", Color.Orange, "Low", Color.Green, Color.Gray)
```

Generate and Explain Power Fx Formulas with Copilot

STEP 3 OF 8

3

Verify: run Preview and confirm a High request shows red, a Medium amber, a Low green. If a colour is wrong, tell Copilot which value is off and re-run.

Generate and Explain Power Fx Formulas with Copilot

STEP 4 OF 8

4

Add a header count of open requests. Select the browse screen header, add a label, and ask Copilot for the formula.

\$ Write a Power Fx formula for a label's Text that counts how many requests in the Maintenance Requests table have a Status that is not Resolved, shown as 'Open requests: N'.

Generate and Explain Power Fx Formulas with Copilot

STEP 5 OF 8

5

Paste the formula and check the number matches what you can count in the gallery. Expected shape:

```
$ "Open requests: " & CountRows(Filter('Maintenance Requests', Status.Value <> "Resolved"))
```

Generate and Explain Power Fx Formulas with Copilot

STEP 6 OF 8

6

On the detail screen, add a 'Days open' label and ask Copilot for a formula using the created date.

\$ Write a Power Fx formula for a label's Text that shows how many whole days it has been since this request was created, using its Created On date.

Generate and Explain Power Fx Formulas with Copilot

STEP 7 OF 8

7

Ask Copilot to explain one of its formulas so you understand it before you rely on it.

```
$ Explain, step by step, what this formula does: Switch(ThisItem.Priority.Value, "High", Color.Red, "Medium", Color.Orange, "Low", Color.Green, Color.Gray)
```

Generate and Explain Power Fx Formulas with Copilot

STEP 8 OF 8

8

Read the explanation and write one sentence in your notes on what Switch does and why you would trust this formula. Save the app.

Generate and Explain Power Fx Formulas with Copilot

Test it

The priority tag is colour-coded correctly, the header shows a correct count of open requests, the detail screen shows a sensible days-open value, and you can explain in one sentence what one of the formulas does.

Add an In-App Copilot Chat for Users

LAB 7

Copilot does not only help you build — it can help your users too. You add the in-app Copilot control to a screen, point it at your Maintenance Requests data, write a couple of example questions users might ask, and test that the chat answers from the app's real records. **BUILDING BLOCK** — what you do in this lab becomes part of your Harbourfront Facilities Maintenance Request solution, the single deliverable you build, refine, automate and govern across all 10 labs.

You'll build

An in-app Copilot chat on the 'Harbourfront Maintenance' app that answers end-user questions from the Maintenance Requests data.

Tools: Copilot control (Insert > Copilot), grounding on Dataverse, end-user Q&A

Add an In-App Copilot Chat for Users

STEP 1 OF 8

1

Confirm the Copilot control is available in your environment (an admin setting enables the in-app Copilot control). If it is off, the trainer will show a shared app with it enabled.

Add an In-App Copilot Chat for Users

STEP 2 OF 8

2

Open the app in Studio, go to the browse screen, then Insert > Input (or 'Copilot') and add the 'Copilot' control to the screen.

Add an In-App Copilot Chat for Users

STEP 3 OF 8

3

Set the control's data source to your 'Maintenance Requests' table so it answers from your app's records, not the open web.

Add an In-App Copilot Chat for Users

STEP 4 OF 8

4

Position and size the control so it sits neatly on the screen (for example a panel on the right), and give the screen room for it.

Add an In-App Copilot Chat for Users

STEP 5 OF 8

5

Run Preview and ask the in-app Copilot a question a real user would ask.

\$ How many high-priority requests are still open, and where are they?

Add an In-App Copilot Chat for Users

STEP 6 OF 8

6

Ask a second, more specific question and confirm the answer matches what you can see in the gallery.

```
$ List the requests in Tower A that are not yet resolved.
```

Add an In-App Copilot Chat for Users

STEP 7 OF 8



Verify: cross-check one of Copilot's answers against the browse gallery or the table data — never present an answer you have not confirmed.

Add an In-App Copilot Chat for Users

STEP 8 OF 8



Save and publish a first version of the app (File > Save, then Publish) so it is ready to automate in Domain 3.

Add an In-App Copilot Chat for Users

Test it

The in-app Copilot control answers at least two natural-language questions from your Maintenance Requests data, and its answers match what you can verify in the app, with a first version published.

Recap — Build Canvas Apps with Copilot

1

You can now: Generate a working, multi-screen canvas app from a single plain-language prompt grounded on your Dataverse table.

2

You can now: Improve the generated app's screens, controls and layout by describing the changes to Copilot in plain language.

3

You can now: Use Copilot to write Power Fx formulas from a description, explain existing formulas, and verify them against your data.

4

You can now: Add a Copilot chat control so end users can ask questions of the app's data in natural language.

TOPIC 03

Automate and Extend with Copilot

Building Power Automate flows with Copilot · Integrating flows with canvas apps · Approval and notification scenarios · Sharing and governing AI-assisted apps

Key Concepts — Automate and Extend with Copilot

1

Power Automate — the Power Platform's workflow tool; Copilot builds automated flows from a plain-language description of the trigger and the actions.

2

Building flows with Copilot — describe what should happen and when (for example 'when a high-priority request is created, email the manager for approval') and Copilot assembles the flow.

3

Integrating flows with canvas apps — a flow can be called from a canvas app with Power Fx, so a button in your app starts the automation.

4

Approvals — Power Automate's Approvals action sends a request to an approver, waits for their decision, and branches the flow on approve or reject.

5

Notifications — flows can send email, Teams messages or mobile notifications to keep people informed as records change.

6

Sharing apps — canvas apps and their flows are shared with named users or groups, as run-only users or co-owners.

Key Concepts — Automate and Extend with Copilot (cont.)

7

Governing AI-assisted apps — environments, data loss prevention (DLP) policies and connector controls keep low-code apps safe; the owner stays accountable for what the app does.

8

Verify and document — test every Copilot-built flow end to end, and record what the app and flow do so the solution stays maintainable.

Hands-On Labs — Automate and Extend with Copilot

Lab 8

- Build a Power Automate Flow with Copilot and Call It from the App

Lab 9

- Automate Approval and Notification Scenarios

Lab 10

- Share and Govern Your AI-Assisted App

Build a Power Automate Flow with Copilot and Call It from the App

LAB 8

Now you automate. Using Copilot in Power Automate, you describe a flow that runs when a high-priority request is created and emails the facilities manager. You test it, then wire it into your canvas app so submitting a request can trigger the automation — connecting the app you built to a real workflow. **BUILDING BLOCK** — what you do in this lab becomes part of your Harbourfront Facilities Maintenance Request solution, the single deliverable you build, refine, automate and govern across all 10 labs.

You'll build

A Copilot-built Power Automate flow that notifies the manager of high-priority requests, tested and callable from the 'Harbourfront Maintenance' app.

Tools: Power Automate, Copilot flow builder, Dataverse trigger, Office 365 Outlook, Power Fx integration

Build a Power Automate Flow with Copilot and Call It from the App

STEP 1 OF 8



Go to Power Automate (from the app menu 'Flows', or make.powerautomate.com) in the same environment, and choose to create a flow with Copilot — the 'Describe it to design it' prompt box.

Build a Power Automate Flow with Copilot and Call It from the App

STEP 2 OF 8

2

Describe the flow you want in plain language and let Copilot assemble it.

\$ When a new row is created in my Maintenance Requests table in Dataverse and its Priority is High, send an email to the facilities manager with the request's Title, Location and Description.

Build a Power Automate Flow with Copilot and Call It from the App

STEP 3 OF 8

3

Review the flow Copilot built: confirm the trigger is 'When a row is added' on Maintenance Requests, that there is a condition on Priority = High, and that the action is 'Send an email (V2)'. Add the manager's address (use your own for testing).

Build a Power Automate Flow with Copilot and Call It from the App

STEP 4 OF 8

4

Save the flow, name it 'Notify manager of high-priority request', and test it: create a High-priority request (in the app or the table) and confirm the email arrives.

Build a Power Automate Flow with Copilot and Call It from the App

STEP 5 OF 8

5

Read what Copilot built, step by step, so you understand it — ask Copilot to explain any action you are unsure of before you rely on the flow.

Build a Power Automate Flow with Copilot and Call It from the App

STEP 6 OF 8

6

Integrate the flow with the app: open 'Harbourfront Maintenance' in Studio, add the Power Automate flow to the app (Power Automate pane > add your flow), and select the submit button.

Build a Power Automate Flow with Copilot and Call It from the App

STEP 7 OF 8

7

Ask Copilot in Studio for the Power Fx to run the flow when the button is pressed, or add it yourself. Expected shape (name matches your flow):

```
$ 'Notifymanagerofhighpriorityrequest'.Run(TitleInput.Text, LocationInput.Text, DescriptionInput.Text)
```

LAB 8

Build a Power Automate Flow with Copilot and Call It from the App

STEP 8 OF 8



Run Preview, submit a High-priority request, and confirm both that the record is saved and that the flow runs and the email arrives. Save the app.

Build a Power Automate Flow with Copilot and Call It from the App

Test it

The flow runs when a high-priority request is created (or the app button is pressed), the manager receives an email with the request details, and you can explain what each step of the flow does.

Automate Approval and Notification Scenarios

LAB 9

A notification is good; a decision is better. You extend the flow with Copilot so a high-priority request is sent to the manager for approval, and when they approve or reject, the flow updates the request's Status and notifies the requester of the outcome — a complete approval-and-notification loop. **BUILDING BLOCK** — what you do in this lab becomes part of your Harbourfront Facilities Maintenance Request solution, the single deliverable you build, refine, automate and govern across all 10 labs.

You'll build

An approval-and-notification flow: high-priority requests go to the manager for approval, the request Status is updated on the decision, and the requester is notified of the outcome.

Tools: Power Automate Approvals, conditions/branches, Dataverse update row, notifications

Automate Approval and Notification Scenarios

STEP 1 OF 8

1

Open your 'Notify manager of high-priority request' flow and edit it. Ask Copilot to turn the notification into an approval.

\$ Instead of just emailing the manager, start an approval and wait for the manager to approve or reject this high-priority request.

Automate Approval and Notification Scenarios

STEP 2 OF 8

2

Confirm Copilot added a 'Start and wait for an approval' action (Approve/Reject type) addressed to the manager, with the request's details in the approval message.

Automate Approval and Notification Scenarios

STEP 3 OF 8

3

Add the decision branch. Ask Copilot to handle both outcomes.

\$ After the approval, if it is approved set this request's Status to Approved; if it is rejected set the Status to Resolved with a note that it was rejected.

Automate Approval and Notification Scenarios

STEP 4 OF 8

4

Confirm the flow now has a Condition on the approval outcome and an 'Update a row' action on Maintenance Requests in each branch that sets Status correctly.

Automate Approval and Notification Scenarios

STEP 5 OF 8

5

Add the requester notification. Ask Copilot to close the loop.

\$ After the status is updated, send an email to the person who created the request telling them whether it was approved or rejected.

Automate Approval and Notification Scenarios

STEP 6 OF 8



Save the flow and test the approve path: create a High-priority request, open the approval (in Power Automate, Outlook or Teams), approve it, and confirm the request's Status becomes Approved and the requester is emailed.

Automate Approval and Notification Scenarios

STEP 7 OF 8



Test the reject path with a second request: reject it, and confirm the Status and the requester's email reflect the rejection.

Automate Approval and Notification Scenarios

STEP 8 OF 8



Check the app: open 'Harbourfront Maintenance' and confirm the browse gallery now shows the updated statuses from the flow — the automation and the app are working together.

Automate Approval and Notification Scenarios

Test it

Approving a high-priority request sets its Status to Approved and emails the requester; rejecting one sets the Status accordingly and emails the requester; and the app's gallery reflects both outcomes.

Share and Govern Your AI-Assisted App

LAB 10

An app only helps if the right people can use it — safely. You share the app with users and the flow's connections, review who can do what, and apply governance: the environment it lives in, data loss prevention awareness, and documenting what the solution does so it stays maintainable and accountable. BUILDING BLOCK — what you do in this lab becomes part of your Harbourfront Facilities Maintenance Request solution, the single deliverable you build, refine, automate and govern across all 10 labs.

You'll build

A shared 'Harbourfront Maintenance' app with the flow's connections in place, plus a short governance note covering sharing, environment, DLP and documentation.

Tools: App sharing, run-only vs co-owner, environments, DLP awareness, documentation

Share and Govern Your AI-Assisted App

STEP 1 OF 8



In the maker portal, open 'Apps', select 'Harbourfront Maintenance', and choose 'Share'.

Share and Govern Your AI-Assisted App

STEP 2 OF 8

A green circle with a white number 2 inside, indicating the second step of the process.

Share with a colleague or a group as run-only users (they can use the app but not edit it), and note the difference between run-only users and co-owners who can edit. Confirm the app's flow connections are included so the automation still works for shared users.

Share and Govern Your AI-Assisted App

STEP 3 OF 8

3

Review governance — the environment: confirm which environment the app and flow live in, and understand that moving between Dev/Test/Prod environments is how organisations control release. Note your environment name.

Share and Govern Your AI-Assisted App

STEP 4 OF 8



4

Review governance — data loss prevention (DLP): understand that admins use DLP policies to control which connectors (Dataverse, Outlook, Teams, etc.) can be combined; check your app only uses connectors your organisation allows.

Share and Govern Your AI-Assisted App

STEP 5 OF 8

5

Ask Copilot to help you document the solution so it stays maintainable.

\$ Write a short description of this app and its flow for other makers: what it does, which Dataverse table it uses, what the approval flow does, and who it is shared with.

Share and Govern Your AI-Assisted App

STEP 6 OF 8

6

Save that description in the app's details (Apps > ... > Details > Description) and in your team notes, so the next person understands the solution.

Share and Govern Your AI-Assisted App

STEP 7 OF 8



Confirm accountability: you — the owner — are responsible for what the app and flow do; Copilot only helped build them. Note who to contact if the flow needs changing.

Share and Govern Your AI-Assisted App

STEP 8 OF 8



Final check: run the shared app once more end to end (submit a High-priority request, approve it, see the status update) to confirm the complete Harbourfront Facilities solution works.

Share and Govern Your AI-Assisted App

Test it

The app is shared with at least one user or group with the flow's connections included, you can state the environment and which connectors the app uses, and a plain-language description of the solution is saved with the app.

Recap — Automate and Extend with Copilot

1

You can now: Use Copilot to build an automated flow, then integrate it with the canvas app so a button starts the automation.

2

You can now: Extend the flow into an approval-and-notification scenario that updates the request based on the decision.

3

You can now: Share the app and flow with the right people and apply sensible governance to your AI-assisted solution.



WRAP-UP

Course Summary & Next Steps

What You Achieved

1

Enable Copilot & Studio

Enable Copilot in Power Apps and navigate Power Apps Studio ready to build.

2

Prepare Dataverse data

Prepare a Dataverse table with clear names and descriptions so Copilot can build accurate apps.

3

Prompt for apps

Write effective prompts that get Copilot to build the app you actually want.

4

App from a prompt

Create a working canvas app from a single plain-language prompt.

5

Refine screens

Refine an app's screens, controls and layouts by describing the changes to Copilot.

6

Power Fx formulas

Generate and explain Power Fx formulas with Copilot, and verify them against your data.

What You Achieved (cont.)

7

In-app Copilot chat

Add an in-app Copilot chat so end users can query the app's data in natural language.

8

Flows with Copilot

Build a Power Automate flow with Copilot and call it from a canvas app.

9

Approvals & notifications

Automate approval and notification scenarios with Copilot-built flows.

10

Share & govern

Share and govern AI-assisted apps responsibly.

Keep Practising After the Course

1

Re-run the labs on your own machine — repetition is what makes the skills stick.

2

Apply the techniques to a real process or project in your own organisation.

3

Your course material stays available at <https://lms-tms.tertiaryinfotech.com/>.

4

Explore the follow-on courses at www.tertiarycourses.com.sg.

THANK YOU FOR ATTENDING

Thank You!

You now have the practical skills from every lab in this course — keep applying them to your own work.