Lab 05 — Generative Fill: Directed Inpainting

Generative AI (GenAI) Visuals in Photoshop and Firefly

TGS-2024045220 · Version 7 · 21 August 2026

Course: Generative AI (GenAI) Visuals in Photoshop and Firefly (TGS-2024045220)

Version: v7 · 21 August 2026

Scenario

An editorial wildlife visual needs a plausible environmental detail without damaging the original subject.

Objective

Use a controlled selection and Generative Fill to add, replace and remove content non-destructively.

Supplied Photoshop/JPEG files

- elephant-start.psd

Detailed procedure

1. Open elephant-start.psd and save lab05-generative-fill.psd.

2. Duplicate the source group and identify protected subject edges.

3. Draw a selection with enough surrounding context for one added environmental detail.

4. Run Generative Fill with a concise prompt and retain at least three variations.

5. Select the strongest variation by edge, light, scale and narrative fit.

6. Create a second selection and use a blank prompt for a controlled removal.

7. Inspect both edits at Fit and 100%, refining masks without flattening.

8. Export lab05-final.jpg and capture the Layers panel as evidence.

Evidence to retain

Layered PSD, selected variations, final JPEG and zoomed edge/Layers-panel evidence.

Acceptance criteria

- ■ Original pixels remain protected.
- ■ Generated edits are on named generated layers with editable masks.
- ■ Edges, lighting and scale pass 100% inspection.

Reflection prompts

- Which decision most improved the message or focal hierarchy?
- How does the Layers panel prove that the workflow remains editable?
- What rights or provenance evidence must accompany the finished image?