WSQ COURSE

COURSE SLIDES · WSQ

Generative AI (GenAI) Visuals in Photoshop and Firefly

WSQ Course Code TGS-2024045220
TSC Visual Communication · DSN-COM-4005-1.1
Provider Tertiary Infotech Academy Pte Ltd · 201200696W

Version v8 · 13 October 2026



© 2026 Tertiary Infotech Academy Pte Ltd · TGS-2024045220

TRAQOM · SSG Digital Attendance

TRAQOM

Scan the QR code provided through the LMS for each required attendance event.

Identity

Use only your authorised identity.

Verification

Remain until the trainer confirms the SSG digital-attendance record.

© 2026 Tertiary Infotech Academy Pte Ltd

FACILITATOR TEMPLATE

General Trainer Profile



TRAINER NAME

Insert approved profile photo and professional designation before delivery.

Name

Title / Designation

Qualifications

Areas of expertise

Training & industry experience

Contact

© 2026 Tertiary Infotech Academy Pte Ltd

NAMED FACILITATOR

About the Trainer



DR ALFRED ANG

Principal Trainer
Tertiary Infotech Academy

Role

Principal Trainer

Expertise

Digital transformation · GenAI visuals

Facilitation

Concepts · coached practice · evidence review

Quality

Reversible workflows · acceptance criteria

Learning culture

Explain the reason behind every edit

Contact

enquiry@tertiaryinfotech.com · +65 6100 0613

© 2026 Tertiary Infotech Academy Pte Ltd

OPENING DISCUSSION

Your GenAI Visual Context

Role

What visuals do you create or manage?

Channel

Social, web, presentation, print or campaign?

Friction

Which ideation or Photoshop task costs the most time?

Quality

Which visual defect is most visible today?

Experience

Which Firefly or Photoshop feature is familiar?

Evidence

What finished artifact will prove improvement?

© 2026 Tertiary Infotech Academy Pte Ltd

GROUND RULES

Working Agreements

Participate

Try the tools and explain choices.

Respect

Critique work, not people.

Protect assets

Use permitted sources and retain rights evidence.

Save versions

Preserve originals and name layers/files.

Share safely

Protect learner work and assessment content.


Verify

Reopen exports before delivery.

© 2026 Tertiary Infotech Academy Pte Ltd

COURSE PORTAL


Login to LMS and Download Course Material



Log in at lms-tms.tertiaryinfotech.com with your registered email and the OTP sent to your inbox, then open this course to download the slides and Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

Download Course Materials



© 2026 Tertiary Infotech Academy Pte Ltd

Access the Ten Lab Folders

Open the course repository, select labs/, then open the numbered folder assigned by your trainer.


Open the learner lab folders

Every folder contains a detailed guide plus supplied PSD/JPEG assets. Keep your outputs inside that folder or the trainer-approved workspace.

© 2026 Tertiary Infotech Academy Pte Ltd

COURSE FLOW

Two-Day Learning Journey



OUTCOME The workflow moves from audience-led exploration to Firefly control, editable Photoshop integration, critique and verified delivery.

© 2026 Tertiary Infotech Academy Pte Ltd

Skills Framework Alignment

TSC

Visual Communication · DSN-COM-4005-1.1

Course

TGS-2024045220

Duration

2 days · 16 hours, including 2 hours of assessment

Knowledge

K1–K5

Abilities

A1–A7

Assessment

WA 60 min · PP 60 min

© 2026 Tertiary Infotech Academy Pte Ltd

K1–K5

Knowledge Criteria

K1

Elements of typography, logos, visual communication design and information design.

K2

Best practices for visual communication.

K3

Uses of relevant visual-design software packages.

K4

Colour fundamentals and forms.

K5

Techniques for analysing aesthetics.

© 2026 Tertiary Infotech Academy Pte Ltd

Ability Criteria

A1

Initiate visual communication ideas through exploration.

A2

Develop outputs by integrating media, materials, processes and environments.

A3

Create storyboards and task flows to communicate intentions.

A4

Evaluate design work with stakeholders.

A5

Propose suggestions to enhance visual formats.

A6

Critique own and others' work using explicit criteria.

A7

Develop strategies that strengthen the appeal of visual outputs.

© 2026 Tertiary Infotech Academy Pte Ltd

WHAT YOU WILL BE ABLE TO DO

Learning Outcomes

LO1

Initiate visual communication through generative AI in Photoshop and Firefly.

LO2

Create storyboards in Firefly for visual narratives and task flows.

LO3

Propose enhancements through aesthetic analysis and advanced critique in Photoshop.

LO4

Formulate generative-AI colour strategies in Photoshop.

© 2026 Tertiary Infotech Academy Pte Ltd

FOUR CONNECTED TOPICS

Course Outline

Topic 1

GenAI for Visual Communication
Turn an audience need into an intentional, rights-aware visual direction.
LO1 · K1 · K2 · A1 · A2

Topic 2

Firefly Storyboards and Reference Control
Control composition and style, then organise variations into a communicable flow.
LO2 · K3 · A3

Topic 3

Photoshop Generative Editing and Critique
Use selections and generative features to build, evaluate and improve editable composites.
LO3 · K3 · K5 · A4 · A5 · A6

Topic 4

Colour Strategy, Enhancement and Delivery
Build a coherent palette, preserve editability and verify the delivered visual.
LO4 · K4 · K5 · A7

© 2026 Tertiary Infotech Academy Pte Ltd

BEFORE THE PAPERS BEGIN

Assessment Briefing

Individual work

No discussion, photography or recording of assessment scripts.

Approved references

Use course materials allowed by the assessor.

Phones/materials

Place unapproved items under the table or as directed.

Writing

Use black/blue pen for hard copy; no correction fluid or tape.

Time

WA 60 minutes; PP 60 minutes; submit when time is called.

Outcome

Competent or Not Yet Competent, with reassessment and appeal rights explained.

© 2026 Tertiary Infotech Academy Pte Ltd

SUMMATIVE EVIDENCE

Assessment Design



OUTCOME Five written questions and four connected practical tasks; each instrument is 60 minutes and open book.

© 2026 Tertiary Infotech Academy Pte Ltd

K2 · K3

Tools, Materials and Workspace

Hardware

Laptop, suitable display, mouse/tablet and reliable storage.

Software

Current supported Photoshop desktop release and Adobe Firefly access.

Workspace

Panels arranged for task focus and sufficient scratch disk.

Sources

Supplied rights-aware PSD/JPEG assets and approved references.

Output brief

Audience, channel, pixel size, colour space and copy-safe areas.

Safety

Backups, reversible editing and verified exports.

© 2026 Tertiary Infotech Academy Pte Ltd

TOOL CONTEXT

Adobe Tool Scope

Firefly

Prompt-led image exploration, reference controls and storyboard ideation.

Photoshop

Selections, generative edits, compositing, colour and output.

Not Adobe certification

This WSQ course does not certify an Adobe credential.

Interface drift

Models and labels change; decisions and evidence remain durable.

Responsible AI

Review outputs, respect rights and retain provenance.

Trademark

Adobe, Firefly and Photoshop are Adobe trademarks.

© 2026 Tertiary Infotech Academy Pte Ltd

01

GenAI for Visual Communication


Turn an audience need into an intentional, rights-aware visual direction.

LO1 · K1 · K2 · A1 · A2

© 2026 Tertiary Infotech Academy Pte Ltd

EDITABLE PROMPT-QUALITY CHART

Prompt Quality Is a System



READ THE CHART

Illustrative review scores show that a vivid subject alone is insufficient; channel fit, composition, constraints and provenance complete the visual brief.

Editable native PowerPoint chart

© 2026 Tertiary Infotech Academy Pte Ltd

CONCEPT 01 · AUTHENTIC ASSET + EDITABLE ANNOTATIONS

Human-led GenAI Creative Loop



1

How it works

A human defines the brief, directs generation, selects evidence and remains accountable for publication.

2

Best used for

Fast exploration where intent and judgement matter more than raw variation count.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A decision log connects the selected visual to audience, purpose and acceptance criteria.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Human-led GenAI Creative Loop · control and judgement

CONTROL MAP

Brief · prompt · variation · critique · edit · verify

WATCH FOR

Automating the decision as well as the production.

QUALITY PROOF

A decision log connects the selected visual to audience, purpose and acceptance criteria.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

Worked Artifact · Human-led GenAI Creative Loop

01 · INTENT

Fast exploration where intent and judgement matter more than raw variation count.

02 · CONTROL SET

Brief · prompt · variation · critique · edit · verify

03 · REVIEW GATE

Automating the decision as well as the production.

04 · RETAINED EVIDENCE

A decision log connects the selected visual to audience, purpose and acceptance criteria.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Human-led GenAI Creative Loop

CONTROL SURFACE

1. Brief
2. prompt
3. variation
4. critique
5. edit

EDITABLE CANVAS / OUTPUT STATE

A human defines the brief, directs generation, selects evidence and remains accountable for publication.

Inspect at working view and delivery view

PROOF PANEL

A decision log connects the selected visual to audience, purpose and acceptance criteria.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Human-led GenAI Creative Loop

OBSERVE	Automating the decision as well as the production.
ISOLATE	Hold the brief and baseline constant; inspect: Brief · prompt · variation · critique · edit · verify.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**A decision log connects the selected visual to audience, purpose and acceptance criteria.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

GenAI Image Use Cases and Boundaries

1

How it works

Generation, insertion, removal, expansion and translation solve different visual problems and carry different risks.

2

Best used for

Choosing an appropriate AI feature before opening a tool.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The chosen feature and boundary are justified against the brief.



© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

GenAI Image Use Cases and Boundaries · control and judgement

CONTROL MAP

Task type · rights · sensitivity · required control · delivery channel

WATCH FOR

Using generation where faithful documentation is required.

QUALITY PROOF

The chosen feature and boundary are justified against the brief.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · GenAI Image Use Cases and Boundaries

01 · INTENT

Choosing an appropriate AI feature before opening a tool.

02 · CONTROL SET

Task type · rights · sensitivity · required control · delivery channel

03 · REVIEW GATE

Using generation where faithful documentation is required.

04 · RETAINED EVIDENCE

The chosen feature and boundary are justified against the brief.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

CONTROL SURFACE + CANVAS + PROOF

Annotated Decision Model · GenAI Image Use Cases and Boundaries

CONTROL SURFACE

1. Task type
2. rights
3. sensitivity
4. required control
5. delivery channel

EDITABLE CANVAS / OUTPUT STATE

Generation, insertion, removal, expansion and translation solve different visual problems and carry different risks.

Inspect at working view and delivery view

PROOF PANEL

The chosen feature and boundary are justified against the brief.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · GenAI Image Use Cases and Boundaries

OBSERVE	Using generation where faithful documentation is required.
ISOLATE	Hold the brief and baseline constant; inspect: Task type · rights · sensitivity · required control · delivery channel.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**The chosen feature and boundary are justified against the brief.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Prompt Anatomy



1

How it works

A useful prompt combines subject, action, setting, visual treatment, composition and constraints.

2

Best used for

Creating a clear starting direction without over-prescribing every pixel.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Prompt components can be traced to visible properties of the result.

© 2026 Tertiary Infotech Academy Pte Ltd

Prompt Anatomy · control and judgement

CONTROL MAP

Subject · action · setting · medium · lighting · camera · exclusions

WATCH FOR

Contradictory adjectives, vague subjects and accidental text instructions.

QUALITY PROOF

Prompt components can be traced to visible properties of the result.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Prompt Anatomy

01 · INTENT

Creating a clear starting direction without over-prescribing every pixel.

02 · CONTROL SET

Subject · action · setting · medium · lighting · camera · exclusions

03 · REVIEW GATE

Contradictory adjectives, vague subjects and accidental text instructions.

04 · RETAINED EVIDENCE

Prompt components can be traced to visible properties of the result.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Prompt Anatomy

CONTROL SURFACE

1. Subject
2. action
3. setting
4. medium
5. lighting

EDITABLE CANVAS / OUTPUT STATE

A useful prompt combines subject, action, setting, visual treatment, composition and constraints.

Inspect at working view and delivery view

PROOF PANEL

Prompt components can be traced to visible properties of the result.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Prompt Anatomy

OBSERVE	Contradictory adjectives, vague subjects and accidental text instructions.
ISOLATE	Hold the brief and baseline constant; inspect: Subject · action · setting · medium · lighting · camera · exclusions.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Prompt components can be traced to visible properties of the result.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Prompt Iteration and Variation

1

How it works

Changing one prompt factor at a time makes cause and effect observable.

2

Best used for

Converging from a broad direction to a defensible final candidate.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A contact sheet shows at least three labelled iterations and the selection reason.



© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Prompt Iteration and Variation · control and judgement

CONTROL MAP

Baseline · single-variable change · seed/variation · comparison notes

WATCH FOR

Changing model, prompt, style and composition simultaneously.

QUALITY PROOF

A contact sheet shows at least three labelled iterations and the selection reason.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Prompt Iteration and Variation

01 · INTENT

Converging from a broad direction to a defensible final candidate.

02 · CONTROL SET

Baseline · single-variable change · seed/variation · comparison notes

03 · REVIEW GATE

Changing model, prompt, style and composition simultaneously.

04 · RETAINED EVIDENCE

A contact sheet shows at least three labelled iterations and the selection reason.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Prompt Iteration and Variation

CONTROL SURFACE

1. Baseline
2. single-variable change
3. seed/variation
4. comparison notes

EDITABLE CANVAS / OUTPUT STATE

Changing one prompt factor at a time makes cause and effect observable.

Inspect at working view and delivery view

PROOF PANEL

A contact sheet shows at least three labelled iterations and the selection reason.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Prompt Iteration and Variation

OBSERVE	Changing model, prompt, style and composition simultaneously.
ISOLATE	Hold the brief and baseline constant; inspect: Baseline · single-variable change · seed/variation · comparison notes.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**A contact sheet shows at least three labelled iterations and the selection reason.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Visual Hierarchy and Emphasis



1

How it works

Scale, contrast, position, isolation and detail establish what viewers notice first.

2

Best used for

Campaign visuals that need a clear focal point and reading order.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A squint test and thumbnail view preserve the intended reading order.

© 2026 Tertiary Infotech Academy Pte Ltd

Visual Hierarchy and Emphasis · control and judgement

CONTROL MAP

Primary focal point · secondary cue · supporting detail · CTA space

WATCH FOR

Competing focal points or an empty area that cannot hold useful copy.

QUALITY PROOF

A squint test and thumbnail view preserve the intended reading order.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Visual Hierarchy and Emphasis

01 · INTENT

Campaign visuals that need a clear focal point and reading order.

02 · CONTROL SET

Primary focal point · secondary cue · supporting detail · CTA space

03 · REVIEW GATE

Competing focal points or an empty area that cannot hold useful copy.

04 · RETAINED EVIDENCE

A squint test and thumbnail view preserve the intended reading order.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Visual Hierarchy and Emphasis

CONTROL SURFACE

1. Primary focal point
2. secondary cue
3. supporting detail
4. CTA space

EDITABLE CANVAS / OUTPUT STATE

Scale, contrast, position, isolation and detail establish what viewers notice first.

Inspect at working view and delivery view

PROOF PANEL

A squint test and thumbnail view preserve the intended reading order.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Visual Hierarchy and Emphasis

OBSERVE	Competing focal points or an empty area that cannot hold useful copy.
ISOLATE	Hold the brief and baseline constant; inspect: Primary focal point · secondary cue · supporting detail · CTA space.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**A squint test and thumbnail view preserve the intended reading order.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

CONCEPT 06 · AUTHENTIC ASSET + EDITABLE ANNOTATIONS

Scale, Balance and Alignment

1

How it works

Relative size signals importance; visual mass and common edges stabilise the composition.

2

Best used for

Combining generated imagery with typography or brand elements.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Guides and a reduced-size review confirm balance across the frame.



© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Scale, Balance and Alignment · control and judgement

CONTROL MAP

Scale ratio · visual weight · grid · edge alignment · safe area

WATCH FOR

Centred-by-default layouts or tangencies that feel accidental.

QUALITY PROOF

Guides and a reduced-size review confirm balance across the frame.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Scale, Balance and Alignment

01 · INTENT

Combining generated imagery with typography or brand elements.

02 · CONTROL SET

Scale ratio · visual weight · grid · edge alignment · safe area

03 · REVIEW GATE

Centred-by-default layouts or tangencies that feel accidental.

04 · RETAINED EVIDENCE

Guides and a reduced-size review confirm balance across the frame.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Scale, Balance and Alignment

CONTROL SURFACE

1. Scale ratio
2. visual weight
3. grid
4. edge alignment
5. safe area

EDITABLE CANVAS / OUTPUT STATE

Relative size signals importance; visual mass and common edges stabilise the composition.

Inspect at working view and delivery view

PROOF PANEL

Guides and a reduced-size review confirm balance across the frame.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Scale, Balance and Alignment

OBSERVE	Centred-by-default layouts or tangencies that feel accidental.
ISOLATE	Hold the brief and baseline constant; inspect: Scale ratio · visual weight · grid · edge alignment · safe area.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Guides and a reduced-size review confirm balance across the frame.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Contrast, Repetition and Negative Space



1

How it works

Contrast separates roles, repetition creates coherence and negative space gives the message room to breathe.

2

Best used for

Social tiles, posters and storyboard frames that must scan quickly.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Grayscale and thumbnail checks confirm separation and rhythm.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Contrast, Repetition and Negative Space · control and judgement

CONTROL MAP

Value contrast · colour contrast · repeated motif · breathing room

WATCH FOR

Decorative repetition that overwhelms the subject.

QUALITY PROOF

Grayscale and thumbnail checks confirm separation and rhythm.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

Worked Artifact · Contrast, Repetition and Negative Space

01 · INTENT

Social tiles, posters and storyboard frames that must scan quickly.

02 · CONTROL SET

Value contrast · colour contrast · repeated motif · breathing room

03 · REVIEW GATE

Decorative repetition that overwhelms the subject.

04 · RETAINED EVIDENCE

Grayscale and thumbnail checks confirm separation and rhythm.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Contrast, Repetition and Negative Space

CONTROL SURFACE

1. Value contrast
2. colour contrast
3. repeated motif
4. breathing room

EDITABLE CANVAS / OUTPUT STATE

Contrast separates roles, repetition creates coherence and negative space gives the message room to breathe.

Inspect at working view and delivery view

PROOF PANEL

Grayscale and thumbnail checks confirm separation and rhythm.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Contrast, Repetition and Negative Space

OBSERVE	Decorative repetition that overwhelms the subject.
ISOLATE	Hold the brief and baseline constant; inspect: Value contrast · colour contrast · repeated motif · breathing room.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Grayscale and thumbnail checks confirm separation and rhythm.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Audience, Story and Responsible Provenance

1

How it works

A visual is credible when its message fits the audience and its source, prompts and edits remain explainable.

2

Best used for

Commercial, organisational and public-facing visual communication.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A provenance note accompanies the editable master and export.



© 2026 Tertiary Infotech Academy Pte Ltd

Audience, Story and Responsible Provenance · control and judgement

CONTROL MAP

Audience need · claim risk · asset rights · prompt log · Content Credentials

WATCH FOR

Misleading realism, unlicensed references or unsupported claims.

QUALITY PROOF

A provenance note accompanies the editable master and export.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

Worked Artifact · Audience, Story and Responsible Provenance

01 · INTENT

Commercial, organisational and public-facing visual communication.

02 · CONTROL SET

Audience need · claim risk · asset rights · prompt log · Content Credentials

03 · REVIEW GATE

Misleading realism, unlicensed references or unsupported claims.

04 · RETAINED EVIDENCE

A provenance note accompanies the editable master and export.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Audience, Story and Responsible Provenance

CONTROL SURFACE

1. Audience need
2. claim risk
3. asset rights
4. prompt log
5. Content Credentials

EDITABLE CANVAS / OUTPUT STATE

A visual is credible when its message fits the audience and its source, prompts and edits remain explainable.

Inspect at working view and delivery view

PROOF PANEL

A provenance note accompanies the editable master and export.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Audience, Story and Responsible Provenance

OBSERVE	Misleading realism, unlicensed references or unsupported claims.
ISOLATE	Hold the brief and baseline constant; inspect: Audience need · claim risk · asset rights · prompt log · Content Credentials.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**A provenance note accompanies the editable master and export.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 01 · Prompt-to-Image Visual Brief



A reading campaign needs an imaginative hero image with clear copy space for a social tile.

Translate an audience brief into a controlled Firefly prompt set and selected visual direction.

1	2	3	4	5
Analyse	Choose	Apply	Inspect	Evidence

EVIDENCE — **Three prompt/result records, selected JPEG and decision log identifying A1 exploration and A2 integration decisions.**

Full procedure · Learner Guide / Lab 01

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 02 · Design Principles and Prompt Refinement



A creative studio wants a poster-ready yarn-art visual with one strong headline zone.

Use Photoshop layout evidence to refine a generated visual against hierarchy, balance and contrast criteria.

1	2	3	4	5
Analyse	Choose	Apply	Inspect	Evidence

EVIDENCE — **Layered PSD, exported JPEG and a short comparison note covering K1/K2 design principles.**

Full procedure · Learner Guide / Lab 02

© 2026 Tertiary Infotech Academy Pte Ltd

EXPLAIN THE DECISION

Topic 1 Checkpoint

Purpose

What does the audience need to notice?

Method

Why does this technique fit the content and edge?

Control

Which setting most changes the outcome?

Failure

What defect would make the result unacceptable?

Proof

Which view and evidence demonstrate quality?

Next

What controlled variation would improve the result?

© 2026 Tertiary Infotech Academy Pte Ltd

02


Firefly Storyboards and Reference Control

Control composition and style, then organise variations into a communicable flow.

LO2 · K3 · A3

© 2026 Tertiary Infotech Academy Pte Ltd

Reference-control Decision



READ THE CHART

Illustrative decision ratings (1–5): composition and style references solve different control problems. Combine them only after isolating each influence.

Editable native PowerPoint chart

© 2026 Tertiary Infotech Academy Pte Ltd

Choosing a Firefly Image Model



1

How it works

Firefly models offer different balances of speed, realism, prompt interpretation and control.

2

Best used for

Matching generation quality and latency to the storyboard purpose.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The selected model is recorded with a visible comparison or reason.

© 2026 Tertiary Infotech Academy Pte Ltd

Choosing a Firefly Image Model · control and judgement

CONTROL MAP

Current model · output intent · speed · detail · available controls

WATCH FOR

Assuming the newest model behaves identically to an older one.

QUALITY PROOF

The selected model is recorded with a visible comparison or reason.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Choosing a Firefly Image Model

01 · INTENT

Matching generation quality and latency to the storyboard purpose.

02 · CONTROL SET

Current model · output intent · speed · detail · available controls

03 · REVIEW GATE

Assuming the newest model behaves identically to an older one.

04 · RETAINED EVIDENCE

The selected model is recorded with a visible comparison or reason.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Choosing a Firefly Image Model

CONTROL SURFACE

1. Current model
2. output intent
3. speed
4. detail
5. available controls

EDITABLE CANVAS / OUTPUT STATE

Firefly models offer different balances of speed, realism, prompt interpretation and control.

Inspect at working view and delivery view

PROOF PANEL

The selected model is recorded with a visible comparison or reason.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Choosing a Firefly Image Model

OBSERVE	Assuming the newest model behaves identically to an older one.
ISOLATE	Hold the brief and baseline constant; inspect: Current model · output intent · speed · detail · available controls.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**The selected model is recorded with a visible comparison or reason.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Content Type and Visual Intensity

1

How it works

Content type steers photo/illustration behaviour while visual intensity adjusts how strongly styling affects the result.

2

Best used for

Moving between documentary-looking and illustrative storyboard frames.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Two controlled variants demonstrate the effect of the setting.



© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Content Type and Visual Intensity · control and judgement

CONTROL MAP

Photo/art · auto mode · visual intensity · effects

WATCH FOR

Treating intensity as a substitute for a clear prompt.

QUALITY PROOF

Two controlled variants demonstrate the effect of the setting.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Content Type and Visual Intensity

01 · INTENT

Moving between documentary-looking and illustrative storyboard frames.

02 · CONTROL SET

Photo/art · auto mode · visual intensity · effects

03 · REVIEW GATE

Treating intensity as a substitute for a clear prompt.

04 · RETAINED EVIDENCE

Two controlled variants demonstrate the effect of the setting.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Content Type and Visual Intensity

CONTROL SURFACE

1. Photo/art
2. auto mode
3. visual intensity
4. effects

EDITABLE CANVAS / OUTPUT STATE

Content type steers photo/illustration behaviour while visual intensity adjusts how strongly styling affects the result.

Inspect at working view and delivery view

PROOF PANEL

Two controlled variants demonstrate the effect of the setting.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Content Type and Visual Intensity

OBSERVE	Treating intensity as a substitute for a clear prompt.
ISOLATE	Hold the brief and baseline constant; inspect: Photo/art · auto mode · visual intensity · effects.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Two controlled variants demonstrate the effect of the setting.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Colour, Lighting and Camera Controls



1

How it works

Secondary controls guide palette, lighting direction, field of view and depth cues.

2

Best used for

Keeping a sequence visually coherent without copying every frame.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Frames share a documented palette and plausible light direction.

© 2026 Tertiary Infotech Academy Pte Ltd

Colour, Lighting and Camera Controls · control and judgement

CONTROL MAP

Colour/tone · lighting · camera angle · lens/depth cues

WATCH FOR

A lighting instruction that conflicts with the reference composition.

QUALITY PROOF

Frames share a documented palette and plausible light direction.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Colour, Lighting and Camera Controls

01 · INTENT

Keeping a sequence visually coherent without copying every frame.

02 · CONTROL SET

Colour/tone · lighting · camera angle · lens/depth cues

03 · REVIEW GATE

A lighting instruction that conflicts with the reference composition.

04 · RETAINED EVIDENCE

Frames share a documented palette and plausible light direction.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Colour, Lighting and Camera Controls

CONTROL SURFACE

1. Colour/tone
2. lighting
3. camera angle
4. lens/depth cues

EDITABLE CANVAS / OUTPUT STATE

Secondary controls guide palette, lighting direction, field of view and depth cues.

Inspect at working view and delivery view

PROOF PANEL

Frames share a documented palette and plausible light direction.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Colour, Lighting and Camera Controls

OBSERVE	A lighting instruction that conflicts with the reference composition.
ISOLATE	Hold the brief and baseline constant; inspect: Colour/tone · lighting · camera angle · lens/depth cues.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Frames share a documented palette and plausible light direction.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Composition Reference

1

How it works

A composition reference transfers spatial arrangement and structural relationships without duplicating the source pixels.

2

Best used for

Maintaining camera position, pose or layout across storyboard alternatives.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Overlay or side-by-side evidence confirms structural similarity.



© 2026 Tertiary Infotech Academy Pte Ltd

Composition Reference · control and judgement

CONTROL MAP

Reference strength · crop · silhouette · dominant lines · prompt

WATCH FOR

Using a reference without rights or expecting identity fidelity.

QUALITY PROOF

Overlay or side-by-side evidence confirms structural similarity.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Composition Reference

01 · INTENT

Maintaining camera position, pose or layout across storyboard alternatives.

02 · CONTROL SET

Reference strength · crop · silhouette · dominant lines · prompt

03 · REVIEW GATE

Using a reference without rights or expecting identity fidelity.

04 · RETAINED EVIDENCE

Overlay or side-by-side evidence confirms structural similarity.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Composition Reference

CONTROL SURFACE

1. Reference strength
2. crop
3. silhouette
4. dominant lines
5. prompt

EDITABLE CANVAS / OUTPUT STATE

A composition reference transfers spatial arrangement and structural relationships without duplicating the source pixels.

Inspect at working view and delivery view

PROOF PANEL

Overlay or side-by-side evidence confirms structural similarity.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Composition Reference

OBSERVE	Using a reference without rights or expecting identity fidelity.
ISOLATE	Hold the brief and baseline constant; inspect: Reference strength · crop · silhouette · dominant lines · prompt.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Overlay or side-by-side evidence confirms structural similarity.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Style Reference



1

How it works

A style reference guides colour, texture, lighting and rendering character while the prompt controls subject matter.

2

Best used for

Unifying multiple scenes under one art direction.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A contact sheet shows consistent treatment across different subjects.

© 2026 Tertiary Infotech Academy Pte Ltd

Style Reference · control and judgement

CONTROL MAP

Reference strength · visual intensity · effects · prompt specificity

WATCH FOR

Combining style and composition changes without a baseline.

QUALITY PROOF

A contact sheet shows consistent treatment across different subjects.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Style Reference

01 · INTENT

Unifying multiple scenes under one art direction.

02 · CONTROL SET

Reference strength · visual intensity · effects · prompt specificity

03 · REVIEW GATE

Combining style and composition changes without a baseline.

04 · RETAINED EVIDENCE

A contact sheet shows consistent treatment across different subjects.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Style Reference

CONTROL SURFACE

1. Reference strength
2. visual intensity
3. effects
4. prompt specificity

EDITABLE CANVAS / OUTPUT STATE

A style reference guides colour, texture, lighting and rendering character while the prompt controls subject matter.

Inspect at working view and delivery view

PROOF PANEL

A contact sheet shows consistent treatment across different subjects.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Style Reference

OBSERVE	Combining style and composition changes without a baseline.
ISOLATE	Hold the brief and baseline constant; inspect: Reference strength · visual intensity · effects · prompt specificity.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**A contact sheet shows consistent treatment across different subjects.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Storyboard Architecture

1

How it works

A storyboard converts a narrative into beats with a purpose, frame, transition and evidence for each beat.

2

Best used for

Explaining an experience, campaign sequence or task journey.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Every frame has a caption, purpose and transition note.



© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Storyboard Architecture · control and judgement

CONTROL MAP

Opening · context · action · transformation · outcome · CTA

WATCH FOR

A gallery of attractive images with no causal sequence.

QUALITY PROOF

Every frame has a caption, purpose and transition note.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

Worked Artifact · Storyboard Architecture

01 · INTENT

Explaining an experience, campaign sequence or task journey.

02 · CONTROL SET

Opening · context · action · transformation · outcome · CTA

03 · REVIEW GATE

A gallery of attractive images with no causal sequence.

04 · RETAINED EVIDENCE

Every frame has a caption, purpose and transition note.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Storyboard Architecture

CONTROL SURFACE

1. Opening
2. context
3. action
4. transformation
5. outcome

EDITABLE CANVAS / OUTPUT STATE

A storyboard converts a narrative into beats with a purpose, frame, transition and evidence for each beat.

Inspect at working view and delivery view

PROOF PANEL

Every frame has a caption, purpose and transition note.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Storyboard Architecture

OBSERVE	A gallery of attractive images with no causal sequence.
ISOLATE	Hold the brief and baseline constant; inspect: Opening · context · action · transformation · outcome · CTA.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Every frame has a caption, purpose and transition note.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Task Flow for Team Collaboration



1

How it works

A task flow assigns inputs, decisions, hand-offs and review gates so visual work can be repeated by a team.

2

Best used for

Moving from ideation to approved, editable and channel-ready output.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A flow diagram identifies ownership and acceptance at each gate.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Task Flow for Team Collaboration · control and judgement

CONTROL MAP

Owner · input · action · decision · output · reviewer

WATCH FOR

Unowned approval steps or ambiguous version names.

QUALITY PROOF

A flow diagram identifies ownership and acceptance at each gate.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Task Flow for Team Collaboration

01 · INTENT

Moving from ideation to approved, editable and channel-ready output.

02 · CONTROL SET

Owner · input · action · decision · output · reviewer

03 · REVIEW GATE

Unowned approval steps or ambiguous version names.

04 · RETAINED EVIDENCE

A flow diagram identifies ownership and acceptance at each gate.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Task Flow for Team Collaboration

CONTROL SURFACE

1. Owner
2. input
3. action
4. decision
5. output

EDITABLE CANVAS / OUTPUT STATE

A task flow assigns inputs, decisions, hand-offs and review gates so visual work can be repeated by a team.

Inspect at working view and delivery view

PROOF PANEL

A flow diagram identifies ownership and acceptance at each gate.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Task Flow for Team Collaboration

OBSERVE	Unowned approval steps or ambiguous version names.
ISOLATE	Hold the brief and baseline constant; inspect: Owner · input · action · decision · output · reviewer.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**A flow diagram identifies ownership and acceptance at each gate.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

CONCEPT 16 · AUTHENTIC ASSET + EDITABLE ANNOTATIONS

Generated Texture with Editable Photoshop Type

1

How it works

Generate a rights-aware texture as imagery. Keep editable type as the base layer, place the generated texture immediately above it, and clip the texture to the type so the letterforms control visibility without rasterising the text.

2

Best used for

Creating expressive display typography while keeping wording, font, colour and fit editable.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The PSD retains a live type base layer, clipped texture layer immediately above it and named colour/fit controls; the reopened export passes a thumbnail legibility check.



© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Generated Texture with Editable Photoshop Type · control and judgement

CONTROL MAP

Texture prompt · live type base layer · texture layer above · clipping mask · scale/position · colour overlay · tracking · legibility

WATCH FOR

Reversing the clipping stack, treating generated pixels as editable copy, using obsolete Text Effects interfaces, or losing contrast at delivery size.

QUALITY PROOF

The PSD retains a live type base layer, clipped texture layer immediately above it and named colour/fit controls; the reopened export passes a thumbnail legibility check.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Generated Texture with Editable Photoshop Type

01 · INTENT

Creating expressive display typography while keeping wording, font, colour and fit editable.

02 · CONTROL SET

Texture prompt · live type base layer · texture layer above · clipping mask · scale/position · colour overlay · tracking · legibility

03 · REVIEW GATE

Reversing the clipping stack, treating generated pixels as editable copy, using obsolete Text Effects interfaces, or losing contrast at delivery size.

04 · RETAINED EVIDENCE

The PSD retains a live type base layer, clipped texture layer immediately above it and named colour/fit controls; the reopened export passes a thumbnail legibility check.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Generated Texture with Editable Photoshop Type

CONTROL SURFACE

1. Texture prompt
2. live type base layer
3. texture layer above
4. clipping mask
5. scale/position

EDITABLE CANVAS / OUTPUT STATE

Generate a rights-aware texture as imagery. Keep editable type as the base layer, place the generated texture immediately above it, and clip the texture to the type so the letterforms control visibility without rasterising the text.

Inspect at working view and delivery view

PROOF PANEL

The PSD retains a live type base layer, clipped texture layer immediately above it and named colour/fit controls; the reopened export passes a thumbnail legibility check.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Generated Texture with Editable Photoshop Type

OBSERVE	Reversing the clipping stack, treating generated pixels as editable copy, using obsolete Text Effects interfaces, or losing contrast at delivery size.
ISOLATE	Hold the brief and baseline constant; inspect: Texture prompt · live type base layer · texture layer above · clipping mask · scale/position · colour overlay · tracking · legibility.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**The PSD retains a live type base layer, clipped texture layer immediately above it and named colour/fit controls; the reopened export passes a thumbnail legibility check.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 03 · Composition and Style References



A wellness campaign needs varied subjects that retain one composition and art direction.

Create a controlled Firefly comparison using composition and style references independently and together.

1. **Analyse**
2. **Choose**
3. **Apply**
4. **Inspect**
5. **Evidence**

EVIDENCE — **Four labelled JPEG conditions, comparison PSD and a reference-control decision note.**

Full procedure · Learner Guide / Lab 03

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 04 · Storyboard and Task Flow



A fictional Wellness Week Singapore 2026 campaign needs a short visual journey from stress to restorative action.

Build a five-frame Firefly storyboard and a team task flow that communicates intent and ownership.

1	2	3	4	5
Analyse	Choose	Apply	Inspect	Evidence

EVIDENCE — **Five-frame layered storyboard PSD, exported JPEG, task-flow panel and peer-review note.**

Full procedure · Learner Guide / Lab 04

© 2026 Tertiary Infotech Academy Pte Ltd

EXPLAIN THE DECISION

Topic 2 Checkpoint

Purpose

What does the audience need to notice?

Method

Why does this technique fit the content and edge?

Control

Which setting most changes the outcome?

Failure

What defect would make the result unacceptable?

Proof

Which view and evidence demonstrate quality?

Next

What controlled variation would improve the result?

© 2026 Tertiary Infotech Academy Pte Ltd

03

Photoshop Generative Editing and Critique


Use selections and generative features to build, evaluate and improve editable composites.

LO3 · K3 · K5 · A4 · A5 · A6

© 2026 Tertiary Infotech Academy Pte Ltd

EDITABLE DECISION CHART

Reversibility by Technique



READ THE CHART

Scale: 1 = low, 5 = high. Prefer an editable generated layer, mask or Smart Object so critique can lead to a traceable revision.

Editable native PowerPoint chart

© 2026 Tertiary Infotech Academy Pte Ltd

Photoshop Generative AI Feature Map



1

How it works

Photoshop connects Generative Fill, Expand, Background, Harmonize and reference-based generation to selections and layers.

2

Best used for

Selecting the smallest feature that solves the editing problem.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The Layers panel shows the generated content and editable source structure.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Photoshop Generative AI Feature Map · control and judgement

CONTROL MAP

Selection · prompt/reference · model · variations · generated layer

WATCH FOR

Flattening before review or confusing destructive and generated edits.

QUALITY PROOF

The Layers panel shows the generated content and editable source structure.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Photoshop Generative AI Feature Map

01 · INTENT

Selecting the smallest feature that solves the editing problem.

02 · CONTROL SET

Selection · prompt/reference · model · variations · generated layer

03 · REVIEW GATE

Flattening before review or confusing destructive and generated edits.

04 · RETAINED EVIDENCE

The Layers panel shows the generated content and editable source structure.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

CONTROL SURFACE + CANVAS + PROOF

Annotated Decision Model · Photoshop Generative AI Feature Map

CONTROL SURFACE

1. Selection
2. prompt/reference
3. model
4. variations
5. generated layer

EDITABLE CANVAS / OUTPUT STATE

Photoshop connects Generative Fill, Expand, Background, Harmonize and reference-based generation to selections and layers.

Inspect at working view and delivery view

PROOF PANEL

The Layers panel shows the generated content and editable source structure.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Photoshop Generative AI Feature Map

OBSERVE	Flattening before review or confusing destructive and generated edits.
ISOLATE	Hold the brief and baseline constant; inspect: Selection · prompt/reference · model · variations · generated layer.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**The Layers panel shows the generated content and editable source structure.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Selection as a Generative Instruction

1

How it works

Selection geometry defines where change may occur and gives the model contextual pixels at its boundary.

2

Best used for

Precise insertion, replacement and local repair.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Selection/mask evidence and a 100% edge inspection are retained.



© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Selection as a Generative Instruction · control and judgement

CONTROL MAP

Selection edge · feather · context margin · mask · target layer

WATCH FOR

Selections that clip shadows or include protected details.

QUALITY PROOF

Selection/mask evidence and a 100% edge inspection are retained.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Selection as a Generative Instruction

01 · INTENT

Precise insertion, replacement and local repair.

02 · CONTROL SET

Selection edge · feather · context margin · mask · target layer

03 · REVIEW GATE

Selections that clip shadows or include protected details.

04 · RETAINED EVIDENCE

Selection/mask evidence and a 100% edge inspection are retained.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Selection as a Generative Instruction

CONTROL SURFACE

1. Selection edge
2. feather
3. context margin
4. mask
5. target layer

EDITABLE CANVAS / OUTPUT STATE

Selection geometry defines where change may occur and gives the model contextual pixels at its boundary.

Inspect at working view and delivery view

PROOF PANEL

Selection/mask evidence and a 100% edge inspection are retained.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Selection as a Generative Instruction

OBSERVE	Selections that clip shadows or include protected details.
ISOLATE	Hold the brief and baseline constant; inspect: Selection edge · feather · context margin · mask · target layer.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Selection/mask evidence and a 100% edge inspection are retained.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Generative Fill



1

How it works

Generative Fill creates non-destructive variations on a new generated layer inside the selected region.

2

Best used for

Adding, replacing or removing local content with contextual blending.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Before/after, selected variation and layered PSD prove the decision.

© 2026 Tertiary Infotech Academy Pte Ltd

Generative Fill · control and judgement

CONTROL MAP

Prompt or blank prompt · model · variation · generated layer

WATCH FOR

Anatomy errors, repeated textures and lighting mismatch.

QUALITY PROOF

Before/after, selected variation and layered PSD prove the decision.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

Worked Artifact · Generative Fill

01 · INTENT

Adding, replacing or removing local content with contextual blending.

02 · CONTROL SET

Prompt or blank prompt · model · variation · generated layer

03 · REVIEW GATE

Anatomy errors, repeated textures and lighting mismatch.

04 · RETAINED EVIDENCE

Before/after, selected variation and layered PSD prove the decision.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Generative Fill

CONTROL SURFACE

1. Prompt or blank prompt
2. model
3. variation
4. generated layer

EDITABLE CANVAS / OUTPUT STATE

Generative Fill creates non-destructive variations on a new generated layer inside the selected region.

Inspect at working view and delivery view

PROOF PANEL

Before/after, selected variation and layered PSD prove the decision.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Generative Fill

OBSERVE	Anatomy errors, repeated textures and lighting mismatch.
ISOLATE	Hold the brief and baseline constant; inspect: Prompt or blank prompt · model · variation · generated layer.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Before/after, selected variation and layered PSD prove the decision.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Generative Expand

1

How it works

Generative Expand extends the canvas and synthesises contextual pixels beyond the original frame.

2

Best used for

Reframing a master visual for landscape, portrait and square channels.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Three channel crops preserve subject integrity and useful copy space.



© 2026 Tertiary Infotech Academy Pte Ltd

Generative Expand · control and judgement

CONTROL MAP

Crop ratio · anchor · prompt/blank · safe area · variation

WATCH FOR

Extending low-quality edges or moving the focal point unintentionally.

QUALITY PROOF

Three channel crops preserve subject integrity and useful copy space.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Generative Expand

01 · INTENT

Reframing a master visual for landscape, portrait and square channels.

02 · CONTROL SET

Crop ratio · anchor · prompt/blank · safe area · variation

03 · REVIEW GATE

Extending low-quality edges or moving the focal point unintentionally.

04 · RETAINED EVIDENCE

Three channel crops preserve subject integrity and useful copy space.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Generative Expand

CONTROL SURFACE

1. Crop ratio
2. anchor
3. prompt/blank
4. safe area
5. variation

EDITABLE CANVAS / OUTPUT STATE

Generative Expand extends the canvas and synthesises contextual pixels beyond the original frame.

Inspect at working view and delivery view

PROOF PANEL

Three channel crops preserve subject integrity and useful copy space.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Generative Expand

OBSERVE	Extending low-quality edges or moving the focal point unintentionally.
ISOLATE	Hold the brief and baseline constant; inspect: Crop ratio · anchor · prompt/blank · safe area · variation.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Three channel crops preserve subject integrity and useful copy space.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Generate Background and Harmonize

How it works

Background generation replaces the environment; Harmonize adjusts a placed subject to the surrounding tone, colour and light.

Best used for

Fast composites that still require realistic integration.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Layered before/after and zoomed edge/shadow evidence pass review.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Generate Background and Harmonize · control and judgement

CONTROL MAP

Subject isolation · background prompt · scale · contact shadow · Harmonize

WATCH FOR

Floating subjects, incorrect perspective or inconsistent light direction.

QUALITY PROOF

Layered before/after and zoomed edge/shadow evidence pass review.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Generate Background and Harmonize

01 · INTENT

Fast composites that still require realistic integration.

02 · CONTROL SET

Subject isolation · background prompt · scale · contact shadow · Harmonize

03 · REVIEW GATE

Floating subjects, incorrect perspective or inconsistent light direction.

04 · RETAINED EVIDENCE

Layered before/after and zoomed edge/shadow evidence pass review.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Generate Background and Harmonize

CONTROL SURFACE

1. Subject isolation
2. background prompt
3. scale
4. contact shadow
5. Harmonize

EDITABLE CANVAS / OUTPUT STATE

Background generation replaces the environment; Harmonize adjusts a placed subject to the surrounding tone, colour and light.

Inspect at working view and delivery view

PROOF PANEL

Layered before/after and zoomed edge/shadow evidence pass review.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Generate Background and Harmonize

OBSERVE	Floating subjects, incorrect perspective or inconsistent light direction.
ISOLATE	Hold the brief and baseline constant; inspect: Subject isolation · background prompt · scale · contact shadow · Harmonize.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Layered before/after and zoomed edge/shadow evidence pass review.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Reference Image in Generative Fill

How it works

A reference image provides additional visual guidance while the prompt and selection define the requested change.

Best used for

Improving consistency of an object, material or visual direction.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

The reference, selected output and rights record are stored together.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Reference Image in Generative Fill · control and judgement

CONTROL MAP

Reference asset · rights · prompt · selection · variation

WATCH FOR

Expecting an exact copy or using a reference without permission.

QUALITY PROOF

The reference, selected output and rights record are stored together.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Reference Image in Generative Fill

01 · INTENT

Improving consistency of an object, material or visual direction.

02 · CONTROL SET

Reference asset · rights · prompt · selection · variation

03 · REVIEW GATE

Expecting an exact copy or using a reference without permission.

04 · RETAINED EVIDENCE

The reference, selected output and rights record are stored together.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Reference Image in Generative Fill

CONTROL SURFACE

1. Reference asset
2. rights
3. prompt
4. selection
5. variation

EDITABLE CANVAS / OUTPUT STATE

A reference image provides additional visual guidance while the prompt and selection define the requested change.

Inspect at working view and delivery view

PROOF PANEL

The reference, selected output and rights record are stored together.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Reference Image in Generative Fill

OBSERVE	Expecting an exact copy or using a reference without permission.
ISOLATE	Hold the brief and baseline constant; inspect: Reference asset · rights · prompt · selection · variation.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**The reference, selected output and rights record are stored together.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Inpainting and Outpainting

How it works

Inpainting changes content inside a boundary; outpainting synthesises beyond an existing boundary.

Best used for

Choosing between local repair and frame extension.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

A difference review confirms only the intended region changed.

© 2026 Tertiary Infotech Academy Pte Ltd

Inpainting and Outpainting · control and judgement

CONTROL MAP

Protected area · context overlap · seam location · content continuity

WATCH FOR

Visible seams, repeated objects or altered protected content.

QUALITY PROOF

A difference review confirms only the intended region changed.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

Worked Artifact · Inpainting and Outpainting

01 · INTENT

Choosing between local repair and frame extension.

02 · CONTROL SET

Protected area · context overlap · seam location · content continuity

03 · REVIEW GATE

Visible seams, repeated objects or altered protected content.

04 · RETAINED EVIDENCE

A difference review confirms only the intended region changed.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Inpainting and Outpainting

CONTROL SURFACE

1. Protected area
2. context overlap
3. seam location
4. content continuity

EDITABLE CANVAS / OUTPUT STATE

Inpainting changes content inside a boundary; outpainting synthesises beyond an existing boundary.

Inspect at working view and delivery view

PROOF PANEL

A difference review confirms only the intended region changed.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Inpainting and Outpainting

OBSERVE	Visible seams, repeated objects or altered protected content.
ISOLATE	Hold the brief and baseline constant; inspect: Protected area · context overlap · seam location · content continuity.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**A difference review confirms only the intended region changed.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Aesthetic Critique and Golden-ratio Heuristics

How it works

Critique separates description, interpretation, evaluation and recommendation; compositional heuristics are prompts for judgement, not guarantees.

Best used for

Explaining why a visual works and proposing an actionable revision.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

A criterion-based critique identifies evidence, impact and one testable change.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Aesthetic Critique and Golden-ratio Heuristics · control and judgement

CONTROL MAP

Hierarchy · balance · rhythm · focal placement · audience fit · technical finish

WATCH FOR

Treating a grid or ratio as proof of quality.

QUALITY PROOF

A criterion-based critique identifies evidence, impact and one testable change.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Aesthetic Critique and Golden-ratio Heuristics

01 · INTENT

Explaining why a visual works and proposing an actionable revision.

02 · CONTROL SET

Hierarchy · balance · rhythm · focal placement · audience fit · technical finish

03 · REVIEW GATE

Treating a grid or ratio as proof of quality.

04 · RETAINED EVIDENCE

A criterion-based critique identifies evidence, impact and one testable change.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Aesthetic Critique and Golden-ratio Heuristics

CONTROL SURFACE

1. Hierarchy
2. balance
3. rhythm
4. focal placement
5. audience fit

EDITABLE CANVAS / OUTPUT STATE

Critique separates description, interpretation, evaluation and recommendation; compositional heuristics are prompts for judgement, not guarantees.

Inspect at working view and delivery view

PROOF PANEL

A criterion-based critique identifies evidence, impact and one testable change.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Aesthetic Critique and Golden-ratio Heuristics

OBSERVE	Treating a grid or ratio as proof of quality.
ISOLATE	Hold the brief and baseline constant; inspect: Hierarchy · balance · rhythm · focal placement · audience fit · technical finish.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**A criterion-based critique identifies evidence, impact and one testable change.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 05 · Generative Fill: Directed Inpainting



An editorial wildlife visual needs a plausible environmental detail without damaging the original subject.

Use a controlled selection and Generative Fill to add, replace and remove content non-destructively.

1	2	3	4	5
Analyse	Choose	Apply	Inspect	Evidence

EVIDENCE — **Layered PSD, selected variations, final JPEG and zoomed edge/Layers-panel evidence.**

Full procedure · Learner Guide / Lab 05

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 06 · Background Replacement and Harmonize



A portrait must be adapted into an outdoor campaign visual while remaining editable.

Generate a new background, integrate a placed element and evaluate lighting, perspective and contact.

1. **Analyse**
2. **Choose**
3. **Apply**
4. **Inspect**
5. **Evidence**

EVIDENCE — **Layered PSD, final JPEG, before/after comparison and criterion-based integration note.**

Full procedure · Learner Guide / Lab 06

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 07 · Generative Expand for Channel Ratios



A campaign hero must work across social, presentation and mobile-story channels.

Extend one master visual into square, landscape and portrait variants without losing hierarchy.

1. **Analyse**
2. **Choose**
3. **Apply**
4. **Inspect**
5. **Evidence**

EVIDENCE — **Master PSD plus three channel JPEGs and a ratio-by-ratio verification checklist.**

Full procedure · Learner Guide / Lab 07

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 08 · Reference Image and Multi-Prompt Composition



A fashion visual requires an altered garment treatment that follows a supplied material reference.

Use a permitted reference image and staged selections to construct a coherent multi-element composition.

1	2	3	4	5
Analyse	Choose	Apply	Inspect	Evidence

EVIDENCE — **Layered reference-guided PSD, final JPEG, rights note and four-part critique with revision.**

Full procedure · Learner Guide / Lab 08

© 2026 Tertiary Infotech Academy Pte Ltd

EXPLAIN THE DECISION

Topic 3 Checkpoint

Purpose

What does the audience need to notice?

Method

Why does this technique fit the content and edge?

Control

Which setting most changes the outcome?

Failure

What defect would make the result unacceptable?

Proof

Which view and evidence demonstrate quality?

Next

What controlled variation would improve the result?

© 2026 Tertiary Infotech Academy Pte Ltd

04

Colour Strategy, Enhancement and Delivery


Build a coherent palette, preserve editability and verify the delivered visual.

LO4 · K4 · K5 · A7

© 2026 Tertiary Infotech Academy Pte Ltd

EDITABLE PALETTE-WEIGHTING CHART

Campaign Colour Roles



READ THE CHART


Illustrative shares keep the primary colour dominant while secondary, accent and neutral roles support hierarchy rather than compete with it.

Editable native PowerPoint chart

© 2026 Tertiary Infotech Academy Pte Ltd

EDITABLE QA CHART

Output Verification Priority



READ THE CHART

A professional hand-off verifies the exported file and its provenance—not only the layered working canvas.

Editable native PowerPoint chart

© 2026 Tertiary Infotech Academy Pte Ltd

Hue, Saturation, Brightness and Value

How it works

Hue identifies colour family, saturation its intensity, and value/brightness its light-dark position.

Best used for

Diagnosing palette and separation before choosing an adjustment.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

A palette swatch and grayscale review support the colour decision.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Hue, Saturation, Brightness and Value · control and judgement

CONTROL MAP

Hue relationship · saturation range · value contrast · skin/brand constraints

WATCH FOR

Increasing saturation when the problem is value separation.

QUALITY PROOF

A palette swatch and grayscale review support the colour decision.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Hue, Saturation, Brightness and Value

01 · INTENT

Diagnosing palette and separation before choosing an adjustment.

02 · CONTROL SET

Hue relationship · saturation range · value contrast · skin/brand constraints

03 · REVIEW GATE

Increasing saturation when the problem is value separation.

04 · RETAINED EVIDENCE

A palette swatch and grayscale review support the colour decision.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Hue, Saturation, Brightness and Value

CONTROL SURFACE

1. Hue relationship
2. saturation range
3. value contrast
4. skin/brand constraints

EDITABLE CANVAS / OUTPUT STATE

Hue identifies colour family, saturation its intensity, and value/brightness its light-dark position.

Inspect at working view and delivery view

PROOF PANEL

A palette swatch and grayscale review support the colour decision.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Hue, Saturation, Brightness and Value

OBSERVE	Increasing saturation when the problem is value separation.
ISOLATE	Hold the brief and baseline constant; inspect: Hue relationship · saturation range · value contrast · skin/brand constraints.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**A palette swatch and grayscale review support the colour decision.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Adjustment Layers and Masks

How it works

Adjustment layers store tonal or colour changes separately; masks control where each adjustment applies.

Best used for

Reversible campaign colour work and local corrections.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Named adjustment layers and masks remain editable in the PSD.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Adjustment Layers and Masks · control and judgement

CONTROL MAP

Adjustment type · layer order · mask density · blend mode · opacity

WATCH FOR

Painting directly on the only copy or leaving masks unnamed.

QUALITY PROOF

Named adjustment layers and masks remain editable in the PSD.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Adjustment Layers and Masks

01 · INTENT

Reversible campaign colour work and local corrections.

02 · CONTROL SET

Adjustment type · layer order · mask density · blend mode · opacity

03 · REVIEW GATE

Painting directly on the only copy or leaving masks unnamed.

04 · RETAINED EVIDENCE

Named adjustment layers and masks remain editable in the PSD.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Adjustment Layers and Masks

CONTROL SURFACE

1. Adjustment type
2. layer order
3. mask density
4. blend mode
5. opacity

EDITABLE CANVAS / OUTPUT STATE

Adjustment layers store tonal or colour changes separately; masks control where each adjustment applies.

Inspect at working view and delivery view

PROOF PANEL

Named adjustment layers and masks remain editable in the PSD.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Adjustment Layers and Masks

OBSERVE	Painting directly on the only copy or leaving masks unnamed.
ISOLATE	Hold the brief and baseline constant; inspect: Adjustment type · layer order · mask density · blend mode · opacity.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Named adjustment layers and masks remain editable in the PSD.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Histogram and Levels

How it works

The histogram displays tonal distribution; Levels remaps black point, white point and midtones.

Best used for

Correcting global tonal range and identifying clipping.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Before/after histograms and highlight/shadow checks show controlled range.

© 2026 Tertiary Infotech Academy Pte Ltd

Histogram and Levels · control and judgement

CONTROL MAP

Channel · black point · gamma · white point · output levels

WATCH FOR

Forcing every image to fill the histogram or clipping detail.

QUALITY PROOF

Before/after histograms and highlight/shadow checks show controlled range.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Histogram and Levels

01 · INTENT

Correcting global tonal range and identifying clipping.

02 · CONTROL SET

Channel · black point · gamma · white point · output levels

03 · REVIEW GATE

Forcing every image to fill the histogram or clipping detail.

04 · RETAINED EVIDENCE

Before/after histograms and highlight/shadow checks show controlled range.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Histogram and Levels

CONTROL SURFACE

1. Channel
2. black point
3. gamma
4. white point
5. output levels

EDITABLE CANVAS / OUTPUT STATE

The histogram displays tonal distribution; Levels remaps black point, white point and midtones.

Inspect at working view and delivery view

PROOF PANEL

Before/after histograms and highlight/shadow checks show controlled range.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Histogram and Levels

OBSERVE	Forcing every image to fill the histogram or clipping detail.
ISOLATE	Hold the brief and baseline constant; inspect: Channel · black point · gamma · white point · output levels.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Before/after histograms and highlight/shadow checks show controlled range.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Curves

How it works

Curves remaps input to output values with points that target overall tone or individual colour channels.

Best used for

Fine contrast shaping and colour-balance correction.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

A labelled Curves layer and before/after comparison show the intended change.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Curves · control and judgement

CONTROL MAP

Anchor points · slope · channel · mask · clipping preview

WATCH FOR

Too many points, banding or unwanted colour casts.

QUALITY PROOF

A labelled Curves layer and before/after comparison show the intended change.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Curves

01 · INTENT

Fine contrast shaping and colour-balance correction.

02 · CONTROL SET

Anchor points · slope · channel · mask · clipping preview

03 · REVIEW GATE

Too many points, banding or unwanted colour casts.

04 · RETAINED EVIDENCE

A labelled Curves layer and before/after comparison show the intended change.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Curves

CONTROL SURFACE

1. Anchor points
2. slope
3. channel
4. mask
5. clipping preview

EDITABLE CANVAS / OUTPUT STATE

Curves remaps input to output values with points that target overall tone or individual colour channels.

Inspect at working view and delivery view

PROOF PANEL

A labelled Curves layer and before/after comparison show the intended change.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Curves

OBSERVE	Too many points, banding or unwanted colour casts.
ISOLATE	Hold the brief and baseline constant; inspect: Anchor points · slope · channel · mask · clipping preview.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**A labelled Curves layer and before/after comparison show the intended change.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Colour Balance and Hue/Saturation

How it works

Colour Balance shifts tonal ranges toward complementary colours; Hue/Saturation targets hue families and intensity.

Best used for

Harmonising composite elements and establishing a campaign palette.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Sampled swatches and targeted masks demonstrate controlled application.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Colour Balance and Hue/Saturation · control and judgement

CONTROL MAP

Shadows/midtones/ highlights · target colour range · saturation · mask

WATCH FOR

Global shifts that damage skin tones, neutrals or brand colours.

QUALITY PROOF

Sampled swatches and targeted masks demonstrate controlled application.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Colour Balance and Hue/Saturation

01 · INTENT

Harmonising composite elements and establishing a campaign palette.

02 · CONTROL SET

Shadows/midtones/ highlights · target colour range · saturation · mask

03 · REVIEW GATE

Global shifts that damage skin tones, neutrals or brand colours.

04 · RETAINED EVIDENCE

Sampled swatches and targeted masks demonstrate controlled application.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Colour Balance and Hue/Saturation

CONTROL SURFACE

1. Shadows/midtones/ highlights
2. target colour range
3. saturation
4. mask

EDITABLE CANVAS / OUTPUT STATE

Colour Balance shifts tonal ranges toward complementary colours; Hue/Saturation targets hue families and intensity.

Inspect at working view and delivery view

PROOF PANEL

Sampled swatches and targeted masks demonstrate controlled application.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Colour Balance and Hue/Saturation

OBSERVE	Global shifts that damage skin tones, neutrals or brand colours.
ISOLATE	Hold the brief and baseline constant; inspect: Shadows/midtones/highlights · target colour range · saturation · mask.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Sampled swatches and targeted masks demonstrate controlled application.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Neural Filters and Restoration

How it works

Neural Filters provide AI-assisted transformations that can output to a new layer for further review.

Best used for

Restoration, colourisation and portrait enhancement where source evidence is incomplete.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

Original, AI output and manual corrections remain separately reviewable.

© 2026 Tertiary Infotech Academy Pte Ltd

KEY CONTROLS · FAILURE MODE · PROOF

Neural Filters and Restoration · control and judgement

CONTROL MAP

Filter model · strength · output method · local cleanup · review

WATCH FOR

Invented detail, identity changes or treating an AI result as historical fact.

QUALITY PROOF

Original, AI output and manual corrections remain separately reviewable.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Neural Filters and Restoration

01 · INTENT

Restoration, colourisation and portrait enhancement where source evidence is incomplete.

02 · CONTROL SET

Filter model · strength · output method · local cleanup · review

03 · REVIEW GATE

Invented detail, identity changes or treating an AI result as historical fact.

04 · RETAINED EVIDENCE

Original, AI output and manual corrections remain separately reviewable.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Neural Filters and Restoration

CONTROL SURFACE

1. Filter model
2. strength
3. output method
4. local cleanup
5. review

EDITABLE CANVAS / OUTPUT STATE

Neural Filters provide AI-assisted transformations that can output to a new layer for further review.

Inspect at working view and delivery view

PROOF PANEL

Original, AI output and manual corrections remain separately reviewable.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Neural Filters and Restoration

OBSERVE	Invented detail, identity changes or treating an AI result as historical fact.
ISOLATE	Hold the brief and baseline constant; inspect: Filter model · strength · output method · local cleanup · review.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**Original, AI output and manual corrections remain separately reviewable.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Campaign Colour Consistency

How it works

A campaign palette combines role-based colours, contrast targets and adjustment recipes across assets.

Best used for

Keeping storyboard, social and poster outputs recognisably related.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

A palette sheet and three channel exports show consistent roles.

© 2026 Tertiary Infotech Academy Pte Ltd

Campaign Colour Consistency · control and judgement

CONTROL MAP

Primary/secondary/accent roles · value range · accessibility · export profile

WATCH FOR

Matching hex values while ignoring surrounding colour and output profile.

QUALITY PROOF

A palette sheet and three channel exports show consistent roles.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Campaign Colour Consistency

01 · INTENT

Keeping storyboard, social and poster outputs recognisably related.

02 · CONTROL SET

Primary/secondary/accent roles · value range · accessibility · export profile

03 · REVIEW GATE

Matching hex values while ignoring surrounding colour and output profile.

04 · RETAINED EVIDENCE

A palette sheet and three channel exports show consistent roles.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Campaign Colour Consistency

CONTROL SURFACE

1. Primary/secondary/ accent roles
2. value range
3. accessibility
4. export profile

EDITABLE CANVAS / OUTPUT STATE

A campaign palette combines role-based colours, contrast targets and adjustment recipes across assets.

Inspect at working view and delivery view

PROOF PANEL

A palette sheet and three channel exports show consistent roles.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Campaign Colour Consistency

OBSERVE	Matching hex values while ignoring surrounding colour and output profile.
ISOLATE	Hold the brief and baseline constant; inspect: Primary/secondary/accent roles · value range · accessibility · export profile.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**A palette sheet and three channel exports show consistent roles.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Output Verification and Content Credentials

How it works

Professional delivery includes export settings, reopen checks, provenance and a retained editable master.

Best used for

Hand-off to stakeholders, publication and audit-ready delivery.

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

Quality signal

PSD, verified JPEG and provenance/read-me record form one evidence package.

© 2026 Tertiary Infotech Academy Pte Ltd

Output Verification and Content Credentials · control and judgement

CONTROL MAP

Format · dimensions · profile · compression · metadata · Content Credentials

WATCH FOR

Assuming an exported file is correct without reopening it.

QUALITY PROOF

PSD, verified JPEG and provenance/read-me record form one evidence package.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

© 2026 Tertiary Infotech Academy Pte Ltd

INPUT → DECISION → OUTPUT

Worked Artifact · Output Verification and Content Credentials

01 · INTENT

Hand-off to stakeholders, publication and audit-ready delivery.

02 · CONTROL SET

Format · dimensions · profile · compression · metadata · Content Credentials

03 · REVIEW GATE

Assuming an exported file is correct without reopening it.

04 · RETAINED EVIDENCE

PSD, verified JPEG and provenance/read-me record form one evidence package.

Acceptance trace: explain the final visual from intent, through named controls, to retained evidence.

© 2026 Tertiary Infotech Academy Pte Ltd

Annotated Decision Model · Output Verification and Content Credentials

CONTROL SURFACE

1. Format
2. dimensions
3. profile
4. compression
5. metadata

EDITABLE CANVAS / OUTPUT STATE

Professional delivery includes export settings, reopen checks, provenance and a retained editable master.

Inspect at working view and delivery view

PROOF PANEL

PSD, verified JPEG and provenance/read-me record form one evidence package.

Keep source, selected state and export together.

© 2026 Tertiary Infotech Academy Pte Ltd

SYMPTOM → CAUSE → CORRECTION → VERIFY

Diagnostic · Output Verification and Content Credentials

OBSERVE	Assuming an exported file is correct without reopening it.
ISOLATE	Hold the brief and baseline constant; inspect: Format · dimensions · profile · compression · metadata · Content Credentials.
CORRECT	Change one control, preserve the editable source, and revise only the affected state.
VERIFY	**PSD, verified JPEG and provenance/read-me record form one evidence package.**

Accept only when the defect is reduced and protected content remains intact.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 09 · Restoration, Critique and Colour Strategy



An archive image will support a heritage-wellness story but must not imply certainty where AI reconstructs missing detail.

Restore a damaged image, evaluate invented detail and develop a reversible colour treatment.

1	2	3	4	5
Analyse	Choose	Apply	Inspect	Evidence

EVIDENCE — **Layered restoration PSD, verified JPEG, palette swatches and critique of AI-inferred detail.**

Full procedure · Learner Guide / Lab 09

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 10 · Wellness Campaign Capstone



Fictional Wellness Week Singapore 2026 needs a coherent hero visual and three channel exports for a positive, inclusive message.

Integrate A1–A7 into an editable campaign visual, storyboard summary, critique and colour-delivery package.

1	2	3	4	5
Analyse	Choose	Apply	Inspect	Evidence

EVIDENCE — **Layered master PSD, prompt log, storyboard strip, peer critique, enhancement record, palette and three verified JPEGs.**

Full procedure · Learner Guide / Lab 10

© 2026 Tertiary Infotech Academy Pte Ltd

EXPLAIN THE DECISION

Topic 4 Checkpoint

Purpose

What does the audience need to notice?

Method

Why does this technique fit the content and edge?

Control

Which setting most changes the outcome?

Failure

What defect would make the result unacceptable?

Proof

Which view and evidence demonstrate quality?

Next

What controlled variation would improve the result?

© 2026 Tertiary Infotech Academy Pte Ltd

COURSE SYNTHESIS

Professional Editing Loop

Brief

Clarify purpose, audience, channel and constraints.

Source

Choose sufficient, rights-cleared assets.

Construct

Use layers, masks and Smart Objects.

Experiment

Vary one factor against a baseline.

Evaluate

Inspect visual, technical and rights criteria.

Deliver

Export, reopen and retain the master.

© 2026 Tertiary Infotech Academy Pte Ltd

Copyright and Asset Permission

Ownership

Identify the creator/owner.

Permission

Public visibility does not grant reuse.

Scope

Check modification, commercial and redistribution rights.

People

Confirm consent and privacy context.

Attribution

Credit as the licence requires.

Record

Retain source, licence, consent, date and use.

© 2026 Tertiary Infotech Academy Pte Ltd

Responsible Generative AI

Inputs

Use only material you may provide.

Log

Record prompt and selected variation.

Review

Check plausibility, bias and artefacts.

Terms

Confirm current feature terms.

Credentials

Retain provenance where appropriate.

Responsibility

The editor owns the publication decision.

© 2026 Tertiary Infotech Academy Pte Ltd

Peer Review

Describe

State purpose and key decisions.

Show

Reveal layers, masks and before/after.

Ask

Use explicit criteria.

Record

Capture what the reviewer noticed.

Decide

Accept, adapt or reject with reason.

Revise

Make one traceable improvement.

© 2026 Tertiary Infotech Academy Pte Ltd

AFTER THE COURSE

Support

Email

enquiry@tertiaryinfotech.com

Telephone

+65 6100 0613

Portal

https://lms-tms.tertiaryinfotech.com/

Provider

Tertiary Infotech Academy Pte Ltd

Website

www.tertiarycourses.com.sg

Privacy

Do not send assessment content publicly.

© 2026 Tertiary Infotech Academy Pte Ltd

Final Assessment

1. **Briefing**
2. **WA · 60 min**
3. **Transition**
4. **PP · 60 min**
5. **Submit**

OUTCOME Complete your own open-book evidence and submit when time is called.

© 2026 Tertiary Infotech Academy Pte Ltd

Assessment Flow

1. TRAQOM
2. Assessment digital attendance
3. WA then PP
4. Submit on LMS
5. Sign summary record

OUTCOME Complete the official sequence: TRAQOM → assessment digital attendance → WA then PP → LMS submission → Assessment Summary Record.

© 2026 Tertiary Infotech Academy Pte Ltd

DIGITAL ATTENDANCE · MANDATORY

TRAQOM · SSG Digital Attendance

TRAQOM

Scan the QR code provided through the LMS.

Assessment attendance

Complete the official digital-attendance event before assessment.

Verification

Remain until the trainer confirms the SSG record.

© 2026 Tertiary Infotech Academy Pte Ltd

Thank You

Create with intent · preserve options · verify the output

© 2026 Tertiary Infotech Academy Pte Ltd