
IES

GenAI for Engineers

Boosting productivity and efficiency with Copilot and modern AI tools



Copilot • Engineering documents
Data analysis • Agents • Review

ONE DAY | 09:00–17:00

One case, connected deliverables

A source fact should survive every transformation.



PS-17 notes

Observed flow and evidence gaps

Documents

Specification, inspection report and FMEA

Agents

Reusable drafting and retrieval

Review

Traceable engineering decisions

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Where Copilot fits


Select the surface that matches the evidence and output.

Chat

Structure a question or source text

Word / Excel / PowerPoint

Draft, calculate and communicate



Agents

Reuse instructions and selected knowledge

SharePoint

Retrieve from controlled documents

A language model predicts text

Fluent output can contain an unsupported engineering claim.



Context

Instructions and retrieved evidence

Generation

A plausible response is composed

Verification

Sources and calculations establish trust

Grounding adds relevant evidence

Retrieved content improves context; it does not prove correctness.



Question	Source	Answer	Check
What is the current duty?	DES-01 revision 2 clause 2	50 m3/h at 30 m head	Open the cited clause

The engineer owns the decision

AI can draft a useful brief before the cause is known.

AI contribution

Extract timestamps and propose structure

Release authority

Approve only after competent review



Engineering judgement

Decide which evidence is sufficient

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Access is a stack of conditions

An available chat does not establish access to every capability.



Identity

Correct corporate account and tenant

Licence

Required Copilot entitlement

Policy

Agent creation and sharing enabled

Content

Source access under the user account

Lab 1.1 Copilot onboarding and access check

10 minutes | LO2, LO3

01

Input

access-check.csv, problem-statement.txt

02

Deliverable

Access record: Word available; SharePoint edit unavailable; trainer to arrange approved paired access

03


Quality gate

Each application has a result and an owner for unresolved issues. Word output preserves 48 and 32 m3/h and does not diagnose pump failure.

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

PS-17 has observations, not a diagnosis

An intermittent indication can have several explanations.



48 → 32 → 47

Indicated flow in m3/h

3.1 bar

Discharge gauge at 09:15

Unknown

Suction pressure and calibration

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Separate four kinds of statement

A hypothesis must not quietly become a fact.

Observed

Flow display read 32 m3/h

Reported

Operator heard unusual vibration

Hypothesised

Measurement or process disturbance

Missing

Calibration certificate

A technical brief exposes uncertainty

A useful brief directs the next evidence review.



Context	Evidence	Gaps	Decision
System and event	Values, times and source	What is missing	Who reviews what next

Productivity includes verification

A historical benchmark motivates a local trial; it does not predict engineering gains.

29%

faster on the studied tasks

Microsoft 2023 lab experiment

29% faster

Microsoft 2023 lab tasks: searching, writing and summarising

Task boundary

Not an engineering safety or approval study

Your comparison

Measure drafting + review + correction on the same task

Microsoft Work Trend Index, 15 Nov 2023; task-specific historical study; see REFERENCES.md

Lab 1.2 AI versus engineer challenge

15 minutes | LO2, LO3

01

Input

problem-statement.txt, claim-register.csv

02

Deliverable

Observation: 32 m3/h at 09:12, returning to 47 m3/h at 09:20

03

Quality gate

Facts match the notes and unknowns stay unknown. Timing includes human review and the brief has a decision owner.

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Choose the smallest useful AI task

A bounded task is easier to validate than an open-ended solution.

01

Good candidate

Structure supplied notes into a brief

02

Needs more evidence

Diagnose the physical root cause

03

Outside this exercise

Approve real equipment replacement

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Prompts are engineering specifications

Define evidence, boundaries and acceptance before asking for prose.

01

Task

What must be produced

→

02

Inputs

Which facts may be used

→

03

Constraints

What remains unknown

→

04

Acceptance

How the draft will be checked

R.I.S.E. makes the request inspectable

Role • Input • Steps • Expectations

Role

Engineering specification writer

Input

Requirements and current design note

Steps

Extract, draft, cross-check

Expectations

Units, sources, TBDs and review status

E-MAP makes assumptions explicit

Engineering • Metrics • Assumptions • Parameters

Engineering

Planning-stage pump replacement

Metrics

Every hazard has evidence or a gap

Assumptions

No chemical identity supplied

Parameters

Desk exercise; no work authorised

Weak prompts invite invented detail

The repaired prompt constrains evidence and output.

01

Weak

Write a complete pump specification

02

Stronger

Use R01–R08; preserve units and TBD fields

03

Reviewable

Link requirements to source clauses and tests

Source authority needs a hierarchy

Current approved evidence outranks a plausible sentence.

Current source

DES-01 revision 2

Obsolete source

Revision 1 is superseded

Unverified suggestion

Replace the pump today

Missing source

Material compatibility not supplied

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

A requirement needs an evidence chain

An attractive table is useful only when its rows are traceable.



Requirement ID	Value and unit	Source	Acceptance evidence
R01 nominal flow	50 m3/h	DES-01 rev2 clause 2	Recorded test at agreed duty

Tolerance is a calculation

The classroom band comes from the given requirement.

Nominal

50 m3/h

Lower

50 × 0.95 = 47.5

Upper

50 × 1.05 = 52.5

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Unknown fields protect the design

TBD is an explicit evidence request, not a drafting failure.

Wetted material

Needs fluid and compatibility evidence

Ambient conditions

Not supplied



Supply voltage

Not supplied

Release

Held for responsible review

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Specification and checklist must agree

The test row must preserve the exact requirement.

DES-01 revision 2 | TRAINING
R01 Nominal flow: 50 m3/h
R02 Head: 30 m
R03 Band: 47.5-52.5 m3/h
R04 Material: TBD
Evidence: readings, instrument, witness

Specification

50 m3/h at 30 m head

Checklist

Three readings, instrument and witness

Gap register

Material and interface evidence

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Lab 2.1 Technical specification with RISE

20 minutes | LO2, LO3

01

Input

design-requirements.csv, DES-01-rev2.md, claim-register.csv

02

Deliverable

R01: 50 m3/h at the stated duty; source DES-01 rev2 clause 2

03

Quality gate

Teaching band is 47.5-52.5 m3/h. Every requirement cites its source or is marked missing. No invented material, voltage or approval.

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Inspection reports classify evidence

A non-conformance requires a requirement as well as a finding.

INS-04 revision 1 | TRAINING
09:12 Display: 32 m3/h
09:15 Gauge: 3.1 bar
Liquid on floor: identity unknown
Calibration evidence: missing
Status: DRAFT FOR REVIEW

Observation

Liquid on floor; identity unknown

Hypothesis

Possible leak; not confirmed

Requirement

Must be cited before non-conformance

Recommendation

Request evidence for review

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Executive summaries retain uncertainty

Shorter wording must preserve the decision boundary.

01

Technical record

Intermittent flow and missing calibration evidence

02

Management meaning

Cause remains unconfirmed

03

Decision request

Assign evidence review before action

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Lab 2.2 Site notes to an engineering report

15 minutes | LO2, LO3

01

Input

site-notes.txt, report-template.md

02

Deliverable

Finding: intermittent indicated flow is documented; cause is unconfirmed

03


Quality gate

All four timestamps and measurements are preserved. The liquid identity and calibration status remain unresolved.

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Risk assessment begins with missing inputs

A desk exercise cannot substitute for site-specific approval.



Energy

Electrical, pressure and stored energy

Chemical

Identity and SDS absent

Controls

Proposals need competent review

Hold point

No work authorised

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Method statements need release gates

A planning outline references approved operating procedures.



Prerequisites

Identity, access and evidence

Hold points

Review before hazardous steps

Handback

Approved verification and responsibility

Iterative prompting is a review loop

Ask for the discrepancy before asking for a cleaner draft.



Draft

Generate from named evidence

Challenge

Find unsupported claims and missed hazards

Correct

Change only evidence-backed content

Record

Preserve versions and review decisions

Lab 2.3 Risk assessment and method statement with EMAP

20 minutes | LO2, LO3

01

Input

work-activity.txt, hazard-checklist.csv, security-checklist.csv

02

Deliverable

Chemical exposure: substance unidentified; SDS required; chemical risk reviewer to confirm controls

03

Quality gate

Cover seven hazards. Missing SDS and isolation evidence block release. Controls remain proposals.

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Formatting cannot establish approval

The status of a document comes from its review evidence.

01

Complete layout

Headings, tables and clear prose

02

Complete evidence

Sources, assumptions and calculations

03


Authorised release

Named competent review and decision

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Three methods answer different questions

Use the method that matches the engineering question.



FMEA

How could the system fail?

DMAIC

How can the process improve?

SPC

Has process behaviour changed?

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

FMEA maps function to consequences


The rows describe different parts of a failure story.

Function

Deliver controlled dose

Effect

Underdose



Failure mode

No flow

Cause

Pump failure hypothesis

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Current control is not proposed action


Do not describe an improvement as already implemented.

Current control

Weekly pump check

Proposed action

Review redundancy and alarm evidence



Evidence gap

Effectiveness is unknown

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

S, O and D represent different judgements


The classroom scale is provisional and must be justified.

Severity

Impact if the effect occurs

Detection

Larger value means poorer detection



Occurrence

How often the cause may occur

RPN combines three ratings

Classroom example F01 uses the supplied scale.

S = 8

Severity

O = 4

Occurrence

D = 6

Detection


RPN = 192

8 × 4 × 6

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Highest RPN is not the only priority

Severity 9 still deserves explicit engineering review.



F01

S8 × O4 × D6 = 192

F02

S9 × O3 × D7 = 189

F03

S7 × O5 × D5 = 175

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

DMAIC structures an improvement argument

Each phase produces evidence for the next decision.



Define	Measure	Analyse	Improve	Control
Problem and CTQ	Baseline and data quality	Evidence and causal hypotheses	Controlled trial	Metric, owner and reaction

A CTQ makes the problem measurable

The teaching fill-volume case has an explicit unit and scope.

Characteristic

Fill volume in litres

Teaching limits

9.4–10.6 L

Scope

30 baseline + 5 monitoring readings


Question

Has the behaviour changed?

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Pareto identifies frequent categories

A count ranking prioritises investigation; it does not prove causes.



12

Calibration evidence

8

Blocked strainer

5

Air ingress


5

Other

NIST/SEMATECH e-Handbook; synthetic classroom data; see REFERENCES.md

Fishbone keeps alternatives visible

Each branch is a hypothesis requiring evidence.



Five Whys can become five guesses

A causal chain needs evidence at every link.

01

Symptom

Flow indication changed

→

02

Possible mechanism

Measurement drift

→

03

Evidence request

Calibration record and independent reading

→

04

Stop

Do not invent the next cause

SPC distinguishes signal from noise

Time order is part of the evidence.

01

Common cause

Variation inherent in the current process

02

Special cause

A signal requiring investigation

03

Control chart

Observed values versus estimated limits

Control limits and specifications differ

One describes behaviour; the other states a requirement.

01

Control limits

Estimated from the baseline data

02

Specification limits

9.4 and 10.6 L in this teaching case

03

Decision

Check stability before interpreting capability

NIST/SEMATECH e-Handbook; synthetic classroom data; see REFERENCES.md

Moving range estimates short-term variation

Use successive baseline readings in their original order.

Moving range

Absolute difference between neighbours

MR average

0.18621 L


Sigma estimate

MR average / 1.128 = 0.16508 L

NIST/SEMATECH e-Handbook; synthetic classroom data; see REFERENCES.md

The baseline sets the reference

Samples 31–35 are evaluated against the original limits.



Centre

10.01333 L

LCL

9.51810 L

UCL

10.50856 L


Baseline

Samples 1–30 only

NIST/SEMATECH e-Handbook; synthetic classroom data; see REFERENCES.md

Sample 33 is a signal

The monitoring value exceeds the baseline upper limit.



Observed

10.8 L at sample 33

Comparison

UCL = 10.50856 L

Interpretation

Investigate; no cause established

Cp compares spread with the band

A high Cp alone does not demonstrate process stability.

Specification width

10.6 − 9.4 = 1.2 L

Estimated spread

6 × 0.16508 L

Teaching Cp

1.212, conditional on assumptions

NIST/SEMATECH e-Handbook; synthetic classroom data; see REFERENCES.md

Cpk also considers centring

The closer specification limit constrains the index.

Upper margin

10.6 − 10.01333

Lower margin

10.01333 − 9.4

Teaching Cpk

min(margins) / 3σ = 1.185

NIST/SEMATECH e-Handbook; synthetic classroom data; see REFERENCES.md

Capability estimates need conditions

Small classroom data are an illustration, not certification.

Stability

Investigate control-chart signals

Measurement

Check calibration and resolution

Data model

Check independence and distribution

Evidence

Collect adequate representative observations

NIST/SEMATECH e-Handbook; synthetic classroom data; see REFERENCES.md

Lab 3.1 FMEA document generation

30 minutes | LO1, LO2, LO3

01

Input

system-description.txt, fmea-template.csv, rating-scales.txt

02

Deliverable

F02 reverse flow: S9 x O3 x D7 = 189

03

Quality gate

RPNs are 192, 189 and 175; complete rows remain aligned after sorting. Ratings have stated justifications and high severity is reviewed. Summary remains a draft awaiting review.

Actions need effectiveness evidence

An action closes only when its intended control is verified.



Proposal	Owner and date	Evidence	Residual risk
Review backflow protection	Engineer B; planned review	Approved design and effectiveness check	Reassess after implementation evidence

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Lab 3.2 DMAIC report and SPC analysis

25 minutes | LO1, LO2, LO3

01

Input

process-data.csv, defects.csv, dmaic-template.md

02

Deliverable

Baseline mean 10.01333 L; MRbar 0.18621 L; sigma estimate 0.16508 L; LCL 9.51810 L; UCL 10.50856 L; Cp 1.212; Cpk 1.185

03

Quality gate

30 baseline + 5 monitoring points. Detect sample 33. Check Cp/Cpk assumptions and the 66.7% Pareto share.

A management slide carries the decision

A single slide can retain the analysis boundary.

Finding

Sample 33 exceeds baseline UCL

Evidence

Baseline n=30; monitoring n=5

Proposal

Investigate measurement and process conditions

Decision

Approve a controlled trial, not a root-cause claim

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Control plans make improvements durable

Define the response before the next signal.



Metric	Review	Reaction	Owner
Fill volume in litres	Time-ordered chart at agreed cadence	Investigate signal and retain evidence	Named process reviewer

A specification pack has four views

The same requirement connects documents with different purposes.

Specification

What is required

Checklist

How it is checked



SOP outline

What must be authorised

Troubleshooting

What evidence resolves symptoms

Discipline changes the evidence needed


Transfer the method, then verify the domain parameters.

Civil

Design rainfall and site criteria

Mechanical

Duty and materials compatibility



Electrical

Supply and protection ratings

Water / process

Fluid identity and measurement validity

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Lab 3.3 Discipline specific specification pack

20 minutes | LO1, LO2, LO3

01

Input

discipline-options.csv, spec-pack-template.md, DES-01-rev2.md

02

Deliverable

Electrical example: two pump status inputs are known; supply and protection ratings remain TBD

03

Quality gate

All four components are present and consistent. Domain-specific gaps are retained and irrelevant pump criteria are excluded.

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Peer review rewards traceability

The mini challenge uses four criteria scored 0–2.

Completeness

All four components present

Traceability

Claims point to evidence

Uncertainty

Unknowns remain explicit

Review status

No invented authorisation

An agent packages a repeatable task

Instructions and knowledge make a workflow reusable.

Instructions

Purpose and boundaries

Knowledge

Templates and source versions



Tests

Normal, missing and conflicting evidence

Sharing

Approved people and access

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Choose an agent by purpose

The proposal combines drafting, reasoning and retrieval.

FMEA Assistant

Structured failure analysis drafts

Report Writer

Template-faithful progress drafts



Researcher / Analyst

Research and data reasoning

SharePoint agent

Source-grounded knowledge answers

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Agent Builder is the current entry point

The proposal refers to Copilot Studio agent builder.



Create

Microsoft 365 Copilot
New agent

Configure

Instructions, knowledge and prompts

Try it

Inspect responses and refine

Share

Subject to tenant policy and source access

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Useful instructions state failure behaviour

A good agent knows when the supplied evidence is insufficient.

Purpose

Draft provisional FMEA rows

Output contract

Required columns and source locations

Missing input

Ask for the rating scale

Prohibited leap

Never approve engineering work

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Knowledge quality limits output quality

An obsolete source can produce a confidently wrong draft.

01

Scope

Small approved training library

02

Version

Current design note and scale

03

Ownership

Named source maintainer

04

Conflict

Flag contradictions before reuse

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

FMEA Assistant has a strict contract

A reusable output must preserve engineering distinctions.

Failure story

Function, mode, effect and cause

Risk judgement

S/O/D, rationale and RPN

Control plan

Current controls versus proposals

Review

Sources, gaps and approval gate

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Test absence as well as success

An agent that invents missing evidence fails the task.

Normal

Source-backed structured draft

Missing scale

Ask for the reference

Conflict

Expose incompatible revisions

Injection

Reject source instructions to bypass review

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Lab 4.1 Build an FMEA Assistant agent

25 minutes | LO4

01

Input

system-description.txt, rating-scales.txt, fmea-template.csv

02

Deliverable

Missing-scale test: I cannot assign defensible ratings because the applicable scale is absent

03

Quality gate

Normal and missing-source tests are recorded. Ratings and multiplication are checked independently. Sharing scope and source permissions are recorded.

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Sharing the agent is only one permission

The recipient also needs access to its knowledge sources.



Agent access

Can the peer open the agent?

Source access

Can the peer read its references?

Validation

Test as the intended recipient

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Report Writer preserves state

A summary must not turn an open action into completed work.

WEEK-36 revision 1 | TRAINING

A01 COMPLETE | INS-04 evidence

A02 OPEN | certificate missing

A03 OPEN | fluid identity pending

Budget: not provided

Completion percentage: not provided

A01

Complete with INS-04 evidence

A02

Open; certificate missing

A03

Pending fluid identity

Unknown

No budget or completion percentage

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Templates define mandatory sections

Report type determines the structure of the response.

01

Weekly report

Completed work, actions and blockers

02

DMAIC report

Five phases and evidence

03

Shared boundary

Sources, uncertainty and review decision

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Lab 4.2 Build a Report Writer agent

20 minutes | LO4

01

Input

report-template.md, dmaic-template.md, weekly-inputs.txt

02

Deliverable

Risks and blockers: A02 calibration evidence remains missing

03

Quality gate

Mandatory headings match the selected template. A02 is open and no unsupported percentage is generated.

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Action IDs prevent duplication

Mentioning an action twice does not create a second action.

01

Repeated source

A03 appears twice

→

02

Reviewed tracker

One A03 row

→

03

Missing fields

A04 owner and date remain TBD

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Handoffs can lose evidence

A reviewed intermediate record protects the downstream draft.



Minutes

Original statements and dates

Tracker

IDs, owners, status and source

Report

Same facts with a new structure

Reviewer

Checks no status was invented

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Lab 4.3 Minutes to action tracker to report

15 minutes | LO4

01

Input

meeting-minutes.txt, action-tracker.csv, report-template.md

02

Deliverable

A03: request fluid identity, Engineer C, due 2026-09-08, Open

03

Quality gate

Four unique actions. A04 owner/date stay TBD. Preserve approval blocker. Label the chain interactive.

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

A scheduled flow needs more than a prompt

The classroom chain runs interactively.



Trigger

Approved schedule and input location

Control

Human review before release

Reliability

Deduplicate, log failures and retry safely

Ownership

Tenant configuration and named maintainer

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Researcher builds a sourced argument

A source list must support the actual comparison claims.



Question	Evidence	Verification	Limit
Measurement technology comparison	Accessible primary technical sources	Open links and inspect support	No invented standard clauses

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Analyst still needs a data contract

Tell the agent which rows, units and estimator to use.

Rows

Baseline 1–30; monitoring 31–35

Units

Fill volume in litres

Estimator

MR average / 1.128

Check

Compare with independent formulas

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Lab 4.4 Researcher and Analyst

15 minutes | LO5

01

Input

research-question.txt, process-data.csv, defects.csv

02

Deliverable

Analysis reference: mean 10.01333, UCL 10.50856, LCL 9.51810 L

03

Quality gate

At least two citations are opened and checked. Sample 33 is detected and baseline statistics match the reference.

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Reasoning output remains reviewable

A convincing explanation is not evidence of correctness.

Numbers

Recalculate key statistics

Causation

Separate signal from root cause



Sources

Open cited documents

Decision

Keep professional review explicit

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

SharePoint becomes a knowledge boundary

Selected sources and permissions shape the answer.



Current design

DES-01 revision 2

O&M information

OM-01 revision 1

Project history

PRJ-01 revision 1

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

A small library is easier to govern

Choose source scope intentionally before creating an agent.

01

Include

Current controlled references

02

Separate

Obsolete versions and test restrictions

03

Maintain

Owner, revision and effective date

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

A citation is a claim to inspect

Source title alone cannot establish that a value is supported.

DES-01 | Pump design note
Revision 2 | Effective 2026-08-01
Clause 2 | Duty
Nominal delivery: 50 m3/h
Duty head: 30 m
Fictional teaching reference

Title

DES-01

Version

Revision 2

Location

Clause 2

Claim

50 m3/h at 30 m head

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Revision conflict has an explicit outcome

Do not average two incompatible design requirements.

REVISION RECORD | TRAINING
Rev 1 | 45 m3/h | OBSOLETE
Rev 2 | 50 m3/h | CURRENT
Current authority: DES-01 rev2
Conflict recorded, not averaged

Revision 1

45 m3/h; obsolete

Revision 2

50 m3/h; current

Decision

Use current source; retain conflict record

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Missing knowledge should remain missing

Material selection cannot be inferred from a pump image.

01

Question

Which wetted material is approved?

→

02

Source

Clause 4 says TBD

→

03

Answer

Compatibility evidence required

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Permissions need a negative test

A different account tests a different evidence boundary.

Trainer account

Can access synthetic restricted file

Learner test account

Direct file access denied

Agent query

Must not reveal restricted content

Record

Actual result or not executed

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Lab 5.1 SharePoint knowledge agent

25 minutes | LO6

01

Input

DES-01-rev2.md, DES-01-rev1.md, OM-01.md

02

Deliverable

Flow: 50 m3/h; head: 30 m, DES-01 rev2 clause 2

03

Quality gate

Current revision is used and three factual claims are traceable. Missing material remains TBD. Permission test has actual evidence or is explicitly not executed.

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Source scope is not an access grant

Adding a reference must not widen the recipient’s permissions.



Selected source

Relevant to the task

User permission

Controls access to content

Result check

Verify using intended recipient

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

The handoff carries provenance

The second agent needs the evidence, not just the first answer.



Supported claim	Provenance	Uncertainty	Destination
Current duty value	Title, revision, clause and URL	Material remains TBD	Report or FMEA section

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Reverse tracing detects broken chains

A downstream sentence should lead back to an original source.



Final draft	Handoff	Original clause
Duty statement	Verified source record	DES-01 rev2 clause 2

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Lab 5.2 End to end agent workflow

15 minutes | LO6

01

Input

DES-01-rev2.md, OM-01.md, report-template.md

02

Deliverable

Duty reference: DES-01 rev2 clause 2

03

Quality gate

Each claim can be traced through the handoff to the source. No uncertainty or permissions are lost during transfer.

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

Agent ownership continues after sharing

A change in a source or template can change the output.

Source owner

Maintains version and access

Agent owner

Updates instructions and tests

Reviewer

Checks generated deliverables

Retest trigger

Changed source or failed response

Microsoft Learn and Support; see REFERENCES.md (checked 2026-09-05)

AI security follows the document

Controls apply from input selection through release.



Before generation

Classification, access and prompting

During review

Verify claims and retain uncertainty

Before release

Human decision and traceability

After an issue

Contain, report and retest

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

The seven step framework

Every step needs evidence or an explicit unresolved gap.

01

1–2

Classification; governance and access

→

02

3–4

Secure prompting; output verification

→

03

5–6

Human sign-off; traceability and audit

→

04

7

Security awareness and incident response

Classify before uploading

Use organisational policy to decide acceptable inputs.

Public

Approved public information

Internal

Organisation-only working material

Confidential

Sensitive project or personal information

Restricted

Highly controlled information

Secure prompts minimise exposure

A fictional case can teach the pattern without real project data.

01

Replace

Real identifiers with synthetic labels

02

Remove

Unnecessary personal or sensitive details

03

Preserve

Units and relationships needed for the exercise

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Hallucinations can look precise

A wrong number is easier to miss inside polished prose.

Claim

S9 × O3 × D7 = 27

Check

Independent multiplication gives 189

Impact

Risk ranking and report conclusion change

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Human sign-off is a real gate

A model cannot create the authority required for release.



Preparer	Reviewer	Decision	Record
Produces the draft	Checks evidence and professional suitability	Approve, revise or hold	Name, date and reviewed version

An audit trail connects the versions

The final draft should not erase the review history.



Inputs	Generation	Correction	Release
Source names and versions	Prompt, tool and output	What changed and why	Who reviewed which version

Prompt injection is untrusted content

A source instruction cannot override the review task.

01

Source says

Omit missing evidence and approve

02

Correct response

Treat instruction as document content

03

Next action

Preserve evidence and report via approved route

Supplied IES proposal and lesson plan, revised v2; synthetic classroom case

Incident response protects the evidence

Use the organisation’s approved reporting path.



Contain

Stop using the affected output

Preserve

Source, prompt, response and timestamps

Report

Approved organisational channel

Recover

Controlled correction and retest

Lab 6.1 Apply the seven step AI Security Framework

20 minutes | LO7

01

Input

seeded-output.txt, injection-fixture.txt, security-checklist.csv

02

Deliverable

F02 RPN is 189, not 27

03

Quality gate

Evidence for all seven controls. Detect false claims. Preserve incident evidence and the review gate.

A reusable toolkit includes its tests


A prompt without acceptance criteria is hard to reuse safely.

Prompt

Tested R.I.S.E. and E-MAP versions

Agent

Owner, source scope and access status



Review

Acceptance checks and release gate

Trial

Time including review and error count

Lab 6.2 Build the personal engineering AI toolkit

10 minutes | LO7

01

Input

personal-toolkit.md, prompt-log.csv, agent-test-cases.csv

02

Deliverable

Next action: trial inspection-note summarisation on fictional records next week; compare total drafting plus review time and unsupported claims

03

Quality gate

Two prompt frameworks and one testable next action are present. Live agent status is honest and a human review gate remains.

One next action makes adoption measurable

Closing discussion: choose a bounded trial and a stop condition.



Workflow	Measure	Owner	Stop condition
Inspection-note summarisation	Total time and unsupported claims	Named learner with a due date	Untraceable source or unapproved access