WSQ COURSE • TGS-2020503109

Version 15.0 · 10 Oct 2026

Claude Cowork for Email Marketing

Tertiary Infotech Academy Pte Ltd
UEN: 201200696W

www.tertiarycourses.com.sg | enquiry@tertiaryinfotech.com | +65 6100 0613

© Tertiary Infotech Academy Pte Ltd

Digital attendance via TRAQOM

QR

Complete the attendance action before technical work begins.

1. **Scan the trainer-provided QR code**
2. Confirm the correct course code and session
3. Use your registered learner identity
4. Show the confirmation screen if requested

© Tertiary Infotech Academy Pte. Ltd.

Trainer profile

T

Your trainer facilitates evidence-led email strategy, content and governed automation.

1. **Integrated marketing and customer journeys**
2. Email content, segmentation and lifecycle campaigns
3. Claude Cowork, Skills and connector workflows
4. Campaign analytics and assessment

© Tertiary Infotech Academy Pte. Ltd.

Dr Alfred Ang

AA

Principal Trainer, Tertiary Infotech Academy

1. **Doctorate-level applied technology educator**
2. AI, data, cloud and automation curriculum leadership
3. Industry-oriented assessment and implementation practice
4. Focus: explainable, governed technical outcomes

© Tertiary Infotech Academy Pte. Ltd.

Learner introduction

YOU

Connect your role to one measurable email marketing opportunity.

1. **Role and organisation context**
2. Target customer or community
3. Current campaign objective
4. One metric you need to improve

© Tertiary Infotech Academy Pte. Ltd.

Working agreements

RULE

Use governed experimentation throughout the course.

1. **Use synthetic or approved data only**
2. Never paste live secrets into prompts or files
3. Keep consequential actions behind approval
4. Challenge completion claims with observable evidence

© Tertiary Infotech Academy Pte. Ltd.

Course facts and competency context

TSC

ICT-SNM-3006-1.1 Integrated Marketing

1. **Course code: TGS-2020503109**
2. Duration: 2 days / 16 training hours
3. Assessment: 2 hours
4. Version: v14.0 / 10 September 2026

© Tertiary Infotech Academy Pte. Ltd.

Day 1 lesson plan

D1

Strategy, audience governance and grounded campaign creation.

1. **Topic 1: objectives, lifecycle, lead magnets and Cowork briefs**
2. Topic 2: data quality, consent, segments and personalisation
3. Topic 3: content architecture, brand rules and Custom Skills
4. Labs 01–06: brief through reusable Skill

© Tertiary Infotech Academy Pte. Ltd.

Day 2 lesson plan

D2

Connector automation, approval controls and evidence-led optimisation.

1. **Topic 4: projects, connectors, MCP, security and scheduling**
2. Topic 5: metrics, funnels, A/B tests and optimisation
3. Labs 07–10: controlled release through experiment decision
4. Assessment follows the instructional programme

© Tertiary Infotech Academy Pte. Ltd.

Learning outcomes

LO

At course completion, you can plan, create, automate and evaluate a governed Cowork-assisted email campaign.

1. **LO1 Propose email marketing strategies to address intended objectives and target customers.**
2. LO2 Manage newsletter audiences for a particular market segment.
3. LO3 Develop effective email campaigns to meet an email campaign objective.
4. LO4 Automate marketing processes to improve efficiency.
5. LO5 Evaluate campaign effectiveness using analytics reports.

© Tertiary Infotech Academy Pte. Ltd.

Briefing for assessment

A

Assessment evidence must show your own marketing decisions and a functioning campaign workflow.

1. **Read every question and task before starting**
2. Use the supplied synthetic case and lab artifacts
3. Show requested briefs, campaign assets and metric evidence
4. Do not send to a live audience during assessment

© Tertiary Infotech Academy Pte. Ltd.

Assessment and funding

$

Assessment is competence-based; course funding depends on current eligibility and conditions.

1. **Active Written Assessment: 40 minutes**
2. Active Practical Performance: 90 minutes
3. Course page summarises the assessment as 2 hours
4. Check the current official course page before enrolment

© Tertiary Infotech Academy Pte. Ltd.

Assessment flow

1→4

The assessor evaluates knowledge, campaign performance and evidence-led optimisation.

1. **Identity and instructions**
2. WA: 6 questions / K1–K6
3. PP: 5 tasks / A1–A8
4. Outcome and follow-up

© Tertiary Infotech Academy Pte. Ltd.

Download course materials from the LMS

LMS

Use the visual route below to obtain the current slides, Learner Guide and ten self-contained labs.

1 **1 Open the LMS course record**

2 2 Confirm title, code and v14.0

3 3 Download learner materials and labs

4 4 Open each lab README/PDF first

https://lms-tms.tertiaryinfotech.com/

© Tertiary Infotech Academy Pte. Ltd.

1

TOPIC 1

Email Marketing Strategy and Campaign Planning with Claude Cowork

Translate business objectives and customer evidence into a consent-aware lifecycle campaign brief that Claude Cowork can execute and a marketer can verify.

1 STRATEGY


2 AUDIENCE

3 WORKFLOW

4 EVIDENCE

Every campaign action remains grounded, reviewable and measurable.

01 · Email as an owned relationship channel: execution path



STATE PASSED BETWEEN STAGES

permission

promise

engagement


next_value

FAILURE MODE

A large list is treated as an asset even when consent or relevance is weak.

© Tertiary Infotech Academy Pte. Ltd.

01 · Email as an owned relationship channel: contract and control



Value the address only when permission, purpose and retention remain traceable.

© Tertiary Infotech Academy Pte. Ltd.

01 · Email as an owned relationship channel: evidence and decision

MEASURE

Permission, reach, conversion and lifetime-value contribution

ACCEPTANCE EVIDENCE

Channel comparison and consent provenance

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR

OWNER


named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

02 · Objective-to-metric hierarchy: execution path



STATE PASSED BETWEEN STAGES

business_goal

behaviour

primary_kpi


guardrail

FAILURE MODE

Open rate becomes the objective although it does not prove business value.

© Tertiary Infotech Academy Pte. Ltd.

02 · Objective-to-metric hierarchy: contract and control



Connect campaign activity to a customer action and business outcome.

© Tertiary Infotech Academy Pte. Ltd.

02 · Objective-to-metric hierarchy: evidence and decision

MEASURE

One primary KPI with counter-metrics

ACCEPTANCE EVIDENCE

Objective tree with metric definitions

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR


OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

03 · Lifecycle and drip architecture: execution path



STATE PASSED BETWEEN STAGES

stage

trigger

message_job


exit_rule

FAILURE MODE

Everyone receives the same sequence regardless of readiness.

© Tertiary Infotech Academy Pte. Ltd.

03 · Lifecycle and drip architecture: contract and control



Give every email one job, entry rule and exit condition.

© Tertiary Infotech Academy Pte. Ltd.

03 · Lifecycle and drip architecture: evidence and decision

MEASURE

Progression and drop-off by lifecycle stage

ACCEPTANCE EVIDENCE

Lifecycle map and suppression logic

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

04 · Lead magnet value exchange: execution path

1. **Find tension**
2. **Offer utility**
3. **Request minimum data**
4. **Fulfil promise**

STATE PASSED BETWEEN STAGES

pain_point

asset

fields


delivery

FAILURE MODE

The incentive attracts freebie seekers or collects unnecessary personal data.

© Tertiary Infotech Academy Pte. Ltd.

04 · Lead magnet value exchange: contract and control



Match the asset to an immediate audience problem and ask only for needed fields.

© Tertiary Infotech Academy Pte. Ltd.

04 · Lead magnet value exchange: evidence and decision

MEASURE

Qualified opt-in and downstream engagement

ACCEPTANCE EVIDENCE


Lead-magnet hypothesis and consent copy

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

05 · Claude Cowork task model: execution path



STATE PASSED BETWEEN STAGES

folder

instructions

tool_actions


deliverable

FAILURE MODE

A chat answer is mistaken for a completed, reviewed campaign asset.

© Tertiary Infotech Academy Pte. Ltd.

05 · Claude Cowork task model: contract and control



Delegate an artifact-producing task with boundaries and verification.

© Tertiary Infotech Academy Pte. Ltd.

05 · Claude Cowork task model: evidence and decision

MEASURE

% tasks whose artifacts meet the declared acceptance contract

ACCEPTANCE EVIDENCE

Task record, artifact and review decision

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR


OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

06 · Campaign brief as control plane: execution path



STATE PASSED BETWEEN STAGES


- **brand**
- **segment**
- **offer**
- **constraints**

FAILURE MODE

Claude fills missing strategy with plausible assumptions.

© Tertiary Infotech Academy Pte. Ltd.

06 · Campaign brief as control plane: contract and control



Require explicit unknowns, sources and an approval owner.

© Tertiary Infotech Academy Pte. Ltd.

06 · Campaign brief as control plane: evidence and decision

MEASURE

% required brief fields complete before drafting

ACCEPTANCE EVIDENCE


Validated campaign brief and assumption log

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

07 · Channel and platform selection: execution path



STATE PASSED BETWEEN STAGES

need

criteria

connector


decision

FAILURE MODE

The best-known platform is selected without workflow or compliance fit.

© Tertiary Infotech Academy Pte. Ltd.

07 · Channel and platform selection: contract and control



Score the channel and execution platform against the campaign contract.

© Tertiary Infotech Academy Pte. Ltd.

07 · Channel and platform selection: evidence and decision

MEASURE

Weighted fit across capability, cost, control and evidence

ACCEPTANCE EVIDENCE

Platform decision matrix with rejected alternatives

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR

OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

08 · Compliance and trust boundaries: execution path

1. **Capture consent**
2. **Limit purpose**
3. **Protect data**
4. **Honour exit**

STATE PASSED BETWEEN STAGES

consent_at

purpose

retention


unsubscribe

FAILURE MODE

An agent drafts or sends from unverified, scraped or suppressed data.

© Tertiary Infotech Academy Pte. Ltd.

08 · Compliance and trust boundaries: contract and control



Block activation when consent, identity or unsubscribe state is uncertain.

© Tertiary Infotech Academy Pte. Ltd.

08 · Compliance and trust boundaries: evidence and decision

MEASURE

% records with auditable consent and suppression status

ACCEPTANCE EVIDENCE

Consent ledger and pre-send gate

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

Strategy boundary: business, customer and permission

1

BUSINESS

Define outcome and guardrails

2

CUSTOMER

Exchange consent for relevant value


3

MARKETER

Select journey and evidence

© Tertiary Infotech Academy Pte. Ltd.


Campaign state: ATTRACT, NURTURE, CONVERT and RETAIN



A lifecycle advances only when the customer action satisfies the declared exit rule.

© Tertiary Infotech Academy Pte. Ltd.

Strategy evidence chain: objective → audience → offer → metric



Strategy is defensible when objective, audience, offer and metric remain linked.

© Tertiary Infotech Academy Pte. Ltd.


Risk taxonomy: consent, promise, relevance and measurement

CONSENT	stop when permission is uncertain
PROMISE	align offer, subject and body
RELEVANCE	narrow audience or message
MEASUREMENT	define outcome and guardrail

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Lifecycle value compounds after the first conversion



INSIGHT


Email earns value across a relationship, not only at first conversion.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

A complete brief reduces unsupported assumptions



INSIGHT


A complete brief constrains Claude before drafting begins.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Human ownership rises with campaign consequence



INSIGHT

Sending remains a consequential human-owned action.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

Lab 01 · Build a Grounded Campaign Strategy Brief

SCENARIO

Use Claude Cowork with supplied brand and market evidence to propose a consent-aware email strategy for Northstar Fitness.

EXPECTED OUTPUT


Validated strategy brief, channel matrix and assumption log

Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.

Self-contained folder: labs/lab-01-campaign-strategy-brief/

© Tertiary Infotech Academy Pte. Ltd.

Lab 01 · Cowork workflow contract



Consequential actions require a current diff, passing checks and a named decision.

HUMAN GATE

Approval resumes only when the reviewed diff and current state still match.

© Tertiary Infotech Academy Pte. Ltd.

Lab 01 · evidence and failure gates

PASS EVIDENCE

One primary objective, audience, value exchange, metrics, guardrails and source-backed assumptions are explicit.

FAIL CLOSED WHEN

a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.

README.pdf

detailed procedure

starter/

safe project state

solution/

reference outcome

evidence/

acceptance record

© Tertiary Infotech Academy Pte. Ltd.

Lab 02 · Design a Lead Magnet and Drip Lifecycle

SCENARIO

Turn a customer tension into a credible lead magnet and five-state lifecycle sequence.

EXPECTED OUTPUT


Lifecycle map, lead-magnet proposition and consent copy

Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.

Self-contained folder: labs/lab-02-lead-magnet-lifecycle/

© Tertiary Infotech Academy Pte. Ltd.

Lab 02 · Cowork workflow contract



Consequential actions require a current diff, passing checks and a named decision.

HUMAN GATE

Approval resumes only when the reviewed diff and current state still match.

© Tertiary Infotech Academy Pte. Ltd.

Lab 02 · evidence and failure gates

PASS EVIDENCE

The promise matches the source evidence, consent is explicit and every lifecycle state has entry and exit rules.

FAIL CLOSED WHEN

a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.

README.pdf

detailed procedure

starter/

safe project state

solution/

reference outcome

evidence/

acceptance record

© Tertiary Infotech Academy Pte. Ltd.

Topic 1 technical checkpoint

1. **Which state field prevents a silent downstream assumption?**

2. **What evidence proves the mechanism completed successfully?**

3. **Which failure must stop rather than retry?**

4. **Who owns the consequential decision?**

© Tertiary Infotech Academy Pte. Ltd.

CHECKPOINT

Topic 1 transfer challenge

1. **Change one input constraint and predict the affected nodes.**

2. **Name the identifier that preserves provenance across the change.**

3. **Define one machine threshold and one human decision.**

4. **Describe the minimum evidence required to resume the run.**

© Tertiary Infotech Academy Pte. Ltd.

2

TOPIC 2

Audience Management, Segmentation and Personalisation

Create a clean, consent-aware audience model and use meaningful segment evidence to personalise messages without exposing sensitive customer data.

1 STRATEGY

2 AUDIENCE


3 WORKFLOW

4 EVIDENCE

Every campaign action remains grounded, reviewable and measurable.

MECHANISM

01 · Audience data contract: execution path



STATE PASSED BETWEEN STAGES

field

definition

allowed_value


owner

FAILURE MODE

A field exists but its source, freshness or meaning is unknown.

© Tertiary Infotech Academy Pte. Ltd.

01 · Audience data contract: contract and control



Maintain a minimal dictionary and reject ungoverned attributes.

© Tertiary Infotech Academy Pte. Ltd.

01 · Audience data contract: evidence and decision

MEASURE

% audience fields with definition, source and lawful purpose

ACCEPTANCE EVIDENCE


Audience schema and data-quality report

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

02 · Contact status lifecycle: execution path



STATE PASSED BETWEEN STAGES

status

source

changed_at


reason

FAILURE MODE

Unsubscribed, bounced or archived contacts re-enter an active segment.

© Tertiary Infotech Academy Pte. Ltd.

02 · Contact status lifecycle: contract and control



Use a single authoritative suppression state before every release.

© Tertiary Infotech Academy Pte. Ltd.

02 · Contact status lifecycle: evidence and decision

MEASURE

Status transitions with no prohibited sends

ACCEPTANCE EVIDENCE

Status transition ledger


OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

03 · Bounce and deliverability logic: execution path



STATE PASSED BETWEEN STAGES

smtp_result

bounce_type

retry_rule


suppression

FAILURE MODE

Repeated sends to permanent failures damage sender reputation.

© Tertiary Infotech Academy Pte. Ltd.

03 · Bounce and deliverability logic: contract and control



Retry temporary failures selectively and suppress permanent failures promptly.

© Tertiary Infotech Academy Pte. Ltd.

03 · Bounce and deliverability logic: evidence and decision

MEASURE

Delivery rate, hard-bounce rate and complaint rate

ACCEPTANCE EVIDENCE

Bounce decision table and list-health trend

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR

OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

04 • Segmentation model: execution path

AUDIENCE DECISION SURFACE


1	SIGNAL	Use declared audience evidence
2	RULE	Express a reproducible segment
3	PREVIEW	Check members and exclusions
4	ACTIVATE	Apply a safe fallback



CONCEPT VISUAL • LABELLED

© Tertiary Infotech Academy Pte. Ltd.

04 · Segmentation model: contract and control



Version the rule, evaluation date and member count.

© Tertiary Infotech Academy Pte. Ltd.

04 • Segmentation model: evidence and decision

MEASURE

Segment size, stability and response lift

ACCEPTANCE EVIDENCE

Segment manifest and sampled members

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR


OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

05 · Tags, groups and computed segments: execution path



STATE PASSED BETWEEN STAGES


- **tag**
- **group**
- **conditions**
- **priority**

FAILURE MODE

Operational tags are confused with customer-declared preferences.

© Tertiary Infotech Academy Pte. Ltd.

05 · Tags, groups and computed segments: contract and control



Separate marketer metadata, subscriber choices and computed eligibility.

© Tertiary Infotech Academy Pte. Ltd.

05 · Tags, groups and computed segments: evidence and decision

MEASURE

% contacts assigned consistently across constructs

ACCEPTANCE EVIDENCE

Audience taxonomy and overlap check

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR

OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

06 · Persona and journey evidence: execution path

1. **Aggregate signals**
2. **Describe need**
3. **Map barrier**
4. **Choose message**

STATE PASSED BETWEEN STAGES


- **evidence**
- **job_to_be_done**
- **barrier**
- **content_job**

FAILURE MODE

A stereotype is generated and used as if it were research.

© Tertiary Infotech Academy Pte. Ltd.

06 · Persona and journey evidence: contract and control



Label inferred claims and test them against behavioural data.

© Tertiary Infotech Academy Pte. Ltd.

06 · Persona and journey evidence: evidence and decision

MEASURE

Persona claims supported by actual audience evidence

ACCEPTANCE EVIDENCE

Evidence-backed persona card

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR


OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

07 · Personalisation hierarchy: execution path



STATE PASSED BETWEEN STAGES

identity

context

offer


moment

FAILURE MODE

Sensitive or incorrect attributes produce intrusive content.

© Tertiary Infotech Academy Pte. Ltd.

07 · Personalisation hierarchy: contract and control



Use the least sensitive signal that improves relevance and provide fallbacks.

© Tertiary Infotech Academy Pte. Ltd.

07 · Personalisation hierarchy: evidence and decision

MEASURE

Incremental response lift without complaint increase

ACCEPTANCE EVIDENCE

Personalisation matrix and fallback test

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

08 · Privacy-preserving Cowork workflow: execution path

1. **Minimise export**
2. **Mask identity**
3. **Analyse sample**
4. **Return aggregate**

STATE PASSED BETWEEN STAGES


- **minimum_fields**
- **pseudonym**
- **sample**
- **aggregate**

FAILURE MODE

Raw subscriber data is copied into prompts or broad folders.

© Tertiary Infotech Academy Pte. Ltd.

08 · Privacy-preserving Cowork workflow: contract and control



Grant the narrowest folder/tool scope and use synthetic data in training.

© Tertiary Infotech Academy Pte. Ltd.

08 · Privacy-preserving Cowork workflow: evidence and decision

MEASURE

% tasks completed without unnecessary personal data

ACCEPTANCE EVIDENCE

Access scope, masked dataset and review log

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR

OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

Audience boundary: source, status and lawful purpose

1

SOURCE

Capture consent and field meaning

2

SEGMENT

Apply a clear reproducible rule


3

MESSAGE

Personalise with a safe fallback

© Tertiary Infotech Academy Pte. Ltd.


Contact state: SUBSCRIBED, ENGAGED, SUPPRESSED and ARCHIVED



Suppression is an authoritative state, not a segment preference.

© Tertiary Infotech Academy Pte. Ltd.

Segment evidence chain: field → rule → cohort → message



Audience action is explainable when provenance, status, rule and cohort resolve.

© Tertiary Infotech Academy Pte. Ltd.

Data taxonomy: identity, preference, behaviour and suppression

IDENTITY	minimise and protect direct identifiers
PREFERENCE	preserve customer-declared choices
BEHAVIOUR	use observable signals cautiously
SUPPRESSION	exclude before activation

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Segmentation improves relevance when rules stay clear



INSIGHT

Segmentation creates value only when rules are meaningful and reproducible.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

List hygiene protects deliverability



INSIGHT


Suppression and validation protect both recipients and sender reputation.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Data exposure falls with minimisation



INSIGHT

Use the smallest audience dataset that can answer the task.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

Lab 03 · Audit and Repair an Audience Dataset

SCENARIO

Use synthetic subscriber data to identify consent, status, duplicate and quality defects before segmentation.

EXPECTED OUTPUT


Cleaned CSV, data-quality report and suppression ledger

Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.

Self-contained folder: labs/lab-03-audience-data-quality/

© Tertiary Infotech Academy Pte. Ltd.

Lab 03 · Cowork workflow contract



Each node consumes named keys, emits a status, and leaves retrievable execution evidence.

© Tertiary Infotech Academy Pte. Ltd.

Lab 03 · evidence and failure gates

PASS EVIDENCE

All rows reconcile to kept, suppressed or review states; no personal data leaves the lab folder.

FAIL CLOSED WHEN

a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.

README.pdf

detailed procedure

starter/

safe project state

solution/

reference outcome

evidence/

acceptance record

© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

Lab 04 · Create Explainable Segments and Personalisation

SCENARIO

Create reproducible audience segments and a safe personalisation matrix from the cleaned mock audience.

EXPECTED OUTPUT


Segment manifest, member preview and fallback matrix

Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.

Self-contained folder: labs/lab-04-segment-personalisation/

© Tertiary Infotech Academy Pte. Ltd.

Lab 04 · Cowork workflow contract



Consequential actions require a current diff, passing checks and a named decision.

HUMAN GATE

Approval resumes only when the reviewed diff and current state still match.

© Tertiary Infotech Academy Pte. Ltd.

Lab 04 · evidence and failure gates

PASS EVIDENCE

Rules reproduce member counts, suppressed contacts are excluded and sensitive attributes are not used.

FAIL CLOSED WHEN

a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.

README.pdf

detailed procedure

starter/

safe project state

solution/

reference outcome

evidence/

acceptance record

© Tertiary Infotech Academy Pte. Ltd.

Topic 2 technical checkpoint

1. **Which state field prevents a silent downstream assumption?**

2. **What evidence proves the mechanism completed successfully?**

3. **Which failure must stop rather than retry?**

4. **Who owns the consequential decision?**

© Tertiary Infotech Academy Pte. Ltd.

Topic 2 transfer challenge

1. **Change one input constraint and predict the affected nodes.**

2. **Name the identifier that preserves provenance across the change.**

3. **Define one machine threshold and one human decision.**

4. **Describe the minimum evidence required to resume the run.**

© Tertiary Infotech Academy Pte. Ltd.

3

TOPIC 3

Creating Email Content and Campaigns with Custom Claude Skills

Turn a campaign brief and brand system into useful, accessible email variants, then package a proven workflow as a reusable Claude Skill.

1 STRATEGY


2 AUDIENCE

3 WORKFLOW

4 EVIDENCE

Every campaign action remains grounded, reviewable and measurable.

01 · Message architecture: execution path



STATE PASSED BETWEEN STAGES

subject

lead

proof


cta

FAILURE MODE

Several competing CTAs dilute the intended behaviour.

© Tertiary Infotech Academy Pte. Ltd.

01 · Message architecture: contract and control



Give every message one primary action and a coherent evidence path.

© Tertiary Infotech Academy Pte. Ltd.

01 · Message architecture: evidence and decision

MEASURE

Message clarity and single-action completion

ACCEPTANCE EVIDENCE

Annotated message map

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR

OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

02 · Subject line and preview pair: execution path

1. State benefit
2. Create specificity
3. Add preview
4. Check integrity

STATE PASSED BETWEEN STAGES


- benefit
- specificity
- preview
- body_match

FAILURE MODE

Curiosity wording overpromises what the body delivers.

© Tertiary Infotech Academy Pte. Ltd.

02 · Subject line and preview pair: contract and control



Evaluate the subject and preview as one promise against the body.

© Tertiary Infotech Academy Pte. Ltd.

02 · Subject line and preview pair: evidence and decision

MEASURE

Unique open proxy plus downstream click quality

ACCEPTANCE EVIDENCE

Variant table with promise-integrity check

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

03 · Brand voice as constraints: execution path

1. **Define traits**
2. **Show examples**
3. **Mark exclusions**
4. **Score draft**

STATE PASSED BETWEEN STAGES


- **traits**
- **examples**
- **avoid**
- **rubric**

FAILURE MODE

Abstract adjectives give Claude no observable writing behaviour.

© Tertiary Infotech Academy Pte. Ltd.

03 · Brand voice as constraints: contract and control



Translate voice into word choice, rhythm, proof and prohibited patterns.

© Tertiary Infotech Academy Pte. Ltd.

03 · Brand voice as constraints: evidence and decision

MEASURE

% drafts passing brand rubric without manual rewrite

ACCEPTANCE EVIDENCE

Brand rubric and scored sample

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

04 · Content types across the lifecycle: execution path

1. **Choose moment**
2. **Set message job**
3. **Select format**
4. **Define response**

STATE PASSED BETWEEN STAGES

lifecycle **job**


format **response**

FAILURE MODE

A promotion is sent when the customer needs onboarding or support.

© Tertiary Infotech Academy Pte. Ltd.

04 · Content types across the lifecycle: contract and control



Match welcome, nurture, launch, transactional and re-engagement content to stage.

© Tertiary Infotech Academy Pte. Ltd.

04 · Content types across the lifecycle: evidence and decision

MEASURE

Content-to-stage fit and action rate

ACCEPTANCE EVIDENCE

Lifecycle content matrix

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR

OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

05 · Email layout and accessibility: execution path

1. **Establish hierarchy**
2. **Design mobile**
3. **Add alternatives**
4. **Test rendering**

STATE PASSED BETWEEN STAGES


- **heading**
- **width**
- **alt_text**
- **preview**

FAILURE MODE

Image-only content or weak contrast blocks comprehension.

© Tertiary Infotech Academy Pte. Ltd.

05 · Email layout and accessibility: contract and control



Use semantic structure, descriptive links and a resilient text path.

© Tertiary Infotech Academy Pte. Ltd.

05 · Email layout and accessibility: evidence and decision

MEASURE

% critical content readable without images and on mobile

ACCEPTANCE EVIDENCE

Accessibility and rendering checklist

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

06 · Grounded drafting with Cowork: execution path

1. **Read approved files**
2. **Draft to schema**
3. **Cite claims**
4. **Flag unknowns**

STATE PASSED BETWEEN STAGES


- **sources**
- **output_schema**
- **claim_map**
- **unknowns**

FAILURE MODE

Claude invents product facts, testimonials or deadlines.

© Tertiary Infotech Academy Pte. Ltd.

06 · Grounded drafting with Cowork: contract and control



Constrain drafting to approved evidence and require an assumption log.

© Tertiary Infotech Academy Pte. Ltd.

06 · Grounded drafting with Cowork: evidence and decision

MEASURE

% factual claims traceable to approved source material

ACCEPTANCE EVIDENCE

Draft, source map and unresolved questions

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

07 · Custom Skill anatomy: execution path

REUSABLE SKILL CONTRACT


1	TRIGGER	Recognise the intended task
2	CONTEXT	Load approved brand resources
3	DRAFT	Return a stable output schema
4	GATE	Score quality before approval



CONCEPT VISUAL • LABELLED

© Tertiary Infotech Academy Pte. Ltd.

07 · Custom Skill anatomy: contract and control



Specify positive and near-miss triggers, inputs, outputs and quality gates.

© Tertiary Infotech Academy Pte. Ltd.

07 · Custom Skill anatomy: evidence and decision

MEASURE

% representative tasks that activate and pass the skill contract

ACCEPTANCE EVIDENCE

Skill package and activation test

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR


OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

08 · Editorial quality gate: execution path



STATE PASSED BETWEEN STAGES

objective_fit

brand_score

risk_scan


approver

FAILURE MODE

Fluent copy bypasses factual, consent or legal review.

© Tertiary Infotech Academy Pte. Ltd.

08 · Editorial quality gate: contract and control



Separate creative assessment from deterministic release conditions.

© Tertiary Infotech Academy Pte. Ltd.

08 · Editorial quality gate: evidence and decision

MEASURE

% releases passing all gates before platform entry

ACCEPTANCE EVIDENCE

Editorial scorecard and named decision

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

Editorial boundary: source, brand and accountable approver

1

COWORK

Draft from approved sources

2

SKILL

Apply reusable brand and QA rules


3

APPROVER

Own claims and release

© Tertiary Infotech Academy Pte. Ltd.


Content state: BRIEFED, DRAFTED, CHECKED and APPROVED



Approval requires a grounded draft and a passed quality gate.

© Tertiary Infotech Academy Pte. Ltd.


Skill evidence chain: trigger → context → draft → score



A reusable Skill connects approved context, source evidence, rules and approval.

© Tertiary Infotech Academy Pte. Ltd.


Quality taxonomy: claim, voice, accessibility and action



© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Skill consistency improves with explicit resources



INSIGHT


Reusable Skills combine a precise trigger, resources, schema and tests.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Grounding raises claim traceability



INSIGHT


A source map separates grounded claims from fluent invention.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Competing calls to action reduce focus



INSIGHT

One primary action makes the email easier to understand and measure.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

Lab 05 · Draft Grounded Email Variants

SCENARIO

Create welcome and launch email variants from a campaign brief, product facts and brand rubric.

EXPECTED OUTPUT


Two complete email variants, claim map and editorial scorecard

Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.

Self-contained folder: labs/lab-05-grounded-email-variants/

© Tertiary Infotech Academy Pte. Ltd.

Lab 05 · Cowork workflow contract



Consequential actions require a current diff, passing checks and a named decision.

HUMAN GATE

Approval resumes only when the reviewed diff and current state still match.

© Tertiary Infotech Academy Pte. Ltd.

Lab 05 · evidence and failure gates

PASS EVIDENCE

Each email has one CTA, accessible structure, supported claims and a passed brand/compliance scorecard.

FAIL CLOSED WHEN

a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.

README.pdf

detailed procedure

starter/

safe project state

solution/

reference outcome

evidence/

acceptance record

© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

Lab 06 · Package a Reusable Email Campaign Skill

SCENARIO

Convert the proven drafting and QA workflow into a reusable Claude Skill with trigger and near-miss tests.

EXPECTED OUTPUT


SKILL.md, templates, test cases and sample output

Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.

Self-contained folder: labs/lab-06-custom-email-skill/

© Tertiary Infotech Academy Pte. Ltd.

Lab 06 · Cowork workflow contract



Each node consumes named keys, emits a status, and leaves retrievable execution evidence.

© Tertiary Infotech Academy Pte. Ltd.

Lab 06 · evidence and failure gates

PASS EVIDENCE

The Skill activates only for intended campaign tasks and produces a schema-valid, brand-scored draft.

FAIL CLOSED WHEN

a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.

README.pdf

detailed procedure

starter/

safe project state

solution/

reference outcome

evidence/

acceptance record

© Tertiary Infotech Academy Pte. Ltd.

Topic 3 technical checkpoint

1. **Which state field prevents a silent downstream assumption?**

2. **What evidence proves the mechanism completed successfully?**

3. **Which failure must stop rather than retry?**

4. **Who owns the consequential decision?**

© Tertiary Infotech Academy Pte. Ltd.

Topic 3 transfer challenge

1. **Change one input constraint and predict the affected nodes.**

2. **Name the identifier that preserves provenance across the change.**

3. **Define one machine threshold and one human decision.**

4. **Describe the minimum evidence required to resume the run.**

© Tertiary Infotech Academy Pte. Ltd.

4

TOPIC 4

Email Marketing Automation with Claude Cowork and MCP Tools

Design a controlled automation that uses Cowork, Skills and connectors while preserving permissions, approval, idempotency and evidence.

1 STRATEGY

2 AUDIENCE

3 WORKFLOW

4 EVIDENCE

Every campaign action remains grounded, reviewable and measurable.

01 · Automation suitability: execution path

1. **Find repetition**
2. **Stabilise rules**
3. **Bound consequence**
4. **Select posture**

STATE PASSED BETWEEN STAGES

frequency

rule_clarity

impact


posture

FAILURE MODE

A rare, ambiguous or high-consequence task is automated end to end.

© Tertiary Infotech Academy Pte. Ltd.

01 · Automation suitability: contract and control



Automate stable work; retain human ownership of material release decisions.

© Tertiary Infotech Academy Pte. Ltd.

01 · Automation suitability: evidence and decision

MEASURE

Time saved at equal or better quality and control

ACCEPTANCE EVIDENCE

Suitability score and automation boundary

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR


OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

02 · Trigger-condition-action model: execution path



STATE PASSED BETWEEN STAGES

event

condition

action


result

FAILURE MODE

A vague trigger fires repeatedly or for the wrong cohort.

© Tertiary Infotech Academy Pte. Ltd.

02 · Trigger-condition-action model: contract and control



Use typed inputs, explicit conditions and deterministic terminal states.

© Tertiary Infotech Academy Pte. Ltd.

02 · Trigger-condition-action model: evidence and decision

MEASURE

% events producing exactly one valid transition

ACCEPTANCE EVIDENCE

Workflow graph and event log

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR


OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

03 · Cowork projects and instructions: execution path



STATE PASSED BETWEEN STAGES


- **project**
- **folder_context**
- **instructions**
- **artifact**

FAILURE MODE

Global and folder rules conflict or stale instructions persist.

© Tertiary Infotech Academy Pte. Ltd.

03 · Cowork projects and instructions: contract and control



Keep global preferences separate from campaign-specific folder instructions.

© Tertiary Infotech Academy Pte. Ltd.

03 · Cowork projects and instructions: evidence and decision

MEASURE

% sessions using the current approved brand and campaign context

ACCEPTANCE EVIDENCE


Instruction hierarchy and version record

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

04 · Connectors and MCP boundaries: execution path



STATE PASSED BETWEEN STAGES


- **identity**
- **scope**
- **tool_schema**
- **result**

FAILURE MODE

A connector grants broad write access or returns untrusted content that steers the task.

© Tertiary Infotech Academy Pte. Ltd.

04 · Connectors and MCP boundaries: contract and control



Prefer precise connectors, narrow scopes and schema validation.

© Tertiary Infotech Academy Pte. Ltd.

04 · Connectors and MCP boundaries: evidence and decision

MEASURE

% calls using least privilege and validated responses

ACCEPTANCE EVIDENCE


Permission inventory and tool-call evidence

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

05 · Prompt injection and untrusted content: execution path



STATE PASSED BETWEEN STAGES

content_source

trust_level

instruction_origin


decision

FAILURE MODE

An inbound email contains hidden text that asks the agent to export data or send mail.

© Tertiary Infotech Academy Pte. Ltd.

05 · Prompt injection and untrusted content: contract and control



Treat external content as data, never authority; stop on unexpected requests.

© Tertiary Infotech Academy Pte. Ltd.

05 · Prompt injection and untrusted content: evidence and decision

MEASURE

% untrusted instructions blocked before tool action

ACCEPTANCE EVIDENCE

Injection test and blocked action

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

06 · Human approval before send: execution path

APPROVAL-BOUND RELEASE


1	FREEZE	Bind content and cohort IDs
2	REVIEW	Show evidence to a human
3	MATCH	Verify hash and expiry
4	RELEASE	Schedule once and record



CONCEPT VISUAL • LABELLED

© Tertiary Infotech Academy Pte. Ltd.

06 · Human approval before send: contract and control



Bind approval to a content hash, cohort ID and expiry time.

© Tertiary Infotech Academy Pte. Ltd.

06 · Human approval before send: evidence and decision

MEASURE

% sends matching the approved payload and audience

ACCEPTANCE EVIDENCE


Approval receipt and matching send manifest

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

07 · Idempotency, retries and suppression: execution path



STATE PASSED BETWEEN STAGES


- **run_key**
- **attempt**
- **error_class**
- **terminal_state**

FAILURE MODE

A timeout is retried without knowing whether the email was already scheduled.

© Tertiary Infotech Academy Pte. Ltd.

07 · Idempotency, retries and suppression: contract and control



Use idempotency keys and reconcile remote state before retry.

© Tertiary Infotech Academy Pte. Ltd.

07 · Idempotency, retries and suppression: evidence and decision

MEASURE

Duplicate-send rate and recovery success

ACCEPTANCE EVIDENCE

Run ledger with one terminal outcome


OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

08 · Scheduled task operations: execution path



STATE PASSED BETWEEN STAGES

task

schedule

approval_mode


run_history

FAILURE MODE

A recurring task depends on unavailable local files or silently drifts from current policy.

© Tertiary Infotech Academy Pte. Ltd.

08 · Scheduled task operations: contract and control



Use saved cloud files/connectors for remote runs and review history regularly.

© Tertiary Infotech Academy Pte. Ltd.

08 · Scheduled task operations: evidence and decision

MEASURE

% scheduled runs reviewed with exceptions resolved

ACCEPTANCE EVIDENCE

Schedule definition and exception report

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR

OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

Automation boundary: Cowork, connector and human owner

1

COWORK

Coordinate the workflow

2

CONNECTOR

Perform a typed scoped action


3

HUMAN

Approve payload and consequence

© Tertiary Infotech Academy Pte. Ltd.


Workflow state: READY, RUNNING, BLOCKED and COMPLETE



Completion requires a matching payload, terminal state and retrievable run record.

© Tertiary Infotech Academy Pte. Ltd.

Release evidence chain: draft → hash → approval → schedule



A release is trustworthy when the scheduled payload matches the approved payload.

© Tertiary Infotech Academy Pte. Ltd.


Control taxonomy: permission, injection, retry and drift

PERMISSION	reduce connector scope
INJECTION	treat external commands as data
RETRY	reconcile before repeating
DRIFT	review instructions and schedules

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Control coverage rises across the release path



INSIGHT


Approval must bind to the exact content and cohort being released.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Idempotency reduces duplicate-action risk



INSIGHT


Reconcile platform state before repeating an uncertain action.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Connector breadth increases review effort



INSIGHT

More consequential connector actions require stronger human review.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

Lab 07 · Design a Safe Cowork Connector Workflow

SCENARIO

Map a draft-to-platform workflow with least privilege, untrusted-input handling and explicit tool boundaries.

EXPECTED OUTPUT

Connector map, permission register and injection test


Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.

Self-contained folder: labs/lab-07-connector-risk-design/

© Tertiary Infotech Academy Pte. Ltd.

WORKFLOW MAP

Lab 07 · Cowork workflow contract



Consequential actions require a current diff, passing checks and a named decision.

HUMAN GATE

Approval resumes only when the reviewed diff and current state still match.

© Tertiary Infotech Academy Pte. Ltd.

Lab 07 · evidence and failure gates

PASS EVIDENCE

No live send occurs; scopes are minimal; embedded instructions are blocked and surfaced for human review.

FAIL CLOSED WHEN

a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.

README.pdf

detailed procedure

starter/

safe project state

solution/

reference outcome

evidence/

acceptance record

© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

Lab 08 · Control an Approved Scheduled Campaign

SCENARIO

Create a dry-run automation contract that binds human approval to a frozen content and audience payload.

EXPECTED OUTPUT


Workflow YAML, content hash, approval receipt and run log

Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.

Self-contained folder: labs/lab-08-approval-scheduled-campaign/

© Tertiary Infotech Academy Pte. Ltd.

Lab 08 · Cowork workflow contract



Consequential actions require a current diff, passing checks and a named decision.

HUMAN GATE

Approval resumes only when the reviewed diff and current state still match.

© Tertiary Infotech Academy Pte. Ltd.

Lab 08 · evidence and failure gates

PASS EVIDENCE

Exactly one dry-run schedule is recorded for the approved payload; rejection, expiry and retry cases stop safely.

FAIL CLOSED WHEN

a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.

README.pdf

detailed procedure

starter/

safe project state

solution/

reference outcome

evidence/

acceptance record

© Tertiary Infotech Academy Pte. Ltd.

Topic 4 technical checkpoint

1. **Which state field prevents a silent downstream assumption?**

2. **What evidence proves the mechanism completed successfully?**

3. **Which failure must stop rather than retry?**

4. **Who owns the consequential decision?**

© Tertiary Infotech Academy Pte. Ltd.

Topic 4 transfer challenge

1. **Change one input constraint and predict the affected nodes.**

2. **Name the identifier that preserves provenance across the change.**

3. **Define one machine threshold and one human decision.**

4. **Describe the minimum evidence required to resume the run.**

© Tertiary Infotech Academy Pte. Ltd.

5

TOPIC 5

Campaign Analytics, A/B Testing and Performance Optimisation

Read campaign reports critically, run valid experiments and recommend improvements that connect engagement, conversion, deliverability and business value.

1 STRATEGY


2 AUDIENCE

3 WORKFLOW

4 EVIDENCE

Every campaign action remains grounded, reviewable and measurable.

01 · Email metric system: execution path



STATE PASSED BETWEEN STAGES

sent

delivered

clicks


conversions

FAILURE MODE

One vanity metric is used without denominator, time window or counter-metric.

© Tertiary Infotech Academy Pte. Ltd.

01 · Email metric system: contract and control



Define every metric with numerator, denominator, window and decision use.

© Tertiary Infotech Academy Pte. Ltd.

01 · Email metric system: evidence and decision

MEASURE

Delivery, click, conversion, unsubscribe and value metrics

ACCEPTANCE EVIDENCE

Metric dictionary and reconciled report

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR

OWNER


named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

02 · Measurement reliability: execution path



STATE PASSED BETWEEN STAGES

tracking

privacy_effect

secondary_signal


confidence

FAILURE MODE

Machine-generated opens are treated as certain human attention.

© Tertiary Infotech Academy Pte. Ltd.

02 · Measurement reliability: contract and control



Use clicks, conversions and longitudinal evidence to qualify open signals.

© Tertiary Infotech Academy Pte. Ltd.

02 · Measurement reliability: evidence and decision

MEASURE

Decision confidence after tracking limitations

ACCEPTANCE EVIDENCE

Reliability note beside each KPI

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

03 · Funnel and cohort diagnosis: execution path

MEASUREMENT-TO-ACTION LOOP


1	FUNNEL	Reconcile delivered outcomes
2	COHORT	Locate a stable difference
3	HYPOTHESIS	Separate cause from signal
4	TEST	Prioritise the next experiment



CONCEPT VISUAL • LABELLED

© Tertiary Infotech Academy Pte. Ltd.

03 · Funnel and cohort diagnosis: contract and control



Compare stable cohorts before recommending a causal change.

© Tertiary Infotech Academy Pte. Ltd.

03 · Funnel and cohort diagnosis: evidence and decision

MEASURE

Largest meaningful loss with reproducible cohort evidence

ACCEPTANCE EVIDENCE

Funnel chart and segment comparison

OBSERVED	THRESHOLD	DECISION	OWNER
machine value	approved rule	PASS / REPAIR	named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

04 · A/B test contract: execution path

1. **Write hypothesis**
2. **Change one variable**
3. **Randomise audience**
4. **Choose winner rule**

STATE PASSED BETWEEN STAGES


- **hypothesis**
- **variable**
- **allocation**
- **decision_rule**

FAILURE MODE

Multiple variables or early peeking create an uninterpretable winner.

© Tertiary Infotech Academy Pte. Ltd.

04 · A/B test contract: contract and control



Freeze the audience, metric, duration and stopping rule before launch.

© Tertiary Infotech Academy Pte. Ltd.

04 · A/B test contract: evidence and decision

MEASURE

Pre-declared effect and decision rule

ACCEPTANCE EVIDENCE

Experiment contract and allocation check

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR

OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

05 · Interpreting experiment results: execution path

1. **Check exposure**
2. **Estimate lift**
3. **Inspect uncertainty**
4. **Decide action**

STATE PASSED BETWEEN STAGES


- **sample**
- **baseline**
- **lift**
- **interval**

FAILURE MODE

A small noisy difference is presented as a proven improvement.

© Tertiary Infotech Academy Pte. Ltd.

05 · Interpreting experiment results: contract and control



Report magnitude, uncertainty, limitations and next action.

© Tertiary Infotech Academy Pte. Ltd.

05 · Interpreting experiment results: evidence and decision

MEASURE

Practical lift with uncertainty and guardrails

ACCEPTANCE EVIDENCE

Results card with continue/stop decision

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR


OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

06 · Deliverability optimisation: execution path



STATE PASSED BETWEEN STAGES

source_quality

bounce

engagement


complaints

FAILURE MODE

More volume is used to compensate for a deteriorating sender reputation.

© Tertiary Infotech Academy Pte. Ltd.

06 · Deliverability optimisation: contract and control



Fix permission, list health and content relevance before scaling.

© Tertiary Infotech Academy Pte. Ltd.

06 · Deliverability optimisation: evidence and decision

MEASURE

Sustained delivery and complaint health

ACCEPTANCE EVIDENCE

Deliverability trend and remediation log

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR


OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

07 · Cowork analytics brief: execution path



STATE PASSED BETWEEN STAGES

files

schema

calculations


recommendation

FAILURE MODE

Claude invents denominators or mixes campaign time windows.

© Tertiary Infotech Academy Pte. Ltd.

07 · Cowork analytics brief: contract and control



Require formula-level calculation evidence and explicit missing fields.

© Tertiary Infotech Academy Pte. Ltd.

07 · Cowork analytics brief: evidence and decision

MEASURE

% reported values reproducible from supplied exports

ACCEPTANCE EVIDENCE

Analysis workbook, chart and recommendation

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR


OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

08 · Optimisation backlog: execution path



STATE PASSED BETWEEN STAGES

finding

experiment

owner


review_date

FAILURE MODE

Generic advice accumulates without ownership or follow-up.

© Tertiary Infotech Academy Pte. Ltd.

08 · Optimisation backlog: contract and control



Rank by impact, confidence, effort and risk; close the learning loop.

© Tertiary Infotech Academy Pte. Ltd.

08 · Optimisation backlog: evidence and decision

MEASURE

% recommendations converted into measured experiments

ACCEPTANCE EVIDENCE

Prioritised backlog and decision history

OBSERVED

machine value

THRESHOLD

approved rule

DECISION

PASS / REPAIR

OWNER

named human

Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.

© Tertiary Infotech Academy Pte. Ltd.

Analytics boundary: tracking, calculation and decision

1

TRACKING

Produce campaign events

2

ANALYSIS

Reconcile metrics and uncertainty


3

OWNER

Prioritise the next experiment

© Tertiary Infotech Academy Pte. Ltd.


Optimisation state: OBSERVE, DIAGNOSE, TEST and LEARN



Learning closes only when evidence changes a prioritised action or experiment.

© Tertiary Infotech Academy Pte. Ltd.

Metric evidence chain: export → formula → chart → action



A recommendation is defensible when every value resolves to an export and formula.

© Tertiary Infotech Academy Pte. Ltd.


Insight taxonomy: signal, bias, uncertainty and consequence

SIGNAL	state the observed pattern
BIAS	qualify tracking limitations
UNCERTAINTY	report magnitude and confidence
CONSEQUENCE	assign the next decision

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Campaign funnel exposes the largest loss



INSIGHT


A funnel turns headline engagement into a sequence of measurable losses.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Evidence quality improves with metric definition



INSIGHT


A number becomes decision evidence only when its definition is explicit.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

Optimisation priority balances impact and effort



INSIGHT

The best next test balances impact, confidence, effort and risk.

Illustrative synthetic values for mechanism explanation.

© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

Lab 09 · Analyse Campaign Performance

SCENARIO

Calculate and visualise delivery, engagement, conversion and unsubscribe metrics from mock exports.

EXPECTED OUTPUT


Reconciled metric table, funnel chart and diagnosis

Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.

Self-contained folder: labs/lab-09-campaign-analytics/

© Tertiary Infotech Academy Pte. Ltd.

Lab 09 · Cowork workflow contract



Each node consumes named keys, emits a status, and leaves retrievable execution evidence.

© Tertiary Infotech Academy Pte. Ltd.

Lab 09 · evidence and failure gates

PASS EVIDENCE

All values reproduce from source rows and the finding distinguishes observation from causal hypothesis.

FAIL CLOSED WHEN

a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.

README.pdf

detailed procedure

starter/

safe project state

solution/

reference outcome

evidence/

acceptance record

© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

Lab 10 · Evaluate an A/B Test and Prioritise Improvements

SCENARIO

Interpret a simulated subject-line test and translate evidence into a governed optimisation backlog.

EXPECTED OUTPUT


Experiment result card, decision and prioritised backlog

Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.

Self-contained folder: labs/lab-10-ab-test-optimisation/

© Tertiary Infotech Academy Pte. Ltd.

Lab 10 · Cowork workflow contract



Consequential actions require a current diff, passing checks and a named decision.

HUMAN GATE

Approval resumes only when the reviewed diff and current state still match.

© Tertiary Infotech Academy Pte. Ltd.

Lab 10 · evidence and failure gates

PASS EVIDENCE

The decision uses the frozen metric and guardrails, reports uncertainty and names an owner and review date.

FAIL CLOSED WHEN

a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.

README.pdf

detailed procedure

starter/

safe project state

solution/

reference outcome

evidence/

acceptance record

© Tertiary Infotech Academy Pte. Ltd.

Topic 5 technical checkpoint

1. **Which state field prevents a silent downstream assumption?**

2. **What evidence proves the mechanism completed successfully?**

3. **Which failure must stop rather than retry?**

4. **Who owns the consequential decision?**

© Tertiary Infotech Academy Pte. Ltd.

Topic 5 transfer challenge

1. **Change one input constraint and predict the affected nodes.**

2. **Name the identifier that preserves provenance across the change.**

3. **Define one machine threshold and one human decision.**

4. **Describe the minimum evidence required to resume the run.**

© Tertiary Infotech Academy Pte. Ltd.

Course achievement map

1. LO1 Propose email marketing strategies to address intended objectives and target customers.
2. LO2 Manage newsletter audiences for a particular market segment.
3. LO3 Develop effective email campaigns to meet an email campaign objective.
4. LO4 Automate marketing processes to improve efficiency.
5. LO5 Evaluate campaign effectiveness using analytics reports.

© Tertiary Infotech Academy Pte. Ltd.

Access the learning platform

LMS

Use the LMS for attendance evidence, learner resources and assessment instructions.

1. **Open https://lms-tms.tertiaryinfotech.com/**
2. Use your assigned learner account
3. Confirm the course title and code before submitting evidence
4. Ask the trainer if access is blocked

© Tertiary Infotech Academy Pte. Ltd.

Cowork controls that must remain intact

GATE

Automation is complete only when governance travels with the campaign.

1. **Every draft resolves to an approved source and brief**
2. Every audience resolves to consent and suppression state
3. Every send has a named human approver
4. Every optimisation resolves to reproducible evidence

© Tertiary Infotech Academy Pte. Ltd.

References and currency

REF

The original deck supplies the approved scope; two ebooks and current official documentation deepen the mechanisms.

1. **Original v13 Mailchimp trainer deck**
2. Email Marketing & AI — Koso Brown (2024)
3. Mastering Claude Code and Cowork — Elliott Middleton (2026)
4. Current Claude Cowork Help Center and live course page

© Tertiary Infotech Academy Pte. Ltd.

Assessment reminder


A

Demonstrate understanding and an evidence-backed end-to-end workflow.

1. **Written Assessment (SAQ): 6 questions / 40 minutes**
2. Practical Performance: 5 tasks / 90 minutes
3. Use only the supplied synthetic campaign data
4. Submit through the instructed LMS route

© Tertiary Infotech Academy Pte. Ltd.

Assessment flow



Answer keys remain trainer-only. Candidate papers use synthetic data and never require a live send.

© Tertiary Infotech Academy Pte. Ltd.

Digital attendance is mandatory

✓


Attendance evidence is part of the course administration record.

1. **Check in at the instructed time**
2. Use the correct learner identity
3. Complete both attendance events each training day
4. Notify the trainer immediately if the form fails

© Tertiary Infotech Academy Pte. Ltd.

Build email campaigns that earn trust and prove impact.

Grounded content • Permission-aware audiences • Human-approved release



Trainer | Tertiary Infotech Academy Pte. Ltd.

TGS-2020503109 • v14.0 • 10 September 2026