WSQ • INTEGRATED MARKETING

# Claude Cowork for Email Marketing

## Strategy → audience → content → automation → insight

**TGS-2020503109 | v14.0 | 2 days / 16 hours**

Tertiary Infotech Academy Pte. Ltd.
UEN 201200696W

**Mechanism-led courseware • Ten self-contained Cowork labs**



# Digital attendance via TRAQOM

QR

## Complete the attendance action before technical work begins.

1. **Scan the trainer-provided QR code**
2. Confirm the correct course code and session
3. Use your registered learner identity
4. Show the confirmation screen if requested


© Tertiary Infotech Academy Pte. Ltd.

# Trainer profile

T

## Your trainer facilitates evidence-led email strategy, content and governed automation.

1. **Integrated marketing and customer journeys**
2. Email content, segmentation and lifecycle campaigns
3. Claude Cowork, Skills and connector workflows
4. Campaign analytics and assessment


© Tertiary Infotech Academy Pte. Ltd.

# Dr Alfred Ang

AA

## Principal Trainer, Tertiary Infotech Academy

1. **Doctorate-level applied technology educator**
2. AI, data, cloud and automation curriculum leadership
3. Industry-oriented assessment and implementation practice
4. Focus: explainable, governed technical outcomes


© Tertiary Infotech Academy Pte. Ltd.

# Learner introduction

YOU

## Connect your role to one measurable email marketing opportunity.

1. **Role and organisation context**
2. Target customer or community
3. Current campaign objective
4. One metric you need to improve


© Tertiary Infotech Academy Pte. Ltd.

# Working agreements

RULE

## Use governed experimentation throughout the course.

1. **Use synthetic or approved data only**
2. Never paste live secrets into prompts or files
3. Keep consequential actions behind approval
4. Challenge completion claims with observable evidence


© Tertiary Infotech Academy Pte. Ltd.

# Course facts and competency context

TSC

## ICT-SNM-3006-1.1 Integrated Marketing

1. **Course code: TGS-2020503109**
2. Duration: 2 days / 16 training hours
3. Assessment: 2 hours
4. Version: v14.0 / 10 September 2026


© Tertiary Infotech Academy Pte. Ltd.

# Day 1 lesson plan

D1

## Strategy, audience governance and grounded campaign creation.

1. **Topic 1: objectives, lifecycle, lead magnets and Cowork briefs**
2. Topic 2: data quality, consent, segments and personalisation
3. Topic 3: content architecture, brand rules and Custom Skills
4. Labs 01–06: brief through reusable Skill


© Tertiary Infotech Academy Pte. Ltd.

# Day 2 lesson plan

D2

## Connector automation, approval controls and evidence-led optimisation.

1. **Topic 4: projects, connectors, MCP, security and scheduling**
2. Topic 5: metrics, funnels, A/B tests and optimisation
3. Labs 07–10: controlled release through experiment decision
4. Assessment follows the instructional programme


© Tertiary Infotech Academy Pte. Ltd.

# Learning outcomes

LO

**At course completion, you can plan, create, automate and evaluate a governed Cowork-assisted email campaign.**

1. **LO1 Propose email marketing strategies to address intended objectives and target customers.**
2. LO2 Manage newsletter audiences for a particular market segment.
3. LO3 Develop effective email campaigns to meet an email campaign objective.
4. LO4 Automate marketing processes to improve efficiency.
5. LO5 Evaluate campaign effectiveness using analytics reports.


© Tertiary Infotech Academy Pte. Ltd.

# Briefing for assessment

A

## Assessment evidence must show your own marketing decisions and a functioning campaign workflow.

1. **Read every question and task before starting**
2. Use the supplied synthetic case and lab artifacts
3. Show requested briefs, campaign assets and metric evidence
4. Do not send to a live audience during assessment


© Tertiary Infotech Academy Pte. Ltd.

# Assessment and funding

$

**Assessment is competence-based; course funding depends on current eligibility and conditions.**

1. **Active Written Assessment: 40 minutes**
2. Active Practical Performance: 90 minutes
3. Course page summarises the assessment as 2 hours
4. Check the current official course page before enrolment


© Tertiary Infotech Academy Pte. Ltd.

# Assessment flow

1→4

**The assessor evaluates knowledge, campaign performance and evidence-led optimisation.**

1. **Identity and instructions**
2. WA: 6 questions / K1–K6
3. PP: 5 tasks / A1–A8
4. Outcome and follow-up


© Tertiary Infotech Academy Pte. Ltd.

# Download course materials from the LMS

LMS

## Use the visual route below to obtain the current slides, Learner Guide and ten self-contained labs.

1 **1 Open the LMS course record**

2 2 Confirm title, code and v14.0

3 3 Download learner materials and labs

4 4 Open each lab README/PDF first

https://lms-tms.tertiaryinfotech.com/


© Tertiary Infotech Academy Pte. Ltd. 

1

TOPIC 1

# Email Marketing Strategy and Campaign Planning with Claude Cowork

Translate business objectives and customer evidence into a consent-aware lifecycle campaign brief that Claude Cowork can execute and a marketer can verify.

1 STRATEGY

2 AUDIENCE


3 WORKFLOW

4 EVIDENCE

**Every campaign action remains grounded, reviewable and measurable.**

MECHANISM

# 01 · Email as an owned relationship channel: execution path




STATE PASSED BETWEEN STAGES

**permission**

**promise**

**engagement**


**next_value**

FAILURE MODE

A large list is treated as an asset even when consent or relevance is weak.


© Tertiary Infotech Academy Pte. Ltd.

# 01 · Email as an owned relationship channel: contract and control




**Value the address only when permission, purpose and retention remain traceable.**


© Tertiary Infotech Academy Pte. Ltd.

# 01 · Email as an owned relationship channel: evidence and decision

**MEASURE**

**Permission, reach, conversion and lifetime-value contribution**

**ACCEPTANCE EVIDENCE**

Channel comparison and consent provenance

**OBSERVED**

machine value

**THRESHOLD**

approved rule

**DECISION**

PASS / REPAIR

**OWNER**

named human

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

MECHANISM

# 02 · Objective-to-metric hierarchy: execution path

1. State outcome
2. Choose behaviour
3. Select KPI
4. Set guardrail

STATE PASSED BETWEEN STAGES

**business_goal**

**behaviour**

**primary_kpi**


**guardrail**

FAILURE MODE

Open rate becomes the objective although it does not prove business value.


© Tertiary Infotech Academy Pte. Ltd.

# 02 · Objective-to-metric hierarchy: contract and control




**Connect campaign activity to a customer action and business outcome.**


© Tertiary Infotech Academy Pte. Ltd.

# 02 · Objective-to-metric hierarchy: evidence and decision

**MEASURE**

## One primary KPI with counter-metrics

**ACCEPTANCE EVIDENCE**

Objective tree with metric definitions

**OBSERVED**

machine value

**THRESHOLD**

approved rule

**DECISION**

PASS / REPAIR


**OWNER**

named human

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

# 03 · Lifecycle and drip architecture: execution path




STATE PASSED BETWEEN STAGES

**stage**

**trigger**

**message_job**


**exit_rule**

FAILURE MODE

Everyone receives the same sequence regardless of readiness.


© Tertiary Infotech Academy Pte. Ltd.

# 03 · Lifecycle and drip architecture: contract and control




**Give every email one job, entry rule and exit condition.**


© Tertiary Infotech Academy Pte. Ltd.

# 03 · Lifecycle and drip architecture: evidence and decision

MEASURE

## Progression and drop-off by lifecycle stage

ACCEPTANCE EVIDENCE

Lifecycle map and suppression logic

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**


OWNER

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

# 04 · Lead magnet value exchange: execution path




**STATE PASSED BETWEEN STAGES**

**pain_point**

**asset**

**fields**


**delivery**

**FAILURE MODE**

The incentive attracts freebie seekers or collects unnecessary personal data.


© Tertiary Infotech Academy Pte. Ltd.

# 04 · Lead magnet value exchange: contract and control




**Match the asset to an immediate audience problem and ask only for needed fields.**


© Tertiary Infotech Academy Pte. Ltd.

# 04 · Lead magnet value exchange: evidence and decision

**MEASURE**

## Qualified opt-in and downstream engagement

**ACCEPTANCE EVIDENCE**

Lead-magnet hypothesis and consent copy

**OBSERVED**

machine value

**THRESHOLD**

approved rule

**DECISION**

PASS / REPAIR

**OWNER**


named human

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

MECHANISM

# 05 · Claude Cowork task model: execution path




STATE PASSED BETWEEN STAGES

**folder**

**instructions**

**tool_actions**


**deliverable**

FAILURE MODE

A chat answer is mistaken for a completed, reviewed campaign asset.


© Tertiary Infotech Academy Pte. Ltd.

# 05 · Claude Cowork task model: contract and control




**Delegate an artifact-producing task with boundaries and verification.**


© Tertiary Infotech Academy Pte. Ltd. 

# 05 · Claude Cowork task model: evidence and decision

**MEASURE**

**% tasks whose artifacts meet the declared acceptance contract**

**ACCEPTANCE EVIDENCE**

Task record, artifact and review decision

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

MECHANISM

# 06 · Campaign brief as control plane: execution path




STATE PASSED BETWEEN STAGES

**brand**

**segment**

**offer**


**constraints**

FAILURE MODE

Claude fills missing strategy with plausible assumptions.


© Tertiary Infotech Academy Pte. Ltd.

# 06 · Campaign brief as control plane: contract and control




**Require explicit unknowns, sources and an approval owner.**


© Tertiary Infotech Academy Pte. Ltd.

# 06 · Campaign brief as control plane: evidence and decision

**MEASURE**

**% required brief fields complete before drafting**

**ACCEPTANCE EVIDENCE**

Validated campaign brief and assumption log

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

MECHANISM

# 07 · Channel and platform selection: execution path




STATE PASSED BETWEEN STAGES

**need**

**criteria**

**connector**


**decision**

FAILURE MODE

The best-known platform is selected without workflow or compliance fit.


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Channel and platform selection: contract and control




**Score the channel and execution platform against the campaign contract.**


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Channel and platform selection: evidence and decision

MEASURE

**Weighted fit across capability, cost, control and evidence**

ACCEPTANCE EVIDENCE

Platform decision matrix with rejected alternatives

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**

OWNER

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

MECHANISM

# 08 · Compliance and trust boundaries: execution path

1. **Capture consent**
2. **Limit purpose**
3. **Protect data**
4. **Honour exit**

STATE PASSED BETWEEN STAGES

**consent_at**

**purpose**

**retention**


**unsubscribe**

FAILURE MODE

An agent drafts or sends from unverified, scraped or suppressed data.


© Tertiary Infotech Academy Pte. Ltd.

# 08 · Compliance and trust boundaries: contract and control




**Block activation when consent, identity or unsubscribe state is uncertain.**


© Tertiary Infotech Academy Pte. Ltd.

# 08 · Compliance and trust boundaries: evidence and decision

**MEASURE**

**% records with auditable consent and suppression status**

**ACCEPTANCE EVIDENCE**

Consent ledger and pre-send gate

| OBSERVED | THRESHOLD | DECISION | OWNER |
|---|---|---|---|
| machine value | approved rule | PASS / REPAIR | named human |

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

# Strategy boundary: business, customer and permission

1

**BUSINESS**

Define outcome and guardrails

2

**CUSTOMER**

Exchange consent for relevant value


3

**MARKETER**

Select journey and evidence


© Tertiary Infotech Academy Pte. Ltd. 


# Campaign state: ATTRACT, NURTURE, CONVERT and RETAIN




**A lifecycle advances only when the customer action satisfies the declared exit rule.**


© Tertiary Infotech Academy Pte. Ltd.

# Strategy evidence chain: objective → audience → offer → metric




**Strategy is defensible when objective, audience, offer and metric remain linked.**


© Tertiary Infotech Academy Pte. Ltd.


# Risk taxonomy: consent, promise, relevance and measurement

| | |
|---|---|
| CONSENT | stop when permission is uncertain |
| PROMISE | align offer, subject and body |
| RELEVANCE | narrow audience or message |
| MEASUREMENT | define outcome and guardrail |


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Lifecycle value compounds after the first conversion




INSIGHT


**Email earns value across a relationship, not only at first conversion.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# A complete brief reduces unsupported assumptions




INSIGHT


**A complete brief constrains Claude before drafting begins.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Human ownership rises with campaign consequence




INSIGHT

**Sending remains a consequential human-owned action.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

# Lab 01 · Build a Grounded Campaign Strategy Brief

SCENARIO

**Use Claude Cowork with supplied brand and market evidence to propose a consent-aware email strategy for Northstar Fitness.**

EXPECTED OUTPUT


**Validated strategy brief, channel matrix and assumption log**

**Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.**

**Self-contained folder: labs/lab-01-campaign-strategy-brief/**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 01 · Cowork workflow contract




**Consequential actions require a current diff, passing checks and a named decision.**

**HUMAN GATE**

**Approval resumes only when the reviewed diff and current state still match.**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 01 · evidence and failure gates

**PASS EVIDENCE**

**One primary objective, audience, value exchange, metrics, guardrails and source-backed assumptions are explicit.**

**FAIL CLOSED WHEN**

**a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.**

**README.pdf**

detailed procedure

**starter/**

safe project state

**solution/**

reference outcome

**evidence/**

acceptance record


© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

# Lab 02 · Design a Lead Magnet and Drip Lifecycle

SCENARIO

**Turn a customer tension into a credible lead magnet and five-state lifecycle sequence.**

EXPECTED OUTPUT


**Lifecycle map, lead-magnet proposition and consent copy**

**Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.**

**Self-contained folder: labs/lab-02-lead-magnet-lifecycle/**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 02 · Cowork workflow contract




**Consequential actions require a current diff, passing checks and a named decision.**

HUMAN GATE

**Approval resumes only when the reviewed diff and current state still match.**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 02 · evidence and failure gates

**PASS EVIDENCE**

**The promise matches the source evidence, consent is explicit and every lifecycle state has entry and exit rules.**

**FAIL CLOSED WHEN**

**a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.**

**README.pdf**

detailed procedure

**starter/**

safe project state

**solution/**

reference outcome

**evidence/**

acceptance record


© Tertiary Infotech Academy Pte. Ltd. 

CHECKPOINT

# Topic 1 technical checkpoint

1. Which state field prevents a silent downstream assumption?
2. What evidence proves the mechanism completed successfully?
3. Which failure must stop rather than retry?
4. Who owns the consequential decision?


© Tertiary Infotech Academy Pte. Ltd.

CHECKPOINT

# Topic 1 transfer challenge

1. Change one input constraint and predict the affected nodes.
2. Name the identifier that preserves provenance across the change.
3. Define one machine threshold and one human decision.
4. Describe the minimum evidence required to resume the run.


© Tertiary Infotech Academy Pte. Ltd.

2

TOPIC 2

# Audience Management, Segmentation and Personalisation

Create a clean, consent-aware audience model and use meaningful segment evidence to personalise messages without exposing sensitive customer data.

1 STRATEGY

2 AUDIENCE


3 WORKFLOW

4 EVIDENCE

**Every campaign action remains grounded, reviewable and measurable.**

MECHANISM

# 01 · Audience data contract: execution path




STATE PASSED BETWEEN STAGES

**field**

**definition**

**allowed_value**


**owner**

FAILURE MODE

A field exists but its source, freshness or meaning is unknown.


© Tertiary Infotech Academy Pte. Ltd.

# 01 · Audience data contract: contract and control




**Maintain a minimal dictionary and reject ungoverned attributes.**


© Tertiary Infotech Academy Pte. Ltd.

# 01 · Audience data contract: evidence and decision

**MEASURE**

**% audience fields with definition, source and lawful purpose**

**ACCEPTANCE EVIDENCE**

Audience schema and data-quality report

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 02 · Contact status lifecycle: execution path




STATE PASSED BETWEEN STAGES

**status**

**source**

**changed_at**


**reason**

FAILURE MODE

Unsubscribed, bounced or archived contacts re-enter an active segment.


© Tertiary Infotech Academy Pte. Ltd.

# 02 · Contact status lifecycle: contract and control




**Use a single authoritative suppression state before every release.**


© Tertiary Infotech Academy Pte. Ltd.

# 02 · Contact status lifecycle: evidence and decision

**MEASURE**

## Status transitions with no prohibited sends

**ACCEPTANCE EVIDENCE**

Status transition ledger

**OBSERVED**

machine value

**THRESHOLD**

approved rule

**DECISION**

PASS / REPAIR

**OWNER**

named human

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

MECHANISM

# 03 · Bounce and deliverability logic: execution path

1. **Attempt delivery**
2. **Classify bounce**
3. **Update status**
4. **Protect sender**

STATE PASSED BETWEEN STAGES


- **smtp_result**
- **bounce_type**
- **retry_rule**
- **suppression**

FAILURE MODE

Repeated sends to permanent failures damage sender reputation.


© Tertiary Infotech Academy Pte. Ltd.

# 03 · Bounce and deliverability logic: contract and control




**Retry temporary failures selectively and suppress permanent failures promptly.**


© Tertiary Infotech Academy Pte. Ltd.

# 03 · Bounce and deliverability logic: evidence and decision

MEASURE

**Delivery rate, hard-bounce rate and complaint rate**

ACCEPTANCE EVIDENCE

Bounce decision table and list-health trend

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**

OWNER

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

# 04 · Segmentation model: execution path

## AUDIENCE DECISION SURFACE


| | | |
|---|---|---|
| 1 | SIGNAL | Use declared audience evidence |
| 2 | RULE | Express a reproducible segment |
| 3 | PREVIEW | Check members and exclusions |
| 4 | ACTIVATE | Apply a safe fallback |



CONCEPT VISUAL • LABELLED


© Tertiary Infotech Academy Pte. Ltd. 

# 04 · Segmentation model: contract and control




**Version the rule, evaluation date and member count.**


© Tertiary Infotech Academy Pte. Ltd.

# 04 · Segmentation model: evidence and decision

**MEASURE**

## Segment size, stability and response lift

**ACCEPTANCE EVIDENCE**

Segment manifest and sampled members

**OBSERVED**

machine value

**THRESHOLD**

approved rule

**DECISION**

PASS / REPAIR

**OWNER**


named human

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 05 · Tags, groups and computed segments: execution path




STATE PASSED BETWEEN STAGES

**tag**

**group**

**conditions**


**priority**

FAILURE MODE

Operational tags are confused with customer-declared preferences.


© Tertiary Infotech Academy Pte. Ltd.

# 05 · Tags, groups and computed segments: contract and control




**Separate marketer metadata, subscriber choices and computed eligibility.**


© Tertiary Infotech Academy Pte. Ltd.

# 05 · Tags, groups and computed segments: evidence and decision

**MEASURE**

**% contacts assigned consistently across constructs**

**ACCEPTANCE EVIDENCE**

Audience taxonomy and overlap check

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

MECHANISM

# 06 · Persona and journey evidence: execution path




STATE PASSED BETWEEN STAGES

**evidence**

**job_to_be_done**

**barrier**


**content_job**

FAILURE MODE

A stereotype is generated and used as if it were research.


© Tertiary Infotech Academy Pte. Ltd.

# 06 · Persona and journey evidence: contract and control




**Label inferred claims and test them against behavioural data.**


© Tertiary Infotech Academy Pte. Ltd.

# 06 · Persona and journey evidence: evidence and decision

MEASURE

**Persona claims supported by actual audience evidence**

ACCEPTANCE EVIDENCE

Evidence-backed persona card

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**

OWNER


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

MECHANISM

# 07 · Personalisation hierarchy: execution path




STATE PASSED BETWEEN STAGES

**identity**

**context**

**offer**


**moment**

FAILURE MODE

Sensitive or incorrect attributes produce intrusive content.


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Personalisation hierarchy: contract and control




**Use the least sensitive signal that improves relevance and provide fallbacks.**


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Personalisation hierarchy: evidence and decision

MEASURE

**Incremental response lift without complaint increase**

ACCEPTANCE EVIDENCE

Personalisation matrix and fallback test


| OBSERVED | THRESHOLD | DECISION | OWNER |
|---|---|---|---|
| machine value | approved rule | PASS / REPAIR | named human |

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 08 · Privacy-preserving Cowork workflow: execution path




STATE PASSED BETWEEN STAGES

**minimum_fields**

**pseudonym**

**sample**


**aggregate**

FAILURE MODE

Raw subscriber data is copied into prompts or broad folders.


© Tertiary Infotech Academy Pte. Ltd.

# 08 · Privacy-preserving Cowork workflow: contract and control




**Grant the narrowest folder/tool scope and use synthetic data in training.**


© Tertiary Infotech Academy Pte. Ltd.

# 08 · Privacy-preserving Cowork workflow: evidence and decision

**MEASURE**

**% tasks completed without unnecessary personal data**

**ACCEPTANCE EVIDENCE**

Access scope, masked dataset and review log

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

# Audience boundary: source, status and lawful purpose

1

**SOURCE**

Capture consent and field meaning

2

**SEGMENT**

Apply a clear reproducible rule


3

**MESSAGE**

Personalise with a safe fallback


© Tertiary Infotech Academy Pte. Ltd.


# Contact state: SUBSCRIBED, ENGAGED, SUPPRESSED and ARCHIVED




**Suppression is an authoritative state, not a segment preference.**


© Tertiary Infotech Academy Pte. Ltd.

# Segment evidence chain: field → rule → cohort → message




**Audience action is explainable when provenance, status, rule and cohort resolve.**


© Tertiary Infotech Academy Pte. Ltd.


# Data taxonomy: identity, preference, behaviour and suppression

| | |
|---|---|
| IDENTITY | minimise and protect direct identifiers |
| PREFERENCE | preserve customer-declared choices |
| BEHAVIOUR | use observable signals cautiously |
| SUPPRESSION | exclude before activation |


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Segmentation improves relevance when rules stay clear




INSIGHT

**Segmentation creates value only when rules are meaningful and reproducible.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# List hygiene protects deliverability




INSIGHT


**Suppression and validation protect both recipients and sender reputation.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Data exposure falls with minimisation




INSIGHT

**Use the smallest audience dataset that can answer the task.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

# Lab 03 · Audit and Repair an Audience Dataset

SCENARIO

**Use synthetic subscriber data to identify consent, status, duplicate and quality defects before segmentation.**

EXPECTED OUTPUT


**Cleaned CSV, data-quality report and suppression ledger**

**Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.**

**Self-contained folder: labs/lab-03-audience-data-quality/**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 03 · Cowork workflow contract




**Each node consumes named keys, emits a status, and leaves retrievable execution evidence.**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 03 · evidence and failure gates

**PASS EVIDENCE**

**All rows reconcile to kept, suppressed or review states; no personal data leaves the lab folder.**

**FAIL CLOSED WHEN**

**a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.**

**README.pdf**

detailed procedure

**starter/**

safe project state

**solution/**

reference outcome

**evidence/**

acceptance record


© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

# Lab 04 · Create Explainable Segments and Personalisation

SCENARIO

**Create reproducible audience segments and a safe personalisation matrix from the cleaned mock audience.**

EXPECTED OUTPUT


**Segment manifest, member preview and fallback matrix**

**Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.**

**Self-contained folder: labs/lab-04-segment-personalisation/**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 04 · Cowork workflow contract




**Consequential actions require a current diff, passing checks and a named decision.**

HUMAN GATE

**Approval resumes only when the reviewed diff and current state still match.**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 04 · evidence and failure gates

**PASS EVIDENCE**

**Rules reproduce member counts, suppressed contacts are excluded and sensitive attributes are not used.**

**FAIL CLOSED WHEN**

**a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.**

**README.pdf**

detailed procedure

**starter/**

safe project state

**solution/**

reference outcome

**evidence/**

acceptance record


© Tertiary Infotech Academy Pte. Ltd.

CHECKPOINT

# Topic 2 technical checkpoint

1. Which state field prevents a silent downstream assumption?
2. What evidence proves the mechanism completed successfully?
3. Which failure must stop rather than retry?
4. Who owns the consequential decision?


© Tertiary Infotech Academy Pte. Ltd.

CHECKPOINT

# Topic 2 transfer challenge

1. Change one input constraint and predict the affected nodes.
2. Name the identifier that preserves provenance across the change.
3. Define one machine threshold and one human decision.
4. Describe the minimum evidence required to resume the run.


© Tertiary Infotech Academy Pte. Ltd.

3

TOPIC 3

# Creating Email Content and Campaigns with Custom Claude Skills

Turn a campaign brief and brand system into useful, accessible email variants, then package a proven workflow as a reusable Claude Skill.

1 STRATEGY

2 AUDIENCE


3 WORKFLOW

4 EVIDENCE

**Every campaign action remains grounded, reviewable and measurable.**

MECHANISM

# 01 · Message architecture: execution path




STATE PASSED BETWEEN STAGES

**subject**

**lead**

**proof**


**cta**

FAILURE MODE

Several competing CTAs dilute the intended behaviour.


© Tertiary Infotech Academy Pte. Ltd.

# 01 · Message architecture: contract and control




**Give every message one primary action and a coherent evidence path.**


© Tertiary Infotech Academy Pte. Ltd.

# 01 · Message architecture: evidence and decision

MEASURE

## Message clarity and single-action completion

ACCEPTANCE EVIDENCE

Annotated message map

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**

OWNER


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

MECHANISM

# 02 · Subject line and preview pair: execution path




STATE PASSED BETWEEN STAGES

**benefit**

**specificity**

**preview**


**body_match**

FAILURE MODE

Curiosity wording overpromises what the body delivers.


© Tertiary Infotech Academy Pte. Ltd.

# 02 · Subject line and preview pair: contract and control




**Evaluate the subject and preview as one promise against the body.**


© Tertiary Infotech Academy Pte. Ltd.

# 02 · Subject line and preview pair: evidence and decision

**MEASURE**

## Unique open proxy plus downstream click quality

**ACCEPTANCE EVIDENCE**

Variant table with promise-integrity check

**OBSERVED**

machine value

**THRESHOLD**

approved rule

**DECISION**

PASS / REPAIR

**OWNER**

named human

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 03 · Brand voice as constraints: execution path

1. **Define traits**
2. **Show examples**
3. **Mark exclusions**
4. **Score draft**

STATE PASSED BETWEEN STAGES

**traits**

**examples**

**avoid**


**rubric**

FAILURE MODE

Abstract adjectives give Claude no observable writing behaviour.


© Tertiary Infotech Academy Pte. Ltd.

# 03 · Brand voice as constraints: contract and control




**Translate voice into word choice, rhythm, proof and prohibited patterns.**


© Tertiary Infotech Academy Pte. Ltd.

# 03 · Brand voice as constraints: evidence and decision

**MEASURE**

**% drafts passing brand rubric without manual rewrite**

**ACCEPTANCE EVIDENCE**

Brand rubric and scored sample

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 04 · Content types across the lifecycle: execution path

1. **Choose moment**
2. **Set message job**
3. **Select format**
4. **Define response**

STATE PASSED BETWEEN STAGES


- **lifecycle**
- **job**
- **format**
- **response**

FAILURE MODE

A promotion is sent when the customer needs onboarding or support.


© Tertiary Infotech Academy Pte. Ltd.

# 04 · Content types across the lifecycle: contract and control




**Match welcome, nurture, launch, transactional and re-engagement content to stage.**


© Tertiary Infotech Academy Pte. Ltd.

# 04 · Content types across the lifecycle: evidence and decision

MEASURE

## Content-to-stage fit and action rate

ACCEPTANCE EVIDENCE

Lifecycle content matrix

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**

OWNER

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd. 

# 05 · Email layout and accessibility: execution path

1. Establish hierarchy
2. Design mobile
3. Add alternatives
4. Test rendering

**STATE PASSED BETWEEN STAGES**


- heading
- width
- alt_text
- preview

**FAILURE MODE**

Image-only content or weak contrast blocks comprehension.


© Tertiary Infotech Academy Pte. Ltd.

# 05 · Email layout and accessibility: contract and control




**Use semantic structure, descriptive links and a resilient text path.**


© Tertiary Infotech Academy Pte. Ltd.

# 05 · Email layout and accessibility: evidence and decision

**MEASURE**

**% critical content readable without images and on mobile**

**ACCEPTANCE EVIDENCE**

Accessibility and rendering checklist

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 06 · Grounded drafting with Cowork: execution path

1. **Read approved files**
2. **Draft to schema**
3. **Cite claims**
4. **Flag unknowns**

STATE PASSED BETWEEN STAGES


- **sources**
- **output_schema**
- **claim_map**
- **unknowns**

FAILURE MODE

Claude invents product facts, testimonials or deadlines.


© Tertiary Infotech Academy Pte. Ltd.

# 06 · Grounded drafting with Cowork: contract and control




**Constrain drafting to approved evidence and require an assumption log.**


© Tertiary Infotech Academy Pte. Ltd.

# 06 · Grounded drafting with Cowork: evidence and decision

**MEASURE**

## % factual claims traceable to approved source material

**ACCEPTANCE EVIDENCE**

Draft, source map and unresolved questions

**OBSERVED**

machine value

**THRESHOLD**

approved rule

**DECISION**

PASS / REPAIR

**OWNER**

named human

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Custom Skill anatomy: execution path

## REUSABLE SKILL CONTRACT


| | | |
|---|---|---|
| 1 | TRIGGER | Recognise the intended task |
| 2 | CONTEXT | Load approved brand resources |
| 3 | DRAFT | Return a stable output schema |
| 4 | GATE | Score quality before approval |



CONCEPT VISUAL • LABELLED


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Custom Skill anatomy: contract and control




**Specify positive and near-miss triggers, inputs, outputs and quality gates.**


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Custom Skill anatomy: evidence and decision

**MEASURE**

**% representative tasks that activate and pass the skill contract**

**ACCEPTANCE EVIDENCE**

Skill package and activation test

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 08 · Editorial quality gate: execution path




STATE PASSED BETWEEN STAGES

**objective_fit**

**brand_score**

**risk_scan**


**approver**

FAILURE MODE

Fluent copy bypasses factual, consent or legal review.


© Tertiary Infotech Academy Pte. Ltd.

# 08 · Editorial quality gate: contract and control




**Separate creative assessment from deterministic release conditions.**


© Tertiary Infotech Academy Pte. Ltd.

# 08 · Editorial quality gate: evidence and decision

**MEASURE**

**% releases passing all gates before platform entry**

**ACCEPTANCE EVIDENCE**

Editorial scorecard and named decision

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

# Editorial boundary: source, brand and accountable approver

1

**COWORK**

Draft from approved sources

2

**SKILL**

Apply reusable brand and QA rules


3

**APPROVER**

Own claims and release


© Tertiary Infotech Academy Pte. Ltd.


# Content state: BRIEFED, DRAFTED, CHECKED and APPROVED




**Approval requires a grounded draft and a passed quality gate.**


© Tertiary Infotech Academy Pte. Ltd.

# Skill evidence chain: trigger → context → draft → score




**A reusable Skill connects approved context, source evidence, rules and approval.**


© Tertiary Infotech Academy Pte. Ltd.


# Quality taxonomy: claim, voice, accessibility and action

| | |
|---|---|
| CLAIM | ground or remove unsupported facts |
| VOICE | apply observable brand rules |
| ACCESS | preserve a resilient text path |
| ACTION | focus on one primary CTA |


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Skill consistency improves with explicit resources




INSIGHT


**Reusable Skills combine a precise trigger, resources, schema and tests.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Grounding raises claim traceability




INSIGHT


**A source map separates grounded claims from fluent invention.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Competing calls to action reduce focus




INSIGHT

**One primary action makes the email easier to understand and measure.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

# Lab 05 · Draft Grounded Email Variants

SCENARIO

**Create welcome and launch email variants from a campaign brief, product facts and brand rubric.**

EXPECTED OUTPUT


**Two complete email variants, claim map and editorial scorecard**

**Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.**

**Self-contained folder: labs/lab-05-grounded-email-variants/**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 05 · Cowork workflow contract




**Consequential actions require a current diff, passing checks and a named decision.**

HUMAN GATE

**Approval resumes only when the reviewed diff and current state still match.**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 05 · evidence and failure gates

**PASS EVIDENCE**

**Each email has one CTA, accessible structure, supported claims and a passed brand/compliance scorecard.**

**FAIL CLOSED WHEN**

**a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.**

**README.pdf**

detailed procedure

**starter/**

safe project state

**solution/**

reference outcome

**evidence/**

acceptance record


© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

# Lab 06 · Package a Reusable Email Campaign Skill

SCENARIO

**Convert the proven drafting and QA workflow into a reusable Claude Skill with trigger and near-miss tests.**

EXPECTED OUTPUT


**SKILL.md, templates, test cases and sample output**

**Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.**

**Self-contained folder: labs/lab-06-custom-email-skill/**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 06 · Cowork workflow contract




**Each node consumes named keys, emits a status, and leaves retrievable execution evidence.**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 06 · evidence and failure gates

**PASS EVIDENCE**

**The Skill activates only for intended campaign tasks and produces a schema-valid, brand-scored draft.**

**FAIL CLOSED WHEN**

**a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.**

| README.pdf | starter/ | solution/ | evidence/ |
|---|---|---|---|
| detailed procedure | safe project state | reference outcome | acceptance record |


© Tertiary Infotech Academy Pte. Ltd.

CHECKPOINT

# Topic 3 technical checkpoint

1. Which state field prevents a silent downstream assumption?
2. What evidence proves the mechanism completed successfully?
3. Which failure must stop rather than retry?
4. Who owns the consequential decision?


© Tertiary Infotech Academy Pte. Ltd.

CHECKPOINT

# Topic 3 transfer challenge

1. Change one input constraint and predict the affected nodes.
2. Name the identifier that preserves provenance across the change.
3. Define one machine threshold and one human decision.
4. Describe the minimum evidence required to resume the run.


© Tertiary Infotech Academy Pte. Ltd.

4

TOPIC 4

# Email Marketing Automation with Claude Cowork and MCP Tools

Design a controlled automation that uses Cowork, Skills and connectors while preserving permissions, approval, idempotency and evidence.

1 STRATEGY

2 AUDIENCE


3 WORKFLOW

4 EVIDENCE

**Every campaign action remains grounded, reviewable and measurable.**

MECHANISM

# 01 · Automation suitability: execution path




STATE PASSED BETWEEN STAGES

**frequency**

**rule_clarity**

**impact**


**posture**

FAILURE MODE

A rare, ambiguous or high-consequence task is automated end to end.


© Tertiary Infotech Academy Pte. Ltd.

# 01 · Automation suitability: contract and control




**Automate stable work; retain human ownership of material release decisions.**


© Tertiary Infotech Academy Pte. Ltd.

# 01 · Automation suitability: evidence and decision

MEASURE

**Time saved at equal or better quality and control**

ACCEPTANCE EVIDENCE

Suitability score and automation boundary

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**

OWNER


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 02 · Trigger-condition-action model: execution path




STATE PASSED BETWEEN STAGES

**event**

**condition**

**action**


**result**

FAILURE MODE

A vague trigger fires repeatedly or for the wrong cohort.


© Tertiary Infotech Academy Pte. Ltd.

# 02 · Trigger-condition-action model: contract and control




**Use typed inputs, explicit conditions and deterministic terminal states.**


© Tertiary Infotech Academy Pte. Ltd.

# 02 · Trigger-condition-action model: evidence and decision

**MEASURE**

**% events producing exactly one valid transition**

**ACCEPTANCE EVIDENCE**

Workflow graph and event log

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 03 · Cowork projects and instructions: execution path




STATE PASSED BETWEEN STAGES

**project**

**folder_context**

**instructions**


**artifact**

FAILURE MODE

Global and folder rules conflict or stale instructions persist.


© Tertiary Infotech Academy Pte. Ltd.

# 03 · Cowork projects and instructions: contract and control




**Keep global preferences separate from campaign-specific folder instructions.**


© Tertiary Infotech Academy Pte. Ltd.

# 03 · Cowork projects and instructions: evidence and decision

**MEASURE**

**% sessions using the current approved brand and campaign context**

**ACCEPTANCE EVIDENCE**

Instruction hierarchy and version record

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 04 · Connectors and MCP boundaries: execution path




STATE PASSED BETWEEN STAGES

**identity**

**scope**

**tool_schema**


**result**

FAILURE MODE

A connector grants broad write access or returns untrusted content that steers the task.


© Tertiary Infotech Academy Pte. Ltd.

# 04 · Connectors and MCP boundaries: contract and control




**Prefer precise connectors, narrow scopes and schema validation.**


© Tertiary Infotech Academy Pte. Ltd.

# 04 · Connectors and MCP boundaries: evidence and decision

**MEASURE**

## % calls using least privilege and validated responses

**ACCEPTANCE EVIDENCE**

Permission inventory and tool-call evidence

**OBSERVED**

machine value

**THRESHOLD**

approved rule

**DECISION**

PASS / REPAIR

**OWNER**


named human

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 05 · Prompt injection and untrusted content: execution path




STATE PASSED BETWEEN STAGES

**content_source**

**trust_level**

**instruction_origin**


**decision**

FAILURE MODE

An inbound email contains hidden text that asks the agent to export data or send mail.


© Tertiary Infotech Academy Pte. Ltd.

# 05 · Prompt injection and untrusted content: contract and control




**Treat external content as data, never authority; stop on unexpected requests.**


© Tertiary Infotech Academy Pte. Ltd.

# 05 · Prompt injection and untrusted content: evidence and decision

**MEASURE**

**% untrusted instructions blocked before tool action**

**ACCEPTANCE EVIDENCE**

Injection test and blocked action

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

# 06 · Human approval before send: execution path

## APPROVAL-BOUND RELEASE


| | | |
|---|---|---|
| 1 | FREEZE | Bind content and cohort IDs |
| 2 | REVIEW | Show evidence to a human |
| 3 | MATCH | Verify hash and expiry |
| 4 | RELEASE | Schedule once and record |



CONCEPT VISUAL • LABELLED


© Tertiary Infotech Academy Pte. Ltd.

# 06 · Human approval before send: contract and control




**Bind approval to a content hash, cohort ID and expiry time.**


© Tertiary Infotech Academy Pte. Ltd.

# 06 · Human approval before send: evidence and decision

**MEASURE**

**% sends matching the approved payload and audience**

**ACCEPTANCE EVIDENCE**

Approval receipt and matching send manifest

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 07 · Idempotency, retries and suppression: execution path




STATE PASSED BETWEEN STAGES

**run_key**

**attempt**

**error_class**


**terminal_state**

FAILURE MODE

A timeout is retried without knowing whether the email was already scheduled.


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Idempotency, retries and suppression: contract and control




**Use idempotency keys and reconcile remote state before retry.**


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Idempotency, retries and suppression: evidence and decision

MEASURE

## Duplicate-send rate and recovery success

ACCEPTANCE EVIDENCE

Run ledger with one terminal outcome

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**

OWNER

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 08 · Scheduled task operations: execution path

1. **Define routine**
2. **Set cadence**
3. **Choose approval**
4. **Review runs**

STATE PASSED BETWEEN STAGES


- **task**
- **schedule**
- **approval_mode**
- **run_history**

FAILURE MODE

A recurring task depends on unavailable local files or silently drifts from current policy.


© Tertiary Infotech Academy Pte. Ltd.

# 08 · Scheduled task operations: contract and control




**Use saved cloud files/connectors for remote runs and review history regularly.**


© Tertiary Infotech Academy Pte. Ltd.

# 08 · Scheduled task operations: evidence and decision

MEASURE

**% scheduled runs reviewed with exceptions resolved**

ACCEPTANCE EVIDENCE

Schedule definition and exception report

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**

OWNER

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

# Automation boundary: Cowork, connector and human owner

1

**COWORK**

Coordinate the workflow

2

**CONNECTOR**

Perform a typed scoped action


3

**HUMAN**

Approve payload and consequence


© Tertiary Infotech Academy Pte. Ltd.


# Workflow state: READY, RUNNING, BLOCKED and COMPLETE




**Completion requires a matching payload, terminal state and retrievable run record.**


© Tertiary Infotech Academy Pte. Ltd.

# Release evidence chain: draft → hash → approval → schedule




**A release is trustworthy when the scheduled payload matches the approved payload.**


© Tertiary Infotech Academy Pte. Ltd.


# Control taxonomy: permission, injection, retry and drift

| | |
|---|---|
| PERMISSION | reduce connector scope |
| INJECTION | treat external commands as data |
| RETRY | reconcile before repeating |
| DRIFT | review instructions and schedules |


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Control coverage rises across the release path




INSIGHT


**Approval must bind to the exact content and cohort being released.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Idempotency reduces duplicate-action risk




INSIGHT


**Reconcile platform state before repeating an uncertain action.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Connector breadth increases review effort




INSIGHT

**More consequential connector actions require stronger human review.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

# Lab 07 · Design a Safe Cowork Connector Workflow

SCENARIO

**Map a draft-to-platform workflow with least privilege, untrusted-input handling and explicit tool boundaries.**

EXPECTED OUTPUT


**Connector map, permission register and injection test**

**Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.**

**Self-contained folder: labs/lab-07-connector-risk-design/**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 07 · Cowork workflow contract




**Consequential actions require a current diff, passing checks and a named decision.**

**HUMAN GATE**

**Approval resumes only when the reviewed diff and current state still match.**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 07 · evidence and failure gates

**PASS EVIDENCE**

**No live send occurs; scopes are minimal; embedded instructions are blocked and surfaced for human review.**

**FAIL CLOSED WHEN**

**a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.**

**README.pdf**

detailed procedure

**starter/**

safe project state

**solution/**

reference outcome

**evidence/**

acceptance record


© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

# Lab 08 · Control an Approved Scheduled Campaign

SCENARIO

**Create a dry-run automation contract that binds human approval to a frozen content and audience payload.**

EXPECTED OUTPUT


**Workflow YAML, content hash, approval receipt and run log**

**Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.**

**Self-contained folder: labs/lab-08-approval-scheduled-campaign/**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 08 · Cowork workflow contract




**Consequential actions require a current diff, passing checks and a named decision.**

**HUMAN GATE**

**Approval resumes only when the reviewed diff and current state still match.**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 08 · evidence and failure gates

**PASS EVIDENCE**

**Exactly one dry-run schedule is recorded for the approved payload; rejection, expiry and retry cases stop safely.**

**FAIL CLOSED WHEN**

**a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.**

**README.pdf**

detailed procedure

**starter/**

safe project state

**solution/**

reference outcome

**evidence/**

acceptance record


© Tertiary Infotech Academy Pte. Ltd. 

CHECKPOINT

# Topic 4 technical checkpoint

1. Which state field prevents a silent downstream assumption?
2. What evidence proves the mechanism completed successfully?
3. Which failure must stop rather than retry?
4. Who owns the consequential decision?


© Tertiary Infotech Academy Pte. Ltd.

CHECKPOINT

# Topic 4 transfer challenge

1. Change one input constraint and predict the affected nodes.
2. Name the identifier that preserves provenance across the change.
3. Define one machine threshold and one human decision.
4. Describe the minimum evidence required to resume the run.


© Tertiary Infotech Academy Pte. Ltd.

5

TOPIC 5

# Campaign Analytics, A/B Testing and Performance Optimisation

Read campaign reports critically, run valid experiments and recommend improvements that connect engagement, conversion, deliverability and business value.

1 STRATEGY

2 AUDIENCE


3 WORKFLOW

4 EVIDENCE

**Every campaign action remains grounded, reviewable and measurable.**

MECHANISM

# 01 · Email metric system: execution path




STATE PASSED BETWEEN STAGES

**sent**

**delivered**

**clicks**


**conversions**

FAILURE MODE

One vanity metric is used without denominator, time window or counter-metric.


© Tertiary Infotech Academy Pte. Ltd.

# 01 · Email metric system: contract and control




**Define every metric with numerator, denominator, window and decision use.**


© Tertiary Infotech Academy Pte. Ltd.

# 01 · Email metric system: evidence and decision

MEASURE

**Delivery, click, conversion, unsubscribe and value metrics**

ACCEPTANCE EVIDENCE

Metric dictionary and reconciled report

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**

OWNER

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 02 · Measurement reliability: execution path

1. **Inspect tracking**
2. **Find bias**
3. **Triangulate signal**
4. **Set confidence**

STATE PASSED BETWEEN STAGES


- **tracking**
- **privacy_effect**
- **secondary_signal**
- **confidence**

FAILURE MODE

Machine-generated opens are treated as certain human attention.


© Tertiary Infotech Academy Pte. Ltd.

# 02 · Measurement reliability: contract and control




**Use clicks, conversions and longitudinal evidence to qualify open signals.**


© Tertiary Infotech Academy Pte. Ltd.

# 02 · Measurement reliability: evidence and decision

MEASURE

## Decision confidence after tracking limitations

ACCEPTANCE EVIDENCE

Reliability note beside each KPI

| OBSERVED | THRESHOLD | DECISION | OWNER |
|---|---|---|---|
| machine value | approved rule | PASS / REPAIR | named human |

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

# 03 · Funnel and cohort diagnosis: execution path

## MEASUREMENT-TO-ACTION LOOP


| | | |
|---|---|---|
| 1 | FUNNEL | Reconcile delivered outcomes |
| 2 | COHORT | Locate a stable difference |
| 3 | HYPOTHESIS | Separate cause from signal |
| 4 | TEST | Prioritise the next experiment |



CONCEPT VISUAL • LABELLED


© Tertiary Infotech Academy Pte. Ltd.

# 03 · Funnel and cohort diagnosis: contract and control




**Compare stable cohorts before recommending a causal change.**


© Tertiary Infotech Academy Pte. Ltd.

# 03 · Funnel and cohort diagnosis: evidence and decision

MEASURE

**Largest meaningful loss with reproducible cohort evidence**

ACCEPTANCE EVIDENCE

Funnel chart and segment comparison


| OBSERVED | THRESHOLD | DECISION | OWNER |
|---|---|---|---|
| machine value | approved rule | PASS / REPAIR | named human |

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 04 · A/B test contract: execution path




STATE PASSED BETWEEN STAGES

**hypothesis**

**variable**

**allocation**


**decision_rule**

FAILURE MODE

Multiple variables or early peeking create an uninterpretable winner.


© Tertiary Infotech Academy Pte. Ltd.

# 04 · A/B test contract: contract and control




**Freeze the audience, metric, duration and stopping rule before launch.**


© Tertiary Infotech Academy Pte. Ltd.

# 04 · A/B test contract: evidence and decision

MEASURE

## Pre-declared effect and decision rule

ACCEPTANCE EVIDENCE

Experiment contract and allocation check

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**


OWNER

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

# 05 · Interpreting experiment results: execution path




STATE PASSED BETWEEN STAGES

**sample**

**baseline**

**lift**


**interval**

FAILURE MODE

A small noisy difference is presented as a proven improvement.


© Tertiary Infotech Academy Pte. Ltd.

# 05 · Interpreting experiment results: contract and control




**Report magnitude, uncertainty, limitations and next action.**


© Tertiary Infotech Academy Pte. Ltd.

# 05 · Interpreting experiment results: evidence and decision

MEASURE

**Practical lift with uncertainty and guardrails**

ACCEPTANCE EVIDENCE

Results card with continue/stop decision

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**

OWNER


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 06 · Deliverability optimisation: execution path




STATE PASSED BETWEEN STAGES

**source_quality**

**bounce**

**engagement**


**complaints**

FAILURE MODE

More volume is used to compensate for a deteriorating sender reputation.


© Tertiary Infotech Academy Pte. Ltd.

# 06 · Deliverability optimisation: contract and control




**Fix permission, list health and content relevance before scaling.**


© Tertiary Infotech Academy Pte. Ltd.

# 06 · Deliverability optimisation: evidence and decision

MEASURE

## Sustained delivery and complaint health

ACCEPTANCE EVIDENCE

Deliverability trend and remediation log

OBSERVED

**machine value**

THRESHOLD

**approved rule**

DECISION

**PASS / REPAIR**


OWNER

**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Cowork analytics brief: execution path




**STATE PASSED BETWEEN STAGES**

**files**

**schema**

**calculations**


**recommendation**

**FAILURE MODE**

Claude invents denominators or mixes campaign time windows.


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Cowork analytics brief: contract and control




**Require formula-level calculation evidence and explicit missing fields.**


© Tertiary Infotech Academy Pte. Ltd.

# 07 · Cowork analytics brief: evidence and decision

**MEASURE**

**% reported values reproducible from supplied exports**

**ACCEPTANCE EVIDENCE**

Analysis workbook, chart and recommendation

**OBSERVED**

**machine value**

**THRESHOLD**

**approved rule**

**DECISION**

**PASS / REPAIR**

**OWNER**


**named human**

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

MECHANISM

# 08 · Optimisation backlog: execution path




STATE PASSED BETWEEN STAGES

**finding**

**experiment**

**owner**


**review_date**

FAILURE MODE

Generic advice accumulates without ownership or follow-up.


© Tertiary Infotech Academy Pte. Ltd.

# 08 · Optimisation backlog: contract and control




**Rank by impact, confidence, effort and risk; close the learning loop.**


© Tertiary Infotech Academy Pte. Ltd.

# 08 · Optimisation backlog: evidence and decision

**MEASURE**

## % recommendations converted into measured experiments

**ACCEPTANCE EVIDENCE**

Prioritised backlog and decision history

**OBSERVED**

machine value

**THRESHOLD**

approved rule

**DECISION**

PASS / REPAIR

**OWNER**

named human

**Campaign principle: source, audience, approved payload and outcome travel together—not as an unsupported claim.**


© Tertiary Infotech Academy Pte. Ltd.

# Analytics boundary: tracking, calculation and decision

1

## TRACKING

Produce campaign events

2

## ANALYSIS

Reconcile metrics and uncertainty


3

## OWNER

Prioritise the next experiment


© Tertiary Infotech Academy Pte. Ltd.


# Optimisation state: OBSERVE, DIAGNOSE, TEST and LEARN




**Learning closes only when evidence changes a prioritised action or experiment.**


© Tertiary Infotech Academy Pte. Ltd.

# Metric evidence chain: export → formula → chart → action




**A recommendation is defensible when every value resolves to an export and formula.**


© Tertiary Infotech Academy Pte. Ltd.


# Insight taxonomy: signal, bias, uncertainty and consequence

| | |
|---|---|
| **SIGNAL** | state the observed pattern |
| **BIAS** | qualify tracking limitations |
| **UNCERTAINTY** | report magnitude and confidence |
| **CONSEQUENCE** | assign the next decision |


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Campaign funnel exposes the largest loss




INSIGHT


**A funnel turns headline engagement into a sequence of measurable losses.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Evidence quality improves with metric definition




INSIGHT


**A number becomes decision evidence only when its definition is explicit.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

EDITABLE NATIVE CHART

# Optimisation priority balances impact and effort




INSIGHT

**The best next test balances impact, confidence, effort and risk.**

Illustrative synthetic values for mechanism explanation.


© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

# Lab 09 · Analyse Campaign Performance

SCENARIO

**Calculate and visualise delivery, engagement, conversion and unsubscribe metrics from mock exports.**

EXPECTED OUTPUT


**Reconciled metric table, funnel chart and diagnosis**

**Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.**

**Self-contained folder: labs/lab-09-campaign-analytics/**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 09 · Cowork workflow contract




**Each node consumes named keys, emits a status, and leaves retrievable execution evidence.**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 09 · evidence and failure gates

**PASS EVIDENCE**

**All values reproduce from source rows and the finding distinguishes observation from causal hypothesis.**

**FAIL CLOSED WHEN**

**a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.**

**README.pdf**

detailed procedure

**starter/**

safe project state

**solution/**

reference outcome

**evidence/**

acceptance record


© Tertiary Infotech Academy Pte. Ltd.

LAB BRIEF

# Lab 10 · Evaluate an A/B Test and Prioritise Improvements

SCENARIO

**Interpret a simulated subject-line test and translate evidence into a governed optimisation backlog.**

EXPECTED OUTPUT


**Experiment result card, decision and prioritised backlog**

**Detailed click paths, prompts, troubleshooting and acceptance checks are in the Learner Guide and lab PDF.**

**Self-contained folder: labs/lab-10-ab-test-optimisation/**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 10 · Cowork workflow contract




**Consequential actions require a current diff, passing checks and a named decision.**

HUMAN GATE

**Approval resumes only when the reviewed diff and current state still match.**


© Tertiary Infotech Academy Pte. Ltd.

# Lab 10 · evidence and failure gates

**PASS EVIDENCE**

**The decision uses the frozen metric and guardrails, reports uncertainty and names an owner and review date.**

**FAIL CLOSED WHEN**

**a protected boundary is crossed; evidence is missing; approval is absent; or the current diff no longer matches review.**

| README.pdf | starter/ | solution/ | evidence/ |
|---|---|---|---|
| detailed procedure | safe project state | reference outcome | acceptance record |


© Tertiary Infotech Academy Pte. Ltd.

CHECKPOINT

# Topic 5 technical checkpoint

1. Which state field prevents a silent downstream assumption?
2. What evidence proves the mechanism completed successfully?
3. Which failure must stop rather than retry?
4. Who owns the consequential decision?


© Tertiary Infotech Academy Pte. Ltd.

CHECKPOINT

# Topic 5 transfer challenge

1. Change one input constraint and predict the affected nodes.
2. Name the identifier that preserves provenance across the change.
3. Define one machine threshold and one human decision.
4. Describe the minimum evidence required to resume the run.


© Tertiary Infotech Academy Pte. Ltd.

# Course achievement map

1. LO1 Propose email marketing strategies to address intended objectives and target customers.
2. LO2 Manage newsletter audiences for a particular market segment.
3. LO3 Develop effective email campaigns to meet an email campaign objective.
4. LO4 Automate marketing processes to improve efficiency.
5. LO5 Evaluate campaign effectiveness using analytics reports.


© Tertiary Infotech Academy Pte. Ltd.

# Access the learning platform

LMS

## Use the LMS for attendance evidence, learner resources and assessment instructions.

1. **Open https://lms-tms.tertiaryinfotech.com/**
2. Use your assigned learner account
3. Confirm the course title and code before submitting evidence
4. Ask the trainer if access is blocked


© Tertiary Infotech Academy Pte. Ltd.

# Cowork controls that must remain intact

GATE

## Automation is complete only when governance travels with the campaign.

1. **Every draft resolves to an approved source and brief**
2. Every audience resolves to consent and suppression state
3. Every send has a named human approver
4. Every optimisation resolves to reproducible evidence


© Tertiary Infotech Academy Pte. Ltd.

# References and currency

REF

**The original deck supplies the approved scope; two ebooks and current official documentation deepen the mechanisms.**

1. **Original v13 Mailchimp trainer deck**
2. Email Marketing & AI — Koso Brown (2024)
3. Mastering Claude Code and Cowork — Elliott Middleton (2026)
4. Current Claude Cowork Help Center and live course page


© Tertiary Infotech Academy Pte. Ltd.

# Assessment reminder

A

## Demonstrate understanding and an evidence-backed end-to-end workflow.

1. **Written Assessment (SAQ): 6 questions / 40 minutes**
2. Practical Performance: 5 tasks / 90 minutes
3. Use only the supplied synthetic campaign data
4. Submit through the instructed LMS route


© Tertiary Infotech Academy Pte. Ltd.

# Assessment flow

1

**BRIEF**

Identity and instructions

2

**WA**

6 questions K1–K6

3

**PP**

5 tasks A1–A8

4

**REVIEW**

Assessor checks all evidence

5

**SIGN-OFF**

C / NYC and follow-up

**Answer keys remain trainer-only. Candidate papers use synthetic data and never require a live send.**


© Tertiary Infotech Academy Pte. Ltd.

# Digital attendance is mandatory


## Attendance evidence is part of the course administration record.

1. **Check in at the instructed time**
2. Use the correct learner identity
3. Complete both attendance events each training day
4. Notify the trainer immediately if the form fails


© Tertiary Infotech Academy Pte. Ltd. 

# Build email campaigns that earn trust and prove impact.

**Grounded content • Permission-aware audiences • Human-approved release**




Trainer | Tertiary Infotech Academy Pte. Ltd.

TGS-2020503109 • v14.0 • 10 September 2026