COURSE SLIDES · WSQ

Agentic AI for Social Media Marketing

TGS-2020505996

Tertiary Infotech Academy Pte Ltd · UEN 201200696W
Trainer: Dr Alfred Ang

VERSION v15.0

11 September 2026

Plan · Create · Measure · Optimize · Govern



© 2026 Tertiary Infotech Academy Pte Ltd

Digital Attendance (Mandatory)

1 AM attendance

Complete through the SSG digital attendance flow.

2 PM attendance

Complete again after lunch as directed.

3 Assessment attendance

A separate assessment attendance is mandatory.

4 Evidence

Use the LMS-displayed QR flow and keep confirmation.

Attendance must reach at least 75% and all assessment attendance requirements must be completed.

© 2026 Tertiary Infotech Academy Pte Ltd

About the Trainer



General Trainer

Complete before class

NAME	_____
TITLE / DESIGNATION	_____
QUALIFICATIONS	_____
AREAS OF EXPERTISE	_____
TRAINING EXPERIENCE	_____
CONTACT	_____

© 2026 Tertiary Infotech Academy Pte Ltd

TRAINER PROFILE

About the Trainer



Dr Alfred Ang

AI, data and digital transformation trainer

ROLE	Lead Trainer
CERTIFICATION	ACTA / DACE
DELIVERS	WSQ AI & digital courses
SPECIALISM	Agentic AI governance
FOUNDER	Tertiary Infotech
CONTACT	enquiry@tertiaryinfotech.com

© 2026 Tertiary Infotech Academy Pte Ltd

LEARNER INTRODUCTION

Let’s Know Each Other

1. **Name**
   How would you like to be addressed?
2. **Role**
   What social marketing decisions do you own?
3. **Campaign**
   What outcome are you currently pursuing?
4. **Risk**
   Where would you require human approval?

© 2026 Tertiary Infotech Academy Pte Ltd

WORKING AGREEMENT

Ground Rules

1 Participate

Test ideas with the supplied mock data.

2 Protect data

Never paste client or personal data into tools.

3 Challenge outputs

Treat agent proposals as hypotheses.

4 Be punctual

Return from breaks on time.

5 Respect

Critique the artifact, not the person.

6 Ask

No question is too small.

7 Evidence

Show the row, formula or rule.


8 Accessibility

Keep shared work readable and inclusive.

© 2026 Tertiary Infotech Academy Pte Ltd

COURSE PORTAL

Login to LMS and Download Course Material



Log in at lms-tms.tertiaryinfotech.com with your registered email and the OTP sent to your inbox, then open this course to download the slides and Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

Skills Framework and Coverage

1 Social Media Marketing

HAS-OTO-4007-1.1

2 Abilities

A1–A6 are evidenced through the ten labs.

3 Knowledge

K1–K10 are taught and tested by open-ended questions.

4 Assessment

WA 60 min + PP 60 min, open book.

© 2026 Tertiary Infotech Academy Pte Ltd

16 HOURS · 9:00 AM–6:00 PM

Two-Day Lesson Plan

1 **Day 1 AM**

Plan: KPI tree, persona evidence and policy.

2 **Day 1 PM**

Create: briefs, campaigns and approval gates.

3 **Day 2 AM**

Measure: events, metrics and anomaly triage.

4 **Day 2 PM**

Optimize, govern communities, then assess.

Final assessment: 4:00–5:00 PM WA · 5:00–6:00 PM PP on Day 2.

© 2026 Tertiary Infotech Academy Pte Ltd

LO1–LO6

Learning Outcomes

1 **LO1**

Develop a plan for a Facebook social media marketing campaign.

2 **LO2**

Evaluate social market opportunities for a Facebook campaign.

3 **LO3**

Monitor Facebook social media marketing performance.

4 **LO4**

Determine campaign feasibility by optimizing Facebook advertisements.

5 **LO5**

Evaluate campaign usage and its impact on the organisation.

6 **LO6**

Establish measurable social media marketing objectives.

© 2026 Tertiary Infotech Academy Pte Ltd

Briefing for Assessment

1 Open book

Use the slides, Learner Guide and approved lab materials.

2 Individual

Complete your own submission.

3 Evidence

Use the supplied mock data and cite artifacts.

4 Submission

Upload completed answers on the LMS.

5 Attendance

Complete assessment digital attendance.

6 Sign-off

Review and sign the Assessment Summary Record.

7 Appeal

Follow the documented appeal route if required.

8 Integrity

Do not photograph or share assessment scripts.

© 2026 Tertiary Infotech Academy Pte Ltd

WA + PP · OPEN BOOK

Final Assessment

1 Written Assessment

10 open-ended SAQs · K1–K10 · 60 minutes.

2 Practical Performance

5 applied tasks · A1–A6 · 60 minutes.

3 Competence

All prescribed assessments must be completed.


4 Funding

At least 75% attendance; eligibility and terms apply.

© 2026 Tertiary Infotech Academy Pte Ltd

ASSESSMENT · CONTROL FLOW

Assessment Flow



DECISION RULE · Question papers go to learners; answer keys remain trainer-only.

© 2026 Tertiary Infotech Academy Pte Ltd

LEARNER REPOSITORY

Access the Hands-On Labs

1 Clone

git clone https://github.com/tertiarycourses/TGS-2020505996-Agentic-AI-for-Social-Media-Marketing.git

2 Download ZIP

GitHub → Code → Download ZIP

3 Open a lab

Each folder contains its own mock data and expected evidence.

4 Stay safe

No live credentials or client data are required.

https://github.com/tertiarycourses/TGS-2020505996-Agentic-AI-for-Social-Media-Marketing

© 2026 Tertiary Infotech Academy Pte Ltd

Agentic Marketing System at a Glance



1 Orchestrate
A coordinator assigns bounded tasks.

2 Ground
Approved evidence feeds every draft.

3 Approve
Humans control publication and high-risk actions.

4 Observe
Metrics and traces support recovery.

© 2026 Tertiary Infotech Academy Pte Ltd

Course Evidence and Source Boundary

1 Legacy deck

All five assessed Facebook topic blocks retained.

2 Agent-Powered Growth

Agent architecture, deployment and scaling concepts paraphrased.

3 AI in Marketing

Applications, consumer insight and ethics concepts paraphrased.

4 Current sources

Course page, Meta for Business and Singapore PDPC guidance checked.

5 Teaching data

Charts use clearly labeled mock or illustrative figures.

6 Product UI

No fabricated live UI screenshots or credentials.

7 Practice exam

No matching course practice exam was found.

8 As-of date

11 September 2026

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 01 · A1 · K1 · K2

01

Plan an Agentic Social Media Campaign

Legacy coverage retained: Plan a Facebook Social Media Marketing Campaign

© 2026 Tertiary Infotech Academy Pte Ltd

From Isolated Tools to an Agentic Operating Loop



1 State

Shared campaign objects carry context.

2 Tools

Agents call only approved capabilities.

3 Control


Human gates protect consequential actions.

4 Evidence

Every decision keeps a trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Translate Business Goals into a KPI Tree



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Translate Business Goals into a KPI Tree — artifact contract

1 objective_id

Example: OBJ-01
Why it exists: Trace every action

2 baseline

Example: 120 leads/month
Why it exists: Starting point

3 target

Example: +25% in 90 days
Why it exists: Measurable delta

4 guardrail

Example: CPL <= SGD 24
Why it exists: Economic bound

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Translate Business Goals into a KPI Tree — failure and recovery

1 Vanity metric

Signal: Likes rise but leads do not
Control: Use KPI tree

2 No baseline

Signal: Target cannot be evaluated
Control: Record source period

3 Agent goal drift

Signal: Optimizes clicks only
Control: Lock objective hierarchy


4 Overclaim

Signal: Causal language without test
Control: Label inference

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Translate Business Goals into a KPI Tree — worked evidence



WHAT THE DATA SHOWS · The 90-day target requires a 25% lift from the 120-lead baseline.

© 2026 Tertiary Infotech Academy Pte Ltd

Encode a Persona as Evidence, Not Fiction



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Encode a Persona as Evidence, Not Fiction — artifact contract

1 persona_id

Example: P-SG-01
Why it exists: Stable key

2 evidence

Example: 12 interviews
Why it exists: Provenance

3 need

Example: Lower energy bills
Why it exists: Message input

4 confidence

Example: 0.78
Why it exists: Review priority

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Encode a Persona as Evidence, Not Fiction — failure and recovery

1 Stereotype

Signal: Trait lacks evidence
Control: Remove or qualify

2 PII leakage

Signal: Names in prompt
Control: Aggregate and redact

3 Stale profile

Signal: Data older than 12 months
Control: Refresh study


4 False certainty

Signal: No confidence score
Control: Mark hypothesis

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Encode a Persona as Evidence, Not Fiction — worked evidence



WHAT THE DATA SHOWS · Use multiple evidence sources; no single source is a complete persona.

© 2026 Tertiary Infotech Academy Pte Ltd

Model the Buyer Journey as Observable States



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Model the Buyer Journey as Observable States — artifact contract

1 journey_state

Example: considering
Why it exists: Current state

2 trigger

Example: comparison guide
Why it exists: Transition cue

3 evidence

Example: pricing-page visit
Why it exists: Observable signal

4 next_best_action

Example: case study
Why it exists: Agent proposal

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Model the Buyer Journey as Observable States — failure and recovery

1 Skipped state

Signal: Hard sell to unaware user
Control: Use education

2 Weak signal

Signal: One click treated as intent
Control: Require corroboration

3 Dark pattern

Signal: Artificial urgency
Control: Ethics review


4 State lock

Signal: Never re-evaluated
Control: Time-decay signals

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Model the Buyer Journey as Observable States — worked evidence



WHAT THE DATA SHOWS · Stage conversion reveals where the agent should intervene, not just final sales.

© 2026 Tertiary Infotech Academy Pte Ltd

Build a Social Media Audit Inventory



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 01 · ARTIFACT · K1/K2

Build a Social Media Audit Inventory — artifact contract

1 asset_id

Example: page_0042
Why it exists: Unique asset

2 owner

Example: Marketing Ops
Why it exists: Accountability

3 access

Example: editor
Why it exists: Least privilege

4 status

Example: fix
Why it exists: Action queue

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Build a Social Media Audit Inventory — failure and recovery

1 Orphaned asset

Signal: No owner
Control: Suspend publishing

2 Excess privilege

Signal: Shared admin account
Control: Role-based access

3 Missing baseline

Signal: No comparable window
Control: Export 90 days


4 Duplicate page

Signal: Confused audience
Control: Consolidate

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Build a Social Media Audit Inventory — worked evidence



WHAT THE DATA SHOWS · Most assets can be retained; fixes and retirement need accountable owners.

© 2026 Tertiary Infotech Academy Pte Ltd

Score Marketing Opportunities Transparently



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Score Marketing Opportunities Transparently — artifact contract

1 reach

Example: 4 × 25%
Why it exists: Audience scale

2 brand_fit

Example: 5 × 30%
Why it exists: Message alignment

3 cost

Example: 3 × 25%
Why it exists: Budget feasibility

4 risk

Example: 4 × 20%
Why it exists: Control burden

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Score Marketing Opportunities Transparently — failure and recovery

1 Hidden weighting

Signal: Recommendation cannot be audited
Control: Publish rubric

2 Double count

Signal: Reach and impressions overlap
Control: Separate constructs

3 Agent bias

Signal: Favors familiar channels
Control: Blind channel names


4 Single score

Signal: Masks uncertainty
Control: Show sensitivity

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Score Marketing Opportunities Transparently — worked evidence



WHAT THE DATA SHOWS · Influencer, paid social, and brand collaboration can be compared with the same rubric.

© 2026 Tertiary Infotech Academy Pte Ltd

Design the Marketing Agent Architecture



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Design the Marketing Agent Architecture — artifact contract

1 goal

Example: OBJ-01
Why it exists: Mission boundary

2 tool_allowlist

Example: draft, score
Why it exists: Permitted actions

3 approval_gate

Example: before_publish
Why it exists: Human control

4 trace_id

Example: run-2026-0911
Why it exists: Audit evidence

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Design the Marketing Agent Architecture — failure and recovery

1 Over-autonomy

Signal: Agent can publish
Control: Remove publish permission

2 Tool injection

Signal: Content alters instructions
Control: Separate data/instructions

3 Memory poisoning

Signal: Unreviewed feedback persists
Control: Approved writes only


4 Silent failure

Signal: No trace
Control: Structured run log

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd

Design the Marketing Agent Architecture — worked evidence




WHAT THE DATA SHOWS · Planning, creation, review, and measurement remain explicit stages.

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 01 · CONFIG · K2/K3

Write a Tool Contract the Agent Can Obey



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Write a Tool Contract the Agent Can Obey — artifact contract

1 tool

Example: draft_post
Why it exists: Clear capability

2 channel

Example: facebook
Why it exists: Enumerated input

3 max_claims

Example: 3
Why it exists: Bounded output

4 status

Example: needs_review
Why it exists: Safe default

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Write a Tool Contract the Agent Can Obey — failure and recovery

1 Vague tool

Signal: Unexpected action
Control: Narrow verb

2 Free-text input

Signal: Unvalidated data
Control: Schema validation

3 No idempotency

Signal: Duplicate posts
Control: request_id


4 No error class

Signal: Infinite retry
Control: Typed errors

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Write a Tool Contract the Agent Can Obey — worked evidence



WHAT THE DATA SHOWS · Success, review, validation error, and escalation should be measurable.

© 2026 Tertiary Infotech Academy Pte Ltd

Set Policy Boundaries Before Automation



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Set Policy Boundaries Before Automation — artifact contract

1 data_class

Example: internal
Why it exists: Handling rule

2 claim_source

Example: approved catalog
Why it exists: Grounding

3 reviewer_role

Example: campaign_owner
Why it exists: Accountability

4 retention_days

Example: 180
Why it exists: Lifecycle

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Set Policy Boundaries Before Automation — failure and recovery

1 Personal data

Signal: Uploaded without consent
Control: Redact/aggregate

2 IP risk

Signal: Unlicensed creative
Control: Rights register

3 Misleading claim

Signal: Unsupported superlative
Control: Evidence requirement


4 Platform breach

Signal: Automation violates terms
Control: Approved interface only

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd

Set Policy Boundaries Before Automation — worked evidence



WHAT THE DATA SHOWS · Most drafts pass; review, revision, and rejection remain visible outcomes.

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 01 · HANDS-ON LAB

Lab 1: Build an Agent-Ready Campaign Charter

1 Scenario

Lumina Living will launch an energy-saving home kit in Singapore with a 90-day lead target.

2 Deliverable

campaign_charter.json and KPI decision table

3 Mapped competence

LO1 · LO6 · A1 · A6 · K1 · K2

4 Workbench


Spreadsheet editor · text editor · optional approved AI assistant

Full detailed procedure, verification, troubleshooting and cleanup: labs/lab-01-campaign-charter/README.md

© 2026 Tertiary Infotech Academy Pte Ltd

LAB 1 · WORKFLOW

Lab 1 mechanism and control flow



DECISION RULE · The deck shows the decision mechanism; the Learner Guide carries the complete step-by-step procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

LAB 1 · MOCK DATA

Lab 1 evidence preview

1 **Paid social**

Example: 4
Why it exists: Mock artifact field

2 **Creator partnership**

Example: 3
Why it exists: Mock artifact field

3 **Brand collaboration**

Example: 3
Why it exists: Mock artifact field

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 1 verification and diagnosis

1 Acceptance 1

Objective includes baseline 120 leads and a 90-day target.

2 Acceptance 2

CPL guardrail is explicit and numerically testable.

3 Acceptance 3

Publishing permission defaults to human approval.

4 Acceptance 4

No personal data is included in the charter.

If verification fails: If the objective is vague, add a metric, baseline, target and deadline.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 2: Create an Evidence-Based Persona and Journey Agent

1 Scenario

Lumina Living needs a defensible persona and buyer journey for its energy-saving kit.

2 Deliverable

persona.json, journey.csv and opportunity_score.csv

3 Mapped competence

LO1 · LO2 · A1 · A2 · K1


4 Workbench

Spreadsheet editor · JSON editor · optional approved AI assistant

Full detailed procedure, verification, troubleshooting and cleanup: labs/lab-02-persona-journey-agent/README.md

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 2 mechanism and control flow



DECISION RULE · The deck shows the decision mechanism; the Learner Guide carries the complete step-by-step procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

LAB 2 · MOCK DATA

Lab 2 evidence preview

1 **aware**

Example: guide download
Why it exists: Mock artifact field

2 **considering**

Example: pricing visit
Why it exists: Mock artifact field

3 **deciding**

Example: demo request
Why it exists: Mock artifact field

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 2 verification and diagnosis

1 Acceptance 1

Every persona claim points to at least one mock evidence row.

2 Acceptance 2

No invented demographic is presented as fact.

3 Acceptance 3

Journey states use observable signals.


4 Acceptance 4

Opportunity weights total 100%.

If verification fails: If a claim has no source, mark it as a hypothesis.

© 2026 Tertiary Infotech Academy Pte Ltd

Topic 01 diagnostic sequence



DECISION RULE · A recommendation without evidence and a recovery route is incomplete.

© 2026 Tertiary Infotech Academy Pte Ltd

Topic 01 evidence checklist

1 **Architecture**

Components and ownership are named.

2 **Mechanism**

State transitions and decisions are visible.

3 **Contract**

Fields, formulas or thresholds are exact.

4 **Failure**

Signals, controls and recovery are defined.

5 **Verification**

Acceptance evidence is observable.

6 **Lab bridge**

The practical artifact uses the same model.

7 **Governance**

Human oversight matches risk.

8 **Traceability**

A1 · K1 · K2

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 02 · A2 · K3 · K4


02

Create Campaigns with Governed Agents

Legacy coverage retained: Create a Facebook Social Media Marketing Campaign

© 2026 Tertiary Infotech Academy Pte Ltd

Represent Campaign, Ad Set, and Ad



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Represent Campaign, Ad Set, and Ad — artifact contract

1 campaign.objective

Example: LEADS
Why it exists: Optimization goal

2 adset.budget

Example: SGD 50/day
Why it exists: Spend control

3 ad.format

Example: vertical_video
Why it exists: Creative contract

4 event

Example: lead_submitted
Why it exists: Outcome

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Represent Campaign, Ad Set, and Ad — failure and recovery

1 Wrong level

Signal: Budget set on ad
Control: Respect hierarchy

2 Objective mismatch

Signal: Clicks for lead goal
Control: Optimize for outcome

3 Missing destination

Signal: Broken journey
Control: Preflight URL


4 Naming drift

Signal: No traceability
Control: Naming convention

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Represent Campaign, Ad Set, and Ad — worked evidence



WHAT THE DATA SHOWS · Prospecting, retargeting, and experimentation budgets should be explicit.

© 2026 Tertiary Infotech Academy Pte Ltd

Turn a Creative Brief into Structured Inputs



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Turn a Creative Brief into Structured Inputs — artifact contract

1 audience_id

Example: P-SG-01
Why it exists: Persona link

2 proof_id

Example: CASE-014
Why it exists: Source trace

3 cta

Example: Book a demo
Why it exists: Outcome

4 aspect_ratio

Example: 9:16
Why it exists: Placement fit

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Turn a Creative Brief into Structured Inputs — failure and recovery

1 Brief stuffing

Signal: Too many messages
Control: One promise

2 Missing proof

Signal: Hallucinated claim
Control: Required source ID

3 Tone conflict

Signal: Brand mismatch
Control: Voice rubric


4 Format mismatch

Signal: Crop hides CTA
Control: Safe-zone check

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Turn a Creative Brief into Structured Inputs — worked evidence



WHAT THE DATA SHOWS · Message clarity and proof should outrank novelty alone.

© 2026 Tertiary Infotech Academy Pte Ltd

Encode Brand Voice as Testable Rules



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Encode Brand Voice as Testable Rules — artifact contract

1 warmth

Example: 4/5
Why it exists: Desired tone

2 formality

Example: 3/5
Why it exists: Register

3 banned_phrase

Example: guaranteed
Why it exists: Claims control

4 reading_level

Example: Grade 8
Why it exists: Accessibility

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Encode Brand Voice as Testable Rules — failure and recovery

1 Style mimicry

Signal: Copies competitor
Control: Use own examples

2 Ambiguous tone

Signal: Reviewer disagreement
Control: Anchored scale

3 Overconstraint

Signal: Robotic copy
Control: Prioritize rules


4 Unversioned rubric

Signal: Inconsistent runs
Control: voice_version

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Encode Brand Voice as Testable Rules — worked evidence



WHAT THE DATA SHOWS · A measurable rubric separates pass, edit, escalate, and reject outcomes.

© 2026 Tertiary Infotech Academy Pte Ltd

Build Audiences with Purpose Limitation



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Build Audiences with Purpose Limitation — artifact contract

1 purpose

Example: campaign retargeting
Why it exists: Notification

2 fields

Example: email_hash
Why it exists: Minimized identifier

3 consent

Example: marketing_opt_in
Why it exists: Legal basis

4 expiry

Example: 2026-12-31
Why it exists: Retention limit

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Build Audiences with Purpose Limitation — failure and recovery

1 Purpose creep

Signal: List reused
Control: Purpose-bound ID

2 Raw identifier

Signal: Plain email exported
Control: Hash before transfer

3 No withdrawal

Signal: Opt-out ignored
Control: Suppression list


4 Sensitive inference

Signal: Proxy discrimination
Control: Feature review

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Build Audiences with Purpose Limitation — worked evidence



WHAT THE DATA SHOWS · Validation and consent filters reduce the usable audience before matching.

© 2026 Tertiary Infotech Academy Pte Ltd

Generate Content Through a Review Pipeline



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Generate Content Through a Review Pipeline — artifact contract

1 **brief_id**

Example: BR-027
Why it exists: Input trace

2 **variant_count**

Example: 3
Why it exists: Bounded generation

3 **policy_score**

Example: 0.94
Why it exists: Automated check

4 **release_status**

Example: approved
Why it exists: Human decision

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Generate Content Through a Review Pipeline — failure and recovery

1 Ungrounded fact

Signal: No source ID
Control: Reject claim

2 Self-approval

Signal: Same agent scores itself
Control: Independent checker

3 Prompt injection

Signal: UGC alters task
Control: Quote as data


4 Variant collapse

Signal: Near duplicates
Control: Similarity threshold

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Generate Content Through a Review Pipeline — worked evidence



WHAT THE DATA SHOWS · Only approved variants move from draft to policy pass, human review, and release.

© 2026 Tertiary Infotech Academy Pte Ltd

Place a Human Approval Gate Before Publish



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Place a Human Approval Gate Before Publish — artifact contract

1 risk_tier

Example: medium
Why it exists: Routing

2 review_sla

Example: 4 hours
Why it exists: Operational target

3 decision

Example: approve_with_edit
Why it exists: Outcome

4 reviewer_id

Example: role:brand_owner
Why it exists: Accountability

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Place a Human Approval Gate Before Publish — failure and recovery

1 Rubber stamp

Signal: Very low review time
Control: Sample audit

2 No fallback

Signal: Reviewer unavailable
Control: Backup role

3 Post-review mutation

Signal: Published copy differs
Control: Content hash


4 Hidden rejection

Signal: No rationale
Control: Reason code

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Place a Human Approval Gate Before Publish — worked evidence



WHAT THE DATA SHOWS · Edits and rejections are useful control signals, not workflow failures.

© 2026 Tertiary Infotech Academy Pte Ltd

Choose Placement and Format with a Matrix



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Choose Placement and Format with a Matrix — artifact contract

1 placement

Example: reels
Why it exists: Inventory

2 ratio

Example: 9:16
Why it exists: Creative fit

3 safe_zone

Example: pass
Why it exists: Message visibility

4 optimization

Example: lead
Why it exists: Delivery goal

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Choose Placement and Format with a Matrix — failure and recovery

1 One-size asset

Signal: CTA cropped
Control: Placement variants

2 Manual overfit

Signal: Delivery constrained
Control: Test automation

3 Metric mismatch

Signal: Views treated as leads
Control: Outcome KPI


4 No control

Signal: Cannot attribute lift
Control: Experiment design

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Choose Placement and Format with a Matrix — worked evidence



WHAT THE DATA SHOWS · Short vertical video, carousel, and static image should be evaluated on comparable outcomes.

© 2026 Tertiary Infotech Academy Pte Ltd

Design a Clean Campaign Experiment



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Design a Clean Campaign Experiment — artifact contract

1 **hypothesis**

Example: video improves CVR
Why it exists: Testable claim

2 **primary_metric**

Example: conversion_rate
Why it exists: Decision metric

3 **minimum_lift**

Example: 10%
Why it exists: Practical threshold

4 **stop_rule**

Example: >= 500 clicks/cell
Why it exists: Stability

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Design a Clean Campaign Experiment — failure and recovery

1 Peeking

Signal: Stop on early winner
Control: Fixed rule

2 Multiple changes

Signal: Causality unclear
Control: One variable

3 Unequal audience

Signal: Biased cells
Control: Random split


4 Novelty effect

Signal: Short run
Control: Adequate duration

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd

Design a Clean Campaign Experiment — worked evidence



WHAT THE DATA SHOWS · Variant B shows lift, but the sample and decision threshold determine action.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 3: Build a Brand-Safe Content Brief Agent

1 Scenario

Create channel-ready briefs for Lumina Living while preventing unsupported claims and brand drift.

2 Deliverable

content_briefs.jsonl and review_rubric.csv

3 Mapped competence

LO2 · A2 · K2 · K3 · K4 · K6

4 Workbench


Text editor · spreadsheet editor · optional approved AI assistant

Full detailed procedure, verification, troubleshooting and cleanup: labs/lab-03-content-brief-agent/README.md

© 2026 Tertiary Infotech Academy Pte Ltd

LAB 3 · WORKFLOW

Lab 3 mechanism and control flow



DECISION RULE · The deck shows the decision mechanism; the Learner Guide carries the complete step-by-step procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

LAB 3 · MOCK DATA

Lab 3 evidence preview

1 **BR-01**

Example: FACT-01
Why it exists: Mock artifact field

2 **BR-02**

Example: FACT-02
Why it exists: Mock artifact field

3 **BR-03**

Example: FACT-03
Why it exists: Mock artifact field

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 3 verification and diagnosis

1 Acceptance 1

Each numeric claim carries an approved fact_id.

2 Acceptance 2

Rejected FACT-03 is absent.

3 Acceptance 3

Each brief has one CTA and a defined format.

4 Acceptance 4

Final status is needs_review until a human decision is recorded.

If verification fails: If all variants sound alike, vary angle or format—not factual claims.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 4: Assemble a Governed Campaign Package

1 Scenario

Translate approved content briefs into a campaign/ad-set/ad package without publishing to a live account.

2 Deliverable

campaign_package.json and approval_log.csv

3 Mapped competence

LO1 · LO2 · A1 · A2 · K3 · K4 · K8

4 Workbench


JSON editor · spreadsheet editor · mock Ads Manager worksheet

Full detailed procedure, verification, troubleshooting and cleanup: labs/lab-04-campaign-builder/README.md

© 2026 Tertiary Infotech Academy Pte Ltd

LAB 4 · WORKFLOW

Lab 4 mechanism and control flow



DECISION RULE · The deck shows the decision mechanism; the Learner Guide carries the complete step-by-step procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

LAB 4 · MOCK DATA

Lab 4 evidence preview

1 **AS-01**

Example: AUD-01
Why it exists: Mock artifact field

2 **AS-02**

Example: AUD-02
Why it exists: Mock artifact field

3 **AS-03**

Example: AUD-03
Why it exists: Mock artifact field

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 4 verification and diagnosis

1 Acceptance 1

Campaign, ad set and ad fields are at the correct hierarchy.

2 Acceptance 2

Daily budget stays within SGD 250.

3 Acceptance 3

Pending CR-03 is blocked.


4 Acceptance 4

The package contains no live credential or account ID.

If verification fails: If delivery settings conflict, trace which hierarchy owns the field.

© 2026 Tertiary Infotech Academy Pte Ltd

Topic 02 diagnostic sequence



DECISION RULE · A recommendation without evidence and a recovery route is incomplete.

© 2026 Tertiary Infotech Academy Pte Ltd

Topic 02 evidence checklist

1 **Architecture**

Components and ownership are named.

2 **Mechanism**

State transitions and decisions are visible.

3 **Contract**

Fields, formulas or thresholds are exact.

4 **Failure**

Signals, controls and recovery are defined.

5 **Verification**

Acceptance evidence is observable.

6 **Lab bridge**

The practical artifact uses the same model.

7 **Governance**

Human oversight matches risk.

8 **Traceability**

A2 · K3 · K4

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 03 · A3 · K5 · K6


Measure Performance and Agent Decisions

03

Legacy coverage retained: Measure Facebook Social Media Marketing Performance

© 2026 Tertiary Infotech Academy Pte Ltd

Map the Measurement Event Pipeline



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Map the Measurement Event Pipeline — artifact contract

1 event_name

Example: lead_submitted
Why it exists: Stable taxonomy

2 event_time

Example: ISO-8601
Why it exists: Sequence

3 campaign_id

Example: CMP-26-04
Why it exists: Join key

4 value

Example: 120.00 SGD
Why it exists: Outcome value

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Map the Measurement Event Pipeline — failure and recovery

1 Duplicate event

Signal: Inflated conversions
Control: event_id dedupe

2 Missing consent

Signal: Illegal collection
Control: Consent gate

3 Clock drift

Signal: Wrong attribution
Control: UTC timestamps


4 Join failure

Signal: No campaign ID
Control: Required key

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Map the Measurement Event Pipeline — worked evidence



WHAT THE DATA SHOWS · Loss between stages is expected; unexplained discontinuities are instrumentation defects.

© 2026 Tertiary Infotech Academy Pte Ltd

Calculate Reach, CTR, CVR, CPL and ROAS



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Calculate Reach, CTR, CVR, CPL and ROAS — artifact contract

1 impressions

Example: 50,000
Why it exists: CTR denominator

2 clicks

Example: 3,400
Why it exists: CTR = 6.8%

3 leads

Example: 96
Why it exists: CVR = 2.82%

4 spend

Example: SGD 2,400
Why it exists: CPL = SGD 25

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Calculate Reach, CTR, CVR, CPL and ROAS — failure and recovery

1 Mixed windows

Signal: Spend and leads differ
Control: Same date range

2 Wrong denominator

Signal: CVR uses impressions
Control: Metric dictionary

3 Gross revenue

Signal: ROAS overstates margin
Control: Add contribution margin


4 Tiny sample

Signal: Volatile rate
Control: Show counts

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Calculate Reach, CTR, CVR, CPL and ROAS — worked evidence



WHAT THE DATA SHOWS · Rates are meaningful only when their underlying counts and windows are visible.

© 2026 Tertiary Infotech Academy Pte Ltd

Build a Funnel with Diagnostic Rates



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Build a Funnel with Diagnostic Rates — artifact contract

1 **stage**

Example: lead
Why it exists: Named state

2 **count**

Example: 96
Why it exists: Observed total

3 **rate_from_prior**

Example: 23.4%
Why it exists: Local conversion

4 **drop_reason**

Example: form friction
Why it exists: Diagnosis

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Build a Funnel with Diagnostic Rates — failure and recovery

1 Double counting

Signal: Repeated events
Control: Unique key

2 Unknown loss

Signal: No reason codes
Control: Instrument exits

3 Quality ignored

Signal: Cheap low-value leads
Control: Qualification rate


4 Lag ignored

Signal: Recent leads not matured
Control: Cohort window

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Build a Funnel with Diagnostic Rates — worked evidence



WHAT THE DATA SHOWS · A low early-stage rate and a strong late-stage rate imply a targeting or creative issue.

© 2026 Tertiary Infotech Academy Pte Ltd

Separate Attribution from Incrementality



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Separate Attribution from Incrementality — artifact contract

1 window

Example: 7-day click
Why it exists: Attribution scope

2 credited

Example: 120
Why it exists: Reported conversions

3 holdout

Example: 24
Why it exists: Baseline conversions

4 incremental

Example: 96
Why it exists: Estimated lift

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Separate Attribution from Incrementality — failure and recovery

1 Last-click bias

Signal: Upper funnel erased
Control: Compare models

2 View-through inflation

Signal: Passive exposure credited
Control: Separate view/click

3 No counterfactual

Signal: Correlation claimed causal
Control: Holdout


4 Cross-device gap

Signal: Identity incomplete
Control: State limitation

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Separate Attribution from Incrementality — worked evidence



WHAT THE DATA SHOWS · Attributed conversions can exceed estimated incremental conversions.

© 2026 Tertiary Infotech Academy Pte Ltd

Design a Reporting Schema for Agents



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Design a Reporting Schema for Agents — artifact contract

1 report_date

Example: 2026-09-11
Why it exists: As-of time

2 currency

Example: SGD
Why it exists: Comparable spend

3 formula_version

Example: metrics-v2
Why it exists: Reproducibility

4 source_rows

Example: campaign.csv:48
Why it exists: Lineage

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Design a Reporting Schema for Agents — failure and recovery

1 Silent refresh

Signal: Numbers change
Control: Snapshot timestamp

2 Schema drift

Signal: Column renamed
Control: Validation

3 Rounding error

Signal: Totals disagree
Control: Compute then format


4 Narrative hallucination

Signal: Claim lacks row
Control: Evidence citation

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Design a Reporting Schema for Agents — worked evidence



WHAT THE DATA SHOWS · Automation can reduce preparation time while review and sign-off remain explicit.

© 2026 Tertiary Infotech Academy Pte Ltd

Detect Anomalies with Thresholds and Context



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Detect Anomalies with Thresholds and Context — artifact contract

1 metric

Example: CPL
Why it exists: Signal

2 baseline

Example: SGD 22
Why it exists: Reference

3 threshold

Example: > SGD 30
Why it exists: Trigger

4 severity

Example: high
Why it exists: Routing

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Detect Anomalies with Thresholds and Context — failure and recovery

1 Seasonality

Signal: Normal spike flagged
Control: Comparable baseline

2 Alert flood

Signal: Every metric triggers
Control: Priority tiers

3 Auto-pause harm

Signal: False positive stops winner
Control: Human approval


4 No context

Signal: Budget change ignored
Control: Event annotations

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Detect Anomalies with Thresholds and Context — worked evidence



WHAT THE DATA SHOWS · The final-day spike breaches the SGD 30 decision threshold and needs diagnosis.

© 2026 Tertiary Infotech Academy Pte Ltd

Build Retargeting with Consent and Suppression



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Build Retargeting with Consent and Suppression — artifact contract

1 segment

Example: cart_7d
Why it exists: Behavior cohort

2 consent

Example: true
Why it exists: Eligibility

3 suppression

Example: purchased_30d
Why it exists: Exclusion

4 ttl_days

Example: 7
Why it exists: Expiry

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Build Retargeting with Consent and Suppression — failure and recovery

1 No suppression

Signal: Customers see acquisition ad
Control: Exclude converters

2 Long retention

Signal: Stale tracking
Control: TTL

3 Sensitive proxy

Signal: Inferred condition
Control: Prohibited features


4 Frequency harm

Signal: Excess exposure
Control: Cap and monitor

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Build Retargeting with Consent and Suppression — worked evidence



WHAT THE DATA SHOWS · Consent, suppression, and freshness filters reduce the addressable group.

© 2026 Tertiary Infotech Academy Pte Ltd

Observe the Agent, Not Just the Campaign



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Observe the Agent, Not Just the Campaign — artifact contract

1 trace_id

Example: run-0911-042
Why it exists: Correlation

2 tool_calls

Example: 6
Why it exists: Action count

3 policy_flags

Example: 1
Why it exists: Risk signal

4 final_status

Example: approved
Why it exists: Outcome

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Observe the Agent, Not Just the Campaign — failure and recovery

1 No trace

Signal: Cannot reproduce
Control: Mandatory run ID

2 Sensitive logs

Signal: PII retained
Control: Redaction

3 Success-only metrics

Signal: Failures hidden
Control: All outcomes


4 Unsafe learning

Signal: Bad output saved
Control: Reviewed memory

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd

Observe the Agent, Not Just the Campaign — worked evidence



WHAT THE DATA SHOWS · Approval, revision, validation failure, and escalation should be tracked separately.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 5: Compute a Campaign Measurement Scorecard

1 Scenario

Reconcile a mock platform export and CRM outcome table, then calculate decision-ready metrics.

2 Deliverable

scorecard.csv, metric_dictionary.md and funnel_analysis.md

3 Mapped competence

LO3 · A3 · K5 · K8


4 Workbench

Spreadsheet editor · optional Python notebook

Full detailed procedure, verification, troubleshooting and cleanup: labs/lab-05-measurement-scorecard/README.md

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 5 mechanism and control flow



DECISION RULE · The deck shows the decision mechanism; the Learner Guide carries the complete step-by-step procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 5 evidence preview

1 **CTR**

Example: clicks/impressions
Why it exists: Mock artifact field

2 **CVR**

Example: leads/clicks
Why it exists: Mock artifact field

3 **CPL**

Example: spend/leads
Why it exists: Mock artifact field

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 5 verification and diagnosis

1 Acceptance 1

CTR equals clicks divided by impressions.

2 Acceptance 2

CPL equals spend divided by leads.

3 Acceptance 3

ROAS is clearly labeled as revenue/ad spend.

4 Acceptance 4

Every narrative claim cites a computed row.

If verification fails: If totals disagree, confirm the same campaign and date window.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 6: Build a Listening and Anomaly Triage Agent

1 Scenario

Detect a CPL spike and rising negative feedback without allowing the agent to pause live campaigns automatically.

2 Deliverable

alerts.csv and incident_triage.md

3 Mapped competence

LO3 · A3 · K8 · K10


4 Workbench

Spreadsheet editor · text editor · optional approved AI assistant

Full detailed procedure, verification, troubleshooting and cleanup: labs/lab-06-listening-anomaly-agent/README.md

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 6 mechanism and control flow



DECISION RULE · The deck shows the decision mechanism; the Learner Guide carries the complete step-by-step procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

LAB 6 · MOCK DATA

Lab 6 evidence preview

1 **2026-09-05**

Example: high
Why it exists: Mock artifact field

2 **2026-09-05**

Example: high
Why it exists: Mock artifact field

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 6 verification and diagnosis

1 Acceptance 1

The 2026-09-05 CPL and comment alerts fire.

2 Acceptance 2

The budget increase is retained as context.

3 Acceptance 3

No rule authorizes automatic campaign pause.


4 Acceptance 4

The alert includes source rows and owner.

If verification fails: If every day alerts, compare against a stable baseline and tune severity.

© 2026 Tertiary Infotech Academy Pte Ltd

Topic 03 diagnostic sequence



DECISION RULE · A recommendation without evidence and a recovery route is incomplete.

© 2026 Tertiary Infotech Academy Pte Ltd

Topic 03 evidence checklist

1 **Architecture**

Components and ownership are named.

2 **Mechanism**

State transitions and decisions are visible.

3 **Contract**

Fields, formulas or thresholds are exact.

4 **Failure**

Signals, controls and recovery are defined.

5 **Verification**

Acceptance evidence is observable.

6 **Lab bridge**

The practical artifact uses the same model.

7 **Governance**

Human oversight matches risk.

8 **Traceability**

A3 · K5 · K6

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 04 · A4 · K7 · K8


Optimize Campaigns with Controlled Experiments

04

Legacy coverage retained: Optimize Facebook Social Media Marketing Performance

© 2026 Tertiary Infotech Academy Pte Ltd

Run the Observe–Diagnose–Act Loop



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Run the Observe–Diagnose–Act Loop — artifact contract

1 signal

Example: CTR -22%
Why it exists: Observed change

2 hypothesis

Example: creative fatigue
Why it exists: Diagnosis

3 action

Example: rotate variant B
Why it exists: Intervention

4 rollback

Example: CTR < baseline
Why it exists: Safety

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Run the Observe–Diagnose–Act Loop — failure and recovery

1 Metric chasing

Signal: Changes daily
Control: Minimum window

2 Wrong diagnosis

Signal: Budget cut for tracking bug
Control: Data health first

3 Large action

Signal: 100% reallocation
Control: Bounded step


4 No rollback

Signal: Loss compounds
Control: Precommit rule

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Run the Observe–Diagnose–Act Loop — worked evidence



WHAT THE DATA SHOWS · Automation shortens observation and diagnosis but approval remains deliberate.

© 2026 Tertiary Infotech Academy Pte Ltd

Use Practical Significance in A/B Decisions



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Use Practical Significance in A/B Decisions — artifact contract

1 baseline_cvr

Example: 4.8%
Why it exists: Control

2 variant_cvr

Example: 5.3%
Why it exists: Observed

3 relative_lift

Example: 10.4%
Why it exists: Effect

4 min_lift

Example: 10%
Why it exists: Business threshold

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Use Practical Significance in A/B Decisions — failure and recovery

1 Stat-only win

Signal: Tiny useless lift
Control: Practical threshold

2 Underpowered

Signal: Wide uncertainty
Control: Extend sample

3 Metric switch

Signal: Choose winner after seeing data
Control: Pre-register


4 Segment mining

Signal: False positives
Control: Limit comparisons

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Use Practical Significance in A/B Decisions — worked evidence



WHAT THE DATA SHOWS · The observed lift barely clears the business threshold; uncertainty still matters.

© 2026 Tertiary Infotech Academy Pte Ltd

Reallocate Budget with Marginal Return



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Reallocate Budget with Marginal Return — artifact contract

1 channel

Example: retargeting
Why it exists: Budget pool

2 marginal_cpl

Example: SGD 18
Why it exists: Next-dollar cost

3 max_shift

Example: 15%
Why it exists: Change bound

4 review_after

Example: 48 hours
Why it exists: Stability

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Reallocate Budget with Marginal Return — failure and recovery

1 Average return

Signal: Hides saturation
Control: Use marginal

2 Large shift

Signal: Resets learning
Control: Cap change

3 Delayed value

Signal: Leads not matured
Control: Cohort lag


4 Automated overspend

Signal: No hard ceiling
Control: Account budget cap

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Reallocate Budget with Marginal Return — worked evidence



WHAT THE DATA SHOWS · Budget should move toward the lowest marginal CPL within delivery and risk constraints.

© 2026 Tertiary Infotech Academy Pte Ltd

Detect Creative Fatigue



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Detect Creative Fatigue — artifact contract

1 frequency

Example: 4.6
Why it exists: Exposure load

2 ctr_change

Example: -28%
Why it exists: Response decay

3 comment_tone

Example: negative rising
Why it exists: Qualitative signal

4 action

Example: rotate
Why it exists: Decision

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Detect Creative Fatigue — failure and recovery

1 False fatigue

Signal: Tracking outage
Control: Data health check

2 Audience depletion

Signal: Small pool
Control: Broaden carefully

3 Unapproved asset

Signal: Fast rotation skips review
Control: Preapproved library


4 Learning loss

Signal: Old asset deleted
Control: Archive version

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Detect Creative Fatigue — worked evidence



WHAT THE DATA SHOWS · Declining CTR as frequency rises is a fatigue signal, not proof by itself.

© 2026 Tertiary Infotech Academy Pte Ltd

Control Audience Overlap and Frequency



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Control Audience Overlap and Frequency — artifact contract

1 audience_a

Example: prospects_sg
Why it exists: Primary

2 audience_b

Example: site_30d
Why it exists: Retarget

3 overlap

Example: 38%
Why it exists: Conflict signal

4 frequency_cap

Example: 3/7d
Why it exists: Exposure guard

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Control Audience Overlap and Frequency — failure and recovery

1 Self-competition

Signal: CPM rises
Control: Mutual exclusions

2 Overexposure

Signal: Negative feedback
Control: Frequency guard

3 Too narrow

Signal: Delivery stalls
Control: Minimum size


4 Proxy targeting

Signal: Fairness risk
Control: Feature review

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Control Audience Overlap and Frequency — worked evidence



WHAT THE DATA SHOWS · The 38% pair needs exclusions or a clear prioritization rule.

© 2026 Tertiary Infotech Academy Pte Ltd

Schedule Content with Dependencies



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Schedule Content with Dependencies — artifact contract

1 content_id

Example: CNT-118
Why it exists: Stable item

2 publish_at

Example: 2026-09-15T10:00+08
Why it exists: Timezone

3 dependency

Example: legal-approved
Why it exists: Gate

4 request_id

Example: pub-118-v2
Why it exists: No duplicates

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Schedule Content with Dependencies — failure and recovery

1 Timezone error

Signal: Publishes eight hours late
Control: Explicit offset

2 Duplicate post

Signal: Retry creates copy
Control: Idempotency

3 Expired creative

Signal: Promotion ended
Control: Validity window


4 Missing approval

Signal: Queue bypass
Control: Hard dependency

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Schedule Content with Dependencies — worked evidence



WHAT THE DATA SHOWS · Education, proof, community, and promotion should reflect the campaign objective.

© 2026 Tertiary Infotech Academy Pte Ltd

Compare Platforms with a Feasibility Matrix



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Compare Platforms with a Feasibility Matrix — artifact contract

1 **platform**

Example: Facebook
Why it exists: Option

2 **audience_fit**

Example: 4/5
Why it exists: Evidence score

3 **measurement**

Example: 4/5
Why it exists: Data capability

4 **pilot_budget**

Example: SGD 500
Why it exists: Reversible test

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Compare Platforms with a Feasibility Matrix — failure and recovery

1 Popularity bias

Signal: Largest platform wins
Control: Outcome weighting

2 Stale demographics

Signal: Old report used
Control: As-of date

3 Apples/oranges

Signal: Different KPIs
Control: Common outcome


4 Full rollout

Signal: No pilot
Control: Test first

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Compare Platforms with a Feasibility Matrix — worked evidence



WHAT THE DATA SHOWS · Platform choice combines fit, measurement, format, cost, and governance—not reach alone.

© 2026 Tertiary Infotech Academy Pte Ltd

Define Rollback and Kill-Switch Rules



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Define Rollback and Kill-Switch Rules — artifact contract

1 max_daily_spend

Example: SGD 250
Why it exists: Hard ceiling

2 kill_trigger

Example: policy_severity=critical
Why it exists: Immediate stop

3 rollback_version

Example: campaign-v8
Why it exists: Known good

4 owner

Example: marketing_director
Why it exists: Authority

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Define Rollback and Kill-Switch Rules — failure and recovery

1 Soft limit

Signal: Agent overrides
Control: Enforce externally

2 No snapshot

Signal: Cannot restore
Control: Version configuration

3 Broad kill

Signal: All campaigns paused
Control: Scope by campaign


4 Restart loop

Signal: Failure repeats
Control: Human reopen

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd

Define Rollback and Kill-Switch Rules — worked evidence



WHAT THE DATA SHOWS · Spend, CPL, budget-shift, and critical-policy thresholds constrain autonomy.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 7: Evaluate an A/B Test and Budget Decision

1 Scenario

Determine whether creative B should receive more budget without reacting to an early, unstable result.

2 Deliverable

experiment_decision.md and budget_change.json

3 Mapped competence

LO4 · A4 · K7


4 Workbench

Spreadsheet editor · calculator · optional approved AI assistant

Full detailed procedure, verification, troubleshooting and cleanup: labs/lab-07-ab-test-optimizer/README.md

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 7 mechanism and control flow



DECISION RULE · The deck shows the decision mechanism; the Learner Guide carries the complete step-by-step procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 7 evidence preview

1 **A**

Example: 4.88%
Why it exists: Mock artifact field

2 **B**

Example: 5.33%
Why it exists: Mock artifact field

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 7 verification and diagnosis

1 Acceptance 1

Both cells exceed 500 clicks.

2 Acceptance 2

Relative CVR lift is calculated from the control baseline.

3 Acceptance 3

Budget change does not exceed 15%.

4 Acceptance 4

The decision states evidence and uncertainty.

If verification fails: If the lift looks huge, verify percentages use the correct denominator.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 8: Orchestrate an Approval-Aware Content Calendar

1 Scenario

Schedule an eight-item campaign calendar with timezones, dependencies, rights expiry and idempotent publishing requests.

2 Deliverable

approved_calendar.csv and exception_queue.csv

3 Mapped competence

LO4 · A4 · K4 · K8


4 Workbench

Spreadsheet editor · calendar template · optional approved AI assistant

Full detailed procedure, verification, troubleshooting and cleanup: labs/lab-08-content-calendar-orchestrator/README.md

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 8 mechanism and control flow



DECISION RULE · The deck shows the decision mechanism; the Learner Guide carries the complete step-by-step procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 8 evidence preview

1 **CNT-101**

Example: 2026-09-15T10:00+08:00
Why it exists: Mock artifact field

2 **CNT-103**

Example:
Why it exists: Mock artifact field

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 8 verification and diagnosis

1 Acceptance 1

Pending CNT-103 is not scheduled.

2 Acceptance 2

All timestamps include +08:00.

3 Acceptance 3

No content is scheduled after valid_to.


4 Acceptance 4

Every scheduled row has a unique request_id.

If verification fails: If a duplicate appears, check request_id construction.

© 2026 Tertiary Infotech Academy Pte Ltd

Topic 04 diagnostic sequence



DECISION RULE · A recommendation without evidence and a recovery route is incomplete.

© 2026 Tertiary Infotech Academy Pte Ltd

Topic 04 evidence checklist

1 **Architecture**

Components and ownership are named.

2 **Mechanism**

State transitions and decisions are visible.

3 **Contract**

Fields, formulas or thresholds are exact.

4 **Failure**

Signals, controls and recovery are defined.

5 **Verification**

Acceptance evidence is observable.

6 **Lab bridge**

The practical artifact uses the same model.

7 **Governance**

Human oversight matches risk.

8 **Traceability**

A4 · K7 · K8

© 2026 Tertiary Infotech Academy Pte Ltd

TOPIC 05 · A5 · A6 · K9 · K10

Manage Communities with Human Oversight

05

Legacy coverage retained: Manage Facebook Social Media Community

© 2026 Tertiary Infotech Academy Pte Ltd

Human Oversight in Community Operations



1 Triage
AI proposes intent and risk.


2 Review
Humans inspect sensitive cases.

3 Protect
Privacy and brand-safety gates apply.

4 Learn
Only reviewed outcomes update practice.

© 2026 Tertiary Infotech Academy Pte Ltd

Route Community Messages by Intent and Risk



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Route Community Messages by Intent and Risk — artifact contract

1 **intent**

Example: delivery_issue
Why it exists: Work queue

2 **sentiment**

Example: negative
Why it exists: Context

3 **risk_score**

Example: 0.82
Why it exists: Escalation

4 **sla_minutes**

Example: 30
Why it exists: Response target

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Route Community Messages by Intent and Risk — failure and recovery

1 Sarcasm

Signal: Sentiment misread
Control: Human review

2 Private data

Signal: Order number public
Control: Move to private channel

3 Wrong queue

Signal: Crisis treated routine
Control: Severity rules


4 No closure

Signal: Repeated complaint
Control: Case status

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Route Community Messages by Intent and Risk — worked evidence



WHAT THE DATA SHOWS · Routine, assisted, escalated, and rejected items need distinct workflows.

© 2026 Tertiary Infotech Academy Pte Ltd

Evaluate Sentiment with Confidence



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Evaluate Sentiment with Confidence — artifact contract

1 label

Example: negative
Why it exists: Prediction

2 confidence

Example: 0.64
Why it exists: Uncertainty

3 language

Example: en-SG
Why it exists: Context

4 review

Example: required
Why it exists: Low-confidence route

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Evaluate Sentiment with Confidence — failure and recovery

1 Dialect error

Signal: Singlish misread
Control: Local sample

2 Aggregate masking

Signal: Crisis subgroup hidden
Control: Segment view

3 Confidence misuse

Signal: 0.51 auto-action
Control: Threshold


4 Feedback leakage

Signal: Reviewer label includes PII
Control: Redact

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Evaluate Sentiment with Confidence — worked evidence



WHAT THE DATA SHOWS · Distribution is a signal; confidence and representative sampling determine trust.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply a Moderation Decision Ladder



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply a Moderation Decision Ladder — artifact contract

1 policy_code

Example: HARASS-02
Why it exists: Rule

2 severity

Example: high
Why it exists: Priority

3 evidence_hash

Example: sha256:…
Why it exists: Integrity

4 decision

Example: escalate
Why it exists: Outcome

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply a Moderation Decision Ladder — failure and recovery

1 Over-removal

Signal: Legitimate criticism hidden
Control: Appeal route

2 Under-removal

Signal: Harm remains
Control: High-risk threshold

3 Context loss

Signal: Quoted slur punished
Control: Conversation window


4 No evidence

Signal: Decision disputed
Control: Capture snapshot

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Apply a Moderation Decision Ladder — worked evidence



WHAT THE DATA SHOWS · Most content remains visible; sensitive decisions need evidence and appeal.

© 2026 Tertiary Infotech Academy Pte Ltd

Manage UGC Rights and Permissions



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Manage UGC Rights and Permissions — artifact contract

1 ugc_id

Example: UGC-204
Why it exists: Asset key

2 creator

Example: @sample_creator
Why it exists: Rights holder

3 channels

Example: Facebook, Instagram
Why it exists: Licensed scope

4 expires

Example: 2026-12-31
Why it exists: Term

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Manage UGC Rights and Permissions — failure and recovery

1 Hashtag assumption

Signal: Tag treated as permission
Control: Ask explicitly

2 Scope creep

Signal: Use in paid ad
Control: Record channels

3 Missing credit

Signal: Creator omitted
Control: Attribution field


4 Expired right

Signal: Asset still scheduled
Control: Calendar validation

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Manage UGC Rights and Permissions — worked evidence



WHAT THE DATA SHOWS · Approved, pending, declined, and expired assets must remain distinguishable.

© 2026 Tertiary Infotech Academy Pte Ltd

Escalate Reputation Risk with Evidence



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Escalate Reputation Risk with Evidence — artifact contract

1 mentions_15m

Example: 84
Why it exists: Velocity

2 severity

Example: critical
Why it exists: Priority

3 owner

Example: communications_lead
Why it exists: Authority

4 next_update

Example: 30 min
Why it exists: Cadence

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Escalate Reputation Risk with Evidence — failure and recovery

1 Auto-defence

Signal: Agent argues publicly
Control: Pause replies

2 Slow escalation

Signal: Issue compounds
Control: Velocity trigger

3 Unverified claim

Signal: Rumor repeated
Control: Source check


4 No timeline

Signal: Conflicting updates
Control: Incident log

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Escalate Reputation Risk with Evidence — worked evidence



WHAT THE DATA SHOWS · Acceleration, not just volume, can trigger a crisis escalation.

© 2026 Tertiary Infotech Academy Pte Ltd

Build an Advocacy Flywheel



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Build an Advocacy Flywheel — artifact contract

1 advocate_id

Example: ADV-031
Why it exists: Relationship key

2 contribution

Example: tutorial video
Why it exists: Value

3 permission

Example: organic repost
Why it exists: Scope

4 referrals

Example: 7
Why it exists: Outcome

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Build an Advocacy Flywheel — failure and recovery

1 Transactional reward

Signal: Community feels bought
Control: Value exchange

2 Favoritism

Signal: Same voices amplified
Control: Diversity review

3 Consent gap

Signal: Repost without permission
Control: Rights record


4 Vanity advocacy

Signal: Reach only
Control: Retention/referral

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Build an Advocacy Flywheel — worked evidence



WHAT THE DATA SHOWS · Recognition can progress from contributors to repeat advocates and referrals.

© 2026 Tertiary Infotech Academy Pte Ltd

Evaluate Organisational Impact



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Evaluate Organisational Impact — artifact contract

1 revenue_lift

Example: SGD 18,000
Why it exists: Outcome

2 cost

Example: SGD 7,200
Why it exists: Investment

3 complaint_rate

Example: 1.8%
Why it exists: Guardrail

4 confidence

Example: medium
Why it exists: Evidence strength

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Evaluate Organisational Impact — failure and recovery

1 Single metric

Signal: Sales rise, trust falls
Control: Balanced scorecard

2 No counterfactual

Signal: All lift credited
Control: State limits

3 Hidden labor

Signal: Review time ignored
Control: Full cost


4 Short window

Signal: No retention view
Control: Cohort follow-up

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd


Evaluate Organisational Impact — worked evidence



WHAT THE DATA SHOWS · Financial value, cost, satisfaction lift, and complaint rate tell different parts of impact.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate an AI Governance and Oversight Loop



DECISION RULE · Each stage must leave an observable artifact or decision trace.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate an AI Governance and Oversight Loop — artifact contract

1 **use_case_id**

Example: AI-SMM-01
Why it exists: Inventory

2 **risk_tier**

Example: medium
Why it exists: Control depth

3 **human_owner**

Example: marketing_director
Why it exists: Accountability

4 **review_cycle**

Example: quarterly
Why it exists: Oversight

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate an AI Governance and Oversight Loop — failure and recovery

1 Shadow agent

Signal: No registered owner
Control: Inventory

2 Data drift

Signal: Audience changes
Control: Monitoring

3 Vendor change

Signal: Behavior shifts
Control: Change review


4 Zombie access

Signal: Retired tool active
Control: Revoke credentials

A control is complete only when its trigger, owner, action, evidence and recovery route are explicit.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate an AI Governance and Oversight Loop — worked evidence



WHAT THE DATA SHOWS · Registration, risk assessment, control testing, and review completion form an evidence chain.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 9: Triage Community Messages with Human Oversight

1 Scenario

Classify and route a queue of comments while protecting personal data and preserving legitimate criticism.

2 Deliverable

moderation_queue.csv and response_log.md

3 Mapped competence

LO5 · A5 · K5 · K9 · K10


4 Workbench

Spreadsheet editor · policy rubric · optional approved AI assistant

Full detailed procedure, verification, troubleshooting and cleanup: labs/lab-09-community-moderation-agent/README.md

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 9 mechanism and control flow



DECISION RULE · The deck shows the decision mechanism; the Learner Guide carries the complete step-by-step procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

LAB 9 · MOCK DATA

Lab 9 evidence preview

1 **M002**

Example: medium
Why it exists: Mock artifact field

2 **M004**

Example: critical
Why it exists: Mock artifact field

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 9 verification and diagnosis

1 Acceptance 1

Order number in M002 is redacted before processing.

2 Acceptance 2

M004 is emergency-escalated and not auto-replied.

3 Acceptance 3

M003 remains visible while routed for human review.

4 Acceptance 4

Every decision has a reason code.

If verification fails: If sarcasm or dialect is uncertain, lower confidence and route to review.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 10: Capstone: Operate a Governed Agentic Campaign

1 Scenario

Integrate planning, creation, measurement, optimization and community controls into one auditable Lumina Living campaign runbook.

2 Deliverable

campaign_runbook.md, governance_register.csv and executive_review.md

3 Mapped competence

LO1–LO6 · A1–A6 · K1–K10


4 Workbench

All prior mock artifacts · spreadsheet editor · text editor

Full detailed procedure, verification, troubleshooting and cleanup: labs/lab-10-capstone-agentic-campaign/README.md

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 10 mechanism and control flow



DECISION RULE · The deck shows the decision mechanism; the Learner Guide carries the complete step-by-step procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

LAB 10 · MOCK DATA

Lab 10 evidence preview

1 **plan**

Example: Campaign Owner
Why it exists: Mock artifact field

2 **publish**

Example: Brand Lead
Why it exists: Mock artifact field

3 **optimize**

Example: Marketing Director
Why it exists: Mock artifact field

The artifact is inspectable: each field has a value, meaning, owner and decision consequence.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab 10 verification and diagnosis

1 Acceptance 1

Every agent action has an owner, input, output and control.

2 Acceptance 2

All six abilities and ten knowledge criteria are evidenced.

3 Acceptance 3

No live credentials or personal data exist in the package.


4 Acceptance 4

The runbook contains a kill switch, rollback version and incident route.

If verification fails: If an artifact cannot be traced, add its source lab and version.

© 2026 Tertiary Infotech Academy Pte Ltd

Topic 05 diagnostic sequence



DECISION RULE · A recommendation without evidence and a recovery route is incomplete.

© 2026 Tertiary Infotech Academy Pte Ltd

Topic 05 evidence checklist

1. **Architecture**
   Components and ownership are named.
2. **Mechanism**
   State transitions and decisions are visible.
3. **Contract**
   Fields, formulas or thresholds are exact.
4. **Failure**
   Signals, controls and recovery are defined.
5. **Verification**
   Acceptance evidence is observable.
6. **Lab bridge**
   The practical artifact uses the same model.
7. **Governance**
   Human oversight matches risk.
8. **Traceability**
   A5 · A6 · K9 · K10

© 2026 Tertiary Infotech Academy Pte Ltd

COURSE SYNTHESIS

What You Can Now Produce

1. **Campaign charter**
   Objectives, KPI tree and policy guardrails.
2. **Persona and journey**
   Evidence, confidence and next-best action.
3. **Campaign package**
   Hierarchy, audiences, creative and approvals.
4. **Scorecard**
   Metrics, funnel, anomalies and decisions.
5. **Optimization plan**
   Experiment, budget, schedule and rollback.
6. **Community system**
   Triage, rights, crisis and advocacy.
7. **Governance register**
   Owner, risk tier, controls and review.
8. **Audit trail**
   Traceable human and agent decisions.

© 2026 Tertiary Infotech Academy Pte Ltd

Courseware & Assessment on the LMS

1 Download

Get the learner slides and Learner Guide.

2 Prepare

Use the ten lab folders and mock data.

3 Complete

Sit the WA then PP in the stated time.

4 Submit

Upload completed answers and retain confirmation.

https://lms-tms.tertiaryinfotech.com/

© 2026 Tertiary Infotech Academy Pte Ltd

FINAL ASSESSMENT

Assessment Reminder

1 **WA**

10 open-ended questions · 60 minutes.

2 **PP**

5 practical tasks · 60 minutes.

3 **Open book**

Slides, Learner Guide and approved lab materials.


4 **Submit**

Upload on the LMS before sign-off.

© 2026 Tertiary Infotech Academy Pte Ltd

ASSESSMENT · CONTROL FLOW

Assessment Flow



DECISION RULE · Question papers go to learners; answer keys remain trainer-only.

© 2026 Tertiary Infotech Academy Pte Ltd

Digital Attendance (Mandatory)

1 Assessment attendance

Complete the separate assessment attendance.

2 Confirmation

Keep the success confirmation.

3 Assistance

Tell the trainer immediately if the flow fails.

4 Integrity

Submit only your own attendance.

© 2026 Tertiary Infotech Academy Pte Ltd

THANK YOU

Build agents that earn trust through evidence.

enquiry@tertiaryinfotech.com
+65 6100 0613 · tertiarycourses.com.sg



© 2026 Tertiary Infotech Academy Pte Ltd