Tertiary Infotech Academy Pte Ltd

UEN: 201200696W

LEARNER GUIDE

For

WSQ Technical Drawing with AutoCAD

TGS Ref No: TGS-2021005538

Conducted by

Tertiary Infotech Academy Pte Ltd

UEN: 201200696W

Version 12

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

DOCUMENT VERSION CONTROL RECORD

Version Number	Effective Date of Release	Summary of Included Changes	Author
11	18 August 2026	Legacy release — learner guide aligned to master trainer slides v11.	Dr Alfred Ang
12	18 August 2026	Full regeneration in the single-source pipeline: 16 step-by-step labs in per-lab folders (DWG data files + PDF instruction sheets), drawing-reading quick reference, assessment preparation guidance and glossary — 100% aligned with the v12 slide deck and Lesson Plan.	Dr Alfred Ang

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

TABLE OF CONTENTS

Introduction **4**
Course Learning Outcomes **4**
Before You Start — Environment Setup **4**
Topic 01 — Getting Started with AutoCAD (A1 · K1) **5**
Lab 1 — Setting Up a New Drawing 5
Topic 02 — Technical Drawing with AutoCAD (A2 · K2) **6**
Lab 2 — Creating Lines and Coordinates 7
Lab 3 — Circles, Rectangles and Polygons 8
Lab 4 — Polylines, Arcs, Ellipses and Splines 9
Lab 5 — 2D Isometric Drawing 11
Topic 03 — Modifying Objects (A3 · K3) **12**
Lab 6 — Move, Copy, Rotate and Offset 12
Lab 7 — Trim, Extend, Fillet and Chamfer 14
Lab 8 — Mirror, Stretch, Scale and Arrays 15
Topic 04 — Organizing Objects (A4 · K4) **16**
Lab 9 — Object Properties and Layers 17
Lab 10 — Grips, Hide and Isolate 18
Lab 11 — Blocks, Attributes and Part Lists 19
Lab 12 — External References and PDF Import 20
Topic 05 — Design Documentation (A5 · K5) **21**
Lab 13 — Text and Text Styles 21
Lab 14 — Dimensions, Multileaders and Part-List Tables 22
Lab 15 — Hatching and Detail Finishing 24
Lab 16 — Layouts, Viewports and Plotting 25
Reading Technical Drawings — Quick Reference **26**
Preparing for the Assessment **26**
Glossary **27**

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Introduction

This Learner Guide accompanies the WSQ course WSQ Technical Drawing with AutoCAD (TGS-2021005538), conducted by Tertiary Infotech Academy Pte Ltd. It provides step-by-step instructions for all 16 hands-on labs, organised by the five course topics, aligned to the Skills Framework TSC Technical Drawing (DSN-TDR-3005-1.11).

Use this guide alongside the course slides and the lab folders in labs/ of the course repository. Each lab folder contains this guide's instructions as README.md, a printable PDF instruction sheet, and the AutoCAD DWG data files for that lab. The final assessment is open book: you may refer to the slides, this Learner Guide and other approved materials.

Course Learning Outcomes

- LO1: Read and visualize AutoCAD technical drawings
- LO2: Produce 2D and 3D technical drawings using AutoCAD
- LO3: Create part lists using AutoCAD
- LO4: Create AutoCAD design documentation
- LO5: Produce design specification using AutoCAD

Before You Start — Environment Setup

What you need

- A Windows PC (or Mac) with AutoCAD installed — AutoCAD 2021 or later (any recent release works; the free 30-day trial or an education licence is fine).
- Download AutoCAD from https://www.autodesk.com/products/autocad/free-trial or the education community at https://www.autodesk.com/education.
- The course lab files — the labs/ folder of the course repository (one folder per lab: DWG data files, PDF instruction sheet and README).
- A mouse with a scroll wheel — zooming and panning with the wheel is essential for CAD work.

Set up AutoCAD for the course

- Start AutoCAD and choose the Drafting & Annotation workspace.
- New drawings in this course start from the metric template acadiso.dwt.
- Keep the status bar visible — grid, snap, ortho, polar tracking and object snap are used in every lab.
- Copy the labs/ folder to your Documents so you can open and save the lab drawings freely.

Conventions used in every lab

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Commands are typed at the command line or picked from the ribbon; the short alias is shown in brackets, e.g. LINE (L).
- The → arrow chains a command's prompts, e.g. 'C → D → 40' means run CIRCLE, choose Diameter, type 40.
- Coordinates: absolute 100,50 · relative @50,0 · polar @50<30.
- Save your work as <lab>-mine.dwg so the supplied solution files stay untouched.
- Every lab ends with a 'Check your work' test — verify before moving on.

Topic 01 — Getting Started with AutoCAD (A1 · K1)

AutoCAD User Interface · Workspace Settings · Navigation · Units

Key concepts

- User interface — Application menu, Quick Access Toolbar, ribbon tabs and panels, drawing area, command window and status bar.
- Workspaces — Drafting & Annotation, 3D Basics and 3D Modeling — task-oriented sets of ribbons, menus and palettes.
- Model vs paper space — Design at 1:1 in model space; compose scaled drawing sheets in paper-space layouts.
- Precision aids — Grid and snap, ortho mode, polar tracking, object snaps and dynamic input keep every pick exact.
- Navigation — Zoom, pan, ViewCube and the wheel mouse move you around a drawing without changing it.
- Units and limits — UNITS sets the length/angle format and precision; LIMITS frames the working area of the drawing.

Lab 1 — Setting Up a New Drawing

Objective: LO1 — read and visualize AutoCAD technical drawings; set up a drawing environment (A1, K1).

Goal: Create a new metric drawing from the ACADISO template, choose the Drafting & Annotation workspace, set units and limits, then open a finished drawing and practise reading it with the zoom, pan and ViewCube navigation tools.

You'll produce

A correctly configured metric drawing (units, limits, workspace) saved as DWG, plus confident navigation of an existing technical drawing. (Commands: ACADISO template, UNITS, LIMITS, ZOOM, PAN, ViewCube.)

Step-by-step

1. Start AutoCAD and create a new drawing from the ISO metric template

```
NEW → acadiso.dwt
```


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

2. Switch the workspace to Drafting & Annotation from the status bar gear icon

```
WSCURRENT → Drafting & Annotation
```

3. Set decimal length units with 0.00 precision and decimal degrees for angles

```
UNITS → Length: Decimal, Precision 0.00
```

4. Frame an A3-sized working area with drawing limits, then zoom to it

```
LIMITS → 0,0 → 420,297  |  ZOOM → All
```

5. Toggle the precision aids on the status bar: grid, snap, ortho, polar and object snap

```
F7 grid · F9 snap · F8 ortho · F10 polar · F3 osnap
```

6. Open lab01-table.dwg and navigate it: wheel-zoom, pan, zoom window and zoom extents

```
OPEN lab01-table.dwg → Z → W / Z → E
```

7. Identify the views, dimensions and title information in the drawing, then save your setup file

```
SAVEAS → lab01-setup.dwg
```

Check your work

You can state the drawing's units, limits and workspace; zoom to any detail of lab01-table.dwg and back to extents; and your lab01-setup.dwg opens with the settings intact.

Note: This lab's data files and printable instructions are in labs/lab-01-setting-up-a-new-drawing/.

Topic 02 — Technical Drawing with AutoCAD (A2 · K2)

Basic AutoCAD Operations · Drawing Objects · Isometric Drawing

Key concepts

- Lines & polylines — LINE draws separate segments; PLINE creates one connected object of line and arc segments.
- Circles & arcs — Circles by centre/radius or diameter; arcs by combinations of start, centre, end, radius and angle.
- Rectangles & polygons — RECTANG builds closed rectangular polylines; POLYGON draws 3–1024-sided regular polygons.
- Ellipses, splines & points — Ellipses from axis endpoints; splines as smooth curves through fit points; points as snap nodes.


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Construction geometry — Construction lines (XLINE) and rays give infinite reference lines for projecting views.
- 2D isometric drawing — ISODRAFT turns on isometric planes so a flat drawing represents a 3D projection.

Lab 2 — Creating Lines and Coordinates

Objective: LO2 — produce 2D technical drawings using AutoCAD (A2, K2).

Goal: Draw the outline of practice drawing EX-1 using the LINE and PLINE commands with absolute, relative and polar coordinate entry, working from its dimensioned drawing sheet.



Lab 2 — the drawing you'll produce

You'll produce

The completed EX-1 profile drawn to size, matching the supplied solution DWG. (Commands: LINE, PLINE, coordinate entry (@dx,dy · @dist<angle), ORTHO, dynamic input.)

Step-by-step

1. Open the EX-1 drawing sheet (ex1-drawing-sheet.pdf) and study the dimensions
2. Start a new acadiso drawing and draw the first edge with absolute coordinates

   ```
   L → 0,0 → 100,0
   ```

3. Continue the profile with relative coordinates for each dimensioned edge

   ```
   @0,50  ·  @-30,0  ·  @20<135
   ```

4. Use ortho (F8) and polar tracking (F10) for the horizontal and vertical segments

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
F8 · F10
```

5. Close the profile back to the start point and check it forms one closed loop

```
C (Close)
```

6. Compare your result against the solution file ex1.dwg, then save

```
OPEN ex1.dwg → SAVEAS ex1-mine.dwg
```

Check your work


Your outline closes exactly (LIST shows the final vertex at 0,0) and overlays the solution ex1.dwg with no visible deviation.

Note: This lab's data files and printable instructions are in labs/lab-02-creating-lines-and-coordinates/.

Lab 3 — Circles, Rectangles and Polygons

Objective: LO2 — produce 2D technical drawings using AutoCAD (A2, K2).

Goal: Complete practice drawing EX-2 by adding circles (centre-radius, diameter, 2P/3P and Tan-Tan-Radius), a rectangle with chamfered/filleted corners and inscribed/circumscribed polygons.



Lab 3 — the drawing you'll produce

You'll produce

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

The completed EX-2 drawing with all holes, rectangles and polygons placed to the sheet dimensions. (Commands: CIRCLE (Cen-Rad, 2P, 3P, TTR), RECTANG, POLYGON, object snaps.)

Step-by-step

1. Open the EX-2 sheet (ex2-drawing-sheet.pdf) and identify each hole's centre
2. Draw the main circles by centre point and radius, snapping to intersections

   ```
   C → cen point → 25
   ```

3. Add a circle by diameter and one through two points on existing geometry

   ```
   C → D → 40  ·  C → 2P
   ```

4. Draw a tangent-tangent-radius circle touching two existing circles

   ```
   C → TTR → pick 2 tangents → radius
   ```

5. Create the rectangle feature, then a hexagon inscribed in a 30-radius circle

   ```
   REC → corner → @80,50  ·  POL → 6 → I → 30
   ```

6. Verify against the solution ex2.dwg and save your drawing

   ```
   SAVEAS ex2-mine.dwg
   ```

Check your work

Every circle's centre and radius match the sheet (use LIST), the hexagon has 6 equal sides, and your drawing overlays ex2.dwg cleanly.


Note: This lab's data files and printable instructions are in labs/lab-03-circles-rectangles-and-polygons/.

Lab 4 — Polylines, Arcs, Ellipses and Splines

Objective: LO2 — produce 2D technical drawings using AutoCAD (A2, K2).

Goal: Draw practice drawing EX-3 combining polylines with arc segments, standalone arcs, an ellipse and a spline, plus construction lines to project feature positions between views.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg



Lab 4 — the drawing you'll produce

You'll produce

The completed EX-3 drawing with mixed line/arc geometry drawn as clean, connected objects. (Commands: PLINE (Arc mode), ARC, ELLIPSE, SPLINE, XLINE, POINT/DIVIDE.)

Step-by-step

1. Open the EX-3 sheet (ex3-drawing-sheet.pdf) and plan the outline as one polyline
2. Draw the outline with PLINE, switching between Line and Arc segments as you go

```
PL → pick → A (arc) → L (line)
```

3. Place construction lines to project the centres of features between views

```
XL → H / V through centres
```

4. Add a three-point arc and a centre-start-end arc where the sheet shows open curves

```
A → 3 points  ·  A → C
```

5. Draw the ellipse from its axis endpoints and a smooth spline through the fit points

```
EL → axis ends → half-width  ·  SPL
```

6. Compare with ex3.dwg, purge the construction lines and save

```
ERASE xlines → SAVEAS ex3-mine.dwg
```

Check your work

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg


The outline is a single polyline (one object when selected), arcs and the ellipse match the sheet dimensions, and no construction lines remain in the final drawing.

Note: This lab's data files and printable instructions are in labs/lab-04-polylines-arcs-ellipses-and-splines/.

Lab 5 — 2D Isometric Drawing

Objective: LO2 — produce 2D and 3D technical drawings using AutoCAD (A2, K2).

Goal: Use ISODRAFT to create a 2D isometric representation of the 3D object supplied in iso-object.dwg, switching isoplanes and drawing isocircles for the round features.



Lab 5 — the drawing you'll produce

You'll produce

A flat isometric drawing of the 3D object — edges on the three isoplanes plus isocircle holes. (Commands: ISODRAFT, isoplanes (F5), ELLIPSE Isocircle, polar tracking.)

Step-by-step

1. Open the object sheet iso-object-sheet.pdf and identify its three faces
2. Turn on isometric drafting from the status bar and set the Top isoplane

   ```
   ISODRAFT → Isoplane Top (F5)
   ```

3. Draw the top face edges along the 30°/150° isometric axes with polar tracking

   ```
   L with polar 30°/150°
   ```


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

4. Switch to the Right and Left isoplanes and complete the vertical faces

   ```
   F5 → Right · F5 → Left
   ```

5. Add the round features as isocircles on the correct isoplane

   ```
   EL → I (Isocircle) → centre → radius
   ```

6. Compare your isometric with the 3D model in iso-object.dwg and save

   ```
   SAVEAS iso-mine.dwg
   ```

Check your work

Each face lies on the correct isoplane (edges at 30°/90°/150°), the isocircles read as ellipses aligned to their faces, and the drawing matches the supplied object's proportions.

Note: This lab's data files and printable instructions are in labs/lab-05-2d-isometric-drawing/.

Topic 03 — Modifying Objects (A3 • K3)

Move · Copy · Rotate · Offset · Mirror · Trim · Fillet · Arrays

Key concepts


- Relocate & duplicate — MOVE, COPY and ROTATE reposition objects from a base point to a second point or angle.
- Offset & mirror — OFFSET creates parallel copies at a set distance; MIRROR reflects half a symmetric design.
- Trim & extend — Quick and Standard modes cut objects back to, or extend them to meet, boundary edges.
- Fillet & chamfer — FILLET rounds a corner with a radius; CHAMFER bevels it with distances or an angle.
- Arrays — Rectangular, polar and path arrays distribute copies in rows/columns, around a centre, or along a curve.
- Stretch, scale & explode — STRETCH lengthens with a crossing window; SCALE resizes about a base point; EXPLODE breaks compounds.

Lab 6 — Move, Copy, Rotate and Offset

Objective: LO2/LO3 — modify 2D drawings efficiently to build up a design (A3, K3).

Goal: Build practice drawing EX-4 by drawing one feature and then positioning the rest with MOVE, COPY (multiple), ROTATE with reference angle and OFFSET for the parallel profiles.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg



Lab 6 — the drawing you'll produce

You'll produce

The completed EX-4 drawing produced with modify commands rather than re-drawing each feature. (Commands: MOVE, COPY (Multiple/Array), ROTATE (Reference), OFFSET.)

Step-by-step

1. Open the EX-4 sheet (ex4-drawing-sheet.pdf) and spot the repeated features
2. Draw the base profile, then offset it to create the parallel inner/outer edges

   ```
   O → distance → pick side
   ```

3. Draw one hole feature and copy it to every dimensioned centre

   ```
   CO → base point → second points
   ```

4. Move a mis-placed feature precisely from its centre to the correct intersection

   ```
   M → base → destination
   ```

5. Rotate the angled feature about its base point, using Reference to match the sheet angle

   ```
   RO → base → R → ref angle → new angle
   ```

6. Check against ex4.dwg and save your version

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
SAVEAS ex4-mine.dwg
```

Check your work


Feature spacings measure correct with DIST, offsets are at the specified distances, and the rotated feature sits at exactly the sheet's angle.

Note: This lab's data files and printable instructions are in labs/lab-06-move-copy-rotate-and-offset/.

Lab 7 — Trim, Extend, Fillet and Chamfer

Objective: LO2/LO3 — clean up and finish drawing geometry (A3, K3).

Goal: Complete practice drawing EX-5 by trimming overlapping construction geometry, extending short edges to their boundaries, and finishing corners with fillets and chamfers.



Lab 7 — the drawing you'll produce

You'll produce

A clean EX-5 profile with every corner finished exactly as dimensioned on the sheet. (Commands: TRIM (Quick/Standard), EXTEND, FILLET, CHAMFER, BREAK.)

Step-by-step

1. Open the EX-5 sheet (ex5-drawing-sheet.pdf) and rough out the profile with overlapping lines
2. Trim the overshoots in Quick mode — click or drag across the pieces to remove

```
TR → click segments
```


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

3. Use Standard mode where you need explicit cutting edges: select boundaries, then objects

```
TR → Enter (all edges) → pick
```

4. Extend the short edges to meet their boundary lines

```
EX → pick edges to extend
```

5. Fillet the rounded corners at the sheet radius, and chamfer the bevelled ones

```
F → R → 10 → pick 2 lines  ·  CHA → D → 5,5
```

6. Compare with ex5.dwg and save

```
SAVEAS ex5-mine.dwg
```

Check your work


No overshooting or dangling segments remain (zoom around the whole profile), and every fillet radius / chamfer distance matches the drawing sheet.

Note: This lab's data files and printable instructions are in labs/lab-07-trim-extend-fillet-and-chamfer/.

Lab 8 — Mirror, Stretch, Scale and Arrays

Objective: LO2/LO3 — reproduce patterned and symmetric geometry (A3, K3).

Goal: Produce practice drawing EX-6 by drawing half of the symmetric design and mirroring it, then distributing the hole pattern with rectangular and polar arrays, and adjusting sizes with STRETCH and SCALE.



© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Lab 8 — the drawing you'll produce

You'll produce

The completed EX-6 drawing with its symmetric outline and evenly arrayed hole pattern. (Commands: MIRROR, STRETCH (crossing window), SCALE (Reference), ARRAYRECT, ARRAYPOLAR.)

Step-by-step

1. Open the EX-6 sheet (ex6-drawing-sheet.pdf) and find its axis of symmetry
2. Draw one half of the outline, then mirror it across the centreline

   ```
   MI → select → axis pt1 → pt2 → N
   ```

3. Array one hole into the rectangular pattern (rows, columns, spacing from the sheet)

   ```
   AR → R → rows/cols/spacing
   ```

4. Distribute the bolt holes around the centre with a polar array

   ```
   AR → PO → centre → items → 360
   ```

5. Stretch the slot to its dimensioned length with a crossing window, scale a feature with Reference

   ```
   S → crossing → base → distance  ·  SC → R
   ```

6. Verify against ex6.dwg and save

   ```
   SAVEAS ex6-mine.dwg
   ```

Check your work

The two halves are perfectly symmetric about the centreline, array counts and spacings match the sheet, and the stretched slot measures the dimensioned length.

Note: This lab's data files and printable instructions are in labs/lab-08-mirror-stretch-scale-and-arrays/.

Topic 04 — Organizing Objects (A4 · K4)

Object Properties · Layers · Blocks, Attributes & Reusable Content

Key concepts

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Object properties — Colour, linetype and lineweight — set ByLayer and inspected in the Properties palette (PR).
- Layers — The primary method of organising a drawing by function; control on/off, freeze/thaw, lock and plot.
- Grips — Multi-functional grips stretch, move, rotate, scale and copy objects without typing a command.
- Hide & isolate — Temporarily isolate the objects you are working on and hide the rest of the drawing.
- Blocks & attributes — Blocks are reusable symbols; attributes attach part numbers and data — the basis of part lists.
- External references — Xrefs attach another drawing (or PDF underlay) so teams share one live reference file.

Lab 9 — Object Properties and Layers

Objective: LO3/LO4 — organise a drawing with layers and properties (A4, K4).

Goal: Open the furniture drawing lab-table-lesson2.dwg, create a layer scheme (outline, hidden, centre, dimensions, text), assign colours/linetypes/lineweights ByLayer, and move the existing objects onto the correct layers.

You'll produce

A layered version of the table drawing where every object's colour and linetype come ByLayer. (Commands: LAYER (LA), Properties palette (PR), Layer Walk, MATCHPROP, freeze/thaw, lock.)

Step-by-step

1. Open lab-table-lesson2.dwg and inspect current object properties

   ```
   PR (Properties palette)
   ```

2. Create layers: A-OUTLINE, A-HIDDEN, A-CENTRE, A-DIMS, A-TEXT with colours and linetypes

   ```
   LA → New Layer → colour/linetype
   ```

3. Load the HIDDEN and CENTER linetypes and set lineweights per layer

   ```
   LA → Linetype → Load → HIDDEN, CENTER
   ```

4. Select objects by type and move them to their layers; copy formatting with MATCHPROP

   ```
   select → Layer drop-down  ·  MA
   ```

5. Practise layer states: turn off, freeze/thaw, lock and Layer Walk through the scheme

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
LAYWALK · LAYFRZ · LAYLCK
```

6. Set every object's colour, linetype and lineweight to ByLayer and save

```
SETBYLAYER → SAVEAS table-layers.dwg
```

Check your work


Turning each layer off hides exactly its objects, everything reports ByLayer in the Properties palette, and Layer Walk steps cleanly through the scheme.

Note: This lab's data files and printable instructions are in labs/lab-09-object-properties-and-layers/.

Lab 10 — Grips, Hide and Isolate

Objective: LO3/LO4 — edit and manage drawing objects directly (A4, K4).

Goal: Use multi-functional grips on practice drawing EX-7 to stretch, move, copy and rotate features without commands, and manage a busy view with Isolate and Hide Selected Objects.



Lab 10 — the drawing you'll produce

You'll produce

An edited EX-7 layout adjusted entirely with grips, plus fluent use of isolate/hide/end-isolate. (Commands: Multi-functional grips, grip modes (Enter to cycle), Isolate/Hide Objects, Select Similar.)

Step-by-step

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

1. Open ex7.dwg, click an object and hover its grips to see the grip menu

2. Stretch an endpoint grip to lengthen an edge; use the midpoint grip to move the object

```
click grip → drag / type distance
```

3. Cycle grip modes with Enter: Stretch → Move → Rotate → Scale → Mirror

```
select grip → Enter to cycle
```

4. Copy a feature by grip-moving with the Copy option (or Ctrl held)

```
grip → Move → C (Copy)
```

5. Right-click a feature: Isolate Objects → Isolate Selected, edit it, then End Isolation

```
ISOLATEOBJECTS · UNISOLATEOBJECTS
```

6. Use Select Similar to grab all matching objects and hide them temporarily

```
select → right-click → Select Similar → Hide
```

Check your work

You can stretch/move/rotate/copy with grips alone (no typed commands), and isolate then restore any subset of the drawing without losing objects.

Note: This lab's data files and printable instructions are in labs/lab-10-grips-hide-and-isolate/.

Lab 11 — Blocks, Attributes and Part Lists

Objective: LO3 — create part lists using AutoCAD (A4, K4).

Goal: Define a reusable part-tag block with attributes (part number, description, quantity) in the title-block drawing, insert it against each component, and prepare the attribute data that will feed the part list.

You'll produce

A BALLOON block with PART_NO / DESC / QTY attributes, inserted and filled in for each part. (Commands: BLOCK, ATTDEF, INSERT, ATTEDIT, groups, DATAEXTRACTION (preview).)

Step-by-step

1. Open title-block.dwg and draw the balloon symbol (circle + leader stub)

```
C → radius 5
```

2. Define attributes PART_NO, DESC and QTY with prompts and default values

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
ATTDEF → tag/prompt/default
```

3. Create the block BALLOON from the circle plus its attribute definitions

```
B → name BALLOON → select objects
```

4. Insert the balloon against each component and fill in the attribute values

```
I → BALLOON → answer prompts
```

5. Double-click a balloon to edit its attributes; group related parts together

```
ATTEDIT / EATTEDIT · GROUP
```

6. Preview extracting the attribute data — this becomes the part list in Lab 14

```
DATAEXTRACTION
```

Check your work

Each inserted balloon prompts for and displays its own part number, description and quantity, and Data Extraction lists one row per balloon with the values you entered.

Note: This lab's data files and printable instructions are in labs/lab-11-blocks-attributes-and-part-lists/.

Lab 12 — External References and PDF Import

Objective: LO4 — assemble drawings from shared reference content (A4, K4).

Goal: Attach the title-block drawing as an external reference under the table drawing, observe how xref updates flow through, then attach a PDF as an underlay and import PDF geometry.

You'll produce

A host drawing with a live xref title block and a PDF underlay ready for tracing. (Commands: XREF/ATTACH, External References palette, PDFATTACH, PDFIMPORT.)

Step-by-step

1. Open your layered table drawing from Lab 9 as the host drawing

```
OPEN table-layers.dwg
```

2. Attach title-block.dwg as an Xref at 0,0, scale 1

```
XATTACH → title-block.dwg
```

3. Open the External References palette and note the xref's status and path

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
XR (External References)
```

4. Edit the title block in its own file, save, and reload the xref in the host

```
XR → right-click → Reload
```

5. Attach the supplied drawing-sheet PDF as an underlay and snap to its geometry

```
PDFATTACH → ex1-drawing-sheet.pdf
```

6. Import the PDF's vector geometry into the drawing and inspect the created objects

```
PDFIMPORT → select underlay area
```

Check your work

Changing the title block file and reloading updates the host without copying geometry, and PDFIMPORT produces editable AutoCAD objects from the underlay.

Note: This lab's data files and printable instructions are in labs/lab-12-external-references-and-pdf-import/.

Topic 05 — Design Documentation (A5 · K5)

Text · Dimensions · Tables & Part Lists · Layouts, Viewports & Plotting

Key concepts

- Text & text styles — Single-line and multiline text; a text style controls font, height and justification centrally.
- Dimensions — Linear, aligned, angular, radial, diameter, ordinate and arc-length dimensions annotate real sizes.
- Dimension styles — A named collection of settings — arrowheads, text placement, tolerances — applied consistently.
- Multileaders & clouds — Multileaders point notes at features; revision clouds flag changed areas for checking.
- Tables & part lists — TABLE creates row/column data such as bills of materials extracted from block attributes.
- Layouts & plotting — Scaled viewports on a titled layout sheet, printed with PLOT or published to PDF/DWF.

Lab 13 — Text and Text Styles

Objective: LO4 — create AutoCAD design documentation (A5, K5).

Goal: Annotate the layered table drawing with single-line and multiline text, create and apply text styles for titles and notes, and fill in the title-block fields.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

You'll produce

An annotated drawing with consistent TITLE and NOTES text styles and a completed title block. (Commands: TEXT, MTEXT, STYLE, annotative text, SPELL.)

Step-by-step

1. Open your table drawing and create text styles TITLE (Arial, 5mm) and NOTES (Arial, 2.5mm)

   ```
   ST → New → font/height
   ```

2. Add the drawing title with single-line text on the A-TEXT layer

   ```
   DT → start point → height → rotation
   ```

3. Add a general-notes paragraph with multiline text in a bounding box

   ```
   T (MTEXT) → pick corners
   ```

4. Set the NOTES style current and re-style existing text via the Properties palette

   ```
   PR → Style → NOTES
   ```

5. Fill in the title-block fields: title, drawn-by, date, scale, sheet number

   ```
   double-click text → edit
   ```

6. Spell-check the drawing and save

   ```
   SPELL → SAVE
   ```

Check your work

All annotation uses your named styles (none on Standard), the title block is complete, and changing the NOTES style font updates every note at once.


Note: This lab's data files and printable instructions are in labs/lab-13-text-and-text-styles/.

Lab 14 — Dimensions, Multileaders and Part-List Tables

Objective: LO3/LO4 — dimension drawings and produce part lists (A5, K5).

Goal: Fully dimension practice drawing EX-8 with a metric dimension style — linear, aligned, radial, diameter, angular, continue and baseline — add multileader callouts, and create the part-list table from the Lab 11 balloon attributes.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg



Lab 14 — the drawing you'll produce

You'll produce

A fully dimensioned EX-8 sheet with leader notes and a parts table (part no · description · qty). (Commands: DIMSTYLE, DIM, DIMLINEAR/ALIGNED/RADIUS/DIAMETER/ANGULAR, DIMCONTINUE, DIMBASELINE, MLEADER, TABLE, DATAEXTRACTION.)

Step-by-step

1. Open ex8.dwg and create dimension style MECH-25 (ISO, 2.5mm text, closed-filled arrows)

```
D (DIMSTYLE) → New → fit/text
```


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

2. Place linear and aligned dimensions on the main edges

   `DLI · DAL`

3. Dimension the circles and arcs with diameter, radius and angular dimensions

   `DDI · DRA · DAN`

4. Chain related dimensions with Continue, and datum-reference them with Baseline

   `DCO · DBA`

5. Add multileader callouts for the hole notes and edge finishes

   `MLD → arrow point → landing → note`

6. Insert a table for the part list and populate it from the Lab 11 attribute extraction

   `TB (TABLE) · DATAEXTRACTION`

7. Add a revision cloud around one detail to flag it for checking, then save

   `REVCLOUD → drag around detail`

Check your work

Every dimension on the EX-8 sheet is reproduced with the MECH-25 style (no overridden text), leaders land neatly, and the table rows match the balloons one-for-one.

Note: This lab's data files and printable instructions are in labs/lab-14-dimensions-multileaders-and-part-list-tables/.

Lab 15 — Hatching and Detail Finishing

Objective: LO5 — produce design specification using AutoCAD (A5, K5).

Goal: Apply section hatching to the closed areas of a section view — pattern, scale and angle — use gradient fills for presentation, and control hatch boundaries and islands.

You'll produce

A section view with correct ANSI/ISO hatch patterns and a presentation-filled elevation. (Commands: HATCH (pattern/scale/angle), gradient fills, boundary/island detection, HATCHEDIT.)

Step-by-step

1. Open a drawing with closed profiles (reuse ex3-mine.dwg) and identify the cut areas

2. Hatch the main section area with ANSI31 at a scale that reads clearly

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
H → Pattern ANSI31 → pick point
```

3. Set different angles for adjacent parts so the section reads unambiguously

```
H → Angle 90 → pick point
```

4. Control islands: hatch around text and holes using island detection

```
H → Settings → Island detection
```

5. Apply a two-colour gradient fill to the elevation face for presentation

```
GRADIENT → colours → pick area
```

6. Edit an existing hatch's pattern and scale, then save

```
HATCHEDIT → new scale
```

Check your work

Hatches stay inside their boundaries (no bleed), adjacent parts hatch at different angles, and text/holes remain unhatched islands.

Note: This lab's data files and printable instructions are in labs/lab-15-hatching-and-detail-finishing/.

Lab 16 — Layouts, Viewports and Plotting

Objective: LO5 — produce drawings for submission to standards (A5, K5).

Goal: Compose an A3 layout: attach the title block, create scaled viewports (1:20 and a detail), lock them, and plot the sheet to PDF — the standard submission output.

You'll produce

A print-ready A3 layout with title block, two locked scaled viewports and a plotted PDF. (Commands: LAYOUT, PAGESETUP, MVIEW, viewport scale/lock, PLOT, DWG to PDF.pc3.)

Step-by-step

1. Open your annotated drawing, switch to a Layout tab and rename it A3-SHEET

```
right-click tab → Rename
```

2. Set the page: DWG To PDF.pc3, ISO A3 (420×297), landscape, 1:1 plot scale

```
PAGESETUP → Modify
```

3. Insert the title block on the layout at 0,0 in paper space

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

```
I → title-block
```

4. Create a main viewport and set its scale to 1:20 exactly, then lock it

```
MV → drag → select → scale 1:20 → lock
```

5. Add a second, smaller viewport for a detail at a larger scale

```
MV → drag → scale 1:5
```

6. Plot the layout to PDF and check line weights in the output

```
PLOT → DWG To PDF.pc3 → OK
```

Check your work

Both viewports report their exact scales in the status bar and cannot be zoomed when locked, and the plotted PDF shows the complete titled sheet at A3.

Note: This lab's data files and printable instructions are in labs/lab-16-layouts-viewports-and-plotting/.

Reading Technical Drawings — Quick Reference

These conventions (K1/K3) apply across every lab and are assessed in the written assessment.

- Line conventions: continuous thick = visible outline; dashed = hidden detail; chain thin = centreline; continuous thin = dimensions, hatching and projections.
- Orthographic projection presents related 2D views (front, top, side) aligned by projection; third-angle and first-angle layouts differ by where the top/side views sit.
- Isometric drawings show three faces at once with receding axes at 30° — a pictorial view, not a true 3D model.
- Section views cut through the object; the cut material is hatched (e.g. ANSI31) with adjacent parts hatched at different angles.
- Dimensions state real object size regardless of plotted scale; never measure a printed sheet with a ruler.
- The title block records the drawing title, number, scale, units, author, date, revision and sheet size.

Preparing for the Assessment

- First pass: complete every lab following this guide, checking each 'Check your work' test.
- Second pass: redo Labs 2–8 from just the drawing-sheet PDFs, without the step-by-step instructions.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Review the Key Concepts bullets of each topic — the written assessment (SAQ) draws on them.
- The practical performance asks you to produce a dimensioned technical drawing end-to-end: set up, draw, modify, organise with layers, dimension, and plot — Labs 2, 7, 9, 14 and 16 cover that chain.
- Sharpen your readiness with the Tertiary Infotech AutoCAD practice exam: https://exams.tertiaryinfotech.com/practice-exams/autodesk/autocad
- Course materials, assessment submission and your certificate are on the LMS: https://lms-tms.tertiaryinfotech.com

Glossary

- **Model space —** The unlimited drawing environment where designs are drawn at full (1:1) size.
- **Paper space / Layout —** The sheet-composition environment where scaled viewports, title blocks and notes are arranged for printing.
- **Viewport —** A window on a layout that displays a view of model space at a set scale.
- **Workspace —** A task-oriented arrangement of ribbons, menus and palettes (e.g. Drafting & Annotation).
- **Object snap (Osnap) —** Precision aid that picks exact geometric points — endpoints, midpoints, centres, intersections.
- **Polar tracking —** Guides the cursor along preset angle increments while drawing.
- **Polyline —** A single object made of connected line and arc segments.
- **Isometric drawing —** A flat 2D drawing that represents a 3D object using axes at 30°/90°/150° (ISODRAFT).
- **Layer —** A named organising level that controls the colour, linetype, lineweight, visibility and plottability of the objects on it.
- **Block —** A named, reusable group of objects inserted as one unit; dynamic blocks add adjustable parameters.
- **Attribute —** A text data tag attached to a block — part number, description, quantity — extractable into tables.
- **External reference (Xref) —** Another drawing attached live into the current drawing rather than copied in.
- **Dimension style —** A named collection of dimension settings (arrows, text, units) applied consistently across a drawing.
- **Multileader —** An annotation object combining an arrowhead, leader line, landing and note text.
- **Hatch —** A pattern, solid or gradient fill applied to an enclosed area, e.g. to show cut material in sections.
- **Plot —** Output a drawing to a printer/plotter or to a file such as PDF; plotting is configured per layout.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg