WSQ COURSE SLIDES

Mastering UI Design Techniques for Web and Mobile



TGS-2021010046

v12 · 14 September 2026

Tertiary Infotech Academy Pte Ltd
UEN 201200696W

Learning outcomes

01

LO1 · Identify user needs and information flows

02

LO2 · Develop UI prototype components

03

LO3 · Design and validate interfaces

04

LO4 · Document and export the design

TSC evidence chain

01

K1–K3 · explain mechanisms

02

A1–A2 · needs and flow

03

A3–A5 · prototype and validation


04

A6–A7 · document and guide

Assessment briefing


Written · 60 min

Open-ended questions test K1–K3. Use approved course materials; write in your own words.




Practical · 90 min

Produce a UI flow, prototype, validation record and handoff evidence mapped to A1–A7.



COURSE PORTAL

Login to LMS and Download Course Material




Log in at lms-tms.tertiaryinfotech.com with your registered email and the OTP sent to your inbox, then open this course to download the slides and Learner Guide.

LEARNER ACCESS

Course material on LMS


Course workspace

lms-tms.tertiaryinfotech.com · TGS-2021010046



Courseware library


Slides PDF · Learner Guide · Lesson Plan · six lab folders



Trainer profile template


Trainer name

Professional role, industry projects and teaching credentials to be completed by assigned trainer.



Contact & consultation

Introduce your relevant UI work, portfolio examples and support channel.




TRAINER

Dr Alfred Ang


Course developer

Dr Alfred Ang · courseware development and technical education.



Evidence in this course


Scenario briefs, prototypes, design systems, validation logs and handoff artifacts.



User needs · Mechanism


Scenario

A clinic patient must reschedule in under 45 seconds



Design decision


Expose Reschedule beside appointment details




User needs · Artifact

Working artifact

booking cancellation





Expose Reschedule beside appointment details

User needs · Flow / state

01

A clinic patient must reschedule in under 45 seconds

02

booking cancellation

03

Expose Reschedule beside appointment details


04

Review evidence

User needs · Design rule

Rule

Expose Reschedule beside appointment details




A clinic patient must reschedule in under 45 seconds

Inspect the booking cancellation against the rule.

User needs · Responsive or print check

Inspect the booking cancellation across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

User needs · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture booking cancellation as evidence.

User needs · Failure diagnosis

Observed defect


Hiding the control in account settings



›

Revised design

Expose Reschedule beside appointment details



User needs · Evidence to retain

01

Save initial booking cancellation

02

Change: Expose Reschedule beside appointment details

03

Retest same task


04

Keep export + evidence

Research evidence · Mechanism


Scenario

Five patients describe a cancellation path; three expect a calendar



Design decision


Map the observed intent before drawing screens



Research evidence · Artifact

Working artifact

task interview



Task Interview



Map the observed intent before drawing screens

Research evidence · Flow / state

01

Five patients describe a cancellation path

02

task interview

03

Map the observed intent before drawing screens


04

Review evidence

Research evidence · Design rule

Rule

Map the observed intent before drawing screens




Five patients describe a cancellation path; three expect a calendar

Inspect the task interview against the rule.

Research evidence · Responsive or print check

Inspect the task interview across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Research evidence · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture task interview as evidence.

Research evidence · Failure diagnosis

Observed defect


Treating a designer assumption as evidence



›

Revised design

Map the observed intent before drawing screens



Research evidence · Evidence to retain

01

Save initial task interview

02

Change: Map the observed intent before drawing screens

03

Retest same task


04

Keep export + evidence

Persona constraint · Mechanism


Scenario

A 52-year-old patient uses 200% text on a train



Design decision


Keep labels and actions legible at zoom



Persona constraint · Artifact

Working artifact

low-vision commuter



Low-Vision Commuter



Keep labels and actions legible at zoom

Persona constraint · Flow / state

01

A 52-year-old patient uses 200% text on a train

02

low-vision commuter

03

Keep labels and actions legible at zoom


04

Review evidence

Persona constraint · Design rule

Rule

Keep labels and actions legible at zoom




A 52-year-old patient uses 200% text on a train

Inspect the low-vision commuter against the rule.

Persona constraint · Responsive or print check

Inspect the low-vision commuter across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Persona constraint · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture low-vision commuter as evidence.

Persona constraint · Failure diagnosis

Observed defect


Using tiny icon-only actions



›

Revised design

Keep labels and actions legible at zoom



Persona constraint · Evidence to retain

01

Save initial low-vision commuter

02

Change: Keep labels and actions legible at zoom

03

Retest same task


04

Keep export + evidence

Journey mapping · Mechanism


Scenario

A slot disappears between search and confirmation



Design decision


Return to available slots with criteria retained



Journey mapping · Artifact

Working artifact

failed-slot recovery



Failed-Slot Recovery



Return to available slots with criteria retained

Journey mapping · Flow / state

01

A slot disappears between search and confirmation

02

failed-slot recovery

03

Return to available slots with criteria retained


04

Review evidence

Journey mapping · Design rule

Rule

Return to available slots with criteria retained




A slot disappears between search and confirmation

Inspect the failed-slot recovery against the rule.

Journey mapping · Responsive or print check

Inspect the failed-slot recovery across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Journey mapping · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture failed-slot recovery as evidence.

Journey mapping · Failure diagnosis

Observed defect


Resetting search and losing intent



›

Revised design

Return to available slots with criteria retained



Journey mapping · Evidence to retain

01

Save initial failed-slot recovery

02

Change: Return to available slots with criteria retained

03

Retest same task


04

Keep export + evidence

Information architecture · Mechanism


Scenario

Appointments, care teams and account are separate objects



Design decision


Use task-based primary navigation




Information architecture · Artifact

Working artifact

clinic navigation





Use task-based primary navigation

Information architecture · Flow / state

01

Appointments, care teams and account are separate objects

02

clinic navigation

03

Use task-based primary navigation


04

Review evidence

Information architecture · Design rule

Rule

Use task-based primary navigation




Appointments, care teams and account are separate objects

Inspect the clinic navigation against the rule.

Information architecture · Responsive or print check

Inspect the clinic navigation across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Information architecture · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture clinic navigation as evidence.

Information architecture · Failure diagnosis

Observed defect


Organising menus by internal department



›

Revised design

Use task-based primary navigation



Information architecture · Evidence to retain

01

Save initial clinic navigation

02

Change: Use task-based primary navigation

03

Retest same task


04

Keep export + evidence

Information flow · Mechanism


Scenario

Search → select → verify → confirm → receipt



Design decision


Track state and data at each transition



Information flow · Artifact

Working artifact

booking state graph



Booking State Graph



Track state and data at each transition

Information flow · Flow / state

01

Search → select → verify → confirm → receipt

02

booking state graph

03

Track state and data at each transition


04

Review evidence

Information flow · Design rule

Rule

Track state and data at each transition




Search → select → verify → confirm → receipt

Inspect the booking state graph against the rule.

Information flow · Responsive or print check

Inspect the booking state graph across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Information flow · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture booking state graph as evidence.

Information flow · Failure diagnosis

Observed defect


No route back from verification error



›

Revised design

Track state and data at each transition



Information flow · Evidence to retain

01

Save initial booking state graph

02

Change: Track state and data at each transition

03

Retest same task


04

Keep export + evidence

Wireframe fidelity · Mechanism


Scenario

Header, appointment card and primary action must fit 390 px



Design decision


Validate hierarchy before visual polish




Wireframe fidelity · Artifact

Working artifact

booking screen structure





Validate hierarchy before visual polish

Wireframe fidelity · Flow / state

01

Header, appointment card and primary action must fit 390 px

02

booking screen structure

03

Validate hierarchy before visual polish


04

Review evidence

Wireframe fidelity · Design rule

Rule

Validate hierarchy before visual polish




Header, appointment card and primary action must fit 390 px

Inspect the booking screen structure against the rule.

Wireframe fidelity · Responsive or print check

Inspect the booking screen structure across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Wireframe fidelity · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture booking screen structure as evidence.

Wireframe fidelity · Failure diagnosis

Observed defect


Starting with decorative imagery



›

Revised design

Validate hierarchy before visual polish



Wireframe fidelity · Evidence to retain

01

Save initial booking screen structure

02

Change: Validate hierarchy before visual polish

03

Retest same task


04

Keep export + evidence

Prompt specification · Mechanism


Scenario

Define audience, task, constraints, breakpoints and success criteria



Design decision


Give Claude a testable design brief




Prompt specification · Artifact

Working artifact

Claude Design brief





Prompt specification · Flow / state

01

Define audience, task, constraints, breakpoints and success criteria

02

Claude Design brief

03

Give Claude a testable design brief


04

Review evidence

Prompt specification · Design rule

Rule

Give Claude a testable design brief




Define audience, task, constraints, breakpoints and success criteria

Inspect the Claude Design brief against the rule.

Prompt specification · Responsive or print check

Inspect the Claude Design brief across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Prompt specification · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture Claude Design brief as evidence.

Prompt specification · Failure diagnosis

Observed defect


Prompting only “make it modern”



›

Revised design

Give Claude a testable design brief



Prompt specification · Evidence to retain

01

Save initial Claude Design brief

02

Change: Give Claude a testable design brief

03

Retest same task


04

Keep export + evidence

Responsive layout · Mechanism


Scenario

A 4-column grid becomes 2 columns then 1



Design decision


Preserve product order and card action




Responsive layout · Artifact

Working artifact

retail product grid





Responsive layout · Flow / state

01

A 4-column grid becomes 2 columns then 1

02

retail product grid

03

Preserve product order and card action


04

Review evidence

Responsive layout · Design rule

Rule

Preserve product order and card action




A 4-column grid becomes 2 columns then 1

Inspect the retail product grid against the rule.

Responsive layout · Responsive or print check

Inspect the retail product grid across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Responsive layout · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture retail product grid as evidence.

Responsive layout · Failure diagnosis

Observed defect


Shrinking four columns onto a phone



›

Revised design

Preserve product order and card action



Responsive layout · Evidence to retain

01

Save initial retail product grid

02

Change: Preserve product order and card action

03

Retest same task


04

Keep export + evidence

Component anatomy · Mechanism


Scenario

Image, name, price, stock status and CTA have fixed roles



Design decision


Specify props and empty/disabled states



Component anatomy · Artifact

Working artifact

product card





Specify props and empty/disabled states

Component anatomy · Flow / state

01

Image, name, price, stock status and CTA have fixed roles

02

product card

03

Specify props and empty/disabled states


04

Review evidence

Component anatomy · Design rule

Rule

Specify props and empty/disabled states




Image, name, price, stock status and CTA have fixed roles

Inspect the product card against the rule.

Component anatomy · Responsive or print check

Inspect the product card across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Component anatomy · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture product card as evidence.

Component anatomy · Failure diagnosis

Observed defect


Embedding all text into one image



›

Revised design

Specify props and empty/disabled states



Component anatomy · Evidence to retain

01

Save initial product card

02

Change: Specify props and empty/disabled states

03

Retest same task


04

Keep export + evidence

Design tokens · Mechanism


Scenario

Primary #165C72, space 8/16/24, type 16/24/36



Design decision


Use semantic tokens across screens




Design tokens · Artifact

Working artifact

retail visual system





Design tokens · Flow / state

01

Primary #165C72, space 8/16/24, type 16/24/36

02

retail visual system

03

Use semantic tokens across screens


04

Review evidence

Design tokens · Design rule

Rule

Use semantic tokens across screens




Primary #165C72, space 8/16/24, type 16/24/36

Inspect the retail visual system against the rule.

Design tokens · Responsive or print check

Inspect the retail visual system across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Design tokens · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture retail visual system as evidence.

Design tokens · Failure diagnosis

Observed defect


Using arbitrary per-screen colors



›

Revised design

Use semantic tokens across screens



Design tokens · Evidence to retain

01

Save initial retail visual system

02

Change: Use semantic tokens across screens

03

Retest same task


04

Keep export + evidence

Interaction state · Mechanism


Scenario

Default → loading → added or error



Design decision


Show feedback and prevent duplicate request




Interaction state · Artifact

Working artifact

add-to-cart control





Interaction state · Flow / state

01

Default → loading → added or error

02

add-to-cart control

03

Show feedback and prevent duplicate request


04

Review evidence

Interaction state · Design rule

Rule

Show feedback and prevent duplicate request




Default → loading → added or error

Inspect the add-to-cart control against the rule.

Interaction state · Responsive or print check

Inspect the add-to-cart control across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Interaction state · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture add-to-cart control as evidence.

Interaction state · Failure diagnosis

Observed defect


Button gives no response



›

Revised design

Show feedback and prevent duplicate request



Interaction state · Evidence to retain

01

Save initial add-to-cart control

02

Change: Show feedback and prevent duplicate request

03

Retest same task


04

Keep export + evidence

Accessibility contrast · Mechanism


Scenario

White on #165C72 must be checked against 4.5:1 for normal text



Design decision


Measure actual foreground/background pair



Accessibility contrast · Artifact

Working artifact

cart CTA





Measure actual foreground/background pair

Accessibility contrast · Flow / state

01

White on #165C72 must be checked against 4.5:1 for normal text

02

cart CTA

03

Measure actual foreground/background pair


04

Review evidence

Accessibility contrast · Design rule

Rule

Measure actual foreground/background pair




White on #165C72 must be checked against 4.5:1 for normal text

Inspect the cart CTA against the rule.

Accessibility contrast · Responsive or print check

Inspect the cart CTA across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Accessibility contrast · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture cart CTA as evidence.

Accessibility contrast · Failure diagnosis

Observed defect


Assuming brand color is accessible



›

Revised design

Measure actual foreground/background pair



Accessibility contrast · Evidence to retain

01

Save initial cart CTA

02

Change: Measure actual foreground/background pair

03

Retest same task


04

Keep export + evidence

Keyboard focus · Mechanism


Scenario

Tab order follows address, delivery, payment, review



Design decision


Make focus visible and order logical




Keyboard focus · Artifact

Working artifact

checkout form





Make focus visible and order logical

Keyboard focus · Flow / state

01

Tab order follows address, delivery, payment, review

02

checkout form

03

Make focus visible and order logical


04

Review evidence

Keyboard focus · Design rule

Rule

Make focus visible and order logical




Tab order follows address, delivery, payment, review

Inspect the checkout form against the rule.

Keyboard focus · Responsive or print check

Inspect the checkout form across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Keyboard focus · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture checkout form as evidence.

Keyboard focus · Failure diagnosis

Observed defect


Focus trapped in a modal



›

Revised design

Make focus visible and order logical



Keyboard focus · Evidence to retain

01

Save initial checkout form

02

Change: Make focus visible and order logical

03

Retest same task


04

Keep export + evidence

Content hierarchy · Mechanism


Scenario

Event, date, venue and price are first-scan content



Design decision


Use one dominant headline and short proof points




Content hierarchy · Artifact

Working artifact

festival flyer





Content hierarchy · Flow / state

01

Event, date, venue and price are first-scan content

02

festival flyer

03

Use one dominant headline and short proof points


04

Review evidence

Content hierarchy · Design rule

Rule

Use one dominant headline and short proof points




Event, date, venue and price are first-scan content

Inspect the festival flyer against the rule.

Content hierarchy · Responsive or print check

Inspect the festival flyer across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Content hierarchy · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture festival flyer as evidence.

Content hierarchy · Failure diagnosis

Observed defect


All details have equal visual weight



›

Revised design

Use one dominant headline and short proof points



Content hierarchy · Evidence to retain

01

Save initial festival flyer

02

Change: Use one dominant headline and short proof points

03

Retest same task


04

Keep export + evidence

Print safety · Mechanism


Scenario

Bleed 3 mm, safe zone 5 mm, 300 dpi assets



Design decision


Keep critical text inside safe zone




Print safety · Artifact

Working artifact

A5 flyer layout





Print safety · Flow / state

01

Bleed 3 mm, safe zone 5 mm, 300 dpi assets

02

A5 flyer layout

03

Keep critical text inside safe zone


04

Review evidence

Print safety · Design rule

Rule

Keep critical text inside safe zone




Bleed 3 mm, safe zone 5 mm, 300 dpi assets

Inspect the A5 flyer layout against the rule.

Print safety · Responsive or print check

Inspect the A5 flyer layout across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Print safety · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture A5 flyer layout as evidence.

Print safety · Failure diagnosis

Observed defect


Text clipped at trim



›

Revised design

Keep critical text inside safe zone



Print safety · Evidence to retain

01

Save initial A5 flyer layout

02

Change: Keep critical text inside safe zone

03

Retest same task


04

Keep export + evidence

Campaign consistency · Mechanism


Scenario

QR landing page repeats event name, date and CTA



Design decision


Maintain message and visual continuity




Campaign consistency · Artifact

Working artifact

flyer to landing page





Campaign consistency · Flow / state

01

QR landing page repeats event name, date and CTA

02

flyer to landing page

03

Maintain message and visual continuity


04

Review evidence

Campaign consistency · Design rule

Rule

Maintain message and visual continuity




QR landing page repeats event name, date and CTA

Inspect the flyer to landing page against the rule.

Campaign consistency · Responsive or print check

Inspect the flyer to landing page across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Campaign consistency · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture flyer to landing page as evidence.

Campaign consistency · Failure diagnosis

Observed defect


QR opens an unrelated generic page



›

Revised design

Maintain message and visual continuity



Campaign consistency · Evidence to retain

01

Save initial flyer to landing page

02

Change: Maintain message and visual continuity

03

Retest same task


04

Keep export + evidence

Brochure sequencing · Mechanism


Scenario

Front promise → inside evidence → back contact



Design decision


Plan panel order before export



Brochure sequencing · Artifact

Working artifact

tri-fold reading order





Plan panel order before export

Brochure sequencing · Flow / state

01

Front promise → inside evidence → back contact

02

tri-fold reading order

03

Plan panel order before export


04

Review evidence

Brochure sequencing · Design rule

Rule

Plan panel order before export




Front promise → inside evidence → back contact

Inspect the tri-fold reading order against the rule.

Brochure sequencing · Responsive or print check

Inspect the tri-fold reading order across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Brochure sequencing · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture tri-fold reading order as evidence.

Brochure sequencing · Failure diagnosis

Observed defect


Panels read backward after folding



›

Revised design

Plan panel order before export



Brochure sequencing · Evidence to retain

01

Save initial tri-fold reading order

02

Change: Plan panel order before export

03

Retest same task


04

Keep export + evidence

Long-form content · Mechanism


Scenario

Benefits, schedule, accessibility and registration need scannable sections



Design decision


Separate promises from factual logistics




Long-form content · Artifact

Working artifact

programme brochure





Long-form content · Flow / state

01

Benefits, schedule, accessibility and registration need scannable sect

02

programme brochure

03

Separate promises from factual logistics


04

Review evidence

Long-form content · Design rule

Rule

Separate promises from factual logistics




Benefits, schedule, accessibility and registration need scannable sections

Inspect the programme brochure against the rule.

Long-form content · Responsive or print check

Inspect the programme brochure across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Long-form content · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture programme brochure as evidence.

Long-form content · Failure diagnosis

Observed defect


Dense wall of 9-point copy



›

Revised design

Separate promises from factual logistics



Long-form content · Evidence to retain

01

Save initial programme brochure

02

Change: Separate promises from factual logistics

03

Retest same task


04

Keep export + evidence

Design-system import · Mechanism


Scenario

Upload brand PDF and component screenshots, review extracted tokens



Design decision


Correct extracted color and typography before publishing



Design-system import · Artifact

Working artifact

Claude Design UI kit



Claude Design Ui Kit



Correct extracted color and typography before publishing

Design-system import · Flow / state

01

Upload brand PDF and component screenshots, review extracted tokens

02

Claude Design UI kit

03

Correct extracted color and typography before publishing


04

Review evidence

Design-system import · Design rule

Rule

Correct extracted color and typography before publishing




Upload brand PDF and component screenshots, review extracted tokens

Inspect the Claude Design UI kit against the rule.

Design-system import · Responsive or print check

Inspect the Claude Design UI kit across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Design-system import · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture Claude Design UI kit as evidence.

Design-system import · Failure diagnosis

Observed defect


Publishing an unreviewed extraction



›

Revised design

Correct extracted color and typography before publishing



Design-system import · Evidence to retain

01

Save initial Claude Design UI kit

02

Change: Correct extracted color and typography before pu

03

Retest same task


04

Keep export + evidence

Component variants · Mechanism


Scenario

Primary, secondary, disabled and loading variants share geometry



Design decision


Document variants and use cases



Component variants · Artifact

Working artifact

design-system button



Design-System Button



Document variants and use cases

Component variants · Flow / state

01

Primary, secondary, disabled and loading variants share geometry

02

design-system button

03

Document variants and use cases


04

Review evidence

Component variants · Design rule

Rule

Document variants and use cases




Primary, secondary, disabled and loading variants share geometry

Inspect the design-system button against the rule.

Component variants · Responsive or print check

Inspect the design-system button across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Component variants · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture design-system button as evidence.

Component variants · Failure diagnosis

Observed defect


One button style used for every state



›

Revised design

Document variants and use cases



Component variants · Evidence to retain

01

Save initial design-system button

02

Change: Document variants and use cases

03

Retest same task


04

Keep export + evidence

Usability metrics · Mechanism


Scenario

Success 4/5, median 42 s, 2 critical errors



Design decision


Use predefined success and error rules



Usability metrics · Artifact

Working artifact

task test



Task Test



Use predefined success and error rules

Usability metrics · Flow / state

01

Success 4/5, median 42 s, 2 critical errors

02

task test

03

Use predefined success and error rules


04

Review evidence

Usability metrics · Design rule

Rule

Use predefined success and error rules




Success 4/5, median 42 s, 2 critical errors

Inspect the task test against the rule.

Usability metrics · Responsive or print check

Inspect the task test across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Usability metrics · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture task test as evidence.

Usability metrics · Failure diagnosis

Observed defect


Reporting only that testers liked it



›

Revised design

Use predefined success and error rules



Usability metrics · Evidence to retain

01

Save initial task test

02

Change: Use predefined success and error rules

03

Retest same task


04

Keep export + evidence

Iteration evidence · Mechanism


Scenario

Before 3/5 completion; after 5/5 on the same task



Design decision


Record change, test conditions and result



Iteration evidence · Artifact

Working artifact

before/after comparison



Before/After Comparison



Record change, test conditions and result

Iteration evidence · Flow / state

01

Before 3/5 completion

02

before/after comparison

03

Record change, test conditions and result


04

Review evidence

Iteration evidence · Design rule

Rule

Record change, test conditions and result




Before 3/5 completion; after 5/5 on the same task

Inspect the before/after comparison against the rule.

Iteration evidence · Responsive or print check

Inspect the before/after comparison across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Iteration evidence · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture before/after comparison as evidence.

Iteration evidence · Failure diagnosis

Observed defect


Claiming improvement from an untested mockup



›

Revised design

Record change, test conditions and result



Iteration evidence · Evidence to retain

01

Save initial before/after comparison

02

Change: Record change, test conditions and result

03

Retest same task


04

Keep export + evidence

Handoff package · Mechanism


Scenario

HTML/PDF exports plus tokens, states, assets and change log



Design decision


Package artifacts with acceptance criteria



Handoff package · Artifact

Working artifact

export and documentation



Export And Documentation



Package artifacts with acceptance criteria

Handoff package · Flow / state

01

HTML/PDF exports plus tokens, states, assets and change log

02

export and documentation

03

Package artifacts with acceptance criteria


04

Review evidence

Handoff package · Design rule

Rule

Package artifacts with acceptance criteria




HTML/PDF exports plus tokens, states, assets and change log

Inspect the export and documentation against the rule.

Handoff package · Responsive or print check

Inspect the export and documentation across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Handoff package · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture export and documentation as evidence.

Handoff package · Failure diagnosis

Observed defect


Sending an image without interaction notes



›

Revised design

Package artifacts with acceptance criteria



Handoff package · Evidence to retain

01

Save initial export and documentation

02

Change: Package artifacts with acceptance criteria

03

Retest same task

04

Keep export + evidence

CONCEPT VISUAL / PROJECT ASSET

Festival flyer · visual hierarchy



Design check


Headline, date and registration must sit in the A5 safe zone.

Programme brochure · panel sequence




Design check

Front promise → inside evidence → back contact; verify the folded proof.



Lab 01 · Clinic Booking Mobile specimen




Review criterion

390 px mobile; appointment completion <= 45 seconds; large text and clear recovery



Lab 02 · Responsive Retail Web specimen




Review criterion

1440/768/390 px; card and button variants; keyboard focus



Lab 03 · Festival Flyer and Landing Page specimen



Review criterion

3 mm bleed; 5 mm safe zone; matching event details

Lab 04 · Programme Brochure specimen

Harbour Learning · tri-fold proof

Fold order: back contact → front promise → fold-in preview on outer sheet.

BACK PANEL

Talk with us

Confirm approved contact, schedule and accessibility details.

FRONT PANEL



Design skills in practice

FOLD-IN PANEL

Who this is for

Prospective adult learners and their employers.


Open the PDF proof at actual size, then fold a print sample to verify panel order.

Review criterion

Correct panel order; readable type; factual schedule and contact



Lab 05 · Claude Design System specimen



Review criterion

Review imported tokens and publish only after comparison



Lab 06 · Validation and Handoff specimen

CityCare usability review

Task: reschedule an appointment. Five comparable tests.

Baseline

3 / 5

Task completion

Revision

5 / 5

Task completion

Decision

Expose Reschedule on the appointment card; keep search criteria after slot error.

Test evidence

Participant	Success	Time	Critical error
P1	Yes	41 s	0
P2	Yes	43 s	0


Training specimen only. Record your own five tests in review.md.

Review criterion

Five tests; success/time/error rules; export current design




Usability test results · worked example



Decision

Five comparable tests show task success rising from 3/5 to 5/5. Verify the same task and criteria.



Assessment flow

01

Written Assessment · K1–K3

02

Practical Performance · A1–A7

03

Assessor feedback · C or NYC

04

Summary record and sign-off

Final design handoff

01

Current export

02

Token and state specification

03

Change log + test evidence

04

User guide and acceptance checklist

Thank you

Design for real tasks.
Validate with evidence.