WSQ COURSE SLIDES

Mastering UI Design Techniques for Web and Mobile



TGS-2021010046

v12 · 14 September 2026

Tertiary Infotech Academy Pte Ltd
UEN 201200696W

Learning outcomes

01

LO1 · Identify user needs and information flows

02

LO2 · Develop UI prototype components

03

LO3 · Design and validate interfaces

04

LO4 · Document and export the design

TSC evidence chain

01

K1–K3 · explain mechanisms

02

A1–A2 · needs and flow

03

A3–A5 · prototype and validation


04

A6–A7 · document and guide

Assessment briefing


Written · 60 min

Open-ended questions test K1–K3. Use approved course materials; write in your own words.



Practical · 90 min

Produce a UI flow, prototype, validation record and handoff evidence mapped to A1–A7.




LEARNER ACCESS

Course material on LMS


Course workspace

lms-tms.tertiaryinfotech.com · TGS-2021010046



Courseware library


Slides PDF · Learner Guide · Lesson Plan · six lab folders



Trainer profile template


Trainer name

Professional role, industry projects and teaching credentials to be completed by assigned trainer.



Contact & consultation

Introduce your relevant UI work, portfolio examples and support channel.




TRAINER

Dr Alfred Ang


Course developer

Dr Alfred Ang · courseware development and technical education.



Evidence in this course


Scenario briefs, prototypes, design systems, validation logs and handoff artifacts.



User needs · Mechanism


Scenario

A clinic patient must reschedule in under 45 seconds



Design decision


Expose Reschedule beside appointment details




User needs · Artifact

Working artifact

booking cancellation





Expose Reschedule beside appointment details

User needs · Flow / state

01

A clinic patient must reschedule in under 45 seconds

02

booking cancellation

03

Expose Reschedule beside appointment details


04

Review evidence

User needs · Design rule

Rule

Expose Reschedule beside appointment details




A clinic patient must reschedule in under 45 seconds

Inspect the booking cancellation against the rule.

User needs · Responsive or print check

Inspect the booking cancellation across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

User needs · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture booking cancellation as evidence.

User needs · Failure diagnosis

Observed defect


Hiding the control in account settings



›

Revised design

Expose Reschedule beside appointment details



User needs · Evidence to retain

01

Save initial booking cancellation

02

Change: Expose Reschedule beside appointment details

03

Retest same task


04

Keep export + evidence

Research evidence · Mechanism


Scenario

Five patients describe a cancellation path; three expect a calendar



Design decision


Map the observed intent before drawing screens



Research evidence · Artifact

Working artifact

task interview



Task Interview



Map the observed intent before drawing screens

Research evidence · Flow / state

01

Five patients describe a cancellation path

02

task interview

03

Map the observed intent before drawing screens


04

Review evidence

Research evidence · Design rule

Rule

Map the observed intent before drawing screens




Five patients describe a cancellation path; three expect a calendar

Inspect the task interview against the rule.

Research evidence · Responsive or print check

Inspect the task interview across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Research evidence · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture task interview as evidence.

Research evidence · Failure diagnosis

Observed defect


Treating a designer assumption as evidence



›

Revised design

Map the observed intent before drawing screens



Research evidence · Evidence to retain

01

Save initial task interview

02

Change: Map the observed intent before drawing screens

03

Retest same task


04

Keep export + evidence

Persona constraint · Mechanism


Scenario

A 52-year-old patient uses 200% text on a train



Design decision


Keep labels and actions legible at zoom



Persona constraint · Artifact

Working artifact

low-vision commuter



Low-Vision Commuter



Keep labels and actions legible at zoom

Persona constraint · Flow / state

01

A 52-year-old patient uses 200% text on a train

02

low-vision commuter

03

Keep labels and actions legible at zoom


04

Review evidence

Persona constraint · Design rule

Rule

Keep labels and actions legible at zoom




A 52-year-old patient uses 200% text on a train

Inspect the low-vision commuter against the rule.

Persona constraint · Responsive or print check

Inspect the low-vision commuter across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Persona constraint · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture low-vision commuter as evidence.

Persona constraint · Failure diagnosis

Observed defect


Using tiny icon-only actions



›

Revised design

Keep labels and actions legible at zoom



Persona constraint · Evidence to retain

01

Save initial low-vision commuter

02

Change: Keep labels and actions legible at zoom

03

Retest same task


04

Keep export + evidence

Journey mapping · Mechanism


Scenario

A slot disappears between search and confirmation



Design decision


Return to available slots with criteria retained



Journey mapping · Artifact

Working artifact

failed-slot recovery



Failed-Slot Recovery



Return to available slots with criteria retained

Journey mapping · Flow / state

01

A slot disappears between search and confirmation

02

failed-slot recovery

03

Return to available slots with criteria retained


04

Review evidence

Journey mapping · Design rule

Rule

Return to available slots with criteria retained




A slot disappears between search and confirmation

Inspect the failed-slot recovery against the rule.

Journey mapping · Responsive or print check

Inspect the failed-slot recovery across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Journey mapping · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture failed-slot recovery as evidence.

Journey mapping · Failure diagnosis

Observed defect


Resetting search and losing intent



›

Revised design

Return to available slots with criteria retained



Journey mapping · Evidence to retain

01

Save initial failed-slot recovery

02

Change: Return to available slots with criteria retained

03

Retest same task


04

Keep export + evidence

Information architecture · Mechanism


Scenario

Appointments, care teams and account are separate objects



Design decision


Use task-based primary navigation




Information architecture · Artifact

Working artifact

clinic navigation





Use task-based primary navigation

Information architecture · Flow / state

01

Appointments, care teams and account are separate objects

02

clinic navigation

03

Use task-based primary navigation


04

Review evidence

Information architecture · Design rule

Rule

Use task-based primary navigation




Appointments, care teams and account are separate objects

Inspect the clinic navigation against the rule.

Information architecture · Responsive or print check

Inspect the clinic navigation across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Information architecture · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture clinic navigation as evidence.

Information architecture · Failure diagnosis

Observed defect


Organising menus by internal department



›

Revised design

Use task-based primary navigation



Information architecture · Evidence to retain

01

Save initial clinic navigation

02

Change: Use task-based primary navigation

03

Retest same task


04

Keep export + evidence

Information flow · Mechanism


Scenario

Search → select → verify → confirm → receipt



Design decision


Track state and data at each transition



Information flow · Artifact

Working artifact

booking state graph



Booking State Graph



Track state and data at each transition

Information flow · Flow / state

01

Search → select → verify → confirm → receipt

02

booking state graph

03

Track state and data at each transition


04

Review evidence

Information flow · Design rule

Rule

Track state and data at each transition




Search → select → verify → confirm → receipt

Inspect the booking state graph against the rule.

Information flow · Responsive or print check

Inspect the booking state graph across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Information flow · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture booking state graph as evidence.

Information flow · Failure diagnosis

Observed defect


No route back from verification error



›

Revised design

Track state and data at each transition



Information flow · Evidence to retain

01

Save initial booking state graph

02

Change: Track state and data at each transition

03

Retest same task


04

Keep export + evidence

Wireframe fidelity · Mechanism


Scenario

Header, appointment card and primary action must fit 390 px



Design decision


Validate hierarchy before visual polish




Wireframe fidelity · Artifact

Working artifact

booking screen structure





Validate hierarchy before visual polish

Wireframe fidelity · Flow / state

01

Header, appointment card and primary action must fit 390 px

02

booking screen structure

03

Validate hierarchy before visual polish


04

Review evidence

Wireframe fidelity · Design rule

Rule

Validate hierarchy before visual polish




Header, appointment card and primary action must fit 390 px

Inspect the booking screen structure against the rule.

Wireframe fidelity · Responsive or print check

Inspect the booking screen structure across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Wireframe fidelity · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture booking screen structure as evidence.

Wireframe fidelity · Failure diagnosis

Observed defect


Starting with decorative imagery



›

Revised design

Validate hierarchy before visual polish



Wireframe fidelity · Evidence to retain

01

Save initial booking screen structure

02

Change: Validate hierarchy before visual polish

03

Retest same task


04

Keep export + evidence

Prompt specification · Mechanism


Scenario

Define audience, task, constraints, breakpoints and success criteria



Design decision


Give Claude a testable design brief




Prompt specification · Artifact

Working artifact

Claude Design brief





Prompt specification · Flow / state

01

Define audience, task, constraints, breakpoints and success criteria

02

Claude Design brief

03

Give Claude a testable design brief


04

Review evidence

Prompt specification · Design rule

Rule

Give Claude a testable design brief




Define audience, task, constraints, breakpoints and success criteria

Inspect the Claude Design brief against the rule.

Prompt specification · Responsive or print check

Inspect the Claude Design brief across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Prompt specification · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture Claude Design brief as evidence.

Prompt specification · Failure diagnosis

Observed defect


Prompting only “make it modern”



›

Revised design

Give Claude a testable design brief



Prompt specification · Evidence to retain

01

Save initial Claude Design brief

02

Change: Give Claude a testable design brief

03

Retest same task


04

Keep export + evidence

Responsive layout · Mechanism


Scenario

A 4-column grid becomes 2 columns then 1



Design decision


Preserve product order and card action




Responsive layout · Artifact

Working artifact

retail product grid





Responsive layout · Flow / state

01

A 4-column grid becomes 2 columns then 1

02

retail product grid

03

Preserve product order and card action


04

Review evidence

Responsive layout · Design rule

Rule

Preserve product order and card action




A 4-column grid becomes 2 columns then 1

Inspect the retail product grid against the rule.

Responsive layout · Responsive or print check

Inspect the retail product grid across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Responsive layout · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture retail product grid as evidence.

Responsive layout · Failure diagnosis

Observed defect


Shrinking four columns onto a phone



›

Revised design

Preserve product order and card action



Responsive layout · Evidence to retain

01

Save initial retail product grid

02

Change: Preserve product order and card action

03

Retest same task


04

Keep export + evidence

Component anatomy · Mechanism


Scenario

Image, name, price, stock status and CTA have fixed roles



Design decision


Specify props and empty/disabled states



Component anatomy · Artifact

Working artifact

product card





Specify props and empty/disabled states

Component anatomy · Flow / state

01

Image, name, price, stock status and CTA have fixed roles

02

product card

03

Specify props and empty/disabled states


04

Review evidence

Component anatomy · Design rule

Rule

Specify props and empty/disabled states




Image, name, price, stock status and CTA have fixed roles

Inspect the product card against the rule.

Component anatomy · Responsive or print check

Inspect the product card across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Component anatomy · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture product card as evidence.

Component anatomy · Failure diagnosis

Observed defect


Embedding all text into one image



›

Revised design

Specify props and empty/disabled states



Component anatomy · Evidence to retain

01

Save initial product card

02

Change: Specify props and empty/disabled states

03

Retest same task


04

Keep export + evidence

Design tokens · Mechanism


Scenario

Primary #165C72, space 8/16/24, type 16/24/36



Design decision


Use semantic tokens across screens




Design tokens · Artifact

Working artifact

retail visual system





Design tokens · Flow / state

01

Primary #165C72, space 8/16/24, type 16/24/36

02

retail visual system

03

Use semantic tokens across screens


04

Review evidence

Design tokens · Design rule

Rule

Use semantic tokens across screens




Primary #165C72, space 8/16/24, type 16/24/36

Inspect the retail visual system against the rule.

Design tokens · Responsive or print check

Inspect the retail visual system across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Design tokens · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture retail visual system as evidence.

Design tokens · Failure diagnosis

Observed defect


Using arbitrary per-screen colors



›

Revised design

Use semantic tokens across screens



Design tokens · Evidence to retain

01

Save initial retail visual system

02

Change: Use semantic tokens across screens

03

Retest same task


04

Keep export + evidence

Interaction state · Mechanism


Scenario

Default → loading → added or error



Design decision


Show feedback and prevent duplicate request




Interaction state · Artifact

Working artifact

add-to-cart control





Interaction state · Flow / state

01

Default → loading → added or error

02

add-to-cart control

03

Show feedback and prevent duplicate request


04

Review evidence

Interaction state · Design rule

Rule

Show feedback and prevent duplicate request




Default → loading → added or error

Inspect the add-to-cart control against the rule.

Interaction state · Responsive or print check

Inspect the add-to-cart control across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Interaction state · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture add-to-cart control as evidence.

Interaction state · Failure diagnosis

Observed defect


Button gives no response



›

Revised design

Show feedback and prevent duplicate request



Interaction state · Evidence to retain

01

Save initial add-to-cart control

02

Change: Show feedback and prevent duplicate request

03

Retest same task


04

Keep export + evidence

Accessibility contrast · Mechanism


Scenario

White on #165C72 must be checked against 4.5:1 for normal text



Design decision


Measure actual foreground/background pair




Accessibility contrast · Artifact

Working artifact

cart CTA





Measure actual foreground/background pair

Accessibility contrast · Flow / state

01

White on #165C72 must be checked against 4.5:1 for normal text

02

cart CTA

03

Measure actual foreground/background pair


04

Review evidence

Accessibility contrast · Design rule

Rule

Measure actual foreground/background pair




White on #165C72 must be checked against 4.5:1 for normal text

Inspect the cart CTA against the rule.

Accessibility contrast · Responsive or print check

Inspect the cart CTA across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Accessibility contrast · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture cart CTA as evidence.

Accessibility contrast · Failure diagnosis

Observed defect


Assuming brand color is accessible



›

Revised design

Measure actual foreground/background pair



Accessibility contrast · Evidence to retain

01

Save initial cart CTA

02

Change: Measure actual foreground/background pair

03

Retest same task


04

Keep export + evidence

Keyboard focus · Mechanism


Scenario

Tab order follows address, delivery, payment, review



Design decision


Make focus visible and order logical




Keyboard focus · Artifact

Working artifact

checkout form





Make focus visible and order logical

Keyboard focus · Flow / state

01

Tab order follows address, delivery, payment, review

02

checkout form

03

Make focus visible and order logical


04

Review evidence

Keyboard focus · Design rule

Rule

Make focus visible and order logical




Tab order follows address, delivery, payment, review

Inspect the checkout form against the rule.

Keyboard focus · Responsive or print check

Inspect the checkout form across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Keyboard focus · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture checkout form as evidence.

Keyboard focus · Failure diagnosis

Observed defect


Focus trapped in a modal



›

Revised design

Make focus visible and order logical



Keyboard focus · Evidence to retain

01

Save initial checkout form

02

Change: Make focus visible and order logical

03

Retest same task


04

Keep export + evidence

Content hierarchy · Mechanism


Scenario

Event, date, venue and price are first-scan content



Design decision


Use one dominant headline and short proof points




Content hierarchy · Artifact

Working artifact

festival flyer





Content hierarchy · Flow / state

01

Event, date, venue and price are first-scan content

02

festival flyer

03

Use one dominant headline and short proof points


04

Review evidence

Content hierarchy · Design rule

Rule

Use one dominant headline and short proof points




Event, date, venue and price are first-scan content

Inspect the festival flyer against the rule.

Content hierarchy · Responsive or print check

Inspect the festival flyer across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Content hierarchy · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture festival flyer as evidence.

Content hierarchy · Failure diagnosis

Observed defect


All details have equal visual weight



›

Revised design

Use one dominant headline and short proof points



Content hierarchy · Evidence to retain

01

Save initial festival flyer

02

Change: Use one dominant headline and short proof points

03

Retest same task


04

Keep export + evidence

Print safety · Mechanism


Scenario

Bleed 3 mm, safe zone 5 mm, 300 dpi assets



Design decision


Keep critical text inside safe zone




Print safety · Artifact

Working artifact

A5 flyer layout





Print safety · Flow / state

01

Bleed 3 mm, safe zone 5 mm, 300 dpi assets

02

A5 flyer layout

03

Keep critical text inside safe zone


04

Review evidence

Print safety · Design rule

Rule

Keep critical text inside safe zone




Bleed 3 mm, safe zone 5 mm, 300 dpi assets

Inspect the A5 flyer layout against the rule.

Print safety · Responsive or print check

Inspect the A5 flyer layout across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Print safety · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture A5 flyer layout as evidence.

Print safety · Failure diagnosis

Observed defect


Text clipped at trim



›

Revised design

Keep critical text inside safe zone



Print safety · Evidence to retain

01

Save initial A5 flyer layout

02

Change: Keep critical text inside safe zone

03

Retest same task


04

Keep export + evidence

Campaign consistency · Mechanism


Scenario

QR landing page repeats event name, date and CTA



Design decision


Maintain message and visual continuity



Campaign consistency · Artifact

Working artifact

flyer to landing page



Flyer To Landing Page



Maintain message and visual continuity

Campaign consistency · Flow / state

01

QR landing page repeats event name, date and CTA

02

flyer to landing page

03

Maintain message and visual continuity


04

Review evidence

Campaign consistency · Design rule

Rule

Maintain message and visual continuity




QR landing page repeats event name, date and CTA

Inspect the flyer to landing page against the rule.

Campaign consistency · Responsive or print check

Inspect the flyer to landing page across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Campaign consistency · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture flyer to landing page as evidence.

Campaign consistency · Failure diagnosis

Observed defect


QR opens an unrelated generic page



›

Revised design

Maintain message and visual continuity



Campaign consistency · Evidence to retain

01

Save initial flyer to landing page

02

Change: Maintain message and visual continuity

03

Retest same task


04

Keep export + evidence

Brochure sequencing · Mechanism


Scenario

Front promise → inside evidence → back contact



Design decision


Plan panel order before export



Brochure sequencing · Artifact

Working artifact

tri-fold reading order





Plan panel order before export

Brochure sequencing · Flow / state

01

Front promise → inside evidence → back contact

02

tri-fold reading order

03

Plan panel order before export


04

Review evidence

Brochure sequencing · Design rule

Rule

Plan panel order before export




Front promise → inside evidence → back contact

Inspect the tri-fold reading order against the rule.

Brochure sequencing · Responsive or print check

Inspect the tri-fold reading order across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Brochure sequencing · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture tri-fold reading order as evidence.

Brochure sequencing · Failure diagnosis

Observed defect


Panels read backward after folding



›

Revised design

Plan panel order before export



Brochure sequencing · Evidence to retain

01

Save initial tri-fold reading order

02

Change: Plan panel order before export

03

Retest same task


04

Keep export + evidence

Long-form content · Mechanism


Scenario

Benefits, schedule, accessibility and registration need scannable sections



Design decision


Separate promises from factual logistics




Long-form content · Artifact

Working artifact

programme brochure





Separate promises from factual logistics

Long-form content · Flow / state

01

Benefits, schedule, accessibility and registration need scannable sect

02

programme brochure

03

Separate promises from factual logistics


04

Review evidence

Long-form content · Design rule

Rule

Separate promises from factual logistics




Benefits, schedule, accessibility and registration need scannable sections

Inspect the programme brochure against the rule.

Long-form content · Responsive or print check

Inspect the programme brochure across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Long-form content · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture programme brochure as evidence.

Long-form content · Failure diagnosis

Observed defect


Dense wall of 9-point copy



›

Revised design

Separate promises from factual logistics



Long-form content · Evidence to retain

01

Save initial programme brochure

02

Change: Separate promises from factual logistics

03

Retest same task


04

Keep export + evidence

Design-system import · Mechanism


Scenario

Upload brand PDF and component screenshots, review extracted tokens



Design decision


Correct extracted color and typography before publishing



Design-system import · Artifact

Working artifact

Claude Design UI kit



Claude Design Ui Kit



Correct extracted color and typography before publishing

Design-system import · Flow / state

01

Upload brand PDF and component screenshots, review extracted tokens

02

Claude Design UI kit

03

Correct extracted color and typography before publishing


04

Review evidence

Design-system import · Design rule

Rule

Correct extracted color and typography before publishing




Upload brand PDF and component screenshots, review extracted tokens

Inspect the Claude Design UI kit against the rule.

Design-system import · Responsive or print check

Inspect the Claude Design UI kit across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Design-system import · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture Claude Design UI kit as evidence.

Design-system import · Failure diagnosis

Observed defect


Publishing an unreviewed extraction



›

Revised design

Correct extracted color and typography before publishing



Design-system import · Evidence to retain

01

Save initial Claude Design UI kit

02

Change: Correct extracted color and typography before pu

03

Retest same task


04

Keep export + evidence

Component variants · Mechanism


Scenario

Primary, secondary, disabled and loading variants share geometry



Design decision


Document variants and use cases



Component variants · Artifact

Working artifact

design-system button



Design-System Button



Document variants and use cases

Component variants · Flow / state

01

Primary, secondary, disabled and loading variants share geometry

02

design-system button

03

Document variants and use cases


04

Review evidence

Component variants · Design rule

Rule

Document variants and use cases




Primary, secondary, disabled and loading variants share geometry

Inspect the design-system button against the rule.

Component variants · Responsive or print check

Inspect the design-system button across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Component variants · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture design-system button as evidence.

Component variants · Failure diagnosis

Observed defect


One button style used for every state



›

Revised design

Document variants and use cases



Component variants · Evidence to retain

01

Save initial design-system button

02

Change: Document variants and use cases

03

Retest same task


04

Keep export + evidence

Usability metrics · Mechanism


Scenario

Success 4/5, median 42 s, 2 critical errors



Design decision


Use predefined success and error rules



Usability metrics · Artifact

Working artifact

task test



Task Test



Use predefined success and error rules

Usability metrics · Flow / state

01

Success 4/5, median 42 s, 2 critical errors

02

task test

03

Use predefined success and error rules


04

Review evidence

Usability metrics · Design rule

Rule

Use predefined success and error rules




Success 4/5, median 42 s, 2 critical errors

Inspect the task test against the rule.

Usability metrics · Responsive or print check

Inspect the task test across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Usability metrics · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture task test as evidence.

Usability metrics · Failure diagnosis

Observed defect


Reporting only that testers liked it



›

Revised design

Use predefined success and error rules



Usability metrics · Evidence to retain

01

Save initial task test

02

Change: Use predefined success and error rules

03

Retest same task


04

Keep export + evidence

Iteration evidence · Mechanism


Scenario

Before 3/5 completion; after 5/5 on the same task



Design decision


Record change, test conditions and result



Iteration evidence · Artifact

Working artifact

before/after comparison



Before/After Comparison



Record change, test conditions and result

Iteration evidence · Flow / state

01

Before 3/5 completion

02

before/after comparison

03

Record change, test conditions and result


04

Review evidence

Iteration evidence · Design rule

Rule

Record change, test conditions and result




Before 3/5 completion; after 5/5 on the same task

Inspect the before/after comparison against the rule.

Iteration evidence · Responsive or print check

Inspect the before/after comparison across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Iteration evidence · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture before/after comparison as evidence.

Iteration evidence · Failure diagnosis

Observed defect


Claiming improvement from an untested mockup



›

Revised design

Record change, test conditions and result



Iteration evidence · Evidence to retain

01

Save initial before/after comparison

02

Change: Record change, test conditions and result

03

Retest same task


04

Keep export + evidence

Handoff package · Mechanism


Scenario

HTML/PDF exports plus tokens, states, assets and change log



Design decision


Package artifacts with acceptance criteria



Handoff package · Artifact

Working artifact

export and documentation



Export And Documentation



Package artifacts with acceptance criteria

Handoff package · Flow / state

01

HTML/PDF exports plus tokens, states, assets and change log

02

export and documentation

03

Package artifacts with acceptance criteria


04

Review evidence

Handoff package · Design rule

Rule

Package artifacts with acceptance criteria




HTML/PDF exports plus tokens, states, assets and change log

Inspect the export and documentation against the rule.

Handoff package · Responsive or print check

Inspect the export and documentation across required formats



DESKTOP / FULL SHEET



TABLET / FOLDED




MOBILE / PANEL

Handoff package · Accessibility / quality

Quality criterion

Verify labels, contrast, focus or print legibility for the target audience.



CHECK → RECORD → REVISE


- Readable content
- Clear action
- Recovery state

Capture export and documentation as evidence.

Handoff package · Failure diagnosis

Observed defect


Sending an image without interaction notes



›

Revised design

Package artifacts with acceptance criteria



Handoff package · Evidence to retain

01

Save initial export and documentation

02

Change: Package artifacts with acceptance criteria

03

Retest same task

04

Keep export + evidence

Festival flyer · visual hierarchy



Design check


Headline, date and registration must sit in the A5 safe zone.

Programme brochure · panel sequence




Design check

Front promise → inside evidence → back contact; verify the folded proof.



Lab 01 · Clinic Booking Mobile specimen




Review criterion

390 px mobile; appointment completion <= 45 seconds; large text and clear recovery



Lab 02 · Responsive Retail Web specimen




Review criterion

1440/768/390 px; card and button variants; keyboard focus



Lab 03 · Festival Flyer and Landing Page specimen



Review criterion

3 mm bleed; 5 mm safe zone; matching event details

Lab 04 · Programme Brochure specimen

Harbour Learning · tri-fold proof

Fold order: back contact → front promise → fold-in preview on outer sheet.

BACK PANEL

Talk with us

Confirm approved contact, schedule and accessibility details.

FRONT PANEL



Design skills in practice

FOLD-IN PANEL

Who this is for

Prospective adult learners and their employers.


Open the PDF proof at actual size, then fold a print sample to verify panel order.

Review criterion

Correct panel order; readable type; factual schedule and contact




Lab 05 · Claude Design System specimen



Review criterion

Review imported tokens and publish only after comparison



Lab 06 · Validation and Handoff specimen

CityCare usability review

Task: reschedule an appointment. Five comparable tests.

Baseline

3 / 5

Task completion

Revision

5 / 5

Task completion

Decision

Expose Reschedule on the appointment card; keep search criteria after slot error.

Test evidence

Participant	Success	Time	Critical error
P1	Yes	41 s	0
P2	Yes	43 s	0


Training specimen only. Record your own five tests in review.md.

Review criterion

Five tests; success/time/error rules; export current design




Usability test results · worked example



Decision

Five comparable tests show task success rising from 3/5 to 5/5. Verify the same task and criteria.



Assessment flow

01

Written Assessment · K1–K3

02

Practical Performance · A1–A7

03

Assessor feedback · C or NYC

04

Summary record and sign-off

Final design handoff

01

Current export

02

Token and state specification

03

Change log + test evidence

04

User guide and acceptance checklist

Thank you

Design for real tasks.
Validate with evidence.