Lab 06: Filter Responses and Implement PATCH

Maps to: A4, A8

Objective: Use response models and exclude_unset semantics for safe partial updates.

Build: PATCH /api/v1/products/{id} with stable ProductRead output

Tools: FastAPI response_model, Pydantic, OpenAI Python SDK

Lab asset inventory

- ai_vibe.py - OpenAI Python SDK runner with Pydantic structured output and safe generated-file paths
- mock-data.json - authorised synthetic scenario, route contract and test cases
- mock-database.sqlite - inspectable SQLite database seeded only with synthetic commerce and CRM records
- Prompts.pdf - learner-facing first-run, refinement and review prompts
- Prompts.md - copyable source used by the SDK runner
- working-files/ - complete FastAPI, SQLite, HTML/CSS/JavaScript project, including VS Code REST Client requests

AI vibe-coding control loop

Prompts.pdf → ai_vibe.py → Responses API → CodeBundle → working-files/generated/ → pytest + human review

Detailed procedure

Step 1 - Read Prompts.pdf and identify the role, context, constraints, target files and verification checks.

1. Perform the action exactly as stated: Read Prompts.pdf and identify the role, context, constraints, target files and verification checks.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 2 - Inspect mock-data.json; remove any personal, confidential or live credential data before prompting.

1. Perform the action exactly as stated: Inspect mock-data.json; remove any personal, confidential or live credential data before prompting.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 3 - Run python ai_vibe.py --dry-run to validate and preview the exact SDK request without using API credits.

1. Perform the action exactly as stated: Run python ai_vibe.py --dry-run to validate and preview the exact SDK request without using API credits.
2. Observe the resulting file, HTTP response, log or browser state.

3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 4 - Set OPENAI_API_KEY in the shell and choose an available OPENAI_MODEL; never paste either value into source files.

1. Perform the action exactly as stated: Set OPENAI_API_KEY in the shell and choose an available OPENAI_MODEL; never paste either value into source files.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 5 - Run python ai_vibe.py and inspect the typed CodeBundle written under working-files/generated/.

1. Perform the action exactly as stated: Run python ai_vibe.py and inspect the typed CodeBundle written under working-files/generated/.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 6 - Review the generated diff and copy only accepted changes into the working application.

1. Perform the action exactly as stated: Review the generated diff and copy only accepted changes into the working application.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 7 - Add an internal field to the repository record and confirm it is not in ProductRead.

1. Perform the action exactly as stated: Add an internal field to the repository record and confirm it is not in ProductRead.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 8 - Declare response_model on list, create and update routes.

1. Perform the action exactly as stated: Declare response_model on list, create and update routes.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 9 - Use model_dump(exclude_unset=True) for partial updates.

1. Perform the action exactly as stated: Use model_dump(exclude_unset=True) for partial updates.
2. Observe the resulting file, HTTP response, log or browser state.

3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 10 - Patch only stock_quantity and verify SKU, name, price and status remain unchanged.

1. Perform the action exactly as stated: Patch only stock_quantity and verify SKU, name, price and status remain unchanged.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 11 - Send an empty PATCH and apply the documented no-op rule.

1. Perform the action exactly as stated: Send an empty PATCH and apply the documented no-op rule.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 12 - Add a regression test for response-field filtering.

1. Perform the action exactly as stated: Add a regression test for response-field filtering.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 13 - Run pytest -q and the lab acceptance checks; refine the prompt with the observed failure evidence when needed.

1. Perform the action exactly as stated: Run pytest -q and the lab acceptance checks; refine the prompt with the observed failure evidence when needed.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Step 14 - Save the prompt, model name, generated bundle summary and test result as the lab evidence trail.

1. Perform the action exactly as stated: Save the prompt, model name, generated bundle summary and test result as the lab evidence trail.
2. Observe the resulting file, HTTP response, log or browser state.
3. If the expected state is absent, compare the request contract, status code and latest log entry.
4. Save one evidence item before continuing.

Acceptance criteria

- PATCH changes only supplied fields and no internal database field appears in the JSON response.
- Evidence names the lab number and the mapped codes: A4, A8.
- The saved SDK evidence records the prompt, model, assumptions, generated file list and verification result.

- mock-database.sqlite contains synthetic seed data only; no .env, live credential, virtual environment or runtime northstar.db is submitted.

Evidence checklist

[ ] Prompts.pdf reviewed and dry run captured

[ ] mock-data.json contains synthetic data only

[ ] mock-database.sqlite opens in VS Code SQLite Viewer

[ ] SDK CodeBundle saved under working-files/generated/

[ ] Generated diff reviewed before applying

[ ] Working artifact

[ ] Request/response or test output

[ ] One failure diagnosis

[ ] Acceptance criterion confirmed