TRAINER SLIDES · IBF-STS ACCREDITED

Machine Learning 101 for Financial Trading

FSE-DAT-3019-1.1 · Data Analytics and Computational Modelling · Proficiency Level 3

Conducted by Tertiary Infotech Academy Pte Ltd · UEN 201200696W

Version 2.3 · 22 October 2026

© Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Attendance and IBF-STS Funding

1

Sign in every session

Mark attendance at the start of each session and after lunch.

%

75% attendance

IBF-STS funding requires at least 75% attendance.

✓

Pass the assessment

Funding also requires passing both assessment components.

!

Assessment attendance

A separate record is signed before the assessment begins.

© Tertiary Infotech Academy Pte Ltd

About the Trainer



Complete this panel with your own details before delivery.

NAME

TITLE / DESIGNATION

QUALIFICATIONS

AREAS OF EXPERTISE

TRAINING & INDUSTRY EXPERIENCE

CONTACT

© Tertiary Infotech Academy Pte Ltd

YOUR TRAINER

About the Trainer



Dr Alfred Ang

Course Developer · Trainer · Assessor
for this IBF-STS programme.

ROLE
Course Developer, Trainer and Assessor

CERTIFICATION
ACTA · DACE · PhD

FINANCIAL SERVICES
IBF-STS programmes in AI, algorithmic trading and fintech

DELIVERS
AI, machine learning and data programmes for financial institutions

FOUNDER
Tertiary Infotech Academy Pte Ltd

© Tertiary Infotech Academy Pte Ltd

ICE-BREAKER

Let's Know Each Other

- Your name, your institution and your role.
- Do you trade, invest, analyse or build systems for markets today?
- Have you used TradingView, a broker API or Python before?
- One trading rule you believe works — we will test it this week.

© Tertiary Infotech Academy Pte Ltd

HOUSEKEEPING

Ground Rules

Be on time
Sessions restart promptly after each break.

Phones on silent
Take calls outside the room.

Ask as we go
Questions are welcome at any point.

Hands on the keyboard
Twenty labs — follow along on your own laptop.


Paper trading only
No real money is used anywhere in this course.

Not investment advice
Lion City Capital and all scenarios are fictitious.

© Tertiary Infotech Academy Pte Ltd

COURSE PORTAL

Login to TMS and Download Course Material



Log in at lms-tms.tertiaryinfotech.com with your registered email + the OTP from your inbox, then download the slides, Learner Guide and labs.

© Tertiary Infotech Academy Pte Ltd

COURSE PORTAL · STEPS

Download Course Material

1. Go to lms-tms.tertiaryinfotech.com
2. Enter your registered email and click Send OTP
3. Key in the one-time password from your inbox
4. Open this course: download the Learner Slides + Learner Guide PDFs
5. Activities / Lab: download the labs folder (lab manuals)

Keep the Learner Guide open all course — the assessment is open book.

© Tertiary Infotech Academy Pte Ltd

COURSE PORTAL · GITHUB

Download the Labs and Simulator (GitHub)

Course repository

github.com/tertiarycourses/TGS-2023018794-Machine-Learning-101-for-Financial-Trading

Learner Guide, Learner Slides, Lesson Plan and the 20 lab instruction PDFs.

Code > Download ZIP.

Trading simulator software

github.com/alfredang/algorithmic-trader-bot

The quant / algo trading simulator the labs run in: backtest, forward test, paper trading, analytics.

Install steps: next section and the Learner Guide.

© Tertiary Infotech Academy Pte Ltd

LEARNING OUTCOMES

What You'll Achieve

1

LO1 · A1, A6

Develop hypotheses for implementing data analytics and computational modelling activities in algorithmic trading, and identify possible big data applications across the forms of data within financial services.

2

LO2 · A2, A3

Identify appropriate statistical algorithms and data models to test trading hypotheses, and use appropriate analytics platforms, analytical tools and statistical methods given specific analytics and reporting requirements.

3

LO3 · A4, A5

Conduct statistical modelling of market data with machine learning models to derive patterns and solutions, and perform A/B testing of trading strategies based on different hypotheses.

4

LO4 · A7, A8, A9, A10

Perform coding and configuration of an automated trading program based on selected models or algorithms, conduct tests on its actions and outcomes, diagnose unintended outcomes, and draw insights from the results to support decisions and report accordingly.

© Tertiary Infotech Academy Pte Ltd

COURSE JOURNEY

The Course Journey

1

Topic 1 — Quant and Algo Trading Foundations

Day 1 · Labs 1–4 · A1, A6, K1, K9 · Foundations of Quant and Algorithmic Trading: From Thorp to AI Agents

2

Topic 2 — Indicators, Strategies and Metrics

Day 1 · Labs 5–9 · A2, A3, K3, K5, K7 · Technical Indicators, Trading Strategies and Metrics with TradingView and Alpaca

3

Topic 3 — ML Models and A/B Testing

Day 2 · Labs 10–14 · A4, A5, K2, K4, K6 · Machine Learning Models, Statistical Modelling and A/B Testing for Trading Signals

4

Topic 4 — End-to-End Trading Pipeline

Day 2 · Labs 15–20 · A7, A8, A9, A10, K7, K8 · Building an End-to-End Algorithmic Trading Pipeline: Backtest, Forward Test and Performance Analysis

© Tertiary Infotech Academy Pte Ltd

Low code. You own the algorithm.

This is a low-code course. Every lab runs in the Trading Simulator: you set the hypothesis, choose and configure the algorithm, run the tests and judge the results, while the software does the programming. What matters is the big concepts: the hypothesis, how each algorithm makes its decision, how it is tested without bias and with costs, how risk is controlled, and how the results are judged.

© Tertiary Infotech Academy Pte Ltd

THE PARADIGM SHIFT

Your Role versus the Software's Role

1

Your job: the hypothesis

What edge do you expect, why, and how will you know it is real?

2

Your job: the algorithm's logic

The rule or model, its inputs, and when it buys or sells.

3

Your job: testing and judgement

Out-of-sample, next-bar, net of costs; read the metrics.

4

Your job: risk and accountability

Limits, kill switch, approval - you answer for every trade.

⚙

The simulator's job: the code

It runs every stage - data, signals, backtests, paper orders and reports - from settings you choose.

⚙

The simulator's job: the drudgery

Data plumbing, charts, Pine Script export, reports - you review what it produces.

© Tertiary Infotech Academy Pte Ltd

FSE-DAT-3019-1.1 · ABILITIES 1-5

TSC Alignment — Abilities

1

A1
Develop hypotheses for implementing data analytics and computational modelling activities

2

A2
Identify appropriate statistical algorithms and data models to test hypotheses and/or theories

3

A3
Use appropriate analytics platforms, analytical tools, statistical methods and analytical approaches given specific analytics and reporting requirements

4

A4
Conduct statistical modelling of data to derive patterns and solutions

5

A5
Perform A/B testing based on different hypotheses

© Tertiary Infotech Academy Pte Ltd

TSC Alignment — Abilities (continued)

1. **A6**
   Identify possible big data applications

2. **A7**
   Perform coding and configuration of software agents or programs based on selected models or algorithms

3. **A8**
   Conduct tests on the actions taken and outcomes to assess effectiveness of the models

4. **A9**
   Diagnose unintended outcomes produced by statistical models

5. **A10**
   Draw relevant trends and insights from data analysis to support decisions and report accordingly

© Tertiary Infotech Academy Pte Ltd

TSC Alignment — Knowledge

1. **K1**
   Data analytics and modelling business use cases
2. **K2**
   Types of statistical analyses, data models, algorithms and advanced computational methods
3. **K3**
   Range and application of various statistical methods and algorithms
4. **K4**
   Range and application of various types of data models
5. **K5**
   Usage of analytics platforms and tools

© Tertiary Infotech Academy Pte Ltd

TSC Alignment — Knowledge (continued)

1. **K6**
   Statistical modelling techniques

2. **K7**
   Coding languages for programming of algorithms and signals

3. **K8**
   Potential reasons for unintended outcomes

4. **K9**
   Forms of data within financial services

© Tertiary Infotech Academy Pte Ltd

COURSE SCHEDULE

Lesson Plan — Day 1 (1 of 2)

09:00 - 18:30 · 8 instructional hours · excluding 1-hour lunch and two tea breaks

09:00 - 09:30	Course Overview, Trainer Introduction and Ground Rules	
09:30 - 10:45	T1.1-1.4 Quant Success Stories, the Evolution of Quant, the ML-to-LLM Shift, and Agentic AI versus AI Agents	K1, K9
10:45 - 11:00	**Tea Break**	
11:00 - 11:30	T1.5-1.6 Forms of Financial Data, Big Data Applications and Trading Hypotheses	A1, A6, K1, K9
11:30 - 11:50	**Lab 1: Pipeline Skeleton, Configuration and the Alpaca Paper Account**	K5
11:50 - 12:10	**Lab 2: Data-Validation Stage: Cross-Check Pipeline Bars against TradingView**	A3, K5, K9
12:10 - 12:30	**Lab 3: Ingestion Stage: Multi-Timeframe Bars, Headlines and Data Quality**	A6, K9
12:30 - 13:30	**Lunch Break**	
13:30 - 13:45	**Lab 4: Hypothesis Stage: from a Written Card to an Automated Statistical Test**	A1, A6, K1
13:45 - 14:30	T2.1-2.2 Technical Indicators and Standard Algorithmic Trading Strategies	A2, K3

© Tertiary Infotech Academy Pte Ltd

COURSE SCHEDULE

Lesson Plan — Day 1 (2 of 2)

09:00 - 18:30 · 8 instructional hours · excluding 1-hour lunch and two tea breaks

14:30 - 14:55	**Lab 5: Indicator Stage: Pine Script v6 Indicators and their Python Twins**	A3, K3, K7
14:55 - 15:25	**Lab 6: Strategy Prototype: TradingView Strategy Tester, Paper Trading from the Chart and Pipeline Reconciliation**	A2, A3, K3, K7
15:25 - 15:40	**Tea Break**	
15:40 - 16:05	**Lab 7: Signal Stage: a Library of Trend, Mean-Reversion, Momentum and Breakout Signals**	A2, K3, K7
16:05 - 16:50	T2.3-2.4 Analytics Platforms, Coding Languages and Order Placement	A3, K5, K7
16:50 - 17:20	**Lab 8: Execution Stage: an Order Manager that Trades the Paper Account in Any Session**	A3, K5
17:20 - 17:50	T2.5 Performance and Risk Metric Definitions	A3, K3
17:50 - 18:15	**Lab 9: Evaluation Stage: Performance and Risk Metrics with a Benchmark Table**	A3, K3
18:15 - 18:30	Day 1 Recap and Q&A	

© Tertiary Infotech Academy Pte Ltd

COURSE SCHEDULE

Lesson Plan — Day 2 (1 of 2)

09:00 - 18:30 · 8 instructional hours · excluding 1-hour lunch and two tea breaks

09:00 - 09:15	Day 1 Recap and Day 2 Overview	
09:15 - 09:40	T3.1-3.2 Statistical Analyses, Algorithms and Supervised Learning Models	A4, K2, K4
09:40 - 10:00	**Lab 10: Strategy-Search Stage: Grid Search, Out-of-Sample Ranking and Decay**	A2, A4, K2
10:00 - 10:20	**Lab 11: ML-Signal Stage: a Walk-Forward Classifier from Probability to Position**	A4, K4, K6
10:20 - 10:35	**Tea Break**	
10:35 - 10:55	T3.3-3.4 Unsupervised Learning and Statistical Modelling Techniques	A4, K4, K6
10:55 - 11:10	**Lab 12: Regime-Filter Stage: PCA and K-Means as a Gate on the Signals**	A4, K4, K6
11:10 - 11:25	T3.5-3.6 A/B Testing, and Pairs Trading as a Hedging Algorithm	A4, A5, K2, K6
11:25 - 11:40	**Lab 13: A/B-Test Stage: a Statistical Decision before Capital Moves**	A5, K2
11:40 - 12:00	**Lab 14: Pairs Stage: a Hedged, Market-Neutral Statistical-Arbitrage Sleeve**	A4, K6
12:00 - 12:30	T4.1-4.2 Pipeline Architecture and Backtesting with Trading Costs	A7, A8, K7
12:30 - 13:30	**Lunch Break**	

© Tertiary Infotech Academy Pte Ltd

COURSE SCHEDULE

Lesson Plan — Day 2 (2 of 2)

09:00 - 18:30 · 8 instructional hours · excluding 1-hour lunch and two tea breaks

13:30 - 13:55	**Lab 15: Backtest-Engine Stage: Cost Models, Execution Timing and Break-Even**	A7, A8, K7
13:55 - 14:05	T4.3 Forward Testing with Automated Paper Trading	A7, A8
14:05 - 14:30	**Lab 16: Automation Stage: a Scheduled, Risk-Checked Forward Test and Live Paper Trading**	A7, A8, K7
14:30 - 14:50	**Lab 17: Event-Driven Automation: TradingView Webhook to Signal, Risk and Execution**	A7, K5, K7
14:50 - 15:00	T4.4 Potential Reasons for Unintended Outcomes	A9, K8
15:00 - 15:20	**Lab 18: Diagnostics Stage: Automated Bias Checks before Go-Live**	A9, K8
15:20 - 15:35	**Tea Break**	
15:35 - 15:45	T4.5 Performance Analysis, Insights and Reporting	A10
15:45 - 16:10	**Lab 19: Monitoring and Reporting Stage: Automated Tearsheet and Backtest-vs-Forward Report**	A8, A10
16:10 - 16:30	**Lab 20: Capstone: One Command Runs the Pipeline End to End, with an Agentic Layer and Human Approval**	A7, A10, K1
16:30 - 17:15	**Written Assessment (Short Answer Questions)**	K1 - K9
17:15 - 18:30	**Practical Performance Assessment**	A1 - A10

© Tertiary Infotech Academy Pte Ltd

BEFORE THE ASSESSMENT

Briefing for Assessment

Open book
You may use your Learner Guide, lab manuals and your own notes.

Two components
Written Assessment (45 min) and Practical Performance (75 min).

Both must be passed
Competent in BOTH is required to be awarded the module.

All your own work
Collaboration results in a Not Yet Competent outcome.

Ask if unclear
The assessor can explain a question, but not how to answer it.

Not Yet Competent?
You will be counselled on the gaps and offered a re-assessment.

© Tertiary Infotech Academy Pte Ltd

Final Assessment

Written Assessment

Short Answer Questions · 45 minutes · open book.

9 open-ended questions — one for each knowledge statement K1 - K9.

No multiple-choice questions.

Practical Performance

Configure and run the provided trading program - no coding · 75 minutes · open book.

4 practical tasks covering ability statements A1 - A10.

A new trading scenario, using the same pipeline tool-kit as the labs.

© Tertiary Infotech Academy Pte Ltd

ON ASSESSMENT DAY

Assessment Flow

1. Sign the assessment attendance record
2. Assessor briefing (not assessed)
3. Sit the WA (45 min) then the PP (75 min) — open book
4. Submit your answers on the LMS
5. Sign the Assessment Summary Record

Both components are open book. You must be Competent in BOTH to be awarded the module.

© Tertiary Infotech Academy Pte Ltd

GETTING STARTED

01

Set Up Alpaca and TradingView

LEARNING OUTCOME

Install the Trading Simulator and create the free accounts every lab uses. Everything runs on paper — no real money at any point.

© Tertiary Infotech Academy Pte Ltd

GETTING STARTED

Download, Install and Start the Trading Simulator Software

Full step-by-step guide: Learner Guide, 'Platform Guides'.


1. Install Docker Desktop - or Python 3.11+ and uv
2. Download the simulator: GitHub > Code > Download ZIP
3. Start it: docker compose up -d (or uv sync, then uv run trader serve --with-worker)
4. Load the demo data: Settings > Load demo data
5. Open http://localhost:8000 > Course Labs
6. Keys: Integrations page (no files to edit)

Simulator: github.com/alfredang/algorithmic-trader-bot - the README has the full start-up steps and troubleshooting.

© Tertiary Infotech Academy Pte Ltd

GETTING STARTED

The Trading Simulator — Pipeline Map



Once the simulator is running, Pipeline Map shows every stage of the automated pipeline and its live state. Click a stage to see its most recent activity.

© Tertiary Infotech Academy Pte Ltd

GETTING STARTED

Sign Up for Alpaca and Open the Paper-Trading Account

Full step-by-step guide: Learner Guide, 'Platform Guides'.


1. Sign up at alpaca.markets and verify your email
2. Log in; choose 'Paper Trading' (upper left)
3. API section: generate key - copy the secret once
4. Simulator: Integrations > Alpaca > paste > Save & test
5. Test connection: 'Paper account ACTIVE'

No funding needed. Paper keys only work on paper-api.alpaca.markets. No account? Every lab also runs offline.

© Tertiary Infotech Academy Pte Ltd

GETTING STARTED

Your Alpaca Paper-Trading Dashboard




Check that the account selector shows 'Paper'. The banner confirms that no real money is being used. The API keys for the labs are generated from this account.

© Tertiary Infotech Academy Pte Ltd

GETTING STARTED

Connect Alpaca to the Simulator — Integrations



Paste the paper Key ID and Secret into the Alpaca card, then press Save & test. Keys stay on your computer and are only shown masked. Without keys, every lab still runs offline.

© Tertiary Infotech Academy Pte Ltd

GETTING STARTED

Sign Up for TradingView and Find the Tools You Will Use

Full step-by-step guide: Learner Guide, 'Platform Guides'.

1. Sign up at tradingview.com (email, Google or Apple)
2. Keep the free plan
3. Products > Supercharts; search NASDAQ:AAPL or SGX:D05
4. Set time zone to Singapore
5. Find Indicators, Pine Editor, Strategy Tester, Trade

The free plan covers Labs 2, 5 and 6. Webhook alerts in Lab 17 need a paid plan - the lab includes a local simulator.

© Tertiary Infotech Academy Pte Ltd

GETTING STARTED

TradingView — Chart, Watchlist and Symbol Panel



Search for a symbol, pick the interval, and add Indicators. Pine Script and the Strategy Tester open from the panel below the chart, and Trade opens Paper Trading.

© Tertiary Infotech Academy Pte Ltd

GETTING STARTED · LOW CODE

No Coding Needed - and a Prompt Library if You Want the Code

Every lab, no code

Each lab runs in the Trading Simulator: choose settings, press Run, read the result. The lab manual gives every step and check.

Want to see the code?

labs_lowcode/Prompt_Library.html has one prompt per lab. One click opens Claude or ChatGPT with the prompt filled in - the AI writes the code for you.

Run it without installing

Paste the code into Google Colab and press Run, or paste a strategy into the simulator's Strategy Builder. Never paste API keys into an AI chat.

© Tertiary Infotech Academy Pte Ltd

PLATFORM · THE IDEA THAT MATTERS MOST

Paper first. Always.

Every strategy in this course is tested on history, then forward-tested on a paper account with automatic orders, before anyone would consider real capital. That discipline is the course.

© Tertiary Infotech Academy Pte Ltd

TOPIC 1

01

Quant and Algo Trading Foundations

LEARNING OUTCOME

Develop hypotheses for implementing data analytics and computational modelling activities in algorithmic trading, and identify possible big data applications across the forms of data within financial services.

Abilities A1, A6 · Knowledge K1, K9 · Day 1 · Labs 1–4 · Assessed by PP Task 1 and WA Q1, Q9

© Tertiary Infotech Academy Pte Ltd

Quant Success Stories

1

Ed Thorp - Princeton Newport · 1969

First market-neutral quant fund: about 20% a year after fees for two decades by hedging warrants and convertibles

2

Renaissance - Medallion · 1988

Purely model-driven; about 66% a year before fees, 39% after (1988-2018); closed to outsiders, employee-owned

3

D.E. Shaw · 1988

Founded by a computer-science professor from Morgan Stanley's quant group; models and software; about US$60-65bn

4

Man AHL · 1987

Systematic trend following from hand-typed price histories to momentum models across 800+ markets

5

Two Sigma · 2001

AI, machine learning and distributed computing applied to trading; about US$70bn under management

6

Jane Street · 2024

Quant market maker: about US$20.5bn net trading revenue; nearly a quarter of primary US ETF activity

© Tertiary Infotech Academy Pte Ltd

Spotlight: Renaissance Technologies and the Medallion Fund

1

Founded by a mathematician

Jim Simons founds Monemetrics in 1978; renamed Renaissance Technologies in 1982

2

Medallion fund, 1988

The flagship fund trades purely on mathematical models of market data

3

About 66% a year before fees

Average gross return 1988-2018, about 39% after its high fees; closed to outsiders, employee-owned

4

The lesson for this course

The edge came from data, rigorous testing, costs and risk control - not from one clever indicator

© Tertiary Infotech Academy Pte Ltd

What the Success Stories Have in Common

1. **Hypothesis first**
   Each started from a testable idea about prices, not from a tool

2. **Data and testing**
   Clean data and out-of-sample tests before capital

3. **Many small edges**
   Diversified, market-neutral bets rather than one big call

4. **Costs and risk**
   Execution cost, leverage and risk limits decide survival - see LTCM 1998

5. **Citadel Securities**
   Quant market maker estimated to handle about a quarter of all US equities trading

© Tertiary Infotech Academy Pte Ltd

TOPIC 1 · DEFINITION

Algorithmic trading

Using computer programs that follow predefined rules on price, timing, volume or models to generate and execute orders automatically, with limited or no human intervention.

© Tertiary Infotech Academy Pte Ltd


The Evolution of Quant: From Thorp to HFT to AI

1. 1950s-70s: portfolio theory, arbitrage and option pricing
2. 1970s-80s: factor risk models and program trading
3. 1980s-90s: statistical arbitrage and pairs trading
4. 1988 on: fully systematic signal mining (Renaissance, D.E. Shaw)
5. 2000s: electronic market making and HFT
6. 2010s: speed race - co-location, microwave, microseconds
7. 2020s: ML on alternative data, then LLM and agentic quant

Each era kept the last era's discipline - hypothesis, data, testing, costs, risk - and added speed or new data.


© Tertiary Infotech Academy Pte Ltd

The Evolution of Quant and Algorithmic Trading (1 of 4)




© Tertiary Infotech Academy Pte Ltd

The Evolution of Quant and Algorithmic Trading (2 of 4)




© Tertiary Infotech Academy Pte Ltd

The Evolution of Quant and Algorithmic Trading (3 of 4)



© Tertiary Infotech Academy Pte Ltd

The Evolution of Quant and Algorithmic Trading (4 of 4)



© Tertiary Infotech Academy Pte Ltd

Six Paradigm Shifts in Quant and Algorithmic Trading

1

From intuition to probability · 1950s-1970s

Markowitz, Thorp and Black-Scholes make risk, hedging and option value mathematical

2

From stocks to factors · 1970s-1980s

Barra factor models and program trading treat portfolios as baskets of risk exposures

3

From factors to statistical arbitrage · 1980s-2000s

Morgan Stanley's pairs group, D.E. Shaw and Renaissance harvest many small market-neutral edges

4

From floors to electronic speed · 1996-2010s

ECNs, decimalisation and Reg NMS enable HFT: co-location, microwave links, microseconds

5

From statistics to machine learning · 2000s-2010s

Models learn non-linear patterns from prices, order books and alternative data

6

From writing code to directing AI · 2023-present

AI writes and runs the code; quants own the big concepts - hypothesis, algorithm logic, testing, risk

© Tertiary Infotech Academy Pte Ltd

Why Algorithms - and What Can Go Wrong

Benefits

- Speed: reacts and executes in milliseconds
- Discipline: rules remove fear, greed and fatigue
- Backtesting: test ideas on historical data first
- Lower costs: split large orders to reduce market impact
- Scale: monitors many markets and assets around the clock

Risks

- Technical failure: bugs and outages (Knight Capital, 2012)
- Overfitting: great backtests that fail on live data
- Black swans and regime change the model has never seen
- Feedback loops between algorithms (2010 Flash Crash)
- Set-up, data and compliance costs; no guaranteed profit

© Tertiary Infotech Academy Pte Ltd

The Eras of AI in Trading

1

Symbolic AI · 1956-1980s

Hand-written rules: expert systems and rule-based program trading; brittle when markets change

2

Machine learning · 1990s-2000s

Models learn from data: regression, tree and boosting signals; statistical arbitrage at scale

3

Deep learning · 2012-2017

Many-layer networks on GPUs find non-linear patterns in prices, order books and alternative data

4

Generative AI · 2017-2023

Transformers and LLMs turn news, filings and earnings calls into trading signals


5

Agentic AI · 2024-present

LLM agents research, code, backtest and paper-trade strategies under hard risk limits

© Tertiary Infotech Academy Pte Ltd

AI Milestones and Their Trading Counterparts (1 of 2)



© Tertiary Infotech Academy Pte Ltd

AI Milestones and Their Trading Counterparts (2 of 2)



© Tertiary Infotech Academy Pte Ltd

Paradigm Shift: Machine-Learning Quant versus LLM-Era Quant

	Machine-learning quant	LLM-era quant
Main data	Structured: prices, volumes, fundamentals	Adds unstructured text: news, filings, earnings calls, research
Features	Hand-engineered by the quant (lags, RSI, factors)	Text read directly; LLM scores sentiment and events
Model building	Fit regressions, trees, boosting on labelled data	Prompt or fine-tune pretrained LLMs; agents propose alphas
Who writes the code	The quant, line by line	AI writes it; the quant directs and reviews
Research workflow	The quant writes every line of code	Coding agents draft code and backtests; the quant reviews
Alpha decay	Signals fade as more funds trade them	LLM signals fade too as LLM adoption rises
New risks	Overfitting; look-ahead in features	LLM training-data look-ahead and 'distraction'; homogeneous factors
Human role	Model builder	Supervisor: hypothesis, testing, risk sign-off

© Tertiary Infotech Academy Pte Ltd

Impact of LLMs on Quant

1

Text becomes a signal

ChatGPT headline scores predict next-day returns, strongest for small stocks and bad news (Lopez-Lira and Tang)

2

Finance-specific LLMs

BloombergGPT (2023): 50bn parameters trained with 363bn tokens of Bloomberg financial data

3

Automated alpha mining

Alpha-GPT turns ideas into formulaic alphas; AlphaAgent targets alpha decay and crowding

4

Backtests need new controls

LLMs may 'know' in-sample history: test after the knowledge cutoff and anonymise firms (Glasserman and Lin)

5

Faster crowding

Strategy returns decline as LLM adoption rises - prices become more efficient (Lopez-Lira and Tang)

6

Agents still need limits

Agents propose trades; hard-coded risk checks and humans approve them

© Tertiary Infotech Academy Pte Ltd

Agentic AI versus AI Agents in Trading

Agentic AI - the capability

The capability of AI to plan and act: it calls tools, uses skills and memory, and follows instructions to complete multi-step work when it is asked.

Trading example: On request, an LLM fetches a stock's bars and news through tools, checks its memory of past trades and proposes an order within its instructions

AI Agent - always on, 24/7

A special class of agentic AI that stands by 24/7 and works all the time: always on, woken by schedules, events and messages, with its own long-term memory.

Examples: OpenClaw, Hermes Agent, OpenAI Dots.

Trading example: A round-the-clock trading agent that watches prices and news overnight and proposes paper trades within risk limits

© Tertiary Infotech Academy Pte Ltd

AI Agents vs Agentic AI - Side by Side

	AI Agents	Agentic AI
What it is	A special class of agentic AI that is always on	Capability to plan and act with tools, skills, memory
Runtime	Persistent: stands by 24/7 on a server or PC	Runs when invoked: a chat, workflow or pipeline
Trigger	Schedules, events, messages - unprompted	A user prompt or a pipeline step
Memory	Long-term memory across days and tasks	Session or task memory; can use long-term memory
Building blocks	Agentic AI + always-on runtime and scheduler	LLM + tools + skills + memory + instructions
Examples	OpenClaw, Hermes Agent, OpenAI Dots	Claude Code, ChatGPT with tools, TradingAgents
Trading example	24/7 market and news monitor proposing trades	On-demand multi-agent analysis before a trade
Main risks	Acting unsupervised overnight; runaway loops	Hallucination; prompt injection; tool misuse

© Tertiary Infotech Academy Pte Ltd

From Chatbot to Always-On AI Agent

1

1 · Chatbot: Answers one prompt at a time; no tools, no actions

2

2 · Agentic AI: Plans and calls tools, skills, memory and instructions when asked

3

3 · Multi-agent agentic system: Specialist agents coordinate: analysts, debate, trader, risk manager

4

4 · AI agent (always on): Stands by 24/7, wakes on schedules and events, works continuously within limits

An AI agent is agentic AI that never switches off - so its limits, kill switch and monitoring matter most.

© Tertiary Infotech Academy Pte Ltd

Roles in a Multi-Agent Trading System

1

Fundamental Analyst

Reads filings, earnings and balance sheets to judge intrinsic value

2

Technical Analyst

Reads price, volume and indicators such as MACD and RSI

3

Sentiment Analyst

Gauges mood from social media, analyst ratings and options flow

4

News Analyst

Tracks news wires, press releases and macro events

5

Bull / Bear Researchers

Argue for and against the trade so weak ideas are challenged

6

Trader

Combines the reports into a buy, sell or hold call with timing and size

7

Risk Manager

Checks volatility, liquidity, exposure and drawdown limits

8

Portfolio Manager

Approves or rejects the proposal and fits it into the whole portfolio

© Tertiary Infotech Academy Pte Ltd

Stock-Trading Agent Frameworks (1 of 2)

1

TradingAgents (Xiao et al., 2024)

Simulated stock-trading firm: fundamental, sentiment, news and technical analysts, bull/bear debate, trader, risk team

2

FinMem (Yu et al., 2023)

LLM trading agent with profiling and layered memory making Buy / Sell / Hold decisions on individual stocks

3

FinAgent (Zhang et al., 2024)

Multimodal agent reading prices, news and chart images, with dual-level reflection; tested on stocks and crypto

4

StockAgent (2024)

LLM investor agents trade a simulated stock market under macro, policy and event shocks; avoids test-set leakage

© Tertiary Infotech Academy Pte Ltd

Stock-Trading Agent Frameworks (2 of 2)

1

QuantAgent (2025)

Price-driven multi-agent system for high-frequency trading: Indicator, Pattern, Trend and Risk agents

2

AI Hedge Fund (open source)

Investor-persona agents (e.g. Warren Buffett), a risk manager and a portfolio manager decide trades for chosen tickers

3

Agentic Trading Lab (Open-Finance-Lab)

Agent-run stock portfolios with backtests and paper trading through the Alpaca API

© Tertiary Infotech Academy Pte Ltd

Risks and Controls for AI Agents in Trading

	What goes wrong	Control
Hallucination	An LLM states a wrong earnings figure or invents a signal with confidence	Ground answers in tool or RAG data, log the reasoning, review unusual calls
Prompt injection	Malicious text in news, web pages or files hijacks the agent's instructions	Input and output guardrails, least-privilege API keys, no secrets in prompts
Overtrading and runaway loops	Agents trade too often or amplify each other, compounding losses	Order and position caps, daily-loss circuit breaker, kill switch
Model and backtest risk	Overfitting, look-ahead bias and regime change: strong backtests, weak live results	Walk-forward tests, paper trade first, monitor drift and costs
Accountability	Unclear who answers for an autonomous agent's trade or a vendor's AI	The firm stays accountable: human sign-off, audit trails, clear owners
Regulation (MAS)	FEAT principles (2018) and MAS AI Risk Management Guidelines (issued Oct 2026)	Board oversight, AI inventory, materiality assessment and lifecycle controls

© Tertiary Infotech Academy Pte Ltd

Forms of Data within Financial Services

1

Market data

OHLCV bars, quotes, trades, order-book depth — Alpaca serves bars, quotes, trades, news.

2

Reference & corporate actions

Symbols, calendars, splits, dividends — unadjusted splits fake a crash.

3

Fundamental & macro

Statements, ratios, earnings; rates, inflation, central-bank decisions.


4

Alternative data

News and social sentiment, web traffic, satellite, card spend, ESG.

© Tertiary Infotech Academy Pte Ltd

Unstructured Data in Practice — Headlines and Sentiment



Data > News & sentiment: headlines (unstructured text) are scored by a lexicon model and stored as one sentiment number per symbol per day - structured data a strategy can use.

© Tertiary Infotech Academy Pte Ltd

Big Data in Trading — the Four Vs

1

Volume

Tick data runs to billions of rows per year for one exchange.

2

Velocity

Streaming quotes and news arrive in milliseconds.

3

Variety

Prices, text, images, transcripts — structured and unstructured.

4

Veracity

Bad ticks, survivorship, restatements — verify before you trust.

© Tertiary Infotech Academy Pte Ltd

Big Data Applications

1

Execution analytics

Tick and quote data to measure and cut slippage.

2

Sentiment and event trading

News and social text scored by NLP and LLMs.

3

Regime detection

Cross-asset returns clustered into market states.

4

Surveillance and risk

Order and trade data scanned for market abuse; intraday risk.

© Tertiary Infotech Academy Pte Ltd

K1

Data Analytics and Modelling Use Cases

1

Signal generation

Find repeatable return — judged by out-of-sample, net Sharpe.

2

Execution

VWAP / TWAP / shortfall — judged by slippage in basis points.

3

Risk forecasting & sizing

Volatility and VaR models — judged by limit breaches.

4

Research at scale

LLMs read filings and news — judged by accuracy and hours saved.

© Tertiary Infotech Academy Pte Ltd

What Makes a Hypothesis Testable

1

Instrument and universe

e.g. SPY, daily bars, 2018 – 2025.

2

Signal and holding period

e.g. three down closes in a row; hold 5 days.

3

Expected effect and benchmark

Forward return exceeds the unconditional 5-day return.


4

Written BEFORE the test

H0, H1 and the significance level chosen first.

© Tertiary Infotech Academy Pte Ltd

A Testable Hypothesis in Practice



Research > Hypothesis test: H1 and H0 are written before the result, then tested with a Welch t-test, a bootstrap confidence interval and a minimum edge (Lab 4).

© Tertiary Infotech Academy Pte Ltd

Machine Learning Implementation Steps

1. Frame the problem and hypothesis
2. Collect and clean the data
3. Define target and features
4. Split by time; train and validate
5. Test out of sample
6. Paper trade, then review

A model that skips the out-of-sample test and the paper trade has not been tested.

© Tertiary Infotech Academy Pte Ltd

K5

Pipeline Skeleton, Configuration and the Alpaca Paper Account

LAB 01

Get the simulator running, decide between the offline demo and an Alpaca paper account, and check every integration's status.

WORKFLOW

1. Simulator: Load the demo data
2. Simulator: Check the integrations
3. Simulator: Check the AI agent login
4. Simulator: Read the market clock
5. Simulator: Tour the Pipeline Map


YOU'LL PRODUCE

A working app with demo data loaded, a verified Alpaca paper account or the simulator, and a known AI-agent brain.

Duration
20 min

© Tertiary Infotech Academy Pte Ltd

Lab 01 — In the Trading Simulator



Integrations: paste your Alpaca paper keys into the Alpaca card and press Save & test. Without keys every lab runs offline on the demo data and the built-in paper broker.

© Tertiary Infotech Academy Pte Ltd

A3 K5 K9

Data-Validation Stage: Cross-Check Pipeline Bars against TradingView

LAB 02

Prove the app's prices are right: compare its bars with TradingView's Data Window and explain adjusted vs unadjusted prices.

WORKFLOW

1. Simulator: Read TradingView's Data Window
2. Simulator: Compare with RAW and ADJUSTED bars
3. Simulator: Repeat for SGX:D05 (DBS)
4. Simulator: Inspect the chart

YOU'LL PRODUCE


A PASS / FAIL validation for SGX:D05 and NASDAQ:AAPL on 2025-12-31, with the dividend-adjustment factor explained.

Duration
20 min

© Tertiary Infotech Academy Pte Ltd

LAB 02 · SIMULATOR

Lab 02 — In the Trading Simulator



Course Labs > Lab 02 at http://localhost:8000 - Data > Validate vs TradingView (AAPL). Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

Ingestion Stage: Multi-Timeframe Bars, Headlines and Data Quality

LAB 03

Ingest bars from Alpaca / Twelve Data / yfinance (or the demo files), run the data-quality checks and score news sentiment.

WORKFLOW

1. Simulator: Fetch data
2. Simulator: Read the data-quality report
3. Simulator: Switch timeframes
4. Simulator: Headlines and sentiment

YOU'LL PRODUCE


A cached universe, a data-quality report and scored headlines with daily sentiment.

Duration
20 min

© Tertiary Infotech Academy Pte Ltd

LAB 03 · SIMULATOR

Lab 03 — In the Trading Simulator



Course Labs > Lab 03 at http://localhost:8000 - Data > Fetch AAPL. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

Lunch Break

1 hour · see you at 13:30

© Tertiary Infotech Academy Pte Ltd

A1 A6 K1

Hypothesis Stage: from a Written Card to an Automated Statistical Test

LAB 04

Write H0 and H1 before looking at results and test them with a Welch t-test and a bootstrap CI.

WORKFLOW

1. Simulator: Write the hypothesis card
2. Simulator: Run the test
3. Simulator: Robustness and multiple testing

YOU'LL PRODUCE


A decision (SUPPORTED / NOT SUPPORTED) with p-value, edge in bps and a robustness grid.

Duration
15 min

© Tertiary Infotech Academy Pte Ltd

LAB 04 · SIMULATOR

Lab 04 — In the Trading Simulator



Course Labs > Lab 04 at http://localhost:8000 - Research > Hypothesis (SPY, losing streak 3). Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

A1 A6 K1 K9

Topic 1 Recap

1

A1
Develop hypotheses for implementing data analytics and computational modelling activities

2

A6
Identify possible big data applications

3

K1
Data analytics and modelling business use cases

4

K9
Forms of data within financial services

© Tertiary Infotech Academy Pte Ltd

TOPIC 2

02

Indicators, Strategies and Metrics

LEARNING OUTCOME

Identify appropriate statistical algorithms and data models to test trading hypotheses, and use appropriate analytics platforms, analytical tools and statistical methods given specific analytics and reporting requirements.

Abilities A2, A3 · Knowledge K3, K5, K7 · Day 1 · Labs 5–9 · Assessed by PP Task 2 and WA Q3, Q5, Q7

© Tertiary Infotech Academy Pte Ltd

K3

Trend and Momentum Indicators

1

SMA / EMA

Average close over n bars; EMA weights recent bars by 2/(n+1).

2

MACD

EMA12 − EMA26 with a 9-EMA signal line; crosses flag momentum.

3

RSI (14)

100 − 100/(1+RS); above 70 overbought, below 30 oversold.


4

Donchian channel

Highest high / lowest low of n bars — the breakout level.

© Tertiary Infotech Academy Pte Ltd

Indicator: Moving Averages (SMA and EMA)



DEFINITION

The average closing price over the last n bars - a smoothed line that shows the trend. The EMA weights recent bars more, so it turns sooner.

FORMULA

SMA(n) = (C1 + C2 + ... + Cn) / n. EMA(t) = a x C(t) + (1 - a) x EMA(t-1), with a = 2 / (n + 1).

HOW TO READ IT

Price above a rising average = uptrend. The 50 / 200-day pair is the classic trend filter; EMA 20 tracks the short-term trend.


INSIGHT

Every average lags: the longer n, the smoother - and the later each signal. In sideways markets price whipsaws across it.

© Tertiary Infotech Academy Pte Ltd

K3

Indicator: MACD (Moving Average Convergence Divergence)



DEFINITION

A momentum-of-trend gauge: the gap between a fast and a slow EMA, with a signal line and a histogram that show whether momentum is growing.

FORMULA

MACD = EMA12(C) - EMA26(C). Signal = EMA9(MACD). Histogram = MACD - Signal.

HOW TO READ IT

MACD crossing above its signal line = momentum turning up; MACD above zero = the 12-day trend is above the 26-day trend.


INSIGHT

A shrinking histogram warns that a move is losing strength before price turns - but it is built from EMAs, so it lags and whipsaws in ranges.

© Tertiary Infotech Academy Pte Ltd

K3

Indicator: RSI (Relative Strength Index)



DEFINITION

An oscillator from 0 to 100 that compares the size of recent gains with recent losses - how stretched the latest move is.

FORMULA

RS = average gain / average loss over n bars (Wilder smoothing, n = 14). RSI = 100 - 100 / (1 + RS).

HOW TO READ IT

Above 70 = overbought, below 30 = oversold. Short look-backs such as RSI(2) are used for mean-reversion entries.

INSIGHT

In a strong trend RSI can stay above 70 for weeks: overbought is not a sell signal by itself. Test the thresholds - they are conventions.

© Tertiary Infotech Academy Pte Ltd

RSI(N): the Number Is the Look-back Period

	RSI(2) - short look-back	RSI(14) - Wilder's standard (1978)
Look-back	The last 2 bars (days on a daily chart)	The last 14 bars - about 3 trading weeks
Reacts to	1-2 day moves: fast and jumpy	Sustained moves: smooth and slower
How often extreme	Often: SPY RSI(2) < 10 on 9.6% of days	Rarely: SPY RSI(14) < 30 on 1.7% of days
Typical levels	Buy below 10, exit above 70 (simulator default)	Buy below 30, sell above 70
SPY, 10 Oct 2025 (-2.7% after a -0.3% day)	5.8 - deeply oversold: the RSI(2) rule buys	42.5 - neutral: no signal
Next trading day, 13 Oct	SPY +1.5% - the bounce is captured	No trade
Simulator strategy	RSI(2) mean reversion (Connors style)	RSI oversold / overbought

© Tertiary Infotech Academy Pte Ltd

The Number in Brackets Is Always the Look-back

1

RSI(N) formula

RS = average gain / average loss over the last N bars; RSI = 100 - 100 / (1 + RS). Mostly up days: near 100. Mostly down: near 0. Equal: 50.

2

SMA(50) and EMA(20)

SMA(50): average of the last 50 closes. EMA(20): exponential average over about 20 bars, weighting recent bars more.

3

Bollinger(20, 2) and ATR(14)

Bollinger: 20-day average with bands 2 standard deviations away. ATR(14): average true range over 14 bars.

4


Where to change N

TradingView: the indicator's Settings > Inputs > Length. Simulator: the strategy's parameter (e.g. RSI length n) before you backtest.

© Tertiary Infotech Academy Pte Ltd

K3

Indicator: Donchian Channel



DEFINITION

A channel drawn through the highest high and the lowest low of the last n bars - the levels a breakout must clear.

FORMULA

Upper(n) = max(High, last n bars). Lower(n) = min(Low, last n bars). Classic n = 20 (the Turtle traders used 20 and 55).

HOW TO READ IT

A close above the prior upper band = upside breakout; exit on a break of a shorter (e.g. 10-day) low.

INSIGHT

Breakout systems win rarely but big. Compare today's close with the channel up to YESTERDAY - including today's high is look-ahead.

© Tertiary Infotech Academy Pte Ltd

K3

Volatility and Volume Indicators

1

Bollinger Bands

SMA20 ± 2 standard deviations; width tracks volatility.

2

ATR (14)

Average true range — position sizing and volatility stops.

3

VWAP

Volume-weighted average price — the execution benchmark.


4

OBV

Adds volume on up days, subtracts on down days.

© Tertiary Infotech Academy Pte Ltd

Indicator: Bollinger Bands



DEFINITION

A moving average with bands set a number of standard deviations above and below it, so the bands widen and narrow with volatility.

FORMULA

Middle = SMA20(C). Upper / Lower = Middle +/- 2 x StDev20(C). %B = (C - Lower) / (Upper - Lower).

HOW TO READ IT

Mean reversion: buy a close below the lower band, exit at the middle. A 'squeeze' (narrow bands) often comes before a big move.


INSIGHT

Returns are not normal: closes fall outside the bands far more often than the 5% a normal curve implies. In a trend, 'oversold' keeps falling.

© Tertiary Infotech Academy Pte Ltd

K3

Indicator: ATR (Average True Range)



DEFINITION

The average size of a day's price range, including overnight gaps - a volatility ruler in price units.

FORMULA

TR = max(H - L, |H - previous C|, |L - previous C|). ATR = average of TR over n bars (Wilder smoothing, n = 14).

HOW TO READ IT

Set stops at 2-3 x ATR and size positions as risk budget / (k x ATR), so every trade carries similar risk.


INSIGHT

ATR says how far, not which way. Compare instruments with ATR as a % of price, since ATR rises with the price level.

© Tertiary Infotech Academy Pte Ltd

K3

Indicator: VWAP (Volume-Weighted Average Price)



DEFINITION

The average price paid during the session, weighted by the volume traded at each price. It resets at every session open.

FORMULA

Typical price P = (H + L + C) / 3. VWAP = sum(P x Volume) / sum(Volume), summed from the session open.

HOW TO READ IT

The execution benchmark: buying below VWAP is a good fill. Intraday traders read price above VWAP as buyers in control.


INSIGHT

Institutions judge execution algorithms against VWAP. It needs intraday data - on daily bars it is only an approximation.

© Tertiary Infotech Academy Pte Ltd

K3

Indicator: OBV (On-Balance Volume)



DEFINITION

A running total of volume that adds a day's volume when the close rises and subtracts it when the close falls.

FORMULA

OBV(t) = OBV(t-1) + Volume(t) if C(t) > C(t-1); - Volume(t) if C(t) < C(t-1); unchanged if equal.

HOW TO READ IT

A rising OBV confirms an up-trend; OBV making new highs before price is read as accumulation. Read the slope, not the level.

INSIGHT

Volume shows the conviction behind a move. An OBV that falls while price rises (divergence) is a warning, not a signal on its own.

© Tertiary Infotech Academy Pte Ltd

Matching the Method to the Hypothesis

1

'Does the signal beat the benchmark?'

Backtest + t-test or bootstrap on returns.

2

'Will tomorrow be up?'

Classifier: logistic regression, random forest, XGBoost.

3

'What state is the market in?'

Clustering: K-means on return and volatility features.

4

'Which parameters?'

Grid search in-sample, confirm out-of-sample.

© Tertiary Infotech Academy Pte Ltd

Coding Languages for Algorithms and Signals

1

Pine Script v6

//@version=6 · ta.ema · ta.crossover · strategy.entry.

2

Python

Signals as pandas Series of +1 / 0 / −1 aligned to bars.

3

C++ / Java

Low-latency execution engines and exchange gateways.

4

R, SQL, MQL

Statistics, data stores, MetaTrader expert advisors.

© Tertiary Infotech Academy Pte Ltd

Order Types and Time in Force

1

Market and limit

Certainty of fill versus control of price.

2

Stop, stop-limit, trailing stop

Trigger on a price; protect or enter on breaks.

3

Bracket / OCO / OTO

Entry with attached take-profit and stop-loss.

4

day · gtc · opg · cls · ioc · fok

How long an order stays working.

© Tertiary Infotech Academy Pte Ltd

K3

Performance and Risk Metrics

1

Return

Total return · CAGR = (end/start)^(1/years) − 1.

2

Risk

Volatility = σ(daily) × √252 · maximum drawdown.

3

Risk-adjusted

Sharpe · Sortino · Calmar = CAGR / |MaxDD|.

4


Trade quality

Win rate · profit factor · expectancy · turnover · exposure.

© Tertiary Infotech Academy Pte Ltd

K3

Metric: Sharpe Ratio



DEFINITION

Return earned per unit of risk taken: the average excess return divided by its volatility, annualised.

FORMULA

Sharpe = (mean daily return - daily risk-free rate) / std of daily returns x sqrt(252).

HOW TO READ IT

Below 0.5 weak, about 1 good, above 2 rare for a daily strategy - check for errors. Always compare with buy-and-hold over the same period.


INSIGHT

Volatility counts as risk whether it is up or down, and a short or costless backtest inflates it - 2020 returned 18% but at 33% volatility, a Sharpe of only 0.67.

© Tertiary Infotech Academy Pte Ltd

K3

Metric: Maximum Drawdown



DEFINITION

The largest fall of the equity curve from a previous peak to a later low - the worst loss an investor would have lived through before a new high.

FORMULA

Drawdown(t) = equity(t) / running peak(t) - 1. Max drawdown = the most negative drawdown over the period.

HOW TO READ IT

A -20% drawdown needs +25% to recover; -50% needs +100%. Compare with buy-and-hold and with the loss the investor can tolerate.

INSIGHT

One path-dependent number: it does not say how long recovery took, and a short backtest may simply miss a bad period. SPY 2018-2025: -33.7% in five weeks of 2020.

© Tertiary Infotech Academy Pte Ltd

K3

Classification of Trading Algorithms by Purpose

	Purpose	Examples
Execution algorithms	Work a large order at low cost and market impact	VWAP, TWAP, POV, implementation shortfall, iceberg, smart order routing
Market making	Quote bids and offers, earn the spread, manage inventory	Passive market making with resting limit orders
Arbitrage	Capture mispricing between related products or markets	ETF versus its basket, index futures versus stocks
Directional / alpha	Take a view on the direction of price	Trend following, momentum, breakout, mean reversion, news
Statistical arbitrage and pairs	Hedged: long one asset, short a related one; trade the spread	Pairs trading, cointegration, market-neutral baskets
Factor and portfolio	Build and rebalance portfolios from return drivers and risk	Value, momentum, size factors; mean-variance optimisation
Hedging and risk	Offset unwanted exposure and enforce limits	Delta hedging, beta hedging, pairs hedge, kill switch

© Tertiary Infotech Academy Pte Ltd

K3

SEC Classification of High-Frequency Strategies (2010)

1

Passive market making

Submits non-marketable resting bids and offers that provide liquidity at specified prices

2

Arbitrage

Captures pricing inefficiencies between related products or markets, e.g. an ETF and its basket

3

Structural

Exploits structural vulnerabilities in the market or its participants, e.g. stale quotes via faster data

4

Directional

Takes a short-term position anticipating an intraday price move in a particular direction

© Tertiary Infotech Academy Pte Ltd

Classification by Holding Period

	Horizon	Typical algorithms
High-frequency	Microseconds to seconds	Market making, ETF and latency arbitrage
Intraday	Minutes to hours	VWAP / TWAP execution, intraday momentum
Swing	Days to weeks	Mean reversion, pairs trading
Position	Weeks to months	Trend following, factor portfolios

© Tertiary Infotech Academy Pte Ltd

Classification by Model Type

1. **Rule-based**
   Fixed if-then rules on indicators, e.g. a moving-average crossover

2. **Statistical**
   Econometric tests and models: cointegration, regression, t-tests

3. **Machine learning**
   Models learn from labelled data: logistic regression, random forest, XGBoost

4. **Reinforcement learning**
   Learns a policy from rewards, e.g. order-execution research

5. **LLM and agentic**
   Language models read text and agents plan, code and act under limits

© Tertiary Infotech Academy Pte Ltd

K3

Long and Short Positions

	Long	Short
What you hold	Shares you own	Shares you borrowed and sold - you owe them back
Opening trade	Buy	Sell (the borrowed shares)
Closing trade	Sell	Buy back ('buy to cover') and return the shares
You profit when	The price rises	The price falls
Example	Buy SPY at $500, sell at $550: +$50	Sell SPY at $500, buy back at $450: +$50
Maximum loss	What you paid - a price cannot go below $0	Unlimited - a price can keep rising
Extra requirements	Only the cash to pay for the shares	A margin account (Alpaca: $2,000+ equity); borrow fees on hard-to-borrow stocks (Alpaca: $0 on easy-to-borrow)

© Tertiary Infotech Academy Pte Ltd

K3

Long and Short in Practice

1

'Long = buy, short = sell' is shorthand

Opening a long is a buy; opening a short is a sell. Selling shares you already own only closes the long - you go flat, not short.

2

Pine Script (TradingView)

strategy.entry("Long", strategy.long) opens a buy; strategy.close("Long") sells back to flat; strategy.short opens a short.

3

Trading Simulator

Most strategies are long-only: buy, then sell back to cash. 'RSI oversold / overbought' has an allow_short option that goes short above RSI 70.

4

Pairs trading (Lab 14)

Long the cheap stock and short the rich one at the same time: the trade profits from the gap closing, whichever way the market moves.

© Tertiary Infotech Academy Pte Ltd

K3

Strategy Families at a Glance (1 of 2)

1

Trend following

Rides sustained moves in the direction of the trend; cuts losers quickly - e.g. Buy when the 50-day moving average crosses above the 200-day

2

Mean reversion

Bets that prices stretched far from their average will snap back - e.g. Buy when price closes below the lower Bollinger Band (20-day, 2 std dev)

3

Momentum and breakout

Buys recent winners or prices breaking out of a range, expecting them to keep going - e.g. Buy on a close above the 20-day high (Donchian channel breakout)

4

Statistical / pairs arbitrage

Trades the spread between two related assets when it drifts from its normal level - e.g. Short the rich leg, buy the cheap leg when the spread z-score exceeds 2

© Tertiary Infotech Academy Pte Ltd

K3

Strategy Families at a Glance (2 of 2)

1

Execution algorithms

Split a large order to minimise cost and market impact: VWAP, TWAP, POV, implementation shortfall - e.g. POV: trade 10% of market volume until the order is filled

2

Market making

Continuously quotes buy and sell prices, earning the spread while managing inventory - e.g. Quote bid and ask around mid-price; skew quotes as inventory builds

3

Index rebalancing / event-driven

Trades predictable flows around index changes, earnings and corporate events - e.g. Position ahead of announced index inclusions on the rebalance date

4

Sentiment / NLP

Turns news, filings and social media text into trading signals using NLP or LLMs - e.g. Go long when the average FinBERT headline sentiment is strongly positive

© Tertiary Infotech Academy Pte Ltd

Strategy Family: Trend Following

The idea

Prices that have started to move tend to keep moving. Buy when a fast average is above a slow one (or price is above its 200-day average); exit when the trend turns.

When it works

Long, persistent moves - bull or bear markets, macro trends lasting months. A few big winners pay for many small losses.

When it will not work

Sideways, choppy markets: price crosses the averages again and again (whipsaws), every crossing costs money, and signals arrive late at turns.

Lab 7: EMA 20/50 on SPY

© Tertiary Infotech Academy Pte Ltd

Strategy Family: Mean Reversion

The idea

Like a rubber band, short-term over-reactions snap back. Buy when price is stretched below its normal range (lower Bollinger Band, RSI(2) below 10) and sell when it returns to the average.

When it works

Range-bound, liquid markets and stable large stocks, where extremes tend to snap back within days.

When it will not work

A real trend or a news shock: 'cheap' keeps getting cheaper. A high win rate hides rare large losses - as in March 2020.

Lab 7: Bollinger 20 / k = 2.0 and 1.5 on KO

© Tertiary Infotech Academy Pte Ltd

Mean Reversion Rules in the Simulator

	Buy when 'too low'	Exit
Bollinger Band mean reversion	Close below the lower band (20-day mean - 2 standard deviations)	Price returns to the middle band (the 20-day mean)
RSI oversold / overbought	RSI(14) below 30 - oversold	RSI(14) above 70 - overbought
RSI(2) mean reversion	RSI(2) below 10 - a sharp 1-2 day drop	RSI(2) above 70 - the bounce
Dip buy after a losing streak	3 or more down closes in a row (the Lab 4 hypothesis)	After the holding horizon, e.g. the next day

© Tertiary Infotech Academy Pte Ltd

Mean Reversion versus Trend Following

	Mean reversion	Trend following / momentum
Belief	Extremes snap back to the average	What is moving keeps moving
After a big drop	Buy	Sell or stay out
Works best in	Range-bound, sideways markets	Strongly trending markets
Typical horizon	Short: days	Longer: weeks to months
Win rate	High - many small wins	Low - few but large wins
Main danger	A rare big loss when the dip becomes a crash	Many small losses in choppy markets

© Tertiary Infotech Academy Pte Ltd

Mean Reversion: the Main Risk and Three Safeguards

The risk

The rule assumes the average holds. After a real change - a crash, bad news, a broken business - price does not come back: buying the dip becomes catching a falling knife.

1 Stop-loss or time limit

Cap the rare big loss: exit at a fixed loss, or after n days if the bounce has not come.

2 Trend filter

Only buy dips while price is above its 200-day SMA, so you are not buying into a bear market.

3 Stable markets

Liquid, defensive stocks such as KO, and pairs trading (Lab 14: the spread between two linked stocks) revert more reliably.

Lab 7: Bollinger on KO - high win rate, but losses larger than wins: many small wins, rare big losses.

© Tertiary Infotech Academy Pte Ltd

Strategy Family: Momentum

The idea

Winners keep winning for months. Buy what has risen over the last 6-12 months (time-series) or what has risen most among its peers (cross-sectional).

When it works

Persistent market or sector themes, spread across many assets and rebalanced regularly.

When it will not work

Sharp reversals - 'momentum crashes' such as the 2009 rebound, when last year's losers rally hardest - and choppy markets that churn the portfolio.

Lab 7: 126-day time-series momentum on QQQ

© Tertiary Infotech Academy Pte Ltd

Strategy Family: Breakout

The idea

A close above the recent range (for example the 20-day high, the Donchian channel) signals the start of a new move: buy the breakout, exit on a shorter low.

When it works

Volatility expanding after a quiet period and a new trend starting - indices and commodities in strong regimes.

When it will not work

False breakouts in a range: price pokes above the high and falls back. A low win rate, so exits must be disciplined and costs kept low.

Lab 7: Donchian 20 / 10 on QQQ

© Tertiary Infotech Academy Pte Ltd

TOPIC 2 · HOW THE ALGORITHMS WORK


Concepts over code

Every algorithm below is coded for you - by the simulator or an AI assistant. Learn what it does, when it works and what can go wrong; let AI handle the syntax.

© Tertiary Infotech Academy Pte Ltd

K3

Algorithm: Moving-Average Crossover (Trend Following)



HOW IT WORKS

Two moving averages of the close: a fast one reacts quickly, a slow one shows the trend.

RULE

Fast crosses ABOVE slow (golden cross): buy. Fast crosses BELOW (death cross): sell or go flat.

WORKS BEST WHEN

Markets trend for months - it rides the move and cuts losers when the trend turns.


WATCH OUT FOR

Whipsaws in sideways markets; signals lag; trade on the next bar, not the crossing bar.

© Tertiary Infotech Academy Pte Ltd

K3

Algorithm: Bollinger Band Mean Reversion



HOW IT WORKS

Bands = 20-day mean +/- 2 standard deviations. A close outside the band is 'stretched'.

RULE

Close below the lower band: buy. Exit when the price returns to the middle band (the mean).

WORKS BEST WHEN

Range-bound markets where over-reactions snap back, e.g. a defensive stock such as KO.


WATCH OUT FOR

Strong trends keep 'stretching' - add a stop-loss or a trend filter; many small wins, rare big losses.

© Tertiary Infotech Academy Pte Ltd

K3

Algorithm: RSI and MACD Momentum Oscillators



HOW IT WORKS

RSI = 100 - 100/(1+RS), RS = average gain / average loss over 14 bars. MACD = EMA12 - EMA26.

RULE

RSI < 30 oversold / > 70 overbought. MACD crossing above its 9-EMA signal line = momentum buy.

WORKS BEST WHEN

As filters or confirmation for a trend or mean-reversion rule, not as stand-alone predictors.

WATCH OUT FOR

Oscillators can stay overbought in strong trends; RSI and MACD are highly correlated with price.

© Tertiary Infotech Academy Pte Ltd

K3

Algorithm: Cross-Sectional Momentum



HOW IT WORKS

Rank a universe by past return (e.g. 12 months, skipping the last month) each month.

RULE

Hold the top-ranked assets, avoid or short the bottom-ranked; rebalance monthly.

WORKS BEST WHEN

Information spreads slowly and winners keep winning for several months.


WATCH OUT FOR

Sharp 'momentum crashes' when markets reverse; turnover costs at every rebalance.

© Tertiary Infotech Academy Pte Ltd

K3

Algorithm: Donchian Channel Breakout



HOW IT WORKS

Track the highest high and lowest low of the last n bars (n = 20 here).

RULE

Close above the 20-day high: buy the breakout. Exit below the 20-day low (or a trailing stop).

WORKS BEST WHEN

New trends start with a break of a range - the rule used by the 1980s 'Turtle Traders'.


WATCH OUT FOR

False breakouts in choppy markets; the channel must use PREVIOUS bars only (no look-ahead).

© Tertiary Infotech Academy Pte Ltd

K3

Algorithm: VWAP and TWAP Execution



HOW IT WORKS

Split a large parent order into child orders through the day to reduce market impact.

RULE

TWAP: equal slices per time interval. VWAP: slices proportional to the typical volume curve.

WORKS BEST WHEN

Working client or fund orders too large to trade at once; benchmarked to the day's VWAP.


WATCH OUT FOR

VWAP relies on a volume forecast; both are predictable to other traders - add randomisation.

© Tertiary Infotech Academy Pte Ltd

K3

Algorithm: Market Making



HOW IT WORKS

Quote a bid below and an ask above the mid price at the same time.

RULE

Earn the spread when both sides fill; skew quotes down when long, up when short, to cut inventory.

WORKS BEST WHEN

Liquid markets with steady two-way flow - the business of quant market makers.

WATCH OUT FOR

Adverse selection by better-informed traders; inventory risk in fast moves; needs low latency.

© Tertiary Infotech Academy Pte Ltd

TradingView versus Alpaca

	TradingView	Alpaca
What it is	Charting and strategy-design platform	API-first US broker for automated trading
Markets	Global charts incl. SGX, US, FX, crypto	US stocks and ETFs, options, crypto
Strategy design	Pine Script v6 indicators and strategies	Through the API - in this course the Trading Simulator does it for you
Backtesting	Strategy Tester (simplified costs and fills)	None built in - the Trading Simulator runs the cost-aware backtest
Paper trading	Built-in Paper Trading account from the chart	Paper account mirroring the live API
Automation	Alerts; webhooks on paid plans	Trading API: orders, positions, clock; 24/5 trading
Data	Charts and Data Window	Market Data API: bars, quotes, trades, news (IEX free)
Machine learning	Not supported	Through code - in this course the Trading Simulator has built-in logistic regression, random forest and XGBoost
Best used for	Designing, visualising and first-testing a rule	Executing and forward-testing it automatically

© Tertiary Infotech Academy Pte Ltd

Paper Trading on TradingView, Step by Step

Full step-by-step guide: Learner Guide, 'Platform Guides'.

1. Supercharts > Trade > Paper Trading > Connect
2. Set starting capital and commission
3. Order ticket: side, quantity, Market / Limit / Stop
4. Add stop loss and take profit; place order
5. Track Positions, Orders, Account History
6. Close the position; reset when done

Paper fills use TradingView's prices but cannot show your own market impact - compare them with the backtest's assumed costs.

© Tertiary Infotech Academy Pte Ltd

Paper Trading on Alpaca, Step by Step - Manual and Automated

Full step-by-step guide: Learner Guide, 'Platform Guides'.


1. Dashboard: Paper account > search SPY > Buy
2. Watch Orders: new > accepted > filled
3. Outside US hours: extended-hours LIMIT orders
4. Simulator: Paper Trading > Order ticket
5. Simulator: + New bot > Start
6. Check dashboard; kill switch to stop

From Singapore the US regular session is 21:30-04:00 (22:30-05:00 in northern winter); class-time orders use Alpaca's 24/5 extended-hours limit orders.

© Tertiary Infotech Academy Pte Ltd

The Order Lifecycle

A program must read the status — never assume a fill.



Bracket orders protect a position even if your program stops running.

© Tertiary Infotech Academy Pte Ltd

From Idea to Tested Rule on TradingView

1. Chart the instrument and timeframe
2. Add indicators (Pine)
3. Paste the exported strategy() script
4. Set commission and slippage
5. Read the Strategy Tester
6. Compare with buy-and-hold

The Strategy Tester is a first filter; the full test with costs runs in the Trading Simulator.

© Tertiary Infotech Academy Pte Ltd

A3 K3 K7

Indicator Stage: Pine Script v6 Indicators and their Python Twins

LAB 05

Plot SMA/EMA, Bollinger Bands, RSI and MACD and export a Pine Script v6 strategy for TradingView.

WORKFLOW

1. Simulator: Overlay trend indicators
2. Simulator: Oscillators
3. Simulator: Export Pine Script v6

YOU'LL PRODUCE


A chart with overlays and an oscillator pane, and a Pine Script pasted into TradingView whose values match.

Duration
25 min

© Tertiary Infotech Academy Pte Ltd

LAB 05 · SIMULATOR


Lab 05 — In the Trading Simulator



Course Labs > Lab 05 at http://localhost:8000 - Data > Chart SPY with SMA 50/200 and Bollinger. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

Lab 05 — The Exported Strategy in TradingView



The EMA crossover exported from the simulator as Pine Script v6, pasted into TradingView's Pine Editor and added to the SPY chart: the Strategy Tester reports PnL, drawdown and profitable trades to compare with the simulator's backtest.

© Tertiary Infotech Academy Pte Ltd

TOPIC 2 · HANDS-ON LAB

A2 A3 K3 K7

Strategy Prototype: TradingView Strategy Tester, Paper Trading from the Chart and Pipeline Reconciliation

LAB 06

Run the same MA-crossover in TradingView's Strategy Tester and in the app, reconcile the results, and try TradingView Paper Trading.

WORKFLOW

1. Simulator: Backtest the SMA 50/200 crossover in the app
2. Simulator: Run it in TradingView
3. Simulator: Reconcile and paper trade on TradingView


YOU'LL PRODUCE

Trade counts and net profit that agree within the expected differences (fills, costs, data).

Duration
30 min

© Tertiary Infotech Academy Pte Ltd


Lab 06 — In the Trading Simulator



Course Labs > Lab 06 at http://localhost:8000 - Backtest SPY SMA 50/200, Alpaca costs. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

Lab 06 — The SMA 50/200 Backtest in the Simulator



Backtest: SMA crossover 50/200 on SPY with Alpaca commission-free costs and next-bar-open fills - return, CAGR, Sharpe, drawdown and trades beside buy-and-hold, ready to reconcile with TradingView's Strategy Tester.

© Tertiary Infotech Academy Pte Ltd

Tea Break

15 minutes · see you at 15:40

© Tertiary Infotech Academy Pte Ltd

A2 K3 K7

Signal Stage: a Library of Trend, Mean-Reversion, Momentum and Breakout Signals

LAB 07

Pick and customise one strategy from each family and compare them after costs.

WORKFLOW

1. Simulator: Trend: EMA 20/50 on SPY
2. Simulator: Mean reversion: Bollinger on KO
3. Simulator: Momentum and breakout
4. Simulator: Read each strategy's explanation

YOU'LL PRODUCE


Four backtests with tuned parameters and an explanation of when each family works.

Duration
25 min

© Tertiary Infotech Academy Pte Ltd

LAB 07 · SIMULATOR


Lab 07 — In the Trading Simulator



Course Labs > Lab 07 at http://localhost:8000 - Backtest SPY EMA 20/50, Alpaca costs. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

Lab 07 — Mean Reversion in TradingView, with Paper Trading



Bollinger Bands mean reversion (20, 2) on SPY with TradingView Paper Trading's order panel open. It lost 7.87% since 1993 though 59% of trades won: buying dips in a trending index hurts, so the lab runs it on KO.

© Tertiary Infotech Academy Pte Ltd

A3 K5

Execution Stage: an Order Manager that Trades the Paper Account in Any Session

LAB 08

Place market, limit, stop and bracket paper orders, including an extended-hours limit order, and follow each order's lifecycle.

WORKFLOW

1. Simulator: Market order in the regular session
2. Simulator: Extended-hours limit order (Singapore class hours)
3. Simulator: Bracket order
4. Simulator: Queue while closed and cancel

YOU'LL PRODUCE


A blotter with filled, working, queued and cancelled orders and the risk checks for each.

Duration
30 min

© Tertiary Infotech Academy Pte Ltd

LAB 08 · SIMULATOR


Lab 08 — In the Trading Simulator



Course Labs > Lab 08 at http://localhost:8000 - Paper Trading > Order ticket. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

Lab 08 — The Paper Order Ticket




Paper Trading > Order ticket: buy 10 SPY, type auto (session-aware), time in force day, default paper account, Session (sim) = real clock. The banner shows the live session - here REGULAR, so all order types are accepted.

© Tertiary Infotech Academy Pte Ltd

LAB 08 · SIMULATOR

Lab 08 — Risk Checks Passed, Order Filled



After Send paper order: ACCEPTED, all checks passed - BUY 10 SPY MARKET DAY -> filled. Every manual order passes the same pre-trade checks as the bots: kill switch, duplicate, session, allow list, long only, daily loss, max order quantity and value, max position.

© Tertiary Infotech Academy Pte Ltd

A3 K3

Evaluation Stage: Performance and Risk Metrics with a Benchmark Table

LAB 09

Read the full metrics table and compare a strategy with buy-and-hold.

WORKFLOW

1. Simulator: Open the analytics
2. Simulator: Compare with buy-and-hold
3. Simulator: Glossary

YOU'LL PRODUCE


A metrics table you can explain line by line.

Duration
25 min

© Tertiary Infotech Academy Pte Ltd

LAB 09 · SIMULATOR


Lab 09 — In the Trading Simulator



Course Labs > Lab 09 at http://localhost:8000 - Analytics. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

Lab 09 — Strategy versus Benchmark in Analytics



Performance Analytics for the SMA 50/200 backtest against SPY buy-and-hold: 79.71% versus 187.26% total return, Sharpe 0.55 versus 0.78 and the same -33.72% maximum drawdown, with drawdown, rolling Sharpe and monthly returns. Hover any metric for its definition.

© Tertiary Infotech Academy Pte Ltd

A2 A3 K3 K5 K7

Topic 2 Recap

1. **A2**
   Identify appropriate statistical algorithms and data models to test hypotheses and/or theories

2. **A3**
   Use appropriate analytics platforms, analytical tools, statistical methods and analytical approaches given specific analytics and reporting requirements

3. **K3**
   Range and application of various statistical methods and algorithms

4. **K5**
   Usage of analytics platforms and tools

5. **K7**
   Coding languages for programming of algorithms and signals

© Tertiary Infotech Academy Pte Ltd

End of Day 1

See you at 09:00 tomorrow

© Tertiary Infotech Academy Pte Ltd

TOPIC 3

03

ML Models and A/B Testing

LEARNING OUTCOME

Conduct statistical modelling of market data with machine learning models to derive patterns and solutions, and perform A/B testing of trading strategies based on different hypotheses.

Abilities A4, A5 · Knowledge K2, K4, K6 · Day 2 · Labs 10–14 · Assessed by PP Task 3 and WA Q2, Q4, Q6

© Tertiary Infotech Academy Pte Ltd

K2

Types of Statistical Analyses

1

Descriptive

What happened — mean return, volatility, skew, correlation.

2

Inferential

Is it real? — t-test, bootstrap, confidence intervals.

3

Predictive

What next? — regression, classification.

4

Prescriptive

What to do? — optimisation, position sizing.

© Tertiary Infotech Academy Pte Ltd

K2

Families of Learning Algorithms

1

Supervised

Features → known target: up/down, next return.

2

Unsupervised

Structure without a target: regimes, PCA factors.

3

Reinforcement

Learn a policy from rewards — execution research.

4

Search & simulation

Grid search, Monte Carlo, bootstrap, walk-forward.

© Tertiary Infotech Academy Pte Ltd

Supervised Models for Trading Signals

1

Linear / logistic regression

Interpretable baselines; P(up) from a weighted sum.

2

Decision tree & random forest

Threshold splits; averaged trees reduce variance.

3

XGBoost

Sequential boosted trees — strongest on tabular features.

4

Neural networks

MLP, LSTM, Transformer — data-hungry, easy to overfit.

© Tertiary Infotech Academy Pte Ltd

Unsupervised Models for Regimes

1

K-means

Minimise within-cluster variance; choose k by elbow or silhouette.

2

Hierarchical clustering

Dendrogram of similar assets for diversification.

3

PCA

First component ≈ the market; yield curve = level, slope, curvature.

4

Fit on the past only

Assign new days to regimes as they arrive.

© Tertiary Infotech Academy Pte Ltd

Statistical Modelling Techniques

1

Returns, not prices

Closer to stationary; avoids spurious regression.

2

Time-ordered validation

TimeSeriesSplit and walk-forward — never shuffle.

3

Leak-free features

Lags and rolling windows known at decision time.

4

Regularise

L1/L2, depth limits, early stopping, fewer features.

© Tertiary Infotech Academy Pte Ltd

A/B Testing Two Strategy Variants

1

State H0 and H1 first

H0: equal mean returns; H1: B is higher. α = 5%.

2

Welch's t-test

Compare mean daily returns with unequal variances.

3

Bootstrap the Sharpe difference

Resample returns; 95% CI excluding 0?

4


Mind multiple testing

100 variants → ~5 false 'winners' by chance.

© Tertiary Infotech Academy Pte Ltd

K4

Algorithm: Logistic Regression for Direction



HOW IT WORKS

Fits P(up tomorrow) = 1 / (1 + e^-(b0 + b1 x1 + ...)) from features known today.

RULE

Go long when P(up) exceeds a threshold such as 0.55; otherwise stay flat.

WORKS BEST WHEN

A transparent baseline: each coefficient shows how a feature moves the probability.

WATCH OUT FOR


Only linear effects unless you engineer features; daily direction is close to a coin toss.

© Tertiary Infotech Academy Pte Ltd

K4

Algorithm: Decision Tree and Random Forest

Decision tree (depth 2) on SPY: split on feature thresholds; a random forest averages many such trees



HOW IT WORKS

A tree splits the data on feature thresholds (e.g. RSI < 30) into leaves with an up/down share.

RULE

A random forest averages hundreds of trees, each grown on a random sample of rows and features.

WORKS BEST WHEN

Non-linear, interacting signals - e.g. oversold AND low volatility.


WATCH OUT FOR

Deep trees memorise noise; limit depth and leaf size and validate walk-forward.

© Tertiary Infotech Academy Pte Ltd

K4

Algorithm: Gradient Boosting (XGBoost)



HOW IT WORKS

Builds trees one after another; each new tree corrects the errors of the ensemble so far.

RULE

Prediction = sum of many small trees x learning rate; stop early when test loss stops falling.

WORKS BEST WHEN

Tabular features such as returns, indicators and volatility - usually the strongest model.


WATCH OUT FOR

Training loss keeps falling while test loss rises: classic overfitting (see the chart).

© Tertiary Infotech Academy Pte Ltd

K4

Algorithm: K-Means Clustering for Market Regimes



HOW IT WORKS

Groups days into k clusters by minimising the distance of each day to its cluster centre.

RULE

Features: rolling return and volatility (standardised). Name clusters by their averages.

WORKS BEST WHEN

Switching or sizing strategies by regime: trend in calm markets, cut risk when stressed.


WATCH OUT FOR

Fit on past data only; choose k with the elbow or silhouette method; regimes shift.

© Tertiary Infotech Academy Pte Ltd

K4

Algorithm: Principal Component Analysis (PCA)



HOW IT WORKS

Finds uncorrelated combinations of assets that explain the most variance of returns.

RULE

PC1 of a stock universe is 'the market'; later PCs are sector or style factors.

WORKS BEST WHEN

Reducing many correlated features; building factor-neutral and pairs portfolios.


WATCH OUT FOR

Standardise first; components change over time; PCs are statistical, not economic, factors.

© Tertiary Infotech Academy Pte Ltd

K6

Method: Walk-Forward Validation



HOW IT WORKS

Train on a past window, test on the next unseen block, then roll forward and repeat.

RULE

Never shuffle time series; each test block is genuinely out of sample.

WORKS BEST WHEN

Estimating how a model or parameter set would really have performed live.


WATCH OUT FOR

Overlapping targets leak information - leave a gap between train and test.

© Tertiary Infotech Academy Pte Ltd

A5

Method: A/B Testing Two Strategy Variants



HOW IT WORKS

Compare variant A and B on the same days: H0 'no difference' vs H1 'B is better'.

RULE

Welch / paired t-test on daily returns; bootstrap a 95% CI of the Sharpe difference.

WORKS BEST WHEN

Deciding which parameter set or filter to promote to paper trading.

WATCH OUT FOR

If the CI contains 0, do not reject H0; testing 100 variants gives ~5 false winners.

© Tertiary Infotech Academy Pte Ltd

From Probability to Position

1. Build leak-free features
2. Train on past window
3. Predict P(up) for tomorrow
4. Long if P(up) > 0.55, else flat
5. Backtest net of costs

Judge the model by the net-of-cost strategy, not by accuracy alone.

© Tertiary Infotech Academy Pte Ltd

Pairs Trading: a Hedging Algorithm

1

Why it is a hedge

Long the cheap stock, short the rich one in hedge-ratio proportion: market moves largely cancel

2

Choose the pair

Economically linked stocks (e.g. KO and PEP) that are cointegrated, not merely correlated

3

Hedge ratio and spread

Regress log price A on log price B: slope = hedge ratio, residual = the spread (Engle-Granger)

4

Test the spread

ADF test on the residual: a stationary spread tends to revert to its mean

5

Trade the z-score

Enter when $|z| > 2$, exit as z returns towards 0; trade both legs on the next bar

6

Risks

Cointegration breaks, hedge ratio drifts, double costs, short-borrow, multiple testing

© Tertiary Infotech Academy Pte Ltd


The Pairs-Trading Algorithm Step by Step

1. Select an economically linked pair
2. Estimate the hedge ratio (OLS)
3. Test cointegration (ADF on residual)
4. Compute the spread z-score
5. Enter / exit both legs
6. Monitor and re-test

Gatev, Goetzmann and Rouwenhorst (2006): a simple pairs rule on US stocks earned average annualised excess returns of up to 11% (1962-2002); later studies find smaller and less consistent profits.

© Tertiary Infotech Academy Pte Ltd

Algorithm: Pairs Trading (Hedged Statistical Arbitrage)



HOW IT WORKS

Long one stock, short a cointegrated partner in hedge-ratio proportion: market moves cancel.

RULE

Spread z > +2: short A / long B. z < -2: long A / short B. Exit as z returns to 0.

WORKS BEST WHEN

Economically linked stocks (KO/PEP) whose spread has a stable mean.

WATCH OUT FOR

Cointegration can break; costs on both legs; short-borrow; screening many pairs.

© Tertiary Infotech Academy Pte Ltd

A2 A4 K2

Strategy-Search Stage: Grid Search, Out-of-Sample Ranking and Decay

LAB 10

Grid-search SMA crossover parameters in-sample and measure how the ranking decays out of sample.

WORKFLOW

1. Simulator: Run the grid
2. Simulator: Read the decay
3. Simulator: Walk-forward


YOU'LL PRODUCE

IS and OOS Sharpe heatmaps, a rank correlation and a robust parameter region.

Duration
20 min

© Tertiary Infotech Academy Pte Ltd

Lab 10 — In the Trading Simulator



Course Labs > Lab 10 at http://localhost:8000 - Research > Grid SPY SMA cross. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

A4 K4 K6

ML-Signal Stage: a Walk-Forward Classifier from Probability to Position

LAB 11

Train logistic regression, random forest and XGBoost walk-forward and trade P(up) > threshold.

WORKFLOW

1. Simulator: Train the classifiers
2. Simulator: Backtest an ML strategy
3. Simulator: Check for leakage

YOU'LL PRODUCE


Accuracy / AUC table, feature importance and a net-of-cost backtest of the ML signal.

Duration
20 min

© Tertiary Infotech Academy Pte Ltd

LAB 11 · SIMULATOR

Lab 11 — In the Trading Simulator



Course Labs > Lab 11 at http://localhost:8000 - Research > ML SPY. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

A4 K4 K6

Regime-Filter Stage: PCA and K-Means as a Gate on the Signals

LAB 12

Find market regimes with walk-forward K-means and gate a signal in the high-volatility regime.

WORKFLOW

1. Simulator: Analyse regimes
2. Simulator: Backtest the regime-filtered strategy


YOU'LL PRODUCE

PCA explained variance, a regime timeline and gated vs ungated performance.

Duration
15 min

© Tertiary Infotech Academy Pte Ltd

Lab 12 — In the Trading Simulator



Course Labs > Lab 12 at http://localhost:8000 - Research > Regimes SPY. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

A5 K2

A/B-Test Stage: a Statistical Decision before Capital Moves

LAB 13

Decide statistically between two variants before moving capital.

WORKFLOW

1. Simulator: Run the A/B test
2. Simulator: Your own variants

YOU'LL PRODUCE


Welch and paired t-tests, a bootstrap Sharpe CI and a decision with a multiple-testing caution.

Duration
15 min

© Tertiary Infotech Academy Pte Ltd

LAB 13 · SIMULATOR

Lab 13 — In the Trading Simulator



Course Labs > Lab 13 at http://localhost:8000 - Research > A/B trend_filter vs dip_buy. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

A4 K6

Pairs Stage: a Hedged, Market-Neutral Statistical-Arbitrage Sleeve

LAB 14

Screen pairs for cointegration and backtest a market-neutral KO/PEP spread.

WORKFLOW

1. Simulator: Screen the pairs
2. Simulator: Backtest KO/PEP

YOU'LL PRODUCE


An Engle-Granger screen and a pairs backtest with beta near zero.

Duration
20 min

© Tertiary Infotech Academy Pte Ltd

LAB 14 · SIMULATOR

Lab 14 — In the Trading Simulator



Course Labs > Lab 14 at http://localhost:8000 - Research > Pairs screen. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

A4 A5 K2 K4 K6

Topic 3 Recap

1. **A4**
   Conduct statistical modelling of data to derive patterns and solutions

2. **A5**
   Perform A/B testing based on different hypotheses

3. **K2**
   Types of statistical analyses, data models, algorithms and advanced computational methods

4. **K4**
   Range and application of various types of data models

5. **K6**
   Statistical modelling techniques

© Tertiary Infotech Academy Pte Ltd

TOPIC 4

04

End-to-End Trading Pipeline

LEARNING OUTCOME

Perform coding and configuration of an automated trading program based on selected models or algorithms, conduct tests on its actions and outcomes, diagnose unintended outcomes, and draw insights from the results to support decisions and report accordingly.

Abilities A7, A8, A9, A10 · Knowledge K7, K8 · Day 2 · Labs 15–20 · Assessed by PP Task 4 and WA Q7, Q8

© Tertiary Infotech Academy Pte Ltd

Pre-Trade Risk Controls

1

Position and order limits

Maximum shares, maximum order value per symbol.

2

Maximum daily loss

Stop trading for the day when breached.

3

Market-hours and duplicate checks

Alpaca clock; never resend an open order.

4

Kill switch

One file or flag halts all trading immediately.

© Tertiary Infotech Academy Pte Ltd

Trading Costs You Must Model

1

Commission

Zero on Alpaca US equities — not on most brokers.

2

Spread and slippage

Half-spread + slippage on every fill, in bps.

3

Regulatory fees on sells

SEC Section 31 fee and FINRA TAF.

4


Borrow and impact

Short-borrow costs; your own market impact.

© Tertiary Infotech Academy Pte Ltd

A8 K8

Historical Data: Backtest, Tune, Then Forward Test



BACKTEST ON HISTORY

Replay the strategy's rules over past prices - next-bar fills, trading costs - to see how it would have performed.

TUNE HYPERPARAMETERS (IN-SAMPLE)

Search the settings (MA lengths, RSI levels, model parameters) on the OLDER history only, by grid search or walk-forward.

CONFIRM OUT-OF-SAMPLE

Backtest the tuned settings ONCE on later history the search never saw. A big drop from in-sample = overfitting.


FORWARD TEST (PAPER)

Run the tuned strategy on NEW data as it arrives - paper orders, real fills and risk checks - before any capital.

© Tertiary Infotech Academy Pte Ltd

From Historical Data to a Forward-Tested Strategy

The same rule moves through four tests; each uses data the previous step never touched.



Tuning on the test period, or re-tuning after seeing out-of-sample results, turns the test into more tuning - the result will look better than reality (Labs 10, 15, 16).

© Tertiary Infotech Academy Pte Ltd

Potential Reasons for Unintended Outcomes

1

Overfitting and data snooping

Great in-sample, collapses out of sample.

2

Look-ahead and survivorship bias

Same-bar fills; only today's survivors.

3

Cost and execution drag

Live returns trail the backtest by turnover × cost.

4

Regime change, data and code errors

Drift, bad splits, time zones, duplicate orders.

© Tertiary Infotech Academy Pte Ltd

What Goes on a Tearsheet

1

Equity versus benchmark

Growth of USD 100,000, strategy and buy-and-hold.

2

Drawdown and rolling Sharpe

Depth, length and stability of the edge.

3

Monthly returns heatmap

When did it make — and lose — money?


4

Metrics and cost table

Gross versus net; backtest versus forward.

© Tertiary Infotech Academy Pte Ltd

The End-to-End Algorithmic Trading Pipeline




Configuration — symbols, parameters, limits, keys — lives outside the code.

© Tertiary Infotech Academy Pte Ltd

The Automated Paper-Trading Bot Loop

One cycle per closed bar.




Every cycle writes to the trade log — the evidence for performance and audit.

© Tertiary Infotech Academy Pte Ltd

TradingView Alert to Alpaca Order

Webhook-driven execution.



Webhook alerts need a paid TradingView plan and a public URL (e.g. a tunnel).

© Tertiary Infotech Academy Pte Ltd

Diagnosing an Unintended Outcome

1. Reproduce the result
2. Isolate the first divergent step
3. Data · signal · order · fill?
4. Compare with a known-good run
5. Fix and re-test

Read the first failure, not the last — everything after it is a consequence.

© Tertiary Infotech Academy Pte Ltd

Lunch Break

1 hour · see you at 13:30

© Tertiary Infotech Academy Pte Ltd

A7 A8 K7

Backtest-Engine Stage: Cost Models, Execution Timing and Break-Even

LAB 15

Run the same strategy under four cost models and find its break-even cost.

WORKFLOW

1. Simulator: Zero vs Alpaca vs high-cost
2. Simulator: Break-even and execution timing
3. Simulator: Stops and sizing


YOU'LL PRODUCE

Gross vs net CAGR, a cost breakdown and the break-even bps.

Duration
25 min

© Tertiary Infotech Academy Pte Ltd

Lab 15 — In the Trading Simulator



Course Labs > Lab 15 at http://localhost:8000 - Backtest SPY dip-buy, high-cost route. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

A7 A8 K7

Automation Stage: a Scheduled, Risk-Checked Forward Test and Live Paper Trading

LAB 16

Create a bot, run it on a schedule, watch orders, positions and P&L live, and halt it with the kill switch.

WORKFLOW

1. Simulator: Create the bot
2. Simulator: Start it and watch
3. Simulator: Kill switch
4. Simulator: Backtest vs forward


YOU'LL PRODUCE

A bot equity curve, a blotter of its orders, a backtest-vs-forward comparison and a tested kill switch.

Duration
25 min

© Tertiary Infotech Academy Pte Ltd

Lab 16 — In the Trading Simulator



Course Labs > Lab 16 at http://localhost:8000 - Paper Trading > New bot (EMA cross). Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

A7 K5 K7

Event-Driven Automation: TradingView Webhook to Signal, Risk and Execution

LAB 17

Send TradingView alerts to the app's webhook and see them pass validation, signal confirmation and risk into paper orders.

WORKFLOW

1. Simulator: Copy the alert template
2. Simulator: Run the self-test
3. Simulator: Real alerts (paid TradingView plan)

YOU'LL PRODUCE


7 simulated alerts handled as expected and the audit log.

Duration
20 min

© Tertiary Infotech Academy Pte Ltd

LAB 17 · SIMULATOR

Lab 17 — In the Trading Simulator



Course Labs > Lab 17 at http://localhost:8000 - Integrations > TradingView webhook. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

A9 K8

Diagnostics Stage: Automated Bias Checks before Go-Live

LAB 18

Run the automated diagnostics on a deliberately biased strategy, fix it, and re-run.

WORKFLOW

1. Simulator: Diagnose the biased exhibit
2. Simulator: Fix it in the Strategy Builder
3. Simulator: Re-run diagnostics

YOU'LL PRODUCE


A FAIL on the biased exhibit, a PASS / WARN table for the fixed version and a verdict.

Duration
20 min

© Tertiary Infotech Academy Pte Ltd

LAB 18 · SIMULATOR

Lab 18 — In the Trading Simulator



Course Labs > Lab 18 at http://localhost:8000 - Research > Diagnostics (Lab 18 exhibit). Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

Monitoring and Reporting Stage: Automated Tearsheet and Backtest-vs-Forward Report

LAB 19

Produce a one-page tearsheet and explain the gap between backtest and forward test.

WORKFLOW

1. Simulator: Export the tearsheet
2. Simulator: Backtest vs forward
3. Simulator: Draw insights

YOU'LL PRODUCE


A PDF tearsheet and a written explanation of the backtest-vs-forward differences.

Duration
25 min

© Tertiary Infotech Academy Pte Ltd

LAB 19 · SIMULATOR

Lab 19 — In the Trading Simulator



Course Labs > Lab 19 at http://localhost:8000 - Analytics > PDF tearsheet. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

A7 A10 K1

Capstone: One Command Runs the Pipeline End to End, with an Agentic Layer and Human Approval

LAB 20

Run the whole pipeline end to end, get a human-approved proposal from the multi-agent desk, switch on the always-on agent, and create, backtest and forward-test your own strategy (from a template or written for you by AI).

WORKFLOW

1. Simulator: Run the multi-agent desk
2. Simulator: Human approval
3. Simulator: Always-on agent
4. Simulator: Create your own strategy
5. Simulator: Backtest, diagnose and forward-test it

YOU'LL PRODUCE


A Pipeline Map with every stage green, an approved agent proposal with its decision trace, and your custom strategy trading on paper.

Duration
20 min

© Tertiary Infotech Academy Pte Ltd

LAB 20 · SIMULATOR

Lab 20 — In the Trading Simulator



Course Labs > Lab 20 at http://localhost:8000 - AI Agents > desk. Offline demo data; connect Alpaca paper keys for live paper trading.

© Tertiary Infotech Academy Pte Ltd

A7 A8 A9 A10 K7 K8

Topic 4 Recap

1. **A7**
   Perform coding and configuration of software agents or programs based on selected models or algorithms
2. **A8**
   Conduct tests on the actions taken and outcomes to assess effectiveness of the models
3. **A9**
   Diagnose unintended outcomes produced by statistical models
4. **A10**
   Draw relevant trends and insights from data analysis to support decisions and report accordingly
5. **K7**
   Coding languages for programming of algorithms and signals
6. **K8**
   Potential reasons for unintended outcomes

© Tertiary Infotech Academy Pte Ltd

SUMMARY

What You Achieved

1. **Framed testable hypotheses**
   Instrument, signal, holding period, effect, benchmark.

2. **Built indicators and strategies**
   Pine Script on TradingView; configured in the Trading Simulator.

3. **Modelled and A/B-tested**
   ML classifiers, regimes, Welch's t-test and bootstrap.

4. **Backtested net of costs**
   Commission, spread, slippage and regulatory fees.

5. **Forward-tested automatically**
   A paper-trading bot with risk checks and a trade log.

✓ **Diagnosed and reported**
   Found the bias, fixed it, and wrote the recommendation.

© Tertiary Infotech Academy Pte Ltd

COURSE PORTAL

Courseware & Assessment on the LMS

Everything for the open-book assessment — slides, Learner Guide and submissions — lives on the LMS.

T

Tertiary Infotech Academy

LMS for IBF-STS courses

Sign in / OTP

lms-tms.tertiaryinfotech.com

1 **Sign in**
Log in with your registered email (OTP or password).

2 **Download the courseware**
Trainer slides, Learner Guide and lab artefacts.

3 **Mark attendance**
Sign in for each session — IBF-STS funding needs 75% attendance.

4 **Submit the assessment**
Upload your WA answers and PP evidence here.

© Tertiary Infotech Academy Pte Ltd

ASSESSMENT

Assessment — Reminder

Written Assessment

45 minutes · open book · 9 short-answer questions covering K1 - K9.

Practical Performance

75 minutes · open book · 4 tasks (configure and run the provided trading program - no coding), A1 - A10.

© Tertiary Infotech Academy Pte Ltd

ON ASSESSMENT DAY

Assessment Flow

1. Sign the assessment attendance record
2. Assessor briefing (not assessed)
3. Sit the WA (45 min) then the PP (75 min) — open book
4. Submit your answers on the LMS
5. Sign the Assessment Summary Record

Sign the assessment attendance record BEFORE you begin. Submit on the LMS.

© Tertiary Infotech Academy Pte Ltd

CLOSING

Before You Leave

1

Attendance

Make sure every session is signed — 75% is required for IBF-STS funding.

2

Course feedback

Complete the feedback form on the LMS.

3

Keep practising on paper

Your Alpaca paper account, the Trading Simulator and the lab manuals are yours to keep.

!

Not investment advice

Scenarios are fictitious; trade real money only with proper advice.

© Tertiary Infotech Academy Pte Ltd

Thank You

Machine Learning 101 for Financial Trading · FSE-DAT-3019-1.1

Tertiary Infotech Academy Pte Ltd · UEN 201200696W

© Tertiary Infotech Academy Pte Ltd