



WSQ COURSEWARE

Agentic AI for Video Creation

Learner Guide

Course Code	TGS-2023036088
Technical Skills and Competencies	MED-MPN-4005-1.1 - Video Editing-4
Version	v4.0
Release Date	16 September 2026
Training Provider	Tertiary Infotech Academy Pte Ltd (UEN 201200696W)
Trainer	Dr Alfred Ang

Controlled document. Verify the version before use.

Document Control

Document	Version	Date	Owner	Change summary
Learner Guide	2.0	29 August 2026	Tertiary Infotech Academy Pte Ltd	Agentic-video workflow with n8n, generative media, approval and YouTube release controls
Learner Guide	3.0	15 September 2026	Tertiary Infotech Academy Pte Ltd	Replaced n8n with Hermes Agent, MiniMax M3, video skills, Kanban orchestration and scheduled private YouTube publishing
Learner Guide	4.0	16 September 2026	Tertiary Infotech Academy Pte Ltd	Simplified the course around practical video creation, four connected labs, prompt examples and a consistent one-minute micro-drama series

Contents

Section	Page
1. Course Overview	3
2. Meet AI Agents and Create Your First Video	5
3. Improve the Video with Tools and Skills	12
4. Build a Multi-Agent Video Team	19
5. Create a Consistent One-Minute Micro-Drama Series	26
6. Hands-on Lab Guide	33
7. Publishing and Scheduling	45
8. Assessment Preparation	46
9. References	47

1. Course Overview

This Learner Guide supports a practical video-creation journey with Hermes Agent and MiniMax M3. Learners create a first short video, improve it with suitable tools and reusable skills, coordinate five creative roles on Kanban, prepare a private YouTube upload, schedule the workflow, and produce a consistent one-minute micro-drama episode. Detailed setup and lab instructions are kept here so the slide deck can remain visual.

SAFETY BOUNDARY

All lab data are synthetic. YouTube visibility remains private during practice. Never place MiniMax keys, OAuth tokens or other credentials in prompts, lab files, screenshots or repositories.

1.1 Learning Outcomes

- LO1: Explain the agentic loop, set up Hermes Agent with MiniMax M3, and create a first short video from a clear prompt.
- LO2: Improve the first video by choosing suitable video tools, adding reusable skills, and applying brand, tone and style guidance.
- LO3: Coordinate research, script, video, review and YouTube agents on a Kanban board and schedule the workflow.
- LO4: Plan a consistent one-minute micro-drama series with reusable story, character, location and visual references.

1.2 Knowledge and Ability Map

Code	Competency statement	Primary evidence
K1	AI agents, the agentic loop, Hermes Agent setup and MiniMax M3 access	Written response
K2	Practical video prompt engineering and visual storytelling	Written response
K3	Video tools, reusable skills and creative improvement choices	Written response
K4	Multiple-agent roles, Kanban coordination and YouTube publishing	Written response
K5	Storyboards, character consistency and repeatable micro-drama production	Written response
A1	Install Hermes Agent and connect an available MiniMax M3 plan	Prompt, draft, review and completed video
A2	Create a first short video using a simple, well-structured prompt	Prompt, draft, review and completed video
A3	Improve the video with suitable tools and reusable video skills	Prompt, draft, review and completed video
A4	Create and coordinate five Hermes profiles on a Kanban board	Prompt, draft, review and completed video
A5	Prepare a reviewed YouTube upload and schedule the workflow	Prompt, draft, review and completed video
A6	Create a consistent one-minute micro-drama episode and series plan	Prompt, draft, review and completed video

1.3 Learning Journey

1. Install Hermes Desktop from the official page and connect MiniMax M3 using the plan available to your account.
2. Turn one clear message into a three-shot prompt and create a first 15-second video.

3. Improve the first draft by choosing suitable tools and applying a reusable brand, tone and style skill.
4. Create Researcher, Scriptwriter, Video Creator, Auditor and YouTube Publisher profiles in Hermes.
5. Coordinate the profiles on Kanban, review the improved video and prepare a private YouTube upload.
6. Create a paused schedule only after the full workflow has been tested manually.
7. Use the same pipeline with a series bible, character bible and six-shot storyboard to create a one-minute micro-drama.

2. Meet AI Agents and Create Your First Video

Understand the agentic loop, set up Hermes with MiniMax M3, and turn one simple idea into a first video.

TOPIC FOCUS

Learn the idea through a visual example, adapt a copy-ready prompt, create a draft, and improve it after review.

2.1 What is an AI agent?

How it works

1. Receive a goal
2. Make a plan
3. Use a tool
4. Check the result

Goal	Plan	Action	Review
Receive a goal	Make a plan	Use a tool	Check the result

Creative guidance

KEY INSIGHT

An agent does more than answer: it works through a goal and checks what it produced.

Common mistake: Treating every chatbot reply as a finished result.

Best practice: Ask the agent to show its plan and review the output before stopping.

Example: Idea: Create a 15-second welcome video for a neighbourhood cafe.

2.2 The agentic loop

How it works

1. Observe
2. Think
3. Act
4. Improve

What do we have?	What should happen?	What can be done?	What needs changing?
Observe	Think	Act	Improve

Creative guidance

KEY INSIGHT

The loop turns a vague idea into a series of visible creative decisions.

Common mistake: Repeating the same prompt without explaining what went wrong.

Best practice: Give one focused revision at a time: pacing, framing, colour, caption or sound.

Example: Observe the first draft, request a stronger opening, then compare both versions.

2.3 Install Hermes Agent

How it works

- 1. Open official page
- 2. Choose your computer
- 3. Install the app
- 4. Start a project

Mac or Windows	Download	Open Hermes	Choose a folder
Open official page	Choose your computer	Install the app	Start a project

Creative guidance

KEY INSIGHT

Hermes Desktop provides one place for chat, files, skills and agent profiles.

Common mistake: Downloading from an unofficial page or opening the wrong project folder.

Best practice: Use the official Hermes Desktop page and keep each video project in its own folder.

Example: Project folder: My First AI Video.

2.4 Connect MiniMax M3

How it works

1. Create MiniMax account
2. Review the live plan
3. Add the provider
4. Test a message

Account	Plan	Model	Test
Create MiniMax account	Review the live plan	Add the provider	Test a message

Creative guidance

KEY INSIGHT

MiniMax M3 can guide planning and operate tools; a video tool still creates the media.

Common mistake: Assuming a promotion or free-trial duration is identical for every learner.

Best practice: Confirm the current trial and pricing shown in your account before subscribing.

Example: Test prompt: Help me plan a three-shot vertical video about better coffee.

2.5 Prompt your first video

How it works

1. Name the goal
2. Describe the scene
3. Add video choices
4. Ask for a review

Audience	Subject and action	Look and movement	Length and format
Name the goal	Describe the scene	Add video choices	Ask for a review

Creative guidance

KEY INSIGHT

The best starter prompt describes one audience, one message and one simple visual journey.

Common mistake: Using adjectives such as amazing or cinematic without describing what viewers see.

Best practice: Use SUBJECT + ACTION + SETTING + CAMERA + STYLE + FORMAT, then ask for a shot list first.

Example: Create a 15-second vertical cafe tip video: warm morning light, close-up coffee grind, slow push-in, calm practical tone, three five-second shots, captions included.

3. Improve the Video with Tools and Skills

Understand tools and skills, add suitable video capabilities, and turn the first draft into a polished branded video.

TOPIC FOCUS

Learn the idea through a visual example, adapt a copy-ready prompt, create a draft, and improve it after review.

3.1 What is a tool?

How it works

1. Choose a job
2. Select a tool
3. Create media
4. Bring back the result

Images	Motion	Voice	Editing
Choose a job	Select a tool	Create media	Bring back the result

Creative guidance

KEY INSIGHT

A tool performs a practical job such as creating a shot, animating text or assembling clips.

Common mistake: Choosing a tool because it is fashionable instead of because it fits the shot.

Best practice: Match the tool to the job: generate, animate, assemble, caption or check.

Example: Use Higgsfield for a cinematic shot, Remotion for branded motion graphics, Manim for an explanatory animation, and FFmpeg for assembly.

3.2 What is a skill?

How it works

- 1. Name the repeatable task
- 2. Save the instructions
- 3. Add examples
- 4. Reuse the skill

Trigger	Creative rules	Steps	Expected result
Name the repeatable task	Save the instructions	Add examples	Reuse the skill

Creative guidance

KEY INSIGHT
A skill teaches Hermes how you want a recurring task done.

Common mistake: Writing a skill that is so broad that it gives different results every time.

Best practice: Make one skill for one repeatable outcome, such as a branded 15-second product tip.

Example: Skill: Create a calm Harbour Bean short using the approved colours, caption style and closing frame.

3.3 Choose the right video toolkit

How it works

- 1. Start with the story
- 2. Identify missing capability
- 3. Choose one tool
- 4. Combine only when useful

Generative shots	Motion graphics	Diagrams	Final edit
Start with the story	Identify missing capability	Choose one tool	Combine only when useful

Creative guidance

KEY INSIGHT
Most videos need a small toolkit, not every available tool.

Common mistake: Adding several tools before the creative direction is clear.

Best practice: Choose the simplest tool that can deliver the intended shot and keep the style consistent.

Example: First draft + one generated establishing shot + branded title cards + captions + music.

3.4 Improve with a creative brief

How it works

- 1. Keep the message
- 2. Strengthen the opening
- 3. Clarify the middle
- 4. Finish with one action

Hook	Value	Proof	Call to action
Keep the message	Strengthen the opening	Clarify the middle	Finish with one action

Creative guidance

KEY INSIGHT

A clear narrative improves the video more than extra effects.

Common mistake: Trying to repair a weak story with transitions and filters.

Best practice: Rewrite the video as Hook - Value - Proof - Action before asking for new visuals.

Example: Hook: Your coffee tastes bitter. Value: check the grind. Proof: compare two textures. Action: save this guide.

3.5 Create your own video skill

How it works

1. Set the brand
2. Set the tone
3. Set the visual style
4. Save examples

Colours and logo	Voice	Pacing	Do and avoid
Set the brand	Set the tone	Set the visual style	Save examples

Creative guidance

KEY INSIGHT

A custom skill makes good creative choices repeatable across future videos.

Common mistake: Defining style only as modern, engaging or professional.

Best practice: Include concrete examples: colours, shot rhythm, caption placement, words to use and styles to avoid.

Example: Calm, useful and warm; steady camera; short sentences; cream background; teal accent; no flashing text.

4. Build a Multi-Agent Video Team

Create five Hermes profiles, coordinate them on Kanban, improve the video, prepare YouTube publishing and schedule the pipeline.

TOPIC FOCUS

Learn the idea through a visual example, adapt a copy-ready prompt, create a draft, and improve it after review.

4.1 Why use multiple agents?

How it works

1. Split the work
2. Give each role a focus
3. Pass the work on
4. Review the whole

Research	Script	Video	Review
Split the work	Give each role a focus	Pass the work on	Review the whole

Creative guidance

KEY INSIGHT

Separate roles make the creative process easier to follow and improve.

Common mistake: Using many agents for a task that one clear conversation could complete.

Best practice: Create another agent only when the role has a distinct outcome and point of view.

Example: A research agent finds facts; a script agent turns facts into a story; a review agent challenges the result.

4.2 Create five Hermes profiles

How it works

1. Researcher
2. Scriptwriter
3. Video creator
4. Auditor

Research agent	Script agent	Video agent	Audit and upload agents
Researcher	Scriptwriter	Video creator	Auditor

Creative guidance

KEY INSIGHT

A profile gives each agent a stable job, voice and set of responsibilities.

Common mistake: Giving every profile the same vague instruction to make the video better.

Best practice: State what each profile receives, what it returns and when its work is complete.

Example: Research returns a fact sheet; Script returns a one-minute script; Video returns a draft; Auditor returns clear feedback; Upload returns a private YouTube link.

4.3 Use Kanban to coordinate the team

How it works

- 1. Ideas
- 2. Ready
- 3. In progress
- 4. Review and done

Task	Owner	Input	Next step
Ideas	Ready	In progress	Review and done

Creative guidance

KEY INSIGHT

Kanban shows who is doing what and what must happen next.

Common mistake: Moving the upload card forward before review is complete.

Best practice: Make the order visible and keep publishing blocked until review and approval are done.

Example: First research, then write the script, create the video, review it, ask for human approval, and finally upload to YouTube.

4.4 Publish to YouTube

How it works

- 1. Connect YouTube
- 2. Prepare title and thumbnail
- 3. Upload as private
- 4. Review then publish

Channel	Metadata	Privacy	Final approval
Connect YouTube	Prepare title and thumbnail	Upload as private	Review then publish

Creative guidance

KEY INSIGHT

Private upload creates a safe review step before the audience can see the video.

Common mistake: Publishing publicly on the first automated run.

Best practice: Ask Hermes to set up the YouTube connection, upload privately, and stop for human review.

Example: Prompt: Upload the approved video as Private, add the supplied title and description, then return the private review link. Do not publish publicly.

4.5 Schedule the pipeline

How it works

- 1. Choose a cadence
- 2. Set the starting task
- 3. Run a rehearsal
- 4. Turn on the schedule

Day and time	Topic source	Approval point	Notification
Choose a cadence	Set the starting task	Run a rehearsal	Turn on the schedule

Creative guidance

KEY INSIGHT

Scheduling works best when the workflow is already reliable as a manual run.

Common mistake: Automating an untested pipeline or forgetting who approves publication.

Best practice: Run the whole pipeline once, inspect every handoff, then enable the schedule.

Example: Every Tuesday at 9:00 AM: research one topic, draft, create, review, wait for approval, then upload privately.

5. Create a Consistent One-Minute Micro-Drama Series

Use a story bible, character sheet and six-shot storyboard to create repeatable one-minute episodes with consistent people, places and style.

TOPIC FOCUS

Learn the idea through a visual example, adapt a copy-ready prompt, create a draft, and improve it after review.

5.1 Start with the series promise

How it works

1. Choose the audience
2. Choose the world
3. Choose the recurring tension
4. Choose the episode payoff

Who watches?	Where does it happen?	What repeats?	Why return?
Choose the audience	Choose the world	Choose the recurring tension	Choose the episode payoff

Creative guidance

KEY INSIGHT

A series feels consistent when every episode fulfils the same clear promise.

Common mistake: Beginning with isolated scenes before deciding what the series is about.

Best practice: Write one sentence that describes the world, character and recurring emotional question.

Example: In a neighbourhood cafe, a shy barista solves one small customer misunderstanding in every one-minute episode.

5.2 Build a character bible

How it works

1. Define identity
2. Fix visible traits
3. Define behaviour
4. Save references

Face and age	Hair and wardrobe	Voice and manner	Reference views
Define identity	Fix visible traits	Define behaviour	Save references

Creative guidance

KEY INSIGHT

Consistency comes from repeating concrete character details, not just the character name.

Common mistake: Changing clothing, age, hairstyle or personality between shots.

Best practice: Use the same reference image and repeat five essential traits in every character prompt.

Example: Mei, 28, shoulder-length black hair, teal overshirt, cream apron, observant expression, gentle measured speech.

5.3 Storyboard a one-minute episode

How it works

- 1. Hook
- 2. Set-up
- 3. Complication
- 4. Choice

0-5 seconds	5-20 seconds	20-40 seconds	40-60 seconds
Hook	Set-up	Complication	Choice

Creative guidance

KEY INSIGHT

Six short shots give a one-minute story enough movement without becoming confusing.

Common mistake: Asking one prompt to generate the full minute with many changing actions.

Best practice: Create the storyboard first, then generate each shot separately using the same references.

Example: Six shots: arrival, clue, reaction, misunderstanding, reveal, emotional closing image.

5.4 Keep continuity across shots

How it works

1. Lock the character
2. Lock the location
3. Track props
4. Match screen direction

Character reference	Location reference	Prop list	Previous-frame check
Lock the character	Lock the location	Track props	Match screen direction

Creative guidance

KEY INSIGHT

Each new shot should inherit what must remain unchanged from the previous shot.

Common mistake: Describing only what changes and forgetting what must stay the same.

Best practice: Add a continuity line to every shot prompt and compare adjacent frames before moving on.

Example: Keep Mei's teal overshirt, cream apron, hairstyle and left-to-right movement unchanged; same morning cafe lighting.

5.5 Use the agentic pipeline for a series

How it works

- 1. Research the episode
- 2. Write and storyboard
- 3. Create and assemble
- 4. Audit and learn

Series bible	Episode brief	Approved references	Continuity notes
Research the episode	Write and storyboard	Create and assemble	Audit and learn

Creative guidance

KEY INSIGHT

The team improves over time when each episode updates reusable story and visual references.

Common mistake: Starting every episode from a blank prompt and repeating old mistakes.

Best practice: After release, save what worked as examples and revise the series skill before the next episode.

Example: Episode 02 reuses the same character pack, cafe reference, title style, sound palette and review checklist.

6. Hands-on Lab Guide

The four connected labs take one idea from a simple first draft to a polished video, a multi-agent workflow and a consistent one-minute micro-drama episode. Each lab includes copy-ready prompts in Markdown and PDF.

6.1 Lab 01: Create Your First Video with Hermes

OBJECTIVE

Install Hermes Desktop, connect MiniMax M3, improve a simple prompt and create a 15-second first video.

Folder contents

- labs/lab-01-create-first-video-with-hermes/README.md — detailed procedure
- AI-PROMPTS.md and AI-PROMPTS.pdf — identical copy-ready prompts
- data/ - supplied brief, brand, character or planning information
- starter/ and custom-skill/ - templates and reusable examples
- evidence/checklist.md - a viewer-focused review guide

Detailed procedure

1. Open the lab folder as the current project in Hermes Desktop.
2. Read README.md and look through the supplied brief, examples and creative references.
3. Open AI-PROMPTS.md or AI-PROMPTS.pdf and adapt the audience, subject, setting and style for your idea.
4. Ask Hermes to show the creative plan or storyboard before generating the video.
5. Create the first draft and watch it once without stopping, as a viewer would.
6. Write specific feedback using times or shot numbers, then request one focused revision.
7. Compare the two versions and explain which change improved the video most.
8. Keep paid generation, YouTube upload and scheduling in preview or paused mode until approved.
9. Complete the review checklist and save the prompt, draft, feedback and improved result.
10. Remove passwords, account details and unrelated personal information from shared evidence.

Lab-specific execution checks

Sequence	Hermes stage	What to inspect
1	Install Hermes	What the viewer should see, understand or feel at this stage
2	Review MiniMax plan	What the viewer should see, understand or feel at this stage
3	Connect M3	What the viewer should see, understand or feel at this stage
4	Write prompt	What the viewer should see, understand or feel at this stage
5	Create video	What the viewer should see, understand or feel at this stage
6	Review result	What the viewer should see, understand or feel at this stage

Main prompt

Help me create a 15-second vertical video for Harbour Bean. Audience: busy office workers. Message: check your coffee grind. Show three five-second shots: an attention-grabbing close-up, a clear comparison, and a closing save-this-guide message. Warm morning light, calm practical tone, slow camera movement, readable captions, no invented claims. First show me the shot list; after I approve it, create the video and ask me what should improve.

Acceptance check

PASS ONLY WHEN

Hermes opens the correct project, MiniMax M3 is selected or the available approved fallback is recorded, the shot list has three clear shots, and the first video is saved.

Troubleshooting

Observed issue	Likely cause	Remedial action
The story feels confusing	Too many ideas or actions	Keep one message and one main action per shot.
The video looks generic	Style words are vague	Describe visible choices: light, colour, framing, movement and pace.
The character changes	Continuity details were omitted	Repeat the same reference and fixed character traits in every shot.
The workflow cannot publish	Connection or approval is missing	Prepare a Private preview and ask the trainer before continuing.

6.2 Lab 02: Improve the Video with Tools and Skills

OBJECTIVE

Choose appropriate video tools, add reusable Hermes skills and create a more polished branded version of the first video.

Folder contents

- labs/lab-02-improve-video-with-tools-and-skills/README.md — detailed procedure
- AI-PROMPTS.md and AI-PROMPTS.pdf — identical copy-ready prompts
- data/ - supplied brief, brand, character or planning information
- starter/ and custom-skill/ - templates and reusable examples
- evidence/checklist.md - a viewer-focused review guide

Detailed procedure

1. Open the lab folder as the current project in Hermes Desktop.
2. Read README.md and look through the supplied brief, examples and creative references.
3. Open AI-PROMPTS.md or AI-PROMPTS.pdf and adapt the audience, subject, setting and style for your idea.
4. Ask Hermes to show the creative plan or storyboard before generating the video.
5. Create the first draft and watch it once without stopping, as a viewer would.
6. Write specific feedback using times or shot numbers, then request one focused revision.
7. Compare the two versions and explain which change improved the video most.
8. Keep paid generation, YouTube upload and scheduling in preview or paused mode until approved.
9. Complete the review checklist and save the prompt, draft, feedback and improved result.
10. Remove passwords, account details and unrelated personal information from shared evidence.

Lab-specific execution checks

Sequence	Hermes stage	What to inspect
1	Review first draft	What the viewer should see, understand or feel at this stage
2	Choose tools	What the viewer should see, understand or feel at this stage
3	Add skills	What the viewer should see, understand or feel at this stage
4	Apply brand style	What the viewer should see, understand or feel at this stage
5	Create improved video	What the viewer should see, understand or feel at this stage
6	Compare versions	What the viewer should see, understand or feel at this stage

Main prompt

Improve my first cafe video without changing its main message. Use the available video tools and skills only where they help. Strengthen the opening, keep one visual style, add clean captions, apply the supplied Harbour Bean colours and calm tone, and end with one clear call to action. Show which tool or skill you will

use for each improvement before creating version two. Return a side-by-side review of version one and version two.

Acceptance check

PASS ONLY WHEN

The learner explains the difference between a tool and a skill, chooses suitable capabilities, applies the brand guide, and produces an improved second video with a written comparison.

Troubleshooting

Observed issue	Likely cause	Remedial action
The story feels confusing	Too many ideas or actions	Keep one message and one main action per shot.
The video looks generic	Style words are vague	Describe visible choices: light, colour, framing, movement and pace.
The character changes	Continuity details were omitted	Repeat the same reference and fixed character traits in every shot.
The workflow cannot publish	Connection or approval is missing	Prepare a Private preview and ask the trainer before continuing.

6.3 Lab 03: Improve the Video with a Multi-Agent Team

OBJECTIVE

Create five Hermes profiles, coordinate them on Kanban, improve the video, prepare a private YouTube upload and set a paused schedule.

Folder contents

- labs/lab-03-multi-agent-video-kanban-youtube-schedule/README.md — detailed procedure
- AI-PROMPTS.md and AI-PROMPTS.pdf — identical copy-ready prompts
- data/ - supplied brief, brand, character or planning information
- starter/ and custom-skill/ - templates and reusable examples
- evidence/checklist.md - a viewer-focused review guide

Detailed procedure

1. Open the lab folder as the current project in Hermes Desktop.
2. Read README.md and look through the supplied brief, examples and creative references.
3. Open AI-PROMPTS.md or AI-PROMPTS.pdf and adapt the audience, subject, setting and style for your idea.
4. Ask Hermes to show the creative plan or storyboard before generating the video.
5. Create the first draft and watch it once without stopping, as a viewer would.
6. Write specific feedback using times or shot numbers, then request one focused revision.
7. Compare the two versions and explain which change improved the video most.
8. Keep paid generation, YouTube upload and scheduling in preview or paused mode until approved.
9. Complete the review checklist and save the prompt, draft, feedback and improved result.
10. Remove passwords, account details and unrelated personal information from shared evidence.

Lab-specific execution checks

Sequence	Hermes stage	What to inspect
1	Create five profiles	What the viewer should see, understand or feel at this stage
2	Build Kanban	What the viewer should see, understand or feel at this stage
3	Run research and script	What the viewer should see, understand or feel at this stage
4	Create and audit video	What the viewer should see, understand or feel at this stage
5	Upload privately	What the viewer should see, understand or feel at this stage
6	Schedule pipeline	What the viewer should see, understand or feel at this stage

Main prompt

Create a five-agent team for this video: Researcher, Scriptwriter, Video Creator, Auditor and YouTube Publisher. Put their work on a Kanban board in dependency order. Ask Researcher to improve the factual angle, Scriptwriter to rewrite the 15-second story, Video Creator to create version three using our saved video skill, and Auditor to return time-coded feedback. Keep the YouTube task blocked until I

approve the final draft. Then upload it as Private and create a paused weekly schedule for the same pipeline.

Acceptance check

PASS ONLY WHEN

Five distinct profiles and a dependency-based Kanban board exist, the first video is improved through the team, YouTube is prepared as private, and the schedule remains paused until approval.

Troubleshooting

Observed issue	Likely cause	Remedial action
The story feels confusing	Too many ideas or actions	Keep one message and one main action per shot.
The video looks generic	Style words are vague	Describe visible choices: light, colour, framing, movement and pace.
The character changes	Continuity details were omitted	Repeat the same reference and fixed character traits in every shot.
The workflow cannot publish	Connection or approval is missing	Prepare a Private preview and ask the trainer before continuing.

6.4 Lab 04: Create a One-Minute Micro-Drama Episode

OBJECTIVE

Create a series promise, character bible, six-shot storyboard and consistent one-minute pilot episode using the Hermes agentic pipeline.

Folder contents

- labs/lab-04-create-one-minute-micro-drama-series/README.md — detailed procedure
- AI-PROMPTS.md and AI-PROMPTS.pdf — identical copy-ready prompts
- data/ - supplied brief, brand, character or planning information
- starter/ and custom-skill/ - templates and reusable examples
- evidence/checklist.md - a viewer-focused review guide

Detailed procedure

1. Open the lab folder as the current project in Hermes Desktop.
2. Read README.md and look through the supplied brief, examples and creative references.
3. Open AI-PROMPTS.md or AI-PROMPTS.pdf and adapt the audience, subject, setting and style for your idea.
4. Ask Hermes to show the creative plan or storyboard before generating the video.
5. Create the first draft and watch it once without stopping, as a viewer would.
6. Write specific feedback using times or shot numbers, then request one focused revision.
7. Compare the two versions and explain which change improved the video most.
8. Keep paid generation, YouTube upload and scheduling in preview or paused mode until approved.
9. Complete the review checklist and save the prompt, draft, feedback and improved result.
10. Remove passwords, account details and unrelated personal information from shared evidence.

Lab-specific execution checks

Sequence	Hermes stage	What to inspect
1	Define series	What the viewer should see, understand or feel at this stage
2	Create character bible	What the viewer should see, understand or feel at this stage
3	Write episode	What the viewer should see, understand or feel at this stage
4	Storyboard six shots	What the viewer should see, understand or feel at this stage
5	Create and assemble	What the viewer should see, understand or feel at this stage
6	Audit continuity	What the viewer should see, understand or feel at this stage

Main prompt

*Create a one-minute pilot for a micro-drama series called **The Last Cup**. The recurring setting is a warm neighbourhood cafe in Singapore. The lead is Mei, 28, shoulder-length black hair, teal overshirt, cream apron, observant expression and gentle measured speech. First write a six-beat story with a hook, set-up, complication, choice, reveal and emotional final image. Then create one prompt*

per shot. Repeat the character, wardrobe, location, lighting and screen-direction continuity in every prompt. Use the same approved reference images for all shots. After assembly, ask the Auditor to compare adjacent shots and list any continuity change before approval.

Acceptance check

PASS ONLY WHEN

The series and character bibles are complete, the storyboard covers six timed shots, the same character and setting details appear throughout, and the continuity review identifies or clears visible changes.

Troubleshooting

Observed issue	Likely cause	Remedial action
The story feels confusing	Too many ideas or actions	Keep one message and one main action per shot.
The video looks generic	Style words are vague	Describe visible choices: light, colour, framing, movement and pace.
The character changes	Continuity details were omitted	Repeat the same reference and fixed character traits in every shot.
The workflow cannot publish	Connection or approval is missing	Prepare a Private preview and ask the trainer before continuing.

7. Publishing and Scheduling

Use Hermes to connect the approved YouTube account, prepare the title, description and thumbnail, and upload the reviewed video as Private. Watch the uploaded copy before deciding whether it is ready for viewers. Build the schedule only after the manual workflow works from beginning to end.

SAFE PUBLISHING HABIT

Keep practice uploads Private, ask a person to approve the final version, and begin every new schedule in Paused state.

8. Assessment Preparation

The Written Assessment contains five open-ended questions aligned to K1-K5. The Practical Performance contains three tasks covering A1-A6. Keep your prompts, drafts, storyboards, review notes and final video available for assessment.

9. References

- **Official course page:** <https://www.tertiarycourses.com.sg/wsq-agentic-ai-for-video-creation.html> — Course identity, duration and learning outcomes
- **Hermes Desktop:** <https://hermes-agent.nousresearch.com/desktop> — Official desktop download and product overview
- **Hermes Agent documentation:** <https://hermes-agent.nousresearch.com/docs> — Current setup, skills, profiles, Kanban and scheduling guidance
- **MiniMax M3:** <https://www.minimax.io/models/text/m3> — Current M3 model and subscription information
- **Remotion:** <https://www.remotion.dev/> — Code-driven branded motion graphics
- **Manim:** <https://www.manim.community/> — Explanatory animation
- **Higgsfield:** <https://higgsfield.ai/> — Generative video shots and creative effects
- **YouTube Help:** <https://support.google.com/youtube/> — Upload, privacy and channel guidance
- **AI Video Prompting:** [reference/AI Video Prompting.pdf](#) — Video prompt structure, shot descriptions and continuity
- **Hermes Agent The Complete Developers:** [reference/Hermes Agent The Complete Developers.pdf](#) — Supplied reference for agents, tools, skills and orchestration

Course repository: <https://github.com/tertiarycourses/TGS-2023036088-Agentic-AI-for-Video-Creation>

Learning platform: <https://lms-tms.tertiaryinfotech.com/>