

Lab 01 Set Up Hermes Desktop and Connect MiniMax M3

Course: Agentic AI for Video Creation (TGS-2023036088) Version: v3.0 Primary deliverable: setup-evidence.json and redacted diagnostic screenshot

Objective

Install Hermes Desktop from the official source, configure the MiniMax provider for MiniMax-M3 and prove a tool-capable model handshake without exposing a credential.

Files

- hermes-config.example.yaml
- minimax-credential-template.md
- verify.py
- data/setup-checklist.csv
- AI-PROMPTS.md and AI-PROMPTS.pdf - identical copy-ready learner prompt resources.
- evidence/checklist.md and evidence/checklist.pdf - evidence gate.
- verify.py - deterministic acceptance verifier.

Detailed procedure

1. Download official installer
 2. Complete Hermes setup
 3. Configure MiniMax-M3
 4. Run hermes doctor
 5. Verify model response
 6. Redact evidence
1. Open this lab folder as the current project in Hermes Desktop.
 2. Read AI-PROMPTS.md; replace only the named placeholders with supplied synthetic values.
 3. Ask Hermes to inspect the local files before it proposes a plan.
 4. Require a preview before any network, paid-generation, upload or scheduling side effect.
 5. Run python3 verify.py and retain the PASS output with the requested evidence.

Acceptance check

Hermes launches; the configured provider is minimax; the model is MiniMax-M3; hermes doctor has no blocking failure; published evidence contains placeholders only.

Troubleshooting

- If Hermes reports the wrong model, start a new session after selecting MiniMax-M3; an existing session may retain its original model.

- If a tool is missing, use the documented deterministic fallback and record the limitation instead of inventing a successful call.
- If a skill is not discovered, check its YAML frontmatter, directory name and SKILL.md filename, then restart skill discovery.
- If review or upload is blocked, inspect the exact dependency status and compare the approved payload hash with the current master hash.
- If a trial or quota differs from the course note, record the current live account terms and use the fallback path.

Safety boundary

Use only supplied or authorized assets. Never paste a MiniMax key, OAuth token or YouTube credential into a prompt, lab file, screenshot or repository. YouTube examples default to private; public visibility requires an explicit trainer-supervised decision.