

Lab 12 — Measure, Govern and Write the Team Playbook

Multi AI Agents Workflow for Content Creation (ChatGPT Edition) · Day 2 · Codex (subagents)

Course: Multi AI Agents Workflow for Content Creation (ChatGPT Edition) (TGS-2023036153)

Day 2 · Topic 4 · about 40 minutes · slides 116–120

Surface: Codex (subagents)

Features: compare agent patterns · the roster: instructions, skills, connectors · approval matrix · responsible-AI controls

The story so far

Eight weeks in. Rachel asks which ways of running agents earned their tokens, and how the team runs safely after you leave.

Your goal

Rachel asks: which patterns earned their tokens, and how does the team run safely after you leave? Answer with numbers, then with a playbook a new hire can follow.

You'll build

reports/agent-comparison.md and strategy/team-playbook.md

What is in this folder

- assets/run-log.csv
- assets/playbook-outline.md
- assets/responsible-ai-checklist.md
- prompts.md / prompts.pdf — every prompt, ready to paste
- evidence/checklist.md — what to capture as proof

Step by step

1. **Check the data** — The assets are already in data/. Open one and skim it.
2. **Compare the patterns** — Paste Prompt A.
3. **Write the playbook** — Paste Prompt B.
4. **Review it as Rachel** — Add one rule of your own and say why.

The prompts

PROMPT A — Codex: compare

Use the growth-analyst subagent. From data/run-log.csv compare the patterns we used — one agent, subagents, parallel subagents with a Lead review and the scheduled task — on minutes, tokens, defects caught before a person and human edits. Which pattern pays off for which job? Save reports/agent-comparison.md.

PROMPT B — Codex: the playbook

Write strategy/team-playbook.md with data/playbook-outline.md. Include the roster: for each agent its instructions file in agents/, its skills, connectors, model and what it may never do; the approval matrix by risk; the rules in data/responsible-ai-checklist.md; and what to do when a wrong post goes out. Then run fin-compliance on it.

Check your work

- ☐ agent-comparison.md shows the one-agent baseline caught 0 defects.
- ☐ It says which pattern suits which job, with numbers.
- ☐ The roster lists all six agents with skills and connectors.
- ☐ The approval matrix says who approves CPF and tax figures.
- ☐ It has an incident procedure, and your own rule.

If it goes wrong

- **The playbook is generic** — Say: "use our actual agents, files and numbers".

Stretch

- Turn the playbook into a skill, team-playbook, for the Lead.

Why it matters: Teams cost more tokens. The run log shows what you buy with them: defects caught before a person, and fewer edits.

Next

Lab 13 — Optional Demo: a Dot Team Lead and Workspace Agents. Keep what you built — the next lab starts from it.

Safety

Use only this lab's synthetic data and your own accounts. Never paste a real API key, password, token or client data into a prompt or a file — tokens live only in `.env`. Every email address in the data must resolve to your own inbox. Nothing is published or sent without a person approving that exact version.