

Lab 14 Tool gateway and response approvals

AI for IT Security Professionals | TGS-2023039344 | v6.0

Purpose and output

Create a gateway decision log and approval-binding test. This lab supports LO4. It uses a simplified deterministic teaching model, not a trained AI system or full Azure emulator. The AI review is a separate exercise using the included prompt.

Requirements

Python 3.10 or later, a text editor and this entire folder. No packages, network access or API key are required for the baseline. On Windows use `py -3` if `python3` is unavailable. An approved AI tool is optional; the trainer can provide a review response for critique. Azure exercises require the trainer-assigned subscription, permission and feature entitlement. Record an exact blocker where unavailable; never describe an unperformed test as passed.

Folder contents

- `mock-data.json`: synthetic input with no real personal data or credentials.
- `analyse.py`: runnable analysis for this lab only.
- `expected-results.json`: expected baseline and source checksum.
- `ai-review-prompt.txt`: evidence-constrained AI review prompt.
- `evidence-template.md`: your deliverable template.
- `INSTRUCTIONS.md` and `INSTRUCTIONS.pdf`: the same procedure in two formats.

1 Prepare a working copy

Copy this whole folder to a location you can edit. Open a terminal in the copied folder. Confirm Python and inspect the data before running code.

```
python3 --version
python3 -m json.tool mock-data.json
```

Identify the record IDs and explain the meaning of each field. All values are invented classroom fixtures. Open `analyse.py` in the editor and locate the decision rule. It reads a local JSON file and writes a local report.

2 Run the baseline

```
python3 analyse.py --input mock-data.json --output results.json
```

Open `results.json`. The expected decisions in output order are: `ALLOW`, `DENY_TOOL`, `DENY_BINDING`, `DENY_EXPIRED`. The `source_sha256` binds the report to the exact input bytes. Compare against the supplied baseline:

```
python3 -c "import json; a=json.load(open('results.json')); b=json.load(open('expected-results.json')); assert a==b; print('BASELINE PASS')"
```

A pass proves this fixture was processed as specified; it does not prove an Azure control was deployed. Copy the input checksum and decision rows into your evidence template.

3 Trace the mechanism

Tool schema validation

A gateway checks required fields and allowed values before calling a privileged API.

Contract: `tool_name`, `target_id`, `action`, `approval_id`

Accepted case: `read_incident` targets an allowed training incident.

Counterexample: `delete_resource` is absent from the allowed tool set.

Diagnosis: Deny unknown tools and extra arguments; model instructions do not create permission.

Evidence: Log the validated request and explicit denial reason.

Approval binding

Approval must match the specific action, target and expiry at execution time.

Contract: approval_id, action_hash, target_id, expires_utc

Accepted case: The approved hash matches the queued action.

Counterexample: A different target is substituted after approval.

Diagnosis: Invalidate mismatched approvals and require a fresh decision for the changed action.

Evidence: Compare approved and executed action digests.

Idempotent response

An idempotency key prevents repeated delivery from duplicating a response action.

Contract: incident_id, action_type, idempotency_key

Accepted case: Two identical requests produce one ticket.

Counterexample: A retry creates duplicate disable actions with conflicting states.

Diagnosis: Store action outcome and reconcile before retrying a timed-out request.

Evidence: Record request key, first result and duplicate suppression count.

4 Change one input and test the consequence

Save a copy of mock-data.json as changed-data.json using the editor. Change call-c approved_target to INC-002. It becomes ALLOW in the fixture; explain why a real approval must come from an authenticated approver and cannot be edited by the requester.

```
python3 analyse.py --input changed-data.json --output changed-results.json
```

Compare decisions and source hashes with the baseline. Identify the exact expression in analyse.py responsible for the changed behaviour. Do not overwrite expected-results.json to make a failing baseline pass. Restore the original fixture if you edited it accidentally.

5 Review AI claims against evidence

Open ai-review-prompt.txt. In an organisation-approved AI tool, submit the prompt with the synthetic input and result only. Record the tool/model name, date and prompt version if available. If no approved AI tool is available, manually draft a tentative analyst summary and label it as a human exercise.

For each returned claim, record its cited ID, the actual field value, whether the claim follows, and any correction.

Reject conclusions unsupported by the records even when the model is confident. Include one alternative explanation. The AI response is a proposal; it has no authority to approve or execute a security action.

6 Verify the corresponding operational control

Review a proposed Sentinel automation rule and Logic Apps playbook in the training environment. Identify trigger, managed identity, allowed action, target and human approval step. Keep it disabled during review. The local script validates fixtures only and never calls a cloud API.

For every screenshot or export, record resource scope, UTC time and expected versus observed result. Redact personal data and secrets. If blocked, record the exact error, missing permission/licence, what could be inspected, and the unverified outcome. Ask the trainer to provide an authorised sandbox demonstration where the assessed ability cannot otherwise be evidenced.

7 Submit evidence and clean up

Complete evidence-template.md with baseline, changed result, AI claim review and Azure evidence or clearly labelled limitations. Keep results.json and changed-results.json with your submission. Check that your conclusion distinguishes an observed fact from a hypothesis. Remove only resources or assignments you created with trainer approval; do not delete shared training infrastructure.

Acceptance checks

- The unchanged fixture produces the exact expected report.
- The changed fixture produces the explained result and a different input hash.
- At least one AI or analyst claim is checked against a specific record and field.
- The report states simulation, Azure verified or blocked for each relevant claim.
- The output is a gateway decision log and approval-binding test with an owner, evidence and remaining uncertainty.

Troubleshooting

- Python not found: install the trainer-approved Python distribution or use py -3 on Windows.
- File not found: open the terminal in this lab folder; check the input filename.
- JSON parse error: validate with `python3 -m json.tool changed-data.json`; use lowercase true and false in JSON.
- Baseline mismatch: restore the supplied fixture and inspect the first differing decision; never edit the expected file.
- Azure denial or missing feature: capture the exact error and scope. A blocker is a limitation, not proof of competence or deployment.
- AI invents evidence: reject the claim, cite the missing ID, and request an evidence-limited revision.

References

The Learner Guide contains the complete source register and the lecture explanations for this lab. Original examples are adapted from the supplied Azure and AI-security references. Product behaviour should be checked against current Microsoft Learn documentation before a real deployment.