Tertiary Infotech Academy Pte Ltd

UEN: 201200696W

LEARNER GUIDE

For

Mastering Articulate Storyline 360 for e-Learning Content Creation

TGS Ref No: TGS-2024042308

Conducted by

Tertiary Infotech Academy Pte Ltd

UEN: 201200696W

Version 11

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

DOCUMENT VERSION CONTROL RECORD

Version Number	Effective Date of Release	Summary of Included Changes	Author
8.0	Legacy release	Previous 947-slide trainer deck and original Storyline exercise set.	Tertiary Infotech Academy
9.0	21 August 2026	Rebuilt aligned guide covering 40 Storyline concepts and nine self-contained .story activities with detailed procedures, evidence and acceptance criteria.	Dr Alfred Ang
10.0	22 August 2026	Expanded to 48 concepts from six Articulate ebooks; strengthened performance analysis, prototyping, visual design, video, accessibility, interaction and multi-device lab evidence.	Dr Alfred Ang
11	17 October 2026	Complete workplace-safety rebuild with 400+ anchored slides, 14 connected blank-project activities, hotspot and quiz logic, mini capstone, and SCORM 1.2/2004 plus Tin Can xAPI publishing guidance.	Dr Alfred Ang

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

TABLE OF CONTENTS

Purpose and Use 7
Learning Outcomes 7
TSC Alignment 7
Core Professional Workflow 8
Topic 1 — Project Architecture and Storyboard 8
Local project baseline 8
Story View scene architecture 9
Slide size and safe area 9
Theme fonts and colours 9
Slide master hierarchy 9
Storyboard screen specification 10
Object naming discipline 10
Timeline timing model 10
Alignment and guides 10
Project variables register 11
Scene menu navigation 11
Revisit behaviour 11
Player feature baseline 11
Preview test levels 12
Recovery and version handoff 12
HarbourLink annual WSH narrative beat map 12
Marketing objective to learning promise 12
Digital storyboard production cycle 13
PowerPoint slide import 13
Activity 01 — Start the Safety Module and Storyboard 13
Activity 02 — Build Theme, Masters and Menu 16
Topic 2 — Media, Interaction and Accessibility 18
Picture insertion and crop 19
Illustration and icon system 19
Media Library replacement 19
Hazard hotspot geometry 19
Hotspot information layers 20
Keyboard hotspot alternative 20
Layer properties 20
Built-in object states 20
Custom hazard states 21
Trigger execution order 21

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Conditional trigger gate....21
True/False completion flags....21
Number variable counter....22
Variable references....22
Motion path forklift....22
Animation accessibility....22
Slider risk control....23
Dial inspection control....23
Web object incident form....23
Screen recording preparation....23
View mode screencast....24
Try mode simulation....24
Test mode simulation....24
Audio narration import....24
Caption import....25
Transcript equivalent....25
Focus order panel....25
Alternative text....25
Accessible text styling....26
Audience preference matrix....26
Content type and style decision....26
Safety content feature specification....26
Content Library 360 assets....27
360-degree image interaction....27
Video insert and edit....27
Native text, shapes and tables....28
Activity 03 — Add Media and Hazard Scene....28
Activity 04 — Add Layers, States, Variables and Gate....31
Activity 05 — Build Motion, Slider and Dial Controls....35
Activity 06 — Create View, Try and Test Simulations....39
Activity 07 — Add Audio, Captions and Accessibility....42
Topic 3 — Branching, Questions and Results....45
Branching decision scene....45
Freeform pick-one conversion....45
Freeform hotspot question....45
Drag-and-drop fallback....46
Question form configuration....46
Feedback layers....46

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Question bank design....46
Draw from question bank....47
Result slide tracking....47
Retry quiz trigger....47
Review quiz behaviour....47
Submit-all interaction....48
Results variables....48
Completion trigger....48
Branch and quiz test matrix....48
Zoom region timing....49
Slide transitions....49
Activity 08 — Build Branching and Freeform Decisions....49
Activity 09 — Build the Safety Question Bank and Quiz....53
Activity 10 — Configure Results, Retry and Completion....56
Topic 4 — Review, Publishing and Governance....61
Player accessibility controls....61
Translation workflow....61
Review 360 publishing....61
Review version control....61
LMS/LRS publish target....62
SCORM 1.2 reporting....62
SCORM 2004 editions....62
Tin Can xAPI publishing....63
cmi5 boundary....63
Tracking criteria semantics....63
Publish Success ZIP....63
LMS sandbox upload....64
SCORM runtime reference....64
Standalone preview boundary....64
LMS debug diagnosis....64
Package regression test....65
Release retention....65
Articulate Labs boundary....65
AI-assisted authoring fallback....66
Distribution mode comparison....66
Delivery cadence calculation....66
Cadence exception rules....66
Content execution guideline register....67

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Lifecycle metric decision....67
Activity 11 — Configure Player, Translation and Review 360....67
Activity 12 — Publish and Test SCORM 1.2 and 2004....70
Activity 13 — Publish Tin Can xAPI and Validate Release....73
Activity 14 — Independent Mini Capstone....75
Intellectual Property, Privacy and Responsible AI....76
Publishing and Lifecycle Checklist....76
Source Register....77

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Purpose and Use

This guide contains the detailed Storyline 360 procedures, evidence requirements and acceptance criteria intentionally omitted from the visual course slides. The 14 connected activities start from a blank Storyline project and continue through exact named checkpoints to an independently created mini capstone. Storyline requires a supported Windows authoring environment; this package does not mislabel legacy or fabricated .story files as completed solutions.

Learning Outcomes

- LO1: Conceptualise and map digital storyboards integrating principles of storytelling in Storyline 360.
- LO2: Identify and determine diverse e-learning content aligned with audience preferences, industry trends and content features.
- LO3: Determine effective modes and processes for distributing interactive e-learning content.
- LO4: Develop guidelines and determine content delivery frequency for effective e-learning delivery.

TSC Alignment

Code	Knowledge / Ability
K1	Principles of digital storytelling
K2	Potential customers' evolving preferences for content types, styles and modes of delivery
K3	Process of developing a digital storyboard
K4	Parameters for delivering content for marketing purposes
K5	Features of marketing content
K6	Modes of content delivery for marketing
A1	Conceptualise content ideas to meet marketing objectives
A2	Map out digital storyboards as part of a content strategy
A3	Identify content requirements from customer and potential-customer preferences
A4	Determine the frequency of delivering marketing content to customers
A5	Determine the types and styles of content to deliver to customers
A6	Determine modes and processes for distributing content
A7	Develop guidelines for content-strategy execution

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Core Professional Workflow

1. Verify the performance gap, required learner behaviour, audience, device, delivery channel and success measure.

2. Map screens, narration, media, interactions, branches, accessibility and evidence in the storyboard.

3. Prototype the riskiest screens and interactions; record review decisions before full production.

4. Work locally from the exact named blank-project checkpoint and retain every prior checkpoint.

5. Use reusable themes, layouts, named objects, layers, states, triggers and variables deliberately.

6. Check visual grammar, rights, provenance, alternative text, focus order, captions, media equivalents and keyboard operation as content is added.

7. Preview the slide, scene and project; test correct, incorrect, boundary, revisit, resume and representative device paths.

8. Publish only to the approved review/test target, verify runtime/tracking and retain the source plus evidence.

Topic 1 — Project Architecture and Storyboard

Blank project · scenes · theme · masters · storyboard · naming · variables · navigation · preview

Alignment: LO1 · A1 · A2 · K1 · K3

Local project baseline

File > Save As creates WSA-YourName-v01.story on a local Windows drive

Best used for: The connected workplace-safety module where local project baseline must produce a testable authoring artifact.

Key controls: short local path; version suffix; backup copy

Watch for: network/removable-drive authoring; overwriting the baseline

Quality evidence: v01 opens locally and the checksum/modified time identifies the retained baseline

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Story View scene architecture

Story View groups Welcome, Learn, Practise, Quiz and Resources scenes and exposes jump paths

Best used for: The connected workplace-safety module where story view scene architecture must produce a testable authoring artifact.

Key controls: scene names; start scene; slide order; jump targets

Watch for: assuming canvas order controls runtime navigation

Quality evidence: every route has an intended entry, return and terminal slide

Slide size and safe area

Design > Slide Size fixes the authoring canvas before layouts and media are placed

Best used for: The connected workplace-safety module where slide size and safe area must produce a testable authoring artifact.

Key controls: 16:9 size; player chrome; caption area; minimum target size

Watch for: changing size after build and clipping controls

Quality evidence: preview at the intended player size keeps controls and captions visible

Theme fonts and colours

Design > Fonts > Create New Theme Fonts and Design > Colors > Create New Theme Colors define the HarbourLink palette; Design > Themes saves the combined theme

Best used for: The connected workplace-safety module where theme fonts and colours must produce a testable authoring artifact.

Key controls: heading/body fonts; contrast; semantic colours; theme naming

Watch for: manual near-match colours and colour-only meaning

Quality evidence: theme values reproduce consistently on three representative slides

Slide master hierarchy

View > Slide Master defines title, content, scenario and quiz layouts with stable placeholders

Best used for: The connected workplace-safety module where slide master hierarchy must produce a testable authoring artifact.

Key controls: master; layout; placeholder; background; inheritance

Watch for: placing course-specific content on the master

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Quality evidence: new slides inherit geometry without unwanted objects

Storyboard screen specification

The supplied CSV maps screen ID, purpose, narration, asset, interaction, branch and accessibility

Best used for: The connected workplace-safety module where storyboard screen specification must produce a testable authoring artifact.

Key controls: unique IDs; owner; status; evidence; source

Watch for: building before branch and accessibility fields are resolved

Quality evidence: each Storyline slide maps to one storyboard row and acceptance check

Object naming discipline

Timeline object names encode type and purpose such as btn_Hazard01 and lyr_Hazard01

Best used for: The connected workplace-safety module where object naming discipline must produce a testable authoring artifact.

Key controls: prefixes; unique names; layer names; variable names

Watch for: leaving Rectangle 17 or duplicate names

Quality evidence: trigger and focus panels can be audited without selecting each object

Timeline timing model

Timeline start, duration and cue points coordinate narration, captions and reveals

Best used for: The connected workplace-safety module where timeline timing model must produce a testable authoring artifact.

Key controls: playhead; cue point; show until end; align to playhead

Watch for: objects appearing before narration or disappearing on revisit

Quality evidence: preview timing matches the narration script at each cue point

Alignment and guides

View guides plus Align and Distribute create a repeatable grid for text and controls

Best used for: The connected workplace-safety module where alignment and guides must produce a testable authoring artifact.

Key controls: guides; margins; distribute; aspect ratio

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Watch for: pixel drift and stretched images

Quality evidence: shared edges and spacing remain consistent at delivery size

Project variables register

Manage Project Variables defines typed names, defaults, purpose and reset ownership

Best used for: The connected workplace-safety module where project variables register must produce a testable authoring artifact.

Key controls: True/False; Number; Text; default; scope

Watch for: variables with ambiguous names or stale values

Quality evidence: variable reference panel matches the supplied logic register

Scene menu navigation

A custom menu uses explicit Jump to slide triggers and visited states

Best used for: The connected workplace-safety module where scene menu navigation must produce a testable authoring artifact.

Key controls: button state; destination; focus order; return path

Watch for: relying on slide order or trapping the learner

Quality evidence: keyboard and pointer routes reach all four learning topics and return

Revisit behaviour

Slide Properties selects Automatically decide, Resume saved state or Reset to initial state per requirement

Best used for: The connected workplace-safety module where revisit behaviour must produce a testable authoring artifact.

Key controls: revisit mode; timeline; layer state; variable persistence

Watch for: global revisit choice applied without testing

Quality evidence: back, next and relaunch tests produce the specified state

Player feature baseline

Player Properties exposes only required controls and a predictable course title

Best used for: The connected workplace-safety module where player feature baseline must produce a testable authoring artifact.

Key controls: menu; seekbar; volume; captions; glossary; resources

Watch for: duplicated navigation and inaccessible custom chrome

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Quality evidence: player and slide controls do not conflict in keyboard testing

Preview test levels

Preview This Slide, This Scene and Entire Project reveal different classes of defects

Best used for: The connected workplace-safety module where preview test levels must produce a testable authoring artifact.

Key controls: slide logic; cross-slide routing; project variables; player

Watch for: signing off from single-slide preview

Quality evidence: scene and project test logs cover entry, exit, revisit and resume

Recovery and version handoff

Save As versions plus a release register separate editable source from published output

Best used for: The connected workplace-safety module where recovery and version handoff must produce a testable authoring artifact.

Key controls: source version; owner; publish ID; backup; archive

Watch for: renaming only the published ZIP or losing the .story source

Quality evidence: handoff opens the exact source used to create the tested package

HarbourLink annual WSH narrative beat map

A worked beat map links normal work, visible disruption, decision, consequence and safer resolution across screen IDs WSA-001 to WSA-401

Best used for: The connected workplace-safety module where harbourlink annual wsh narrative beat map must produce a testable authoring artifact.

Key controls: protagonist; workplace goal; hazard tension; learner choice; consequence; resolution

Watch for: adding a decorative story that does not change the learner decision

Quality evidence: each beat maps to a slide, learner action and observable safety outcome

Marketing objective to learning promise

A traceability row converts the provider objective 'increase induction completion and safe-reporting uptake' into a learner promise and measurable action

Best used for: The connected workplace-safety module where marketing objective to learning promise must produce a testable authoring artifact.

Key controls: business objective; audience action; course promise; metric; data owner

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Watch for: claiming engagement without a defined behaviour or measure

Quality evidence: objective, promise, interaction and metric read as one causal chain

Digital storyboard production cycle

The HarbourLink annual WSH storyboard moves through brief, screen map, narration/media, interaction/branch, accessibility, prototype review and signed revision

Best used for: The connected workplace-safety module where digital storyboard production cycle must produce a testable authoring artifact.

Key controls: screen ID; owner; asset; branch; access; version; approval

Watch for: treating the storyboard as on-screen copy only

Quality evidence: one reviewed CSV row contains every required production field and disposition

PowerPoint slide import

Home > New Slide > Import imports selected source slides into a named scene, followed by master, font and trigger inspection

Best used for: The connected workplace-safety module where powerpoint slide import must produce a testable authoring artifact.

Key controls: source file; selected slides; destination scene; imported masters; media links

Watch for: assuming imported slide order, theme or accessibility is production-ready

Quality evidence: import log lists selected slides and the review confirms masters, focus order and navigation

Activity 01 — Start the Safety Module and Storyboard

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Create the local source baseline, five-scene architecture and traceable storyboard.

Checkpoint: HarbourLink-WSH-Checkpoint-01-YourName.story, learner-created in Storyline 360 on Windows

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Detailed Procedure

1. Create a new blank Storyline project and save it as `HarbourLink-WSH-Checkpoint-01-YourName.story` on a local Windows drive. No completed .story solution is supplied.




Figure 1.1 — Step 1: Create a new blank Storyline project and save it as `HarbourLink-WSH-Checkpoint-01-YourName.story` on a local Windows drive. No completed .story solution is supplied. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

2. Open `source/storyboard.csv` and the previous checkpoint, then confirm the screen IDs and acceptance criteria before editing.

3. In Story View, create and name scenes `01 Welcome`, `02 Learn`, `03 Practise`, `04 Quiz`, and `05 Resources`; set Welcome as the starting scene.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg





Figure 1.2 — Step 3: In Story View, create and name scenes `01 Welcome`, `02 Learn`, `03 Practise`, `04 Quiz`, and `05 Resources`; set Welcome as the starting scene. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

4. Import `source/storyboard.csv` into your working notes and create the listed placeholder slides with matching screen IDs.



© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Figure 1.3 — Step 4: Import `source/storyboard.csv` into your working notes and create the listed placeholder slides with matching screen IDs. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

5. Choose Design > Slide Size > 16:9 (960 × 540) before placing content; record the exact dimensions in the build log.

6. Create a variable register in project notes for `HazardsFound` (Number, 0), seven hazard flags (True/False, False), `RiskLevel` (Number, 1), and `LearnerName` (Text, blank).

7. Preview the entire project and confirm every scene has an intentional entry and return path.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- Five named scenes and storyboard IDs match.
- Variables use the specified type and default.
- Source and checkpoint are versioned locally.
- Whole-project preview has no dead end.

Activity folder: activities/activity-01-brief-storyboard-project/

Activity 02 — Build Theme, Masters and Menu

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Create reusable visual layouts and accessible scene navigation.

Checkpoint: HarbourLink-WSH-Checkpoint-02-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open `HarbourLink-WSH-Checkpoint-01-YourName.story` from the previous activity and immediately use File > Save As to create `HarbourLink-WSH-Checkpoint-02-YourName.story` on a local Windows drive. Preserve the prior checkpoint; no completed .story solution is supplied.

2. Open `source/storyboard.csv` and the previous checkpoint, then confirm the screen IDs and acceptance criteria before editing.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

3. Choose Design > Fonts > Create New Theme Fonts and Design > Colors > Create New Theme Colors from `source/style-guid.md`; then use Design > Themes to save the combined HarbourLink theme.




Figure 2.1 — Step 3: Choose Design > Fonts > Create New Theme Fonts and Design > Colors > Create New Theme Colors from `source/style-guide.md`; then use Design > Themes to save the combined HarbourLink theme. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

4. Open View > Slide Master and build title, content, scenario and quiz layouts; keep course-specific text off the master.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

5. On the menu slide, add four labelled buttons with Normal, Hover, Visited and Disabled states.

6. Add explicit Jump to slide triggers for Learn, Practise, Quiz and Resources; name each button and check Focus Order.




Figure 2.2 — Step 6: Add explicit Jump to slide triggers for Learn, Practise, Quiz and Resources; name each button and check Focus Order. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

7. Test Tab, Shift+Tab, Enter and Space, then verify each destination returns to the menu.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- Four reusable layouts inherit correctly.
- Theme values match the style guide.
- Menu routes and returns correctly.
- Keyboard focus and state changes are visible.

Activity folder: activities/activity-02-theme-masters-menu/

Topic 2 — Media, Interaction and Accessibility

Media Library · hazards · hotspots · layers · states · triggers · motion · simulation · audio · captions

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Alignment: LO2 · A3 · A5 · K2 · K5

Picture insertion and crop

Insert > Picture plus Picture Format > Crop fits safety photography without distortion

Best used for: The connected workplace-safety module where picture insertion and crop must produce a testable authoring artifact.

Key controls: crop focal point; compression; alt text; source

Watch for: stretching media or hiding critical hazard detail

Quality evidence: image remains sharp and the hazard stays visible at player size

Illustration and icon system

Insert > Icons/Illustrations creates consistent editable safety cues

Best used for: The connected workplace-safety module where illustration and icon system must produce a testable authoring artifact.

Key controls: style; size; theme colour; decorative flag

Watch for: mixing styles or announcing decorative icons

Quality evidence: icons reinforce labels and remain understandable without colour

Media Library replacement

View > Media Library replaces a source asset and exposes where it is used

Best used for: The connected workplace-safety module where media library replacement must produce a testable authoring artifact.

Key controls: asset name; usage count; replace; source record

Watch for: changing one instance while duplicates drift

Quality evidence: replacement updates intended uses and preserves crops after review

Hazard hotspot geometry

Hotspots sit over seven visible hazards with non-overlapping target regions

Best used for: The connected workplace-safety module where hazard hotspot geometry must produce a testable authoring artifact.

Key controls: target bounds; label; focus alternative; z-order

Watch for: tiny invisible targets or overlapping hotspots

Quality evidence: all hazards can be activated by pointer and equivalent keyboard controls

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Hotspot information layers

Each hazard opens one named layer with risk, control and close action

Best used for: The connected workplace-safety module where hotspot information layers must produce a testable authoring artifact.

Key controls: show layer; hide layer; focus; pause base timeline

Watch for: click-through behind the layer or stranded focus

Quality evidence: open/close cycles return focus to the invoking hazard control

Keyboard hotspot alternative

Visible numbered buttons mirror hotspot triggers for keyboard and screen-reader users

Best used for: The connected workplace-safety module where keyboard hotspot alternative must produce a testable authoring artifact.

Key controls: button label; trigger parity; focus order; visible focus

Watch for: mouse-only discovery

Quality evidence: keyboard activation shows the same hazard layer and visited state

Layer properties

Layer Properties controls hide other layers, prevent base clicks, pause and revisit behaviour

Best used for: The connected workplace-safety module where layer properties must produce a testable authoring artifact.

Key controls: modal behaviour; base visibility; reset/resume

Watch for: two hazard layers visible or base controls active behind modal

Quality evidence: only one layer is operable and close restores the base slide

Built-in object states

Normal, Hover, Down, Visited and Disabled states communicate interaction status

Best used for: The connected workplace-safety module where built-in object states must produce a testable authoring artifact.

Key controls: state name; contrast; icon/text cue; initial state

Watch for: colour-only visited state or disabled focus target

Quality evidence: state change is perceivable in pointer and keyboard paths

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Custom hazard states

Custom Safe and Selected states show mitigated equipment after a learner choice

Best used for: The connected workplace-safety module where custom hazard states must produce a testable authoring artifact.

Key controls: custom state; trigger condition; persistent variable

Watch for: duplicating whole objects for visual changes

Quality evidence: one object changes predictably without shifting geometry

Trigger execution order

The Triggers panel orders adjust-variable, change-state and show-layer actions deliberately

Best used for: The connected workplace-safety module where trigger execution order must produce a testable authoring artifact.

Key controls: event; object; condition; top-to-bottom order

Watch for: navigation fires before evidence is stored

Quality evidence: trigger trace shows the variable updated before feedback/navigation

Conditional trigger gate

Next jumps only when HazardsFound equals 7; otherwise a prompt layer opens

Best used for: The connected workplace-safety module where conditional trigger gate must produce a testable authoring artifact.

Key controls: condition; comparison; else feedback; count display

Watch for: hidden dead-end or gate based on clicks rather than distinct hazards

Quality evidence: six hazards block progression; seven allow it

True/False completion flags

Hazard01Found through Hazard07Found prevent repeated clicks inflating the count

Best used for: The connected workplace-safety module where true/false completion flags must produce a testable authoring artifact.

Key controls: default False; condition False; set True

Watch for: incrementing every time a hotspot is clicked

Quality evidence: repeated activation leaves HazardsFound unchanged

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Number variable counter

HazardsFound increments once per newly identified hazard and drives progress text

Best used for: The connected workplace-safety module where number variable counter must produce a testable authoring artifact.

Key controls: add 1; variable reference; upper bound; reset

Watch for: counter exceeding seven or resetting on revisit

Quality evidence: counter sequence is 0–7 and survives specified revisit

Variable references

Text %HazardsFound% of 7 found gives visible progress tied to runtime state

Best used for: The connected workplace-safety module where variable references must produce a testable authoring artifact.

Key controls: reference syntax; accessible label; update event

Watch for: hard-coded progress text drifting from logic

Quality evidence: display matches the variable after every unique selection

Motion path forklift

A named motion path demonstrates a moving-forklift hazard and supports path-intersection logic

Best used for: The connected workplace-safety module where motion path forklift must produce a testable authoring artifact.

Key controls: path name; duration; relative start; reverse; trigger

Watch for: uncontrolled autoplay motion or path ending off-canvas

Quality evidence: motion starts on learner action, remains visible and can be paused

Animation accessibility

Motion is brief, purposeful and paired with static explanation and learner control

Best used for: The connected workplace-safety module where animation accessibility must produce a testable authoring artifact.

Key controls: play/pause; duration; alternative; no flashing

Watch for: decorative motion causing distraction or vestibular discomfort

Quality evidence: meaning is available when animation is paused or skipped

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Slider risk control

A 1–5 slider writes RiskLevel and updates a textual risk classification

Best used for: The connected workplace-safety module where slider risk control must produce a testable authoring artifact.

Key controls: start; end; step; variable; state mapping

Watch for: unlabelled values or pointer-only input

Quality evidence: arrow keys change the value and every value has a text equivalent

Dial inspection control

A dial rotates through inspection zones and reveals the matching checklist layer

Best used for: The connected workplace-safety module where dial inspection control must produce a testable authoring artifact.

Key controls: steps; start; end; variable; trigger

Watch for: continuous values with unreachable layers

Quality evidence: each detent selects exactly one named inspection zone

Web object incident form

Insert > Web Object embeds the supplied local incident-report simulation folder

Best used for: The connected workplace-safety module where web object incident form must produce a testable authoring artifact.

Key controls: index.html root; focus exit; fallback link; offline test

Watch for: selecting a single HTML file or depending on external tracking

Quality evidence: published output loads locally and keyboard users can enter and leave it

Screen recording preparation

Slides > Record Screen captures a clean bounded application workflow with no private data

Best used for: The connected workplace-safety module where screen recording preparation must produce a testable authoring artifact.

Key controls: recording region; resolution; notifications; rehearsal

Watch for: tiny UI, exposed data or unplanned cursor search

Quality evidence: test capture is readable and follows the scripted incident-report path

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

View mode screencast

Insert recording as Video on a Single Slide for an uninterrupted demonstration

Best used for: The connected workplace-safety module where view mode screencast must produce a testable authoring artifact.

Key controls: video controls; captions; trim; poster frame

Watch for: autoplay sound or unreadable cursor detail

Quality evidence: learner can pause, seek and use captions/transcript

Try mode simulation

Insert recording as Step-by-Step Slides > Try Mode adds coached interactive actions

Best used for: The connected workplace-safety module where try mode simulation must produce a testable authoring artifact.

Key controls: hint caption; hotspot; failure layer; attempts

Watch for: automatic steps accepting the wrong target

Quality evidence: expected actions advance and wrong actions show actionable coaching

Test mode simulation

Test Mode records scored actions without coaching and reports through a result slide

Best used for: The connected workplace-safety module where test mode simulation must produce a testable authoring artifact.

Key controls: score; attempts; feedback; tracked result

Watch for: testing pixel precision instead of meaningful action

Quality evidence: correct and incorrect actions score according to the specification

Audio narration import

Insert > Audio > Audio from File places the supplied WAV/MP3 on the intended slide

Best used for: The connected workplace-safety module where audio narration import must produce a testable authoring artifact.

Key controls: timeline name; trim; volume; fade; playback

Watch for: multiple tracks overlapping on revisit

Quality evidence: one intelligible track plays and stops at the specified boundary

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Caption import

Select the audio, then Options > Import (or Accessibility > Import CC) imports WebVTT and exposes the player caption control

Best used for: The connected workplace-safety module where caption import must produce a testable authoring artifact.

Key controls: VTT timing; speaker labels; meaningful sound; position

Watch for: captions drifting or covering controls

Quality evidence: caption spot-check matches narration at start, middle and end

Transcript equivalent

Resources or an accessible text layer supplies narration plus relevant visual actions

Best used for: The connected workplace-safety module where transcript equivalent must produce a testable authoring artifact.

Key controls: equivalent meaning; reading order; download link

Watch for: verbatim transcript omitting visual hazards

Quality evidence: learner can complete the objective without hearing the audio

Focus order panel

Home > Focus Order removes decorative objects and sequences interactive content logically

Best used for: The connected workplace-safety module where focus order panel must produce a testable authoring artifact.

Key controls: object visibility; order; names; layer focus

Watch for: timeline order mistaken for reading order

Quality evidence: Tab/Shift+Tab follows the intended task sequence

Alternative text

Size and Position > Accessibility names meaningful images and controls

Best used for: The connected workplace-safety module where alternative text must produce a testable authoring artifact.

Key controls: concise purpose; decorative blank; no filename

Watch for: describing appearance but omitting instructional meaning

Quality evidence: screen-reader output conveys the hazard and available action

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Accessible text styling

Native text, sufficient contrast and restrained formatting preserve zoom and reflow usability

Best used for: The connected workplace-safety module where accessible text styling must produce a testable authoring artifact.

Key controls: font size; contrast; spacing; heading role

Watch for: text baked into images or low-contrast overlays

Quality evidence: content remains readable at 200% browser zoom

Audience preference matrix

A worked matrix compares new warehouse staff, supervisors and mobile field staff by prior knowledge, language, device, bandwidth, session length and evidence need

Best used for: The connected workplace-safety module where audience preference matrix must produce a testable authoring artifact.

Key controls: persona; context; device; language; accessibility; format; duration

Watch for: using one content style because it is convenient for the author

Quality evidence: each audience difference changes a named media, interaction or delivery choice

Content type and style decision

A selection table scores narrated scenario, hotspot inspection, job aid and quiz against immediacy, practice, accessibility and tracking

Best used for: The connected workplace-safety module where content type and style decision must produce a testable authoring artifact.

Key controls: content type; style; mode; criterion; score; rationale

Watch for: choosing novelty over performance need

Quality evidence: selected mix has a recorded criterion-level rationale and accessible equivalent

Safety content feature specification

The specification defines concise copy, realistic hazards, consequence feedback, learner control, captions and persistent progress as mandatory features

Best used for: The connected workplace-safety module where safety content feature specification must produce a testable authoring artifact.

Key controls: accuracy; relevance; clarity; interactivity; accessibility; provenance

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Watch for: describing features as broad benefits without acceptance values

Quality evidence: each feature has an owner, threshold and preview/publish test

Content Library 360 assets

Insert > Content Library 360 adds a permitted template, character or media asset and records its use

Best used for: The connected workplace-safety module where content library 360 assets must produce a testable authoring artifact.

Key controls: asset type; search/filter; licence context; crop; alt text

Watch for: treating a template as finished instruction or mixing incompatible styles

Quality evidence: inserted asset is adapted to the WSA theme and has purpose, provenance and accessibility metadata

360-degree image interaction

Insert > 360° Image adds an explorable warehouse view with labelled markers and hotspots

Best used for: The connected workplace-safety module where 360-degree image interaction must produce a testable authoring artifact.

Key controls: initial view; marker label; hotspot target; accessible alternative; completion cue

Watch for: hidden required targets, motion discomfort or mouse-only exploration

Quality evidence: all required locations are discoverable with an equivalent keyboard-accessible list and clear completion state

Video insert and edit

Insert > Video adds a safety demonstration; Video Tools configures trim, poster frame, controls and captions

Best used for: The connected workplace-safety module where video insert and edit must produce a testable authoring artifact.

Key controls: source; trim in/out; playback; compression; captions; transcript

Watch for: autoplay with sound, unreadable detail or captions covering controls

Quality evidence: learner can pause/seek and obtain equivalent meaning through captions and transcript

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Native text, shapes and tables

Insert > Text Box, Shape and Table creates editable safety labels and a risk-control table

Best used for: The connected workplace-safety module where native text, shapes and tables must produce a testable authoring artifact.

Key controls: heading hierarchy; margins; table headers; contrast; focus order

Watch for: text baked into images or tables used only for layout

Quality evidence: content remains editable, readable at 200% zoom and ordered logically for assistive technology

Activity 03 — Add Media and Hazard Scene

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Construct the warehouse visual with rights-aware media and seven meaningful hazards.

Checkpoint: HarbourLink-WSH-Checkpoint-03-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open the previous checkpoint and File > Save As `HarbourLink-WSH-Checkpoint-03-YourName.story`.

2. In Story View open scene `02 Learn`; open the existing storyboard placeholder `WSA-101 Hazard Walkthrough` and replace its placeholder content without creating a duplicate slide ID.

3. In Slide View choose Insert > Picture, browse to `activities/source/warehouse-seven-hazards.png`, and select Insert.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 3.1 — Step 3: In Slide View choose Insert > Picture, browse to `activities/source/warehouse-seven-hazards.png`, and select Insert. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

4. Choose Picture Tools — Format > Crop; drag the crop handles without stretching until all seven hazards remain visible, then click Crop again to finish.

5. Right-click the picture > Accessibility; enter alt text describing the unsafe warehouse inspection scene.

6. Open View > Media Library; rename the asset `img_WarehouseHazards` and record the source in the evidence sheet.

7. Choose Insert > Hotspot; draw a non-overlapping region over the forklift route.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 3.2 — Step 7: Choose Insert > Hotspot; draw a non-overlapping region over the forklift route. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

8. Duplicate and reposition hotspots for blocked exit, spill, unstable stack, missing PPE, trailing cable and fire-door obstruction.

9. In Timeline rename them `hs_Hazard01` through `hs_Hazard07`; extend every hotspot to the full slide duration.

10. Insert seven visible numbered buttons and rename them `btn_Hazard01` through `btn_Hazard07`.

11. Open States > Edit States; add visible Hover, Down and Visited treatments that use icon/text as well as colour.

12. Open Focus Order; remove decorative objects and place the seven buttons in logical warehouse order.

13. Preview This Slide; operate all seven buttons by Tab and Enter, then repeat with pointer hotspots.

14. Check at player size that no target overlaps and every hazard remains visible.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

15. Save, close, reopen and retain one screenshot showing the final hazard slide plus named Timeline objects.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- Seven hazards are visually plausible.
- Media retains aspect ratio and provenance.
- Hotspots do not overlap.
- Visible keyboard alternatives map one-to-one.

Activity folder: activities/activity-03-media-hazard-scene/

Activity 04 — Add Layers, States, Variables and Gate

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Make hazard discovery accessible, persistent and completion-gated.

Checkpoint: HarbourLink-WSH-Checkpoint-04-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open `HarbourLink-WSH-Checkpoint-03-YourName.story`; File > Save As `HarbourLink-WSH-Checkpoint-04-YourName.story`.

2. In the Triggers panel click the Manage project variables icon. Create Number `HazardsFound` with default `0`.

3. Create True/False variables `Hazard01Found` through `Hazard07Found`, each default `False`.

4. Open Slide Layers > New Layer; create `lyr_Hazard01` through `lyr_Hazard07` before creating any Show layer trigger.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 4.1 — Step 4: Open Slide Layers > New Layer; create `lyr_Hazard01` through `lyr_Hazard07` before creating any Show layer trigger. AI RECREATED — ILLUSTRATIVE UI; not evidence of a Storyline run; example values may differ, so verify the named value in your own checkpoint.




Figure 4.2 — Step 4: Open Slide Layers > New Layer; create `lyr_Hazard01` through `lyr_Hazard07` before creating any Show layer trigger. Authentic Articulate

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

5. On every hazard layer, first add title text (for example `Forklift route hazard`) and body text describing risk and control.

6. Open layer Properties, enable Present as Dialog, then choose the existing title text in the Dialog Label dropdown and body text in Dialog Description. Add a labelled Close button, set it to Hide this layer, and verify automatic focus trapping/return.

7. Create `lyr_Incomplete` now, with instructions to find all seven hazards and a Close button.

8. Select `hs_Hazard01`; in Triggers choose Create a new trigger.

9. Set Action `Adjust variable`, Variable `HazardsFound`, Operator `Add`, Value `1`, Event `When user clicks`, Object `hs_Hazard01`, Condition `Hazard01Found == False`.




Figure 4.3 — Step 9: Set Action `Adjust variable`, Variable `HazardsFound`, Operator `Add`, Value `1`, Event `When user clicks`, Object `hs_Hazard01`, Condition `Hazard01Found == False`. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 4.4 — Step 9: Set Action `Adjust variable`, Variable `HazardsFound`, Operator `Add`, Value `1`, Event `When user clicks`, Object `hs_Hazard01`, Condition `Hazard01Found == False`. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

10. Add second same-click trigger: set `Hazard01Found` to `True` only if it equals False.

11. Add third trigger: change `btn_Hazard01` to `Visited`; add fourth: Show layer `lyr_Hazard01`. Keep this exact order.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

12. Copy the same ordered four triggers to `btn_Hazard01`; edit every trigger event object to `btn_Hazard01` and keep the same flag condition so keyboard and hotspot paths share the counter.

13. Mirror both hotspot and button trigger sets for hazards 02–07, changing object, flag, button and layer names consistently.

14. Insert text `%HazardsFound% of 7 found`; give it the accessible name `Hazard discovery progress`.

15. On Next add Jump to next slide when HazardsFound equals 7; below it add Show layer `lyr_Incomplete` when HazardsFound is less than 7.

16. Preview the hotspot path and the visible-button keyboard path; each unique hazard must increment once and open the same layer.

17. Click one hotspot then its matching button; confirm the counter stays 1.

18. Select six hazards and confirm Next shows `lyr_Incomplete`; select the seventh and confirm progression.

19. Open every Dialog layer by keyboard, close it and verify focus returns to the invoking numbered button.

20. Save, close, reopen and capture Manage Variables, one hotspot trigger group, one button trigger group, Dialog properties, condition and 7-of-7 runtime state.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- Counter never exceeds seven.
- Repeated selections do not inflate progress.
- Six hazards block and seven permit progression.
- Pointer and keyboard paths show identical content.

Activity folder: activities/activity-04-layers-states-gating/

Activity 05 — Build Motion, Slider and Dial Controls

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Use motion and data controls to explain dynamic workplace risk.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Checkpoint: HarbourLink-WSH-Checkpoint-05-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open HarbourLink-WSH-Checkpoint-04 and Save As HarbourLink-WSH-Checkpoint-05-YourName.story.

2. In the Triggers panel choose Manage project variables; create Number `RiskLevel` with default `1` and Number `RiskZone` with default `1`.

3. Insert a slider on the risk screen; select Slider Tools — Design and set Start `1`, End `5`, Initial `1`, Step `1`.

4. In Slider Tools — Design > Variable bind the slider to `RiskLevel`.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 5.1 — Step 4: In Slider Tools — Design > Variable bind the slider to `RiskLevel`. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

5. Create `lyr_RiskLow`, `lyr_RiskMedium`, and `lyr_RiskHigh` before selecting any layer in a trigger.

6. Create slider-moves triggers: show Low when RiskLevel is 1–2, Medium when 3, and High when 4–5; order the conditions so only one layer opens.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 5.2 — Step 6: Create slider-moves triggers: show Low when RiskLevel is 1–2, Medium when 3, and High when 4–5; order the conditions so only one layer opens. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

7. Insert a dial and bind its variable to `RiskZone`; set Start `1`, End `3`, Initial `1`, Step `1`.

8. Create `lyr_Zone01`, `lyr_Zone02`, and `lyr_Zone03` before adding dial-moves triggers.




Figure 5.3 — Step 8: Create `lyr_Zone01`, `lyr_Zone02`, and `lyr_Zone03` before adding dial-moves triggers. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

9. Add one dial-moves trigger per exact RiskZone value; show the matching zone layer and hide the other two.

10. Add a motion path to the forklift icon; trigger it only after the learner confirms the route is clear.

11. Provide visible Previous/Next value buttons as keyboard alternatives for both slider and dial.

12. Set the interactive objects to remain visible for the full slide duration in Timeline.

13. Preview values 1, 3, and 5 plus all three zones; compare visible value, variable readback, layer, and keyboard path.

14. Revisit the slide and verify the specified resume/reset behaviour.

15. Save and retain Slider Tools values, variable bindings, layer list, trigger conditions, and three runtime states.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- Motion is learner-controlled.
- All slider values have text equivalents.
- Every dial detent maps to one zone.
- Revisit matches the specification.

Activity folder: activities/activity-05-motion-slider-dial/

Activity 06 — Create View, Try and Test Simulations

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Capture and deploy the supplied incident-report simulation in three Storyline modes.

Checkpoint: HarbourLink-WSH-Checkpoint-06-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open `HarbourLink-WSH-Checkpoint-05-YourName.story` from the previous activity and immediately use File > Save As to create `HarbourLink-WSH-Checkpoint-06-YourName.story` on a local Windows drive. Preserve the prior checkpoint; no completed .story solution is supplied.

2. Open `source/storyboard.csv` and the previous checkpoint, then confirm the screen IDs and acceptance criteria before editing.

3. Open `source/incident-report/index.html`, use fictional data only, silence notifications and rehearse the submit path.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 6.1 — Step 3: Open `source/incident-report/index.html`, use fictional data only, silence notifications and rehearse the submit path. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

4. Record a readable bounded region with Slides > Record Screen.

5. Insert one copy as Video on a Single Slide and add learner playback controls.

6. Insert a second copy as Try Mode; edit hotspots and coaching so intended actions advance and wrong actions receive guidance.

7. Insert a third copy as Test Mode; configure score and attempts, then test correct and incorrect action paths.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 6.2 — Step 7: Insert a third copy as Test Mode; configure score and attempts, then test correct and incorrect action paths. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Acceptance Criteria

- Recording exposes no private data.
- View mode can pause and seek.
- Try mode coaches wrong actions.
- Test mode scores specified actions.

Activity folder: activities/activity-06-screen-recording-simulation/

Activity 07 — Add Audio, Captions and Accessibility

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Add the supplied eight-scene HarbourLink annual WSH narration with one matching MP3/VTT pair per screen, equivalent transcript and keyboard-operable Replay/Stop controls.

Checkpoint: HarbourLink-WSH-Checkpoint-07-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open HarbourLink-WSH-Checkpoint-06 and Save As HarbourLink-WSH-Checkpoint-07-YourName.story.

2. In scene `02 Learn`, confirm storyboard screens `HLL-VO-01` through `HLL-VO-08` exist in order; create none with duplicate IDs.

3. For each screen 01–08, choose Insert > Audio > Audio from File and import the matching `activities/source/narration/harbourlink-scene-01.mp3` through `harbourlink-scene-08.mp3`; place exactly one clip on its matching screen.

4. Rename each Timeline audio object `aud_HLL_01` through `aud_HLL_08`; do not repeat the 201.67-second combined track on every screen.

5. On each screen select its audio object, choose Options > Import (or Accessibility > Import CC), and import the matching `activities/source/captions/harbourlink-scene-01.vtt` through `harbourlink-scene-08.vtt`.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 7.1 — Step 5: On each screen select its audio object, choose Options > Import (or Accessibility > Import CC), and import the matching `activities/source/captions/harbourlink-scene-01.vtt` through `harbourlink-scene-08.vtt`. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

6. Compare the eight screen IDs, MP3 filenames and VTT filenames against `activities/source/storyboard.csv` and `activities/source/narration/harbourlink-audio-manifest.json`.

7. Add labelled Replay and Stop controls on every narrated screen; Replay restarts only that screen's clip and Stop stops only that clip.

8. Link `activities/source/narration/annual-wsh-script.md` as the transcript and add concise alternative text for visual actions not spoken.

9. Open Focus Order on every narrated screen; remove decorative objects and place heading, visual, Replay, Stop, transcript and Next in logical order.

10. Preview screens HLL-VO-01 to HLL-VO-08 in sequence with audio muted/captions on, keyboard only, and at 200% browser zoom after publish preview. Open or download the supplied narrated reference video at `activities/source/video/HarbourLink-Annual-WSH-Refresher.mp4`; the accessible browser player is

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

`activities/source/video/index.html` and uses `activities/source/captions/harbourlink-annual-wsh.vtt`.




Figure 7.2 — Step 10: Preview screens HLL-VO-01 to HLL-VO-08 in sequence with audio muted/captions on, keyboard only, and at 200% browser zoom after publish preview. Open or download the supplied narrated reference video at `activities/source/video/HarbourLink-Annual-WSH-Refresher.mp4`; the accessible browser player is `activities/source/video/index.html` and uses `activities/source/captions/harbourlink-annual-wsh.vtt`. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

11. Record one start/middle/end caption timing check per screen and correct any overlap with controls.

12. Save and retain one mapping table plus screenshots of a representative audio Timeline, caption editor, Replay/Stop triggers and keyboard focus order.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- Narration and captions synchronise.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Transcript conveys equivalent visual meaning.
- Focus order is logical.
- No task depends on hearing or precise pointer input.

Activity folder: activities/activity-07-audio-captions-accessibility/

Topic 3 — Branching, Questions and Results

Branching · freeform · feedback · question banks · result slide · retry · review · completion

Alignment: LO3 · A6 · K6

Branching decision scene

Three response choices route to consequence layers and reconverge deliberately

Best used for: The connected workplace-safety module where branching decision scene must produce a testable authoring artifact.

Key controls: choice trigger; consequence; return; state preservation

Watch for: branches with no return or unearned success

Quality evidence: every path reaches feedback and the specified continuation

Freeform pick-one conversion

Insert > Convert to Freeform turns workplace objects into a scored pick-one decision

Best used for: The connected workplace-safety module where freeform pick-one conversion must produce a testable authoring artifact.

Key controls: response set; correct object; states; submit

Watch for: visual ambiguity or automatic submission

Quality evidence: selection can be revised before Submit and scores correctly

Freeform hotspot question

A screenshot-based hazard question uses defined regions and consequence feedback

Best used for: The connected workplace-safety module where freeform hotspot question must produce a testable authoring artifact.

Key controls: hotspot region; score; attempts; feedback

Watch for: mouse-only graded task

Quality evidence: an equivalent keyboard-operable response path is provided

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Drag-and-drop fallback

A sorting interaction includes keyboard-accessible buttons or an equivalent pick-one version

Best used for: The connected workplace-safety module where drag-and-drop fallback must produce a testable authoring artifact.

Key controls: drag item; drop target; snap; reset; fallback

Watch for: requiring precise dragging as the only route

Quality evidence: both paths create the same instructional and scoring outcome

Question form configuration

Form View defines prompt, choices, score, attempts, shuffle and feedback before visual styling

Best used for: The connected workplace-safety module where question form configuration must produce a testable authoring artifact.

Key controls: question type; points; required; attempts

Watch for: styling before the scoring model is stable

Quality evidence: question specification matches runtime scoring

Feedback layers

Correct, Incorrect and Try Again layers explain the safety consequence and next action

Best used for: The connected workplace-safety module where feedback layers must produce a testable authoring artifact.

Key controls: layer text; continue; focus; attempts

Watch for: feedback saying only correct/incorrect

Quality evidence: learner can state why the response changes risk

Question bank design

A Safety Bank groups items by criterion and supports controlled random draws

Best used for: The connected workplace-safety module where question bank design must produce a testable authoring artifact.

Key controls: bank name; criterion tags; draw count; randomisation

Watch for: random draw missing a required criterion

Quality evidence: repeated draws preserve minimum content coverage

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Draw from question bank

Slides > Question Banks > New Draw from Question Bank selects the intended bank; Draw questions randomly enables Include N

Best used for: The connected workplace-safety module where draw from question bank must produce a testable authoring artifact.

Key controls: draw count; include/exclude; lock order

Watch for: tracking the bank source instead of delivered questions

Quality evidence: preview draws the configured count and result slide includes them

Result slide tracking

Insert > New Slide > Results tracks only the scored quiz and sets 80% pass

Best used for: The connected workplace-safety module where result slide tracking must produce a testable authoring artifact.

Key controls: tracked questions; passing score; score display

Watch for: tracking the wrong questions or allowing slides-viewed bypass

Quality evidence: known answer sets return expected percentage and pass/fail

Retry quiz trigger

Retry Quiz resets tracked questions and relevant variables before returning to the quiz

Best used for: The connected workplace-safety module where retry quiz trigger must produce a testable authoring artifact.

Key controls: reset results; destination; attempt count

Watch for: old answers or hazard variables contaminating retry

Quality evidence: second attempt starts clean while permitted course progress remains

Review quiz behaviour

Review Quiz shows submitted responses without exposing answers before completion

Best used for: The connected workplace-safety module where review quiz behaviour must produce a testable authoring artifact.

Key controls: review state; correct-answer display; navigation

Watch for: answer leakage during the active attempt

Quality evidence: review is unavailable until submission and then matches policy

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Submit-all interaction

Submit All Responses defers scoring when the design requires final review

Best used for: The connected workplace-safety module where submit-all interaction must produce a testable authoring artifact.

Key controls: submit mode; confirmation; unanswered check

Watch for: learner submits incomplete quiz accidentally

Quality evidence: confirmation identifies unanswered items before final scoring

Results variables

Built-in SafetyQuiz.ScorePercent and SafetyQuiz.PassPercent support transparent status text

Best used for: The connected workplace-safety module where results variables must produce a testable authoring artifact.

Key controls: variable reference; rounding; pass threshold

Watch for: manual score formulas drifting from Storyline results

Quality evidence: displayed values match LMS debug data

Completion trigger

Course completion reports from the selected quiz result, with no competing early trigger

Best used for: The connected workplace-safety module where completion trigger must produce a testable authoring artifact.

Key controls: complete/pass trigger; result slide; conditions

Watch for: multiple completion criteria using OR and bypassing the quiz

Quality evidence: viewing every slide without passing does not report successful completion

Branch and quiz test matrix

A structured matrix covers correct, incorrect, incomplete, retry, review, revisit and resume

Best used for: The connected workplace-safety module where branch and quiz test matrix must produce a testable authoring artifact.

Key controls: expected state; actual state; evidence; defect owner

Watch for: testing only the happy path

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Quality evidence: all high-risk cases have recorded results and resolved defects

Zoom region timing

Insert > Zoom Region enlarges a named detail only during the explanatory cue-point interval

Best used for: The connected workplace-safety module where zoom region timing must produce a testable authoring artifact.

Key controls: region bounds; timeline start/end; duration; return to normal

Watch for: decorative zoom or loss of context

Quality evidence: zoom begins at the named cue point, reveals the required detail and returns before the next task

Slide transitions

Transitions applies one restrained transition at scene boundaries and records timing

Best used for: The connected workplace-safety module where slide transitions must produce a testable authoring artifact.

Key controls: transition type; duration; advance mode; reduced-motion alternative

Watch for: different transitions on every slide or automatic advance before content completes

Quality evidence: scene change remains predictable and no essential meaning depends on motion

Activity 08 — Build Branching and Freeform Decisions

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Create consequence-based decisions and an accessible freeform interaction.

Checkpoint: HarbourLink-WSH-Checkpoint-08-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open HarbourLink-WSH-Checkpoint-07 and Save As HarbourLink-WSH-Checkpoint-08-YourName.story.

2. In existing scene `03 Practise`, open storyboard placeholder `WSA-210 Spill Decision`; do not create a duplicate ID.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

3. Create three choice buttons and three Dialog consequence layers; add choice-click Show layer triggers for this ungraded branch prototype.




Figure 8.1 — Step 3: Create three choice buttons and three Dialog consequence layers; add choice-click Show layer triggers for this ungraded branch prototype. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

4. Create or open placeholder `WSA-220 Reconvergence`; add Continue triggers from each consequence layer to WSA-220 and test all three paths.

5. Duplicate WSA-210 so the working ungraded branch remains a rollback reference.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 8.2 — Step 5: Duplicate WSA-210 so the working ungraded branch remains a rollback reference. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

6. On the duplicate, delete every old choice-click Show layer, Jump, and feedback trigger before conversion.

7. Select the three decision objects and choose Insert > Convert to Freeform > Pick One.

8. In Form View assign each object to its response and mark the approved control as correct.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 8.3 — Step 8: In Form View assign each object to its response and mark the approved control as correct. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

9. Use the interaction Submit button; do not reveal feedback or navigate when a choice is merely clicked.




Figure 8.4 — Step 9: Use the interaction Submit button; do not reveal feedback or navigate when a choice is merely clicked. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

10. Edit the generated Correct, Incorrect, and Try Again layers with plain-English consequence and next action.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

11. Set attempts and feedback behaviour in Question Tools — Design; keep Try Again only while another attempt remains.

12. Add Continue from submitted feedback to `WSA-220 Reconvergence`.

13. Open Focus Order and place prompt, choices, Submit, and feedback controls in logical order.

14. Preview without Submit, then submit correct, incorrect, and retry paths; confirm scoring and reconvergence.

15. Save and capture the original branch, cleaned duplicate triggers, Form View, feedback layers, score, and reconvergence.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- All branches reach feedback and continuation.
- Freeform scoring matches the specification.
- Feedback explains consequence.
- Equivalent keyboard route is complete.

Activity folder: activities/activity-08-branching-freeform/

Activity 09 — Build the Safety Question Bank and Quiz

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Create a five-question graded quiz with controlled bank coverage and 80% pass.

Checkpoint: HarbourLink-WSH-Checkpoint-09-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open HarbourLink-WSH-Checkpoint-08 and Save As HarbourLink-WSH-Checkpoint-09-YourName.story; in existing scene `04 Quiz`, open placeholder `WSA-301 Safety Quiz`.

2. Choose Slides > Question Banks > Create Question Bank; name it `Safety Bank`.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg



Figure 9.1 — Step 2: Choose Slides > Question Banks > Create Question Bank; name it `Safety Bank`. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

3. Create five graded items: hazard recognition, control selection, reporting, emergency action and PPE.

4. For each item open Form View and enter the prompt, choices and correct response from `activities/source/quiz-content.md`.




Figure 9.2 — Step 4: For each item open Form View and enter the prompt, choices and correct response from `activities/source/quiz-content.md`. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

5. Set points consistently and define attempts before styling.

6. Write Correct/Incorrect/Try Again feedback that names the safety consequence.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

7. For multiple-response items add `Select all that apply` and use perceivable response states.

8. Tag item titles with the criterion name so coverage is auditable.

9. Choose Slides > Question Banks > New Draw from Question Bank; select `Safety Bank`, then replace the WSA-301 placeholder content with this draw slide so the Quiz menu entry opens the bank draw.




Figure 9.3 — Step 9: Choose Slides > Question Banks > New Draw from Question Bank; select `Safety Bank`, then replace the WSA-301 placeholder content with this draw slide so the Quiz menu entry opens the bank draw. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

10. Enable Draw questions randomly, set Include to five, and mark every required criterion Always in Include in Shuffle.




Figure 9.4 — Step 10: Enable Draw questions randomly, set Include to five, and mark every required criterion Always in Include in Shuffle. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

11. Open Focus Order for a representative item and remove decorative objects.

12. Preview two different answer sets and record expected raw score.

13. Verify no correct answer is exposed before Submit.

14. Review at phone-width player size for target spacing and readable feedback.

15. Save and capture bank contents, draw settings and one complete feedback path.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- Five criteria are covered.
- Scoring is reproducible.
- Instructions and states are accessible.
- Answers are not leaked before submission.

Activity folder: activities/activity-09-question-bank-quiz/

Activity 10 — Configure Results, Retry and Completion

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Objective: Track only the scored quiz, set 80% pass and prove retry/review behaviour.

Checkpoint: HarbourLink-WSH-Checkpoint-10-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open checkpoint 09 and Save As checkpoint 10.

2. Choose Slides > Results; create a graded Results slide and name its quiz `SafetyQuiz`.

3. Open Result Tools — Design > Quiz Settings and select only the `Safety Bank` question-draw slide; do not select its five bank questions as separate direct rows.

4. In Result Tools — Design set Quiz Type to `Final Assessment`; then open Quiz Settings and confirm the `Safety Bank` draw is the only scored source.




Figure 10.1 — Step 4: In Result Tools — Design set Quiz Type to `Final Assessment`; then open Quiz Settings and confirm the `Safety Bank` draw is the only scored source. AI RECREATED — ILLUSTRATIVE UI; not evidence of a Storyline run; example values may differ, so verify the named value in your own checkpoint.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 10.2 — Step 4: In Result Tools — Design set Quiz Type to `Final Assessment`; then open Quiz Settings and confirm the `Safety Bank` draw is the only scored source.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

5. Set Passing Score to `80%`; confirm visible score uses SafetyQuiz.ScorePercent.




Figure 10.3 — Step 5: Set Passing Score to `80%`; confirm visible score uses SafetyQuiz.ScorePercent. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

6. Choose Result Tools — Design > Retry Button and Review Button so Storyline creates the built-in Reset results and Review results behaviour.

7. On Retry add Reset results for this result slide before Jump to the first quiz slide.

8. Confirm relevant question states reset while permitted course progress remains.

9. Keep Review unavailable until the attempt is submitted.

10. Choose Home > Publish > LMS/LRS > Reporting and Tracking; select the SafetyQuiz Results slide as the only tracking criterion.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 10.4 — Step 10: Choose Home > Publish > LMS/LRS > Reporting and Tracking; select the SafetyQuiz Results slide as the only tracking criterion. AI RECREATED — ILLUSTRATIVE UI; not evidence of a Storyline run; example values may differ, so verify the named value in your own checkpoint.

11. Do not add slides viewed because multiple criteria are OR and could bypass the quiz.

12. Test 3/5=60% fail and record state.

13. Test 4/5=80% pass and record state.

14. Test 5/5=100%, retry, review and relaunch paths.

15. Compare visible score/pass with the result variables and expected LMS state.

16. Save and capture Quiz Settings, Retry trigger order and pass/fail runtime screens.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- 80% threshold is exact.
- Slides viewed cannot bypass the quiz.
- Retry starts a clean quiz attempt.
- Review appears only after submission.

Activity folder: activities/activity-10-results-retry-completion/

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Topic 4 — Review, Publishing and Governance

Player · translation · Review 360 · SCORM 1.2/2004 · Tin Can xAPI · LMS/LRS tests · retention

Alignment: LO4 · A4 · A7 · K4

Player accessibility controls

Player Properties retains volume, captions, keyboard focus and clear labels

Best used for: The connected workplace-safety module where player accessibility controls must produce a testable authoring artifact.

Key controls: controls; colour; language; menu; seekbar

Watch for: hiding controls required for media access

Quality evidence: keyboard and screen-reader test reaches each enabled control

Translation workflow

File > Localization > XLIFF/Word Translation exports text, protects variables and imports the reviewed translation into a duplicate source

Best used for: The connected workplace-safety module where translation workflow must produce a testable authoring artifact.

Key controls: XLIFF/Word workflow; locale; font; expansion

Watch for: editing object IDs or truncating expanded text

Quality evidence: import preserves triggers and representative layouts fit

Review 360 publishing

Home > Publish > Review 360 creates a versioned review item with named reviewers

Best used for: The connected workplace-safety module where review 360 publishing must produce a testable authoring artifact.

Key controls: item name; version; comments; resolve/reopen

Watch for: treating comments as the only requirement record

Quality evidence: each comment has owner, disposition and source version

Review version control

Update an existing Review 360 item only when continuity is intended; otherwise create a new item

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Best used for: The connected workplace-safety module where review version control must produce a testable authoring artifact.

Key controls: review URL; version label; approval snapshot

Watch for: overwriting an approved review with untracked changes

Quality evidence: approved comment set maps to a retained .story checksum

LMS/LRS publish target

Home > Publish > LMS/LRS opens title, folder, quality, reporting and tracking settings

Best used for: The connected workplace-safety module where lms/lrs publish target must produce a testable authoring artifact.

Key controls: publish path; title; identifier; standard; tracking

Watch for: publishing to a synced/network folder or reusing IDs carelessly

Quality evidence: local publish completes and the settings record identifies the package

SCORM 1.2 reporting

Reporting and Tracking selects SCORM 1.2 and the LMS status pair required by the target LMS

Best used for: The connected workplace-safety module where scorm 1.2 reporting must produce a testable authoring artifact.

Key controls: Passed/Incomplete; Passed/Failed; identifier; title

Watch for: choosing a status model without LMS validation

Quality evidence: sandbox records score, lesson status, location and suspend data

SCORM 2004 editions

Reporting and Tracking selects the LMS-supported SCORM 2004 edition and separate completion/success semantics

Best used for: The connected workplace-safety module where scorm 2004 editions must produce a testable authoring artifact.

Key controls: edition; completion; success; score; identifier

Watch for: assuming every LMS supports the same edition

Quality evidence: sandbox launch, suspend/resume and score readback pass

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Tin Can xAPI publishing

Reporting and Tracking selects xAPI (Tin Can API) and uses launch-supplied actor/LRS configuration

Best used for: The connected workplace-safety module where tin can xapi publishing must produce a testable authoring artifact.

Key controls: activity ID; actor; endpoint; auth; statements

Watch for: embedding LRS secrets in learner assets

Quality evidence: test launch sends expected statements without credentials stored in the package

cmi5 boundary

cmi5 is chosen only when the LMS supports its launch/session rules and xAPI statement profile

Best used for: The connected workplace-safety module where cmi5 boundary must produce a testable authoring artifact.

Key controls: AU launch; session; moveOn; masteryScore

Watch for: treating generic xAPI and cmi5 as interchangeable

Quality evidence: cmi5 conformance test shows launched, completed and passed lifecycle

Tracking criteria semantics

The scored safety module tracks the quiz result only because multiple Storyline criteria are OR

Best used for: The connected workplace-safety module where tracking criteria semantics must produce a testable authoring artifact.

Key controls: result slide; criteria list; completion trigger

Watch for: adding slides viewed and allowing a bypass

Quality evidence: slides-viewed alone cannot complete the scored module

Publish Success ZIP

Publish Successful > ZIP creates an upload package with imsmanifest.xml and course files at ZIP root

Best used for: The connected workplace-safety module where publish success zip must produce a testable authoring artifact.

Key controls: ZIP command; manifest root; no extra wrapper folder

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Watch for: zipping the containing folder manually

Quality evidence: archive inspection finds manifest and launch assets at root

LMS sandbox upload

A non-production LMS course tests launch, completion, score, bookmark, session time and suspend data

Best used for: The connected workplace-safety module where lms sandbox upload must produce a testable authoring artifact.

Key controls: learner ID; attempt; status; score; resume; debug log

Watch for: using production learners for package debugging

Quality evidence: fresh, failed, passed and resumed attempts read back correctly

SCORM runtime reference

The supplied workplacesafety-scorm site informs runtime test structure, status and relaunch controls

Best used for: The connected workplace-safety module where scorm runtime reference must produce a testable authoring artifact.

Key controls: API discovery; status; score; bookmark; session time; suspend data

Watch for: claiming the reference is Storyline output or an xAPI tester

Quality evidence: comparison notes distinguish its SCORM demo role from the new Storyline build

Standalone preview boundary

course.html style standalone preview is used for visual checks only because no LMS API is present

Best used for: The connected workplace-safety module where standalone preview boundary must produce a testable authoring artifact.

Key controls: preview notice; no tracking claim; fallback

Watch for: equating local browser preview with LMS completion

Quality evidence: test report labels standalone and LMS evidence separately

LMS debug diagnosis

Browser console and LMS debug logs isolate API discovery, commit, status and suspend-data failures

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Best used for: The connected workplace-safety module where lms debug diagnosis must produce a testable authoring artifact.

Key controls: API found; Initialize; SetValue; Commit; Terminate

Watch for: guessing from a visible course screen

Quality evidence: log timestamps identify the failing runtime call and value

Package regression test

Republish after source changes and rerun the full high-risk matrix against a clean learner attempt

Best used for: The connected workplace-safety module where package regression test must produce a testable authoring artifact.

Key controls: source version; package checksum; clean state; results

Watch for: reusing a contaminated learner attempt

Quality evidence: new package checksum and clean readback match the release register

Release retention

Retain .story, publish settings, ZIP, test log, review approval and asset provenance together

Best used for: The connected workplace-safety module where release retention must produce a testable authoring artifact.

Key controls: owner; date; version; checksum; review trigger

Watch for: keeping only the uploaded ZIP

Quality evidence: auditor can reproduce which source and settings created the live package

Articulate Labs boundary

Experimental Articulate Labs features are tried only in a duplicate sandbox project with manual fallback

Best used for: The connected workplace-safety module where articulate labs boundary must produce a testable authoring artifact.

Key controls: duplicate source; experiment flag; fallback; review

Watch for: making an experimental feature mandatory in production

Quality evidence: baseline remains buildable without the experiment

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

AI-assisted authoring fallback

Optional AI proposes copy or imagery, while the author verifies accuracy, rights and accessibility

Best used for: The connected workplace-safety module where ai-assisted authoring fallback must produce a testable authoring artifact.

Key controls: prompt record; provenance; human review; manual path

Watch for: publishing generated output without verification

Quality evidence: release evidence identifies reviewer and the non-AI fallback

Distribution mode comparison

A worked decision table compares Review 360, web, video, SCORM LMS and xAPI/cmi5 by interactivity, identity, score, resume, review and analytics

Best used for: The connected workplace-safety module where distribution mode comparison must produce a testable authoring artifact.

Key controls: channel; launch; tracking; interaction; security; maintenance

Watch for: selecting the easiest export rather than the required evidence

Quality evidence: SCORM LMS wins for scored induction and the rejected modes have recorded reasons

Delivery cadence calculation

A 30-day induction cadence schedules launch on Day 0, reminders on Days 3 and 7, supervisor escalation on Day 10 and content review every 180 days

Best used for: The connected workplace-safety module where delivery cadence calculation must produce a testable authoring artifact.

Key controls: trigger date; audience; channel; owner; stop condition; review interval

Watch for: sending reminders after completion or setting cadence without an owner

Quality evidence: calendar table totals each touchpoint and stops when completion status is read back

Cadence exception rules

Status-driven rules suppress reminders for passed learners, route failed learners to retry guidance and escalate overdue incomplete learners

Best used for: The connected workplace-safety module where cadence exception rules must produce a testable authoring artifact.

Key controls: status; threshold; retry; suppression; escalation; privacy

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Watch for: broadcasting scores or sending identical messages to every status

Quality evidence: test learner records produce the correct next contact and no unnecessary disclosure

Content execution guideline register

The WSA guideline records tone, terminology, template, object naming, accessibility, review, publish ID, cadence and archive controls

Best used for: The connected workplace-safety module where content execution guideline register must produce a testable authoring artifact.

Key controls: rule ID; rationale; owner; verification; exception; review date

Watch for: guidelines with no verifier or exception path

Quality evidence: a release reviewer can accept or reject each rule from retained evidence

Lifecycle metric decision

A worked register links completion, pass rate, retry rate, incident-report simulation errors and overdue rate to a defined action threshold

Best used for: The connected workplace-safety module where lifecycle metric decision must produce a testable authoring artifact.

Key controls: metric; source; threshold; action; owner; review date

Watch for: collecting analytics without a decision purpose

Quality evidence: each threshold triggers a named content, coaching or cadence response

Activity 11 — Configure Player, Translation and Review 360

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Prepare the module for accessible review and localisation.

Checkpoint: HarbourLink-WSH-Checkpoint-11-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open `HarbourLink-WSH-Checkpoint-10-YourName.story` from the previous activity and immediately use File > Save As to create `HarbourLink-WSH-Checkpoint-11-

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

YourName.story` on a local Windows drive. Preserve the prior checkpoint; no completed .story solution is supplied.

2. Open `source/storyboard.csv` and the previous checkpoint, then confirm the screen IDs and acceptance criteria before editing.

3. Open Player Properties and enable only required controls, including volume and captions; verify player focus and labels.




Figure 11.1 — Step 3: Open Player Properties and enable only required controls, including volume and captions; verify player focus and labels. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.


© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

4. Choose File > Localization > XLIFF/Word Translation > Export to Word or Export to XLIFF; inspect protected variables/object IDs, then use the same path > Import into a duplicate source and verify representative layouts.

5. Publish a versioned Review 360 item or, if credentials are unavailable, complete the supplied settings worksheet without claiming upload.

6. Define reviewers, review questions, due date, comment owner and accept/adapt/reject disposition.

7. Retain the Review item/version identifier or the honest offline plan.



© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Figure 11.2 — Step 7: Retain the Review item/version identifier or the honest offline plan. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- Player controls are keyboard accessible.
- Translation workflow protects logic identifiers.
- Review ownership is explicit.
- No upload is claimed without readback.

Activity folder: activities/activity-11-player-translation-review/

Activity 12 — Publish and Test SCORM 1.2 and 2004

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Create root-correct SCORM packages and verify runtime behaviour in a sandbox.

Checkpoint: HarbourLink-WSH-Checkpoint-12-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open checkpoint 11 and Save As checkpoint 12.

2. Choose Home > Publish > LMS/LRS; set the title and a local publish folder.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 12.1 — Step 2: Choose Home > Publish > LMS/LRS; set the title and a local publish folder. Authentic Articulate tutorial/product guidance; example values may differ, so verify the named value in your own checkpoint.

3. Open Reporting and Tracking; select `SCORM 1.2`.

4. Select the target LMS reporting status pair and record it; track the quiz Results slide only.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 12.2 — Step 4: Select the target LMS reporting status pair and record it; track the quiz Results slide only. AI RECREATED — ILLUSTRATIVE UI; not evidence of a Storyline run; example values may differ, so verify the named value in your own checkpoint.

5. Set a stable identifier and retain it in the release record.

6. Publish locally; on Publish Successful choose ZIP.

7. Open the ZIP and confirm `imsmanifest.xml` and launch files are at archive root, without an extra wrapper folder.

8. Repeat Home > Publish > LMS/LRS and choose the LMS-supported SCORM 2004 edition.

9. Record SCORM 2004 completion, success and score settings separately.

10. Upload only to an approved sandbox with a fresh learner attempt.

11. Launch and test 3/5 fail; read back status and score.

12. Launch and test 4/5 pass; read back completion, success and score.

13. Bookmark, close and relaunch; verify location, suspend data and session time.

14. Compare the supplied runtime demo only for API/status/relaunch structure; label it not Storyline output.

15. Save both ZIP checksums and one screenshot per package showing final reporting/tracking settings.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- Two distinct packages and setting records exist.
- Manifest is at archive root.
- Score/status/resume read back in sandbox.
- Reference boundary is stated accurately.

Activity folder: activities/activity-12-scorm-publishing-testing/

Activity 13 — Publish Tin Can xAPI and Validate Release

Scenario: HarbourLink Logistics needs an 8–10 minute annual WSH refresher for frontline warehouse operators, including learners with low reading confidence. Build a picture-first module with short plain-English labels, narration, captions, purposeful interaction, keyboard equivalents and a five-question 80% practice quiz.

Objective: Prepare an xAPI package without embedded secrets and complete regression evidence.

Checkpoint: HarbourLink-WSH-Checkpoint-13-YourName.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Open checkpoint 12 and Save As checkpoint 13.

2. Choose Home > Publish > LMS/LRS; open Reporting and Tracking.

3. Select `xAPI (Tin Can API)` and enter the approved stable activity identifier.

4. Track the quiz Results slide and record the selected completion basis.

5. If the target specifically requires cmi5, create and document a separate cmi5 publication; do not describe the generic xAPI package as cmi5.

6. Do not enter or embed endpoint credentials in learner files.

7. Publish locally and create the ZIP from Publish Successful.

8. Inspect the package for accidental tokens, passwords, endpoints or learner data.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg




Figure 13.1 — Step 8: Inspect the package for accidental tokens, passwords, endpoints or learner data. AI RECREATED — ILLUSTRATIVE UI; not evidence of a Storyline run; example values may differ, so verify the named value in your own checkpoint.

9. Launch through the approved xAPI-enabled LMS or LRS launch target so actor, endpoint and authentication are supplied at launch.

10. Capture an illustrative Actor/Verb/Object trace only after removing personal data.

11. Inspect statements actually emitted by the current Storyline build and selected tracking.

12. Verify received score and completion; do not promise verbs the runtime did not emit.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

13. If a target action requires an extra statement, add an explicit xAPI trigger and document it.

14. If no approved LRS launch exists, complete the blocked-test record without claiming success.

15. Run regression with a clean learner state and record source version, ZIP checksum and actual results.

16. Archive source, ZIP, settings, test log, review approval and provenance together.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- No credential appears in the package.
- Activity identifier is stable and recorded.
- Statement evidence or honest blocker is retained.
- Release package is reproducible.

Activity folder: activities/activity-13-xapi-release-validation/

Activity 14 — Independent Mini Capstone

Scenario: Create your own original 8–12 slide e-learning module on any suitable learning topic from your organisation, community or personal interests. Start from a blank project, write your own narration, build purposeful interactions and quiz, and publish a standards-compatible package. This developmental capstone is separate from HarbourLink and from the formal PP.

Objective: Independently create a small original e-learning module from a new blank project and present verified evidence.

Checkpoint: Capstone-YourName-v01.story, learner-created in Storyline 360 on Windows

Detailed Procedure

1. Choose any suitable learning topic from your organisation, community or personal interests; do not reuse the guided HarbourLink module or a formal PP solution and write a one-page brief naming audience, performance need, three measurable objectives, delivery channel and accessibility constraints.

2. Create a new blank `Capstone-YourName-v01.story`; do not copy the WSA checkpoint file.

3. Storyboard 8–12 slides containing a menu, one purposeful hotspot interaction or accessible equivalent, layers, one variable gate, recorded or synthetic voiceover with

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

matching captions or transcript, minimal on-screen text, a three-question graded quiz and a result slide.

4. Apply your own theme and masters, implement keyboard focus, captions/transcript where relevant, and test correct, incorrect, incomplete, retry, revisit and resume paths.

5. Publish one standards-compatible test package selected for your target environment and produce a two-minute demonstration plus a one-page release/test record.

6. Optional AI may assist ideation in a duplicate sandbox; retain a manual fallback and verify every output. This capstone is developmental practice and is not the approved formal PP assessment.

Evidence to Retain

Retain the named .story checkpoint, the completed self-check table and one screenshot for each task showing the final state or setting that proves the acceptance criteria.

Acceptance Criteria

- Original blank project and brief are evident.
- Required Storyline mechanisms work together.
- Accessibility and test evidence are complete.
- Publishing choice matches the target.
- Capstone is labelled separately from formal PP.

Activity folder: activities/activity-14-independent-mini-capstone/

Intellectual Property, Privacy and Responsible AI

Use only assets and personal information you created or are permitted to use. Record the source, owner, licence or consent, date, allowed modifications, commercial or redistribution scope and attribution requirement. Public visibility does not itself grant reuse permission. Review current Articulate and AI-service terms before commercial work, do not provide third-party content or personal data without authority, and retain prompt and provenance evidence where appropriate. This guide is educational information, not legal advice.

Publishing and Lifecycle Checklist

- The .story source and published output carry the intended version and owner.
- Preview and published-output tests cover navigation, scoring, resume, captions, focus and keyboard operation.
- The selected channel supports the required interaction and tracking.
- Delivery frequency, reminders, review date and update triggers are documented.
- Review comments are resolved or dispositioned before release.

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg

- Source, media permissions, test evidence and the final package are retained together.

Source Register

Authority	Location
Official course page	https://www.tertiarycourses.com.sg/wsq-mastering-articulate-storyline-360-for-e-learning-content-creation.html
Legacy trainer deck v8	reference/WSQ - Master Trainer Slides - Mastering Articulate Storyline 360 for e-Learning Content Creation - v8.pptx
Approved live assessment structures	WA v3: six SAQs K1–K6; PP v4: four tasks A1/A2, A3/A5, A6, A4/A7; both 60 minutes
Approved assessment plan v5.0	reference/tms/Assessment Plan_TGS-2024042308_v5.0.docx
Approved courseware mapping v1	reference/tms/Courseware Mapping_TGS-2024042308_v1.docx
Articulate Storyline 360 User Guide	https://community.articulate.com/kb/user-guide-series/storyline-360-user-guide/1193854
Official LMS/LRS publishing procedure	https://www.articulatesupport.com/article/Storyline-360-Publishing-a-Course-for-LMS-LRS-Distribution
Articulate accessibility guidance	https://www.articulate.com/about/accessibility/storyline-360-accessibility-maturity-plan/
Articulate Labs experimental-feature boundary	https://www.articulatesupport.com/article/Articulate-360-Teams-Explore-New-Features-with-Labs
Workplace SCORM runtime reference	https://alfredang.github.io/workplacesafety-scorm/

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg