LAB 20 — INSTRUCTIONS

Publish an Agent to Microsoft Teams

Topic 04 · Day 4 · Advanced · Copilot Studio, Microsoft Teams · Alignment K4 · A5

Goal

The learner publishes the grounded agent to Microsoft Teams, confirms the published version behaves as the test version did, and records the release decision and rollback plan.

What you will build

A published agent available in Microsoft Teams with a recorded release decision

Files supplied in this folder

- Lumina-Living-Lab-20.xlsx — Release log and rollback-plan workbook

Primary prompt

> *Summarise what changes when an agent is published to Teams: who can reach it, which version they get, what happens to my unpublished edits, and how I roll back a bad release.*

Detailed procedure

Step 1. Re-run the acceptance tests before publishing

Publishing a failing agent makes the failure everyone's problem. The test set from Lab 16 is the release gate.

Step 2. Publish the agent

Use Publish in Copilot Studio. Users always receive the published version, never your latest unpublished edit.

Step 3. Add the Microsoft Teams channel

Under Channels choose Microsoft Teams and make the agent available, following the tenant's availability setting.

Step 4. Test the published agent inside Teams

Repeat two in-scope tests and one refusal test in Teams itself; the channel, not the test pane, is where users meet the agent.

Step 5. Confirm the refusal still holds after publishing

A refusal that works in the test pane but not in the channel is a release defect.

Step 6. Record the release decision

Log the version, the date, the tests that passed and the named approver in the Release_Log sheet.

Step 7. Write the rollback plan

State how the agent would be withdrawn or reverted, and who decides. A release without a rollback plan is not a controlled release.

Acceptance test

The agent responds correctly inside Microsoft Teams, still refuses out-of-scope questions, and the release log records the version, tests, approver and rollback plan.

Evidence to retain

Teams transcript, release log and a credential-safe screenshot of the channel configuration.