COURSE SLIDES · WSQ

Microsoft Certified Endpoint Administrator Associate (MD-102)

Course Code: TGS-2024042603

Version v3.0 · 25 August 2026

Tertiary Infotech Academy Pte Ltd
UEN: 201200696W

Aligned to MD-102 skills measured 24 July 2026



COURSE ADMINISTRATION

Welcome and course controls

Briefing · evidence expectations · assessment · learner support

Digital attendance with TRAQOM

1 Open Singpass

Use the Singpass app when the trainer announces attendance.

2 Scan the session QR

Confirm the correct course, date and session before submission.

3 Verify recorded

Show the trainer the success state if attendance does not appear.

4 Escalate early

Resolve attendance exceptions during the session, not after course completion.

REMEMBER

Digital attendance appears again at the close so every session is reconciled.

© 2026 Tertiary Infotech Academy Pte Ltd

Trainer profile template

1 Name and role

Insert the assigned trainer's name, current role and delivery responsibility.

2 Endpoint expertise

Summarize Intune, Entra, Windows, Defender and automation experience.

3 Credentials

List only current, verifiable certifications and assessor credentials.

4 Contact protocol

State the approved course support and escalation channel.

REMEMBER

Replace the template only when the named trainer has been confirmed.

© 2026 Tertiary Infotech Academy Pte Ltd

TRAINER PROFILE · NAMED

Trainer profile: Dr Alfred Ang

1 Course leadership

Technical courseware architect and trainer for cloud, AI and enterprise administration.

2 Delivery focus

Mechanism-led instruction, reproducible labs and evidence-based troubleshooting.

3 Learner support

Clarify concepts during class; use the approved support channel after class.

4 Assessment boundary

Training support does not disclose model answers during assessment.

REMEMBER

Ask for the evidence behind a conclusion: state, log, report, timestamp and interpretation.

© 2026 Tertiary Infotech Academy Pte Ltd

WSQ ALIGNMENT

Learning outcomes and assessed performance

1 **LO1**

Administer complex security programs and analyze system-update impacts on Microsoft Endpoint administration.

2 **LO2**

Perform Microsoft Endpoint system administration and configure authentication to protect against security threats.

3 **LO3**

Troubleshoot Microsoft Endpoint security issues and assist users in defining access rights.

4 **LO4**

Coordinate advanced access-control rights and investigate unauthorized-access incidents on Microsoft Endpoint systems.

© 2026 Tertiary Infotech Academy Pte Ltd

TSC knowledge and ability map

1 LO1

K1 · K4 · A1 · A3
Infrastructure, complex administration and security mechanisms.

2 LO2

K2 · K4 · A2 · A4
Configuration, updates, authentication and protection.

3 LO3

K3 · A5 · A6
Troubleshooting, validation and user access clarification.

4 LO4

K5 · A7 · A8
Escalated access control and unauthorized-access investigation.

© 2026 Tertiary Infotech Academy Pte Ltd

5 DAYS · 40 HOURS

Course roadmap: five connected operating loops

1 **Day 1**

Infrastructure and identity
Prepare infrastructure; Entra identity; enrollment; scoped administration

2 **Day 2**

Device deployment and configuration
Compliance and access; Autopilot; Windows 365; configuration targeting

3 **Day 3**

Endpoint protection and updates
Defender; BitLocker; firewall; ASR; baselines; update operations

4 **Day 4**

Application lifecycle and data protection
Win32 and Microsoft 365 Apps; MAM; app configuration; troubleshooting

REMEMBER


Day 5 closes the loop with automation, monitoring, remediation and incident investigation.

© 2026 Tertiary Infotech Academy Pte Ltd

SKILLS MEASURED · 24 JULY 2026

Current MD-102 exam blueprint

Midpoint weight



Prepare infrastructure for devices	20–25%
Manage and maintain devices	25–30%
Protect devices	15–20%
Manage and secure applications	15–20%
Optimize endpoint operations	10–15%


WHAT THE DATA SHOWS

The largest single domain is device management, but exam readiness depends on tracing identity, policy, security, apps and operations as one system.

© 2026 Tertiary Infotech Academy Pte Ltd

COURSE PORTAL · VISUAL FLOW

Download the course material



1

Sign in

Use the course account provided.

2

Open this course

Confirm code TGS-2024042603.

3

Download current files

Use PPTX for trainer slides; PDF for learner slides.

4

Keep versions together

Do not mix archived and current files.

© 2026 Tertiary Infotech Academy Pte Ltd

Assessment briefing

1 Written Assessment

5 open-ended questions · K1–K5 · 60 minutes · open book.

2 Practical Performance

6 connected tasks · A1–A8 · 60 minutes · evidence required.

3 Submission


Complete the supplied document and upload it to lms-tms.tertiaryinfotech.com.

4 Competency

Address every criterion and demonstrate the required evidence state.

© 2026 Tertiary Infotech Academy Pte Ltd

Assessment flow and sign-off



SUBMISSION RULE

Question papers go to the LMS. Answer keys remain trainer-only and are never linked from the learner record.

© 2026 Tertiary Infotech Academy Pte Ltd

Practice Exam: MD-102 readiness

MD-102 Practice Portal

Practice Mode — Feedback after each question

Exam Mode — Timed set with end-of-attempt review

https://exams.tertiaryinfotech.com

Baseline — Take one timed attempt before revision.

Gap map — Tag every miss to a current domain and objective.

Retest — Repeat after the linked lab and evidence review.

Exam judgment — Choose the control that satisfies the stated constraint with least privilege.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab evidence standard

1 Configured state

Capture the policy, assignment, script or control values.

2 Observed result

Capture the device/service result and its timestamp.

3 Diagnosis

Tie the failure to an error, log, report or absent state.

4 Recovery

Retest and prove the expected state after correction.

REMEMBER

A screenshot without context is not evidence; pair it with the object, state, time and interpretation.

© 2026 Tertiary Infotech Academy Pte Ltd

Lab environment and tools

1 Microsoft 365 tenant

Intune and Entra permissions appropriate to each lab role.

2 Windows test device

Windows 11 VM or approved test endpoint; do not use production devices.

3 Command tools

PowerShell 7, Microsoft Graph PowerShell SDK, Windows Terminal and browser.

4 Evidence workspace

Individual lab folder with starter, solution and evidence subfolders.

© 2026 Tertiary Infotech Academy Pte Ltd

TECHNICAL AUTHORITY

Source currency and exam alignment

1 Study guide

Skills measured as of 24 July 2026; five weighted domains.

2 Microsoft Learn course

MD-102T00-A · 5 days · Intune-centred endpoint operations.

3 MicrosoftLearning labs

Adapted from repository commit 25eaad2a.

4 Registration page

40-hour accredited course; four WSQ outcomes and two assessment hours.

REMEMBER

When a secondary guide disagrees with the current Microsoft study guide, the official study guide wins.

© 2026 Tertiary Infotech Academy Pte Ltd

DAY 1 · 8 HOURS

Infrastructure and identity

Prepare infrastructure; Entra identity; enrollment; scoped administration


DOMAIN 1 · 20–25%

Prepare infrastructure for devices

LO1 · K1 · K4 · A1 · A3

DOMAIN 1 · NATIVE CHART

Prepare infrastructure for devices — indicative operational signal



20–25%

CURRENT EXAM WEIGHT

LO1

K1 · K4 · A1 · A3

Indicative teaching data

WHAT THE DATA SHOWS

Enrollment funnels expose loss between identity, discovery and compliance.

© 2026 Tertiary Infotech Academy Pte Ltd

MECHANISM VISUAL · ANNOTATED

Zero Trust joins identity, device and access evidence



Identity

Who is requesting access?

Device

What join and management state exists?

Compliance

Does the endpoint meet policy?


Risk

What current threat signal changes the decision?

Concept illustration generated for this course; labels and decision rules remain editable PowerPoint objects.

© 2026 Tertiary Infotech Academy Pte Ltd

Choose the correct Microsoft Entra device identity — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 1 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Choose the correct Microsoft Entra device identity — exact contract

1 Workplace join

AzureAdRegistered = YES

FIELD / STATE

2 Cloud join

AzureAdJoined = YES

FIELD / STATE

3 Hybrid join

DomainJoined + AzureAdJoined

FIELD / STATE

4 Verification

dsregcmd /status

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Choose the correct Microsoft Entra device identity — failure and recovery

1 Pending device

Check registration event log

DIAGNOSE → RECOVER

2 Wrong tenant

Inspect TenantId and DeviceId

DIAGNOSE → RECOVER

3 Missing PRT

Validate WAM and sign-in

DIAGNOSE → RECOVER

4 Duplicate object

Reconcile stale registrations

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Choose the correct Microsoft Entra device identity — verification evidence

✓ **Device State block**	Join flags
✓ **SSO State block**	AzureAdPrt = YES
✓ **Entra device record**	Owner and trust type
✓ **Sign-in log**	Device ID correlation

LAB 1

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Target policy with dynamic device groups — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 1 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Target policy with dynamic device groups — exact contract

1 OS rule

device.deviceOSType -eq "Windows"

FIELD / STATE

2 Ownership rule

device.deviceOwnership -eq "Company"

FIELD / STATE

3 Autopilot rule

device.devicePhysicalIDs -any _ -contains "[ZTDId]"

FIELD / STATE

4 Preview

Validate rules before save

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Target policy with dynamic device groups — failure and recovery

1 Invalid property

Use supported device schema

DIAGNOSE → RECOVER

2 Slow membership

Check processing status

DIAGNOSE → RECOVER

3 Nested group assumption

Dynamic groups do not use nested evaluation

DIAGNOSE → RECOVER

4 Broad targeting

Test with a preview cohort

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Target policy with dynamic device groups — verification evidence

✓ **Rule syntax**	Saved expression
✓ **Preview result**	Expected devices
✓ **Membership audit**	Added/removed objects
✓ **Assignment status**	Policy reached cohort

LAB 1

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Configure Windows automatic enrollment — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 2 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Configure Windows automatic enrollment — exact contract

1 MDM scope

Some or All

FIELD / STATE

2 Discovery URL

EnterpriseEnrollment.manage.microsoft.com

FIELD / STATE

3 Enrollment status

dsregcmd /status

FIELD / STATE

4 Diagnostics

MDMDiagReport.html

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Configure Windows automatic enrollment — failure and recovery

1 Scope excludes user

Review MDM user scope

DIAGNOSE → RECOVER

2 License missing

Assign Intune entitlement

DIAGNOSE → RECOVER

3 Stale enrollment

Inspect scheduled tasks

DIAGNOSE → RECOVER

4 Network block

Test enrollment endpoints

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Configure Windows automatic enrollment — verification evidence

ManagedBy value	Intune
Enrollment certificate	MS-Organization-Access
Event log	DeviceManagement-Enterprise-Diagnostics-Provider
Intune record	Last check-in

LAB 2

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Control multi-platform enrollment — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 2 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Control multi-platform enrollment — exact contract

1 Apple corporate

ABM automated enrollment

FIELD / STATE

2 Android corporate

Fully managed or corporate work profile

FIELD / STATE

3 Android shared

Dedicated device

FIELD / STATE

4 Restriction

Block personal where required

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Control multi-platform enrollment — failure and recovery

1 Expired token

Renew before service impact

DIAGNOSE → RECOVER

2 Wrong ownership

Use corporate identifiers

DIAGNOSE → RECOVER

3 Unsupported OS

Check minimum version

DIAGNOSE → RECOVER

4 Profile conflict

Verify one intended enrollment path

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Control multi-platform enrollment — verification evidence

Token status	Active and unexpired
Enrollment profile	Assigned devices
Ownership field	Corporate
Platform report	Enrollment success

LAB 2

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.


© 2026 Tertiary Infotech Academy Pte Ltd

DAY 1

Tea break

Return at the time announced by the trainer.

Delegate Intune administration safely — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 1 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Delegate Intune administration safely — exact contract

1 Built-in role

Least-privilege baseline

FIELD / STATE

2 Custom role

Only required actions

FIELD / STATE

3 Scope tag

Regional visibility boundary

FIELD / STATE

4 Multi-admin approval

Second-person control

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Delegate Intune administration safely — failure and recovery

1 Role too broad

Compare actions to task

DIAGNOSE → RECOVER

2 Empty scope group

Assignment has no reach

DIAGNOSE → RECOVER

3 Tag mismatch

Object not visible

DIAGNOSE → RECOVER

4 Approval deadlock

Maintain approver coverage

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Delegate Intune administration safely — verification evidence

✓ **Effective permissions**	Expected actions only
✓ **Visibility test**	Only tagged objects
✓ **Approval record**	Requester and approver
✓ **Audit event**	Role change trace

LAB 1

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Evaluate compliance before access — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 3 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Evaluate compliance before access — exact contract

1 Grace period

Controlled remediation window

FIELD / STATE

2 Mark noncompliant

Immediate or delayed

FIELD / STATE

3 CA grant

Require compliant device

FIELD / STATE

4 Break-glass

Exclude emergency account

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Evaluate compliance before access — failure and recovery

1 Not evaluated

Check assignment and check-in

DIAGNOSE → RECOVER

2 False block

Inspect per-setting state

DIAGNOSE → RECOVER

3 CA lockout

Use report-only first

DIAGNOSE → RECOVER

4 Stale signal

Force sync and reassess

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Evaluate compliance before access — verification evidence

Per-setting status	Failed condition
Device compliance	Timestamp
CA result	Grant control detail
Sign-in correlation	User + device + policy

LAB 3

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd


DAY 1

Lunch break

Return at the time announced by the trainer.

DOMAIN 1 · RUNTIME TRACE

Deploy Windows Hello for Business and Windows LAPS — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 3 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Deploy Windows Hello for Business and Windows LAPS — exact contract

1 WHfB trust

Cloud Kerberos trust

FIELD / STATE

2 PIN policy

Length and anti-spoofing

FIELD / STATE

3 LAPS backup

Microsoft Entra ID

FIELD / STATE

4 Rotation

After-use password reset

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Deploy Windows Hello for Business and Windows LAPS — failure and recovery

1 Provisioning blocked

Check tenant and device prerequisites

DIAGNOSE → RECOVER

2 TPM unavailable

Review attestation and policy

DIAGNOSE → RECOVER

3 Password not backed up

Inspect LAPS event log

DIAGNOSE → RECOVER

4 Overprivileged retrieval

Restrict role and audit

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Deploy Windows Hello for Business and Windows LAPS — verification evidence

WHfB container	certutil -DeleteHelloContainer for reset
dsregcmd	NgcSet = YES
LAPS status	Password backup timestamp
Audit log	Password retrieval actor

LAB 3

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Troubleshoot enrollment as an evidence chain — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 2 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Troubleshoot enrollment as an evidence chain — exact contract

1 Local report

MDMDiagReport.html

FIELD / STATE

2 Event channel

Admin + Operational logs

FIELD / STATE

3 Service view

Troubleshooting + support

FIELD / STATE

4 Network test

Required endpoint reachability

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Troubleshoot enrollment as an evidence chain — failure and recovery

1 0x80180014

Personal Windows blocked

DIAGNOSE → RECOVER

2 0x80180018

User not authorized

DIAGNOSE → RECOVER

3 0x801c03f3

Device registration problem

DIAGNOSE → RECOVER

4 Duplicate serial

Retire stale record

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Troubleshoot enrollment as an evidence chain — verification evidence

✓ **Error code**	Exact HRESULT
✓ **Correlation ID**	Service-side trace
✓ **Enrollment log**	First failing stage
✓ **Remediation retest**	New successful record

LAB 2

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

HANDS-ON · 110 MIN

Lab 1: Entra device identity, dynamic groups and delegated administration

SCENARIO

Contoso must implement the control, prove the observed state, diagnose one seeded failure, and retain an auditable evidence pack.



YOU'LL PRODUCE

Validated join-state evidence pack, dynamic-group rule, scoped role assignment and audit trace

© 2026 Tertiary Infotech Academy Pte Ltd

LO1 · K1 · K4 · A1 · A3

Lab 1 — acceptance and evidence

Configured state

Policy/profile/assignment values are visible and scoped to the intended cohort.

EVIDENCE REQUIRED

Observed result

The device, app or identity shows the expected service and client-side outcome.

EVIDENCE REQUIRED

Failure diagnosis

The seeded issue is tied to an error, log, report or missing state—not a guess.

EVIDENCE REQUIRED

Recovery proof

A post-change retest demonstrates the corrected state with timestamp/correlation evidence.

EVIDENCE REQUIRED

SUBMISSION

Save the evidence under labs/lab-01-entra-identity-groups-rbac/evidence/. Detailed steps are in the Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

HANDS-ON · 115 MIN

Lab 2: Multi-platform Intune enrollment and troubleshooting

SCENARIO

Contoso must implement the control, prove the observed state, diagnose one seeded failure, and retain an auditable evidence pack.



YOU'LL PRODUCE

Enrollment configuration matrix, MDMDiag evidence, error-code diagnosis and successful retest

© 2026 Tertiary Infotech Academy Pte Ltd

LO1 · K1 · K3 · A1 · A3

Lab 2 — acceptance and evidence

Configured state

Policy/profile/assignment values are visible and scoped to the intended cohort.

EVIDENCE REQUIRED

Observed result

The device, app or identity shows the expected service and client-side outcome.

EVIDENCE REQUIRED

Failure diagnosis

The seeded issue is tied to an error, log, report or missing state—not a guess.

EVIDENCE REQUIRED

Recovery proof

A post-change retest demonstrates the corrected state with timestamp/correlation evidence.

EVIDENCE REQUIRED

SUBMISSION

Save the evidence under labs/lab-02-intune-enrollment-troubleshooting/evidence/. Detailed steps are in the Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

RETRIEVE · DIAGNOSE · EXPLAIN

Day 1 technical recap

1 Checkpoint 1

- Choose the correct Microsoft Entra device identity
- Target policy with dynamic device groups

2 Checkpoint 2

- Configure Windows automatic enrollment
- Control multi-platform enrollment

3 Checkpoint 3

- Delegate Intune administration safely
- Evaluate compliance before access

4 Checkpoint 4

- Deploy Windows Hello for Business and Windows LAPS
- Troubleshoot enrollment as an evidence chain

REMEMBER

For each checkpoint, name the architecture boundary, exact contract, failure evidence and acceptance state.

© 2026 Tertiary Infotech Academy Pte Ltd

DAY 2 · 8 HOURS

Device deployment and configuration

Compliance and access; Autopilot; Windows 365; configuration targeting


DOMAIN 2 · 25–30%

Manage and maintain devices

LO1 · LO2 · K1 · K2 · A2 · A4

DOMAIN 2 · NATIVE CHART

Manage and maintain devices — indicative operational signal



25–30%

CURRENT EXAM WEIGHT

LO1 · LO2

K1 · K2 · A2 · A4


Indicative teaching data

WHAT THE DATA SHOWS

Provisioning duration rises with payload breadth; use phase timing to locate delay.

© 2026 Tertiary Infotech Academy Pte Ltd

Select Windows Autopilot or device preparation — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 4 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Select Windows Autopilot or device preparation — exact contract

1 Classic Autopilot

Registered corporate devices

FIELD / STATE

2 Device preparation

Streamlined cloud-native setup

FIELD / STATE

3 User-driven

Named-user productivity

FIELD / STATE

4 Self-deploying

Shared or kiosk scenario

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Select Windows Autopilot or device preparation — failure and recovery

1 No profile

Verify assignment state

DIAGNOSE → RECOVER

2 Hash mismatch

Re-import correct identity

DIAGNOSE → RECOVER

3 Unsupported mode

Check TPM and network

DIAGNOSE → RECOVER

4 Policy race

Use readiness reporting

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Select Windows Autopilot or device preparation — verification evidence

✓ **Deployment profile**	Assigned
✓ **Device identity**	Registered
✓ **Enrollment report**	Phase timings
✓ **Final state**	Entra joined and managed

LAB 4

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Control Autopilot with ESP and naming — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 4 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Control Autopilot with ESP and naming — exact contract

1 Name template

Prefix plus serial or random

FIELD / STATE

2 Block use

Until required apps install

FIELD / STATE

3 Timeout

Controlled failure route

FIELD / STATE

4 Tracking

Autopilot deployment report

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Control Autopilot with ESP and naming — failure and recovery

1 Infinite ESP

Review blocking apps

DIAGNOSE → RECOVER

2 Invalid name

Respect 15-character limit

DIAGNOSE → RECOVER

3 App dependency

Validate install order

DIAGNOSE → RECOVER

4 User reaches desktop early

Correct ESP targeting

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Control Autopilot with ESP and naming — verification evidence

ESP phase	Device or account
Blocking app	Install status
Enrollment time	Phase duration
Device name	Template resolved

LAB 4

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Upgrade Windows 11 with deployment rings — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 7 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Upgrade Windows 11 with deployment rings — exact contract

1 Feature policy

Target Windows release

FIELD / STATE

2 Safeguard hold

Respect by default

FIELD / STATE

3 Deadline

User experience boundary

FIELD / STATE

4 Rollback

Uninstall period

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Upgrade Windows 11 with deployment rings — failure and recovery

1 Compatibility hold

Inspect safeguard ID

DIAGNOSE → RECOVER

2 Low disk

Use readiness report

DIAGNOSE → RECOVER

3 Driver failure

Pause affected cohort

DIAGNOSE → RECOVER

4 Productivity impact

Roll back within window

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Upgrade Windows 11 with deployment rings — verification evidence

✓ **Readiness report**	Capable or blocked
✓ **Feature version**	Target achieved
✓ **Failure code**	Deployment error
✓ **Ring KPI**	Success and rollback rate

LAB 7

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Provision Windows 365 Cloud PCs — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 4 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Provision Windows 365 Cloud PCs — exact contract

1 Join type

Microsoft Entra joined

FIELD / STATE

2 Network

Microsoft-hosted or ANC

FIELD / STATE

3 Image

Gallery or custom

FIELD / STATE

4 Resize/ reprovision

Controlled lifecycle action

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Provision Windows 365 Cloud PCs — failure and recovery

1 Provisioning failed

Review network and license

DIAGNOSE → RECOVER

2 Image validation

Fix generalized image

DIAGNOSE → RECOVER

3 Connectivity issue

Check ANC health

DIAGNOSE → RECOVER

4 Data loss risk

Understand reprovision impact

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Provision Windows 365 Cloud PCs — verification evidence

✓ **Provisioning state**	Succeeded
✓ **Connectivity check**	Healthy
✓ **Intune record**	Cloud PC managed
✓ **End-user test**	Windows 365 connection

LAB 4

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.


© 2026 Tertiary Infotech Academy Pte Ltd

DAY 2

Tea break

Return at the time announced by the trainer.

Translate GPOs into Settings Catalog policy — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 5 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Translate GPOs into Settings Catalog policy — exact contract

1 Migration readiness

Supported · deprecated · unknown

FIELD / STATE

2 ADMX import

Custom administrative templates

FIELD / STATE

3 OMA-URI

Only when catalog lacks setting

FIELD / STATE

4 Conflict state

Multiple sources disagree

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Translate GPOs into Settings Catalog policy — failure and recovery

1 Unsupported setting

Redesign control

DIAGNOSE → RECOVER

2 Duplicate config

Remove overlapping profile

DIAGNOSE → RECOVER

3 ADMX dependency

Import parent first

DIAGNOSE → RECOVER

4 Conflict

Trace per-setting source

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Translate GPOs into Settings Catalog policy — verification evidence

Analytics report	Migration percentage
Policy JSON	Exact settings
Per-setting status	Success/conflict/error
Client MDM report	Applied CSP

LAB 5

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Target profiles with filters and enrollment-time grouping — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 5 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Target profiles with filters and enrollment-time grouping — exact contract

1 Filter mode

Include or exclude

FIELD / STATE

2 Property

manufacturer · model · ownership

FIELD / STATE

3 Evaluation

At assignment check

FIELD / STATE

4 Enrollment category

Provisioning-time cohort

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Target profiles with filters and enrollment-time grouping — failure and recovery

1 Unsupported property

Use filter schema

DIAGNOSE → RECOVER

2 Wrong operator

Test sample values

DIAGNOSE → RECOVER

3 User assignment mismatch

Know device filter context

DIAGNOSE → RECOVER

4 Race condition

Use enrollment-time grouping

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Target profiles with filters and enrollment-time grouping — verification evidence

Filter preview	Expected match
Assignment status	Filter applied
Device property	Exact value
Policy result	Correct cohort only

LAB 5

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.


© 2026 Tertiary Infotech Academy Pte Ltd

DAY 2

Lunch break

Return at the time announced by the trainer.

Apply Intune Suite controls — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 5 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Intune Suite controls — exact contract

1 EPM rule

File hash · publisher · path

FIELD / STATE

2 Remote Help

RBAC and session consent

FIELD / STATE

3 Cloud PKI

Issuing CA + SCEP profile

FIELD / STATE

4 Tunnel for MAM

Per-app protected path

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Intune Suite controls — failure and recovery

1 Elevation denied

Rule mismatch

DIAGNOSE → RECOVER

2 Remote Help unavailable

License or RBAC

DIAGNOSE → RECOVER

3 Certificate failure

Chain or connector health

DIAGNOSE → RECOVER

4 Tunnel offline

Gateway health and routing

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply Intune Suite controls — verification evidence

Elevation report	File + user + rule
Session audit	Helper and sharer
Certificate profile	Issued identity
Tunnel report	Connection and gateway

LAB 5

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Perform remote actions and live device query — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 9 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Perform remote actions and live device query — exact contract

1 Retire

Remove company data

FIELD / STATE

2 Wipe

Reset device

FIELD / STATE

3 Fresh Start

Reinstall Windows

FIELD / STATE

4 Device query

KQL against live device data

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Perform remote actions and live device query — failure and recovery

1 Action pending

Device offline

DIAGNOSE → RECOVER

2 Wrong destructive action

Confirm ownership and intent

DIAGNOSE → RECOVER

3 Query unavailable

Check supported platform/license

DIAGNOSE → RECOVER

4 BitLocker rotation fail

Verify escrow state

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

DOMAIN 2 · ACCEPTANCE

Perform remote actions and live device query — verification evidence

✓ **Action status**	Pending/succeeded/failed
✓ **Audit actor**	Who initiated
✓ **Query result**	Named columns and timestamp
✓ **Diagnostics bundle**	Collected logs

LAB 9

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Diagnose policy conflicts from device evidence — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 5 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Diagnose policy conflicts from device evidence — exact contract

1 Client report

MDMDiagReport.html

FIELD / STATE

2 Policy view

Per-setting status

FIELD / STATE

3 Registry path

PolicyManager current values

FIELD / STATE

4 Event log

Enterprise-Diagnostics-Provider

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Diagnose policy conflicts from device evidence — failure and recovery

1 Conflict

Two profiles set different values

DIAGNOSE → RECOVER

2 Not applicable

Platform/edition mismatch

DIAGNOSE → RECOVER

3 Error

CSP rejected value

DIAGNOSE → RECOVER

4 Pending

No recent device check-in

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Diagnose policy conflicts from device evidence — verification evidence

✓ **Setting name**	Exact CSP
✓ **Source profiles**	Both assignments
✓ **Client event**	Error code
✓ **Retest**	Success after consolidation

LAB 5

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

HANDS-ON · 115 MIN

Lab 3: Compliance, Conditional Access, Windows Hello and LAPS

SCENARIO

Contoso must implement the control, prove the observed state, diagnose one seeded failure, and retain an auditable evidence pack.



YOU'LL PRODUCE

Compliance/CA decision trace, WHfB state and auditable LAPS recovery/rotation evidence

© 2026 Tertiary Infotech Academy Pte Ltd

LO2 · K3 · K4 · A4 · A6

Lab 3 — acceptance and evidence

Configured state

Policy/profile/assignment values are visible and scoped to the intended cohort.

EVIDENCE REQUIRED

Observed result

The device, app or identity shows the expected service and client-side outcome.

EVIDENCE REQUIRED

Failure diagnosis

The seeded issue is tied to an error, log, report or missing state—not a guess.

EVIDENCE REQUIRED

Recovery proof

A post-change retest demonstrates the corrected state with timestamp/correlation evidence.

EVIDENCE REQUIRED

SUBMISSION

Save the evidence under labs/lab-03-compliance-ca-whfb-laps/evidence/. Detailed steps are in the Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

HANDS-ON · 115 MIN

Lab 4: Autopilot, device preparation and Windows 365 provisioning

SCENARIO

Contoso must implement the control, prove the observed state, diagnose one seeded failure, and retain an auditable evidence pack.



YOU'LL PRODUCE

Deployment decision, profile/ESP design, readiness evidence and Cloud PC provisioning check

© 2026 Tertiary Infotech Academy Pte Ltd

LO1 · LO4 · K1 · K5 · A2 · A7

Lab 4 — acceptance and evidence

Configured state

Policy/profile/assignment values are visible and scoped to the intended cohort.

EVIDENCE REQUIRED

Observed result

The device, app or identity shows the expected service and client-side outcome.

EVIDENCE REQUIRED

Failure diagnosis

The seeded issue is tied to an error, log, report or missing state—not a guess.

EVIDENCE REQUIRED

Recovery proof

A post-change retest demonstrates the corrected state with timestamp/correlation evidence.

EVIDENCE REQUIRED

SUBMISSION

Save the evidence under labs/lab-04-autopilot-device-prep-windows365/evidence/. Detailed steps are in the Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

HANDS-ON · 110 MIN

Lab 5: Settings Catalog, ADMX migration and assignment filters

SCENARIO

Contoso must implement the control, prove the observed state, diagnose one seeded failure, and retain an auditable evidence pack.



YOU'LL PRODUCE

Migrated settings policy, filter preview, conflict diagnosis and corrected per-setting result

© 2026 Tertiary Infotech Academy Pte Ltd

LO2 · K2 · K4 · A2 · A4

Lab 5 — acceptance and evidence

Configured state

Policy/profile/assignment values are visible and scoped to the intended cohort.

EVIDENCE REQUIRED

Observed result

The device, app or identity shows the expected service and client-side outcome.

EVIDENCE REQUIRED

Failure diagnosis

The seeded issue is tied to an error, log, report or missing state—not a guess.

EVIDENCE REQUIRED

Recovery proof

A post-change retest demonstrates the corrected state with timestamp/correlation evidence.

EVIDENCE REQUIRED

SUBMISSION

Save the evidence under labs/lab-05-configuration-admx-filters/evidence/. Detailed steps are in the Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

RETRIEVE · DIAGNOSE · EXPLAIN

Day 2 technical recap

1 Checkpoint 1

- Select Windows Autopilot or device preparation
- Control Autopilot with ESP and naming

2 Checkpoint 2

- Upgrade Windows 11 with deployment rings
- Provision Windows 365 Cloud PCs

3 Checkpoint 3

- Translate GPOs into Settings Catalog policy
- Target profiles with filters and enrollment-time grouping

4 Checkpoint 4

- Apply Intune Suite controls
- Perform remote actions and live device query

REMEMBER

For each checkpoint, name the architecture boundary, exact contract, failure evidence and acceptance state.

© 2026 Tertiary Infotech Academy Pte Ltd

DAY 3 · 8 HOURS

Endpoint protection and updates


Defender; BitLocker; firewall; ASR; baselines; update operations

DOMAIN 3 · 15–20%

Protect devices

LO2 · LO3 · K3 · K4 · A4 · A5 · A6

Protect devices — indicative operational signal



15–20%

CURRENT EXAM WEIGHT

LO2 · LO3

K3 · K4 · A4 · A5 · A6


Indicative teaching data

WHAT THE DATA SHOWS

A single weak control can dominate endpoint risk; investigate the lowest control.

© 2026 Tertiary Infotech Academy Pte Ltd

Configure Defender Antivirus policy — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 6 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Configure Defender Antivirus policy — exact contract

1 Cloud protection

Enabled

FIELD / STATE

2 Sample submission

Safe samples automatically

FIELD / STATE

3 PUA

Block

FIELD / STATE

4 Tamper protection

On through security management

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Configure Defender Antivirus policy — failure and recovery

1 Setting locked

Tamper protection

DIAGNOSE → RECOVER

2 Signature stale

Trigger intelligence update

DIAGNOSE → RECOVER

3 Policy conflict

Security policy vs profile

DIAGNOSE → RECOVER

4 Sensor unhealthy

Collect Defender diagnostics

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Configure Defender Antivirus policy — verification evidence

✓ **Get-MpComputerStatus**	Engine + signature
✓ **Policy report**	Applied settings
✓ **Device timeline**	Detection evidence
✓ **Security intelligence**	Current version

LAB 6

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Manage BitLocker encryption and recovery — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 6 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Manage BitLocker encryption and recovery — exact contract

1 Silent enablement

Standard user allowed

FIELD / STATE

2 Recovery escrow

Before encryption required

FIELD / STATE

3 Algorithm

XTS-AES

FIELD / STATE

4 Rotation

After key use

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Manage BitLocker encryption and recovery — failure and recovery

1 No escrow

Check device join and permissions

DIAGNOSE → RECOVER

2 TPM not ready

Inspect tpm.msc

DIAGNOSE → RECOVER

3 Encryption suspended

Resume protectors

DIAGNOSE → RECOVER

4 Recovery key exposed

Rotate from Intune

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Manage BitLocker encryption and recovery — verification evidence

✓	**manage-bde -status**	Protection state
✓	**Recovery object**	Key ID match
✓	**Encryption report**	Compliant volume
✓	**Rotation audit**	New key timestamp

LAB 6

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Enforce Windows Firewall policy — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 6 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Enforce Windows Firewall policy — exact contract

1 Default inbound

Block

FIELD / STATE

2 Rule scope

Program · port · address

FIELD / STATE

3 Local merge

Disable where required

FIELD / STATE

4 Log path

pfirewall.log

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Enforce Windows Firewall policy — failure and recovery

1 Wrong profile

Inspect active network category

DIAGNOSE → RECOVER

2 Overbroad rule

Constrain program and remote address

DIAGNOSE → RECOVER

3 Rule conflict

Review policy stores

DIAGNOSE → RECOVER

4 No log

Enable successful/dropped logging

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Enforce Windows Firewall policy — verification evidence

Get-NetFirewallProfile	Enabled state
Get-NetFirewallRule	Policy source
Firewall log	Dropped packet
Intune report	Profile applied

LAB 6

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Reduce attack surface with ASR and Zero Trust — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 6 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Reduce attack surface with ASR and Zero Trust — exact contract

1 Phased rollout

Audit then warn then block

FIELD / STATE

2 Rule ID

Stable GUID

FIELD / STATE

3 Exclusion

Narrow and justified

FIELD / STATE

4 Zero Trust

Verify explicitly and limit impact

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Reduce attack surface with ASR and Zero Trust — failure and recovery

1 Business app blocked

Use event evidence

DIAGNOSE → RECOVER

2 Global exclusion

Replace with per-rule exclusion

DIAGNOSE → RECOVER

3 No telemetry

Verify cloud protection

DIAGNOSE → RECOVER

4 Rule not active

Check edition and policy precedence

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Reduce attack surface with ASR and Zero Trust — verification evidence

✓ **Event 1121**	Blocked action
✓ **Advanced hunting**	DeviceEvents
✓ **ASR report**	Rule and device
✓ **Exception register**	Owner + expiry

LAB 6

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.


© 2026 Tertiary Infotech Academy Pte Ltd

DAY 3

Tea break

Return at the time announced by the trainer.

Apply security baselines without configuration drift — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 6 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply security baselines without configuration drift — exact contract

1 Baseline version

Immutable template snapshot

FIELD / STATE

2 Pilot

Representative devices

FIELD / STATE

3 Exception

Documented deviation

FIELD / STATE

4 Migration

Create new profile then retire old

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply security baselines without configuration drift — failure and recovery

1 Conflict

Same setting in another profile

DIAGNOSE → RECOVER

2 Template update

Not automatic

DIAGNOSE → RECOVER

3 Legacy setting

Unsupported on current OS

DIAGNOSE → RECOVER

4 Overhardening

Validate business workload

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Apply security baselines without configuration drift — verification evidence

Per-setting status	Success/conflict
Baseline version	Recorded
Pilot acceptance	Security + productivity
Exception evidence	Approved control

LAB 6

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Integrate Intune with Defender for Endpoint — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 6 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Integrate Intune with Defender for Endpoint — exact contract

1 Connector status

Active

FIELD / STATE

2 EDR policy

Onboard blob

FIELD / STATE

3 Risk level

Clear · low · medium · high

FIELD / STATE

4 Compliance rule

Require below threshold

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Integrate Intune with Defender for Endpoint — failure and recovery

1 Device not onboarded

Check Sense service

DIAGNOSE → RECOVER

2 Duplicate record

Resolve device identity

DIAGNOSE → RECOVER

3 Risk not flowing

Check connector scope

DIAGNOSE → RECOVER

4 Access unexpectedly blocked

Inspect CA and risk timeline

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

DOMAIN 3 · ACCEPTANCE

Integrate Intune with Defender for Endpoint — verification evidence

MDE device page	Sensor health
Intune connector	Last sync
Compliance detail	Machine risk
Sign-in result	Risk-based block

LAB 6

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.


© 2026 Tertiary Infotech Academy Pte Ltd

DAY 3

Lunch break

Return at the time announced by the trainer.

Control application execution with App Control — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 6 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Control application execution with App Control — exact contract

1 Base policy

Trusted estate

FIELD / STATE

2 Supplemental policy

Scoped extension

FIELD / STATE

3 Audit mode

Inventory before enforcement

FIELD / STATE

4 Managed installer

Trust tagged deployment source

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Control application execution with App Control — failure and recovery

1 Unsigned business app

Create publisher/file rule

DIAGNOSE → RECOVER

2 Policy brick risk

Stage in audit

DIAGNOSE → RECOVER

3 Rule too broad

Avoid path trust where writable

DIAGNOSE → RECOVER

4 Rollback unavailable

Maintain recovery plan

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Control application execution with App Control — verification evidence

✓ **CodeIntegrity event**	File and signer
✓ **Policy ID**	Applied CIPolicy
✓ **Audit inventory**	Required exceptions
✓ **Block test**	Unauthorized binary denied

LAB 6

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate update rings, Autopatch and Hotpatch — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 7 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate update rings, Autopatch and Hotpatch — exact contract

1 Ring

Deferral + deadline

FIELD / STATE

2 Feature policy

Pinned version

FIELD / STATE

3 Autopatch

Service-managed rings

FIELD / STATE

4 Hotpatch

Eligible baseline + quarterly refresh

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate update rings, Autopatch and Hotpatch — failure and recovery

1 Offer not received

Check safeguards and policy

DIAGNOSE → RECOVER

2 Restart disruption

Tune active hours/deadlines

DIAGNOSE → RECOVER

3 Conflicting policies

Consolidate update source

DIAGNOSE → RECOVER

4 Hotpatch ineligible

Validate edition and baseline

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate update rings, Autopatch and Hotpatch — verification evidence

Update report	Offer/install state
Client log	WindowsUpdate.log
Autopatch status	Release phase
KPI	Compliance by deadline

LAB 7

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

HANDS-ON · 120 MIN

Lab 6: Endpoint security, Defender, BitLocker, firewall and ASR

SCENARIO Contoso must implement the control, prove the observed state, diagnose one seeded failure, and retain an auditable evidence pack.



YOU'LL PRODUCE

Security control set with Defender/BitLocker/firewall/ASR verification and exception record

© 2026 Tertiary Infotech Academy Pte Ltd

LO2 · LO3 · K3 · K4 · A4 · A5 · A6

Lab 6 — acceptance and evidence

Configured state

Policy/profile/assignment values are visible and scoped to the intended cohort.

EVIDENCE REQUIRED

Observed result

The device, app or identity shows the expected service and client-side outcome.

EVIDENCE REQUIRED

Failure diagnosis

The seeded issue is tied to an error, log, report or missing state—not a guess.

EVIDENCE REQUIRED

Recovery proof

A post-change retest demonstrates the corrected state with timestamp/correlation evidence.

EVIDENCE REQUIRED

SUBMISSION

Save the evidence under labs/lab-06-endpoint-security-defender/evidence/. Detailed steps are in the Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

HANDS-ON · 110 MIN

Lab 7: Update rings, feature updates, Autopatch, Hotpatch and Delivery Optimization

SCENARIO

Contoso must implement the control, prove the observed state, diagnose one seeded failure, and retain an auditable evidence pack.



YOU'LL PRODUCE

Staged update design, eligibility checks, rollout metrics and rollback decision evidence

© 2026 Tertiary Infotech Academy Pte Ltd

LO1 · LO2 · K1 · K2 · A2 · A5

Lab 7 — acceptance and evidence

Configured state

Policy/profile/assignment values are visible and scoped to the intended cohort.

EVIDENCE REQUIRED

Observed result

The device, app or identity shows the expected service and client-side outcome.

EVIDENCE REQUIRED

Failure diagnosis

The seeded issue is tied to an error, log, report or missing state—not a guess.

EVIDENCE REQUIRED

Recovery proof

A post-change retest demonstrates the corrected state with timestamp/correlation evidence.

EVIDENCE REQUIRED

SUBMISSION

Save the evidence under labs/lab-07-updates-autopatch-hotpatch/evidence/. Detailed steps are in the Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

RETRIEVE · DIAGNOSE · EXPLAIN

Day 3 technical recap

1 Checkpoint 1

- Configure Defender Antivirus policy
- Manage BitLocker encryption and recovery

2 Checkpoint 2

- Enforce Windows Firewall policy
- Reduce attack surface with ASR and Zero Trust

3 Checkpoint 3

- Apply security baselines without configuration drift
- Integrate Intune with Defender for Endpoint

4 Checkpoint 4

- Control application execution with App Control
- Operate update rings, Autopatch and Hotpatch

REMEMBER

For each checkpoint, name the architecture boundary, exact contract, failure evidence and acceptance state.

© 2026 Tertiary Infotech Academy Pte Ltd

DAY 4 · 8 HOURS

Application lifecycle and data protection


Win32 and Microsoft 365 Apps; MAM; app configuration; troubleshooting

DOMAIN 4 · 15–20%

Manage and secure applications

LO2 · LO3 · K2 · K3 · A2 · A5

Manage and secure applications — indicative operational signal



15–20%

CURRENT EXAM WEIGHT

LO2 · LO3

K2 · K3 · A2 · A5


Indicative teaching data

WHAT THE DATA SHOWS

Separate true failures from not-applicable devices before changing an application.

© 2026 Tertiary Infotech Academy Pte Ltd

Package and deploy Win32 applications — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 8 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Package and deploy Win32 applications — exact contract

1 Install command

Silent and idempotent

FIELD / STATE

2 Detection

MSI · file · registry · script

FIELD / STATE

3 Requirements

Architecture and OS

FIELD / STATE

4 Return codes

Success · retry · reboot

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Package and deploy Win32 applications — failure and recovery

1 0x87D30067

Detection failed after install

DIAGNOSE → RECOVER

2 0x80070002

File or path missing

DIAGNOSE → RECOVER

3 Installer context

System vs user mismatch

DIAGNOSE → RECOVER

4 Reboot loop

Map return codes correctly

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Package and deploy Win32 applications — verification evidence

✓ **IME log**	IntuneManagementExtension.log
✓ **Detection output**	Installed state
✓ **App report**	Device install status
✓ **Exit code**	Mapped result

LAB 8

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Sequence apps with dependencies and supersedence — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 8 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Sequence apps with dependencies and supersedence — exact contract

1 Dependency

Auto-install prerequisite

FIELD / STATE

2 Supersedence

Update or uninstall previous

FIELD / STATE

3 Requirement

Gate by device state

FIELD / STATE

4 Availability

Company Portal intent

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Sequence apps with dependencies and supersedence — failure and recovery

1 Cycle

Remove circular dependency

DIAGNOSE → RECOVER

2 Wrong uninstall

Test supersedence option

DIAGNOSE → RECOVER

3 Detection overlap

Use version-aware rule

DIAGNOSE → RECOVER

4 Assignment conflict

Resolve required vs uninstall

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Sequence apps with dependencies and supersedence — verification evidence

Dependency graph	Expected sequence
IME log	Install orchestration
App version	New build detected
Report	No stale required failure

LAB 8

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Deploy Microsoft 365 Apps — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 8 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Deploy Microsoft 365 Apps — exact contract

1 Update channel

Current Enterprise or selected channel

FIELD / STATE

2 Architecture

64-bit by default

FIELD / STATE

3 ODT XML

Product · language · updates

FIELD / STATE

4 Policy priority

Cloud policy vs local

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Deploy Microsoft 365 Apps — failure and recovery

1 Channel mismatch

Review CDNBaseUrl

DIAGNOSE → RECOVER

2 Office apps open

Handle update deadline

DIAGNOSE → RECOVER

3 Network optimization

Use Delivery Optimization

DIAGNOSE → RECOVER

4 Policy conflict

Inspect cloud policy status

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Deploy Microsoft 365 Apps — verification evidence

OfficeC2RClient	Version/channel
Intune app status	Installed
Apps admin center	Inventory
Policy report	Applied Office settings

LAB 8

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Integrate Apple and Managed Google Play stores — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 8 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Integrate Apple and Managed Google Play stores — exact contract

1 Apple VPP token

Location-specific and renewable

FIELD / STATE

2 Managed Google Play

Enterprise bind

FIELD / STATE

3 App type

Managed store app

FIELD / STATE

4 Licensing

Device or user where supported

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Integrate Apple and Managed Google Play stores — failure and recovery

1 Token expired

Renew with same account

DIAGNOSE → RECOVER

2 App not synced

Force connector sync

DIAGNOSE → RECOVER

3 License exhausted

Acquire more licenses

DIAGNOSE → RECOVER

4 Wrong storefront

Verify tenant binding

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Integrate Apple and Managed Google Play stores — verification evidence

Connector health	Last successful sync
App record	Current metadata
License count	Assigned/available
Device report	Managed install

LAB 8

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.


© 2026 Tertiary Infotech Academy Pte Ltd

DAY 4

Tea break

Return at the time announced by the trainer.

Protect corporate data with MAM — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 8 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Protect corporate data with MAM — exact contract

1 Data transfer

Policy-managed apps only

FIELD / STATE

2 Encryption

Organizational data

FIELD / STATE

3 Access requirement

PIN + threat condition

FIELD / STATE

4 Wipe

User or device scoped

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Protect corporate data with MAM — failure and recovery

1 App not protected

Unsupported app or wrong identity

DIAGNOSE → RECOVER

2 Policy not applied

Check user assignment and license

DIAGNOSE → RECOVER

3 Copy blocked unexpectedly

Review exempt apps

DIAGNOSE → RECOVER

4 Wipe pending

App must check in

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Protect corporate data with MAM — verification evidence

✓ **App protection status**	User + app + device
✓ **Policy diagnostics**	Applied settings
✓ **Selective wipe report**	Completed
✓ **CA result**	Require app protection

LAB 8

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Combine app protection with Conditional Access — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 8 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Combine app protection with Conditional Access — exact contract

1 Grant

Require app protection policy

FIELD / STATE

2 Client apps

Mobile apps and desktop clients

FIELD / STATE

3 Report-only

Validate before enforce

FIELD / STATE

4 Exclusion

Emergency access accounts

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Combine app protection with Conditional Access — failure and recovery

1 Unsupported client

Block or constrain

DIAGNOSE → RECOVER

2 Policy gap

CA grants access without APP

DIAGNOSE → RECOVER

3 Lockout

Use report-only and exclusions

DIAGNOSE → RECOVER

4 Legacy auth

Block separately

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Combine app protection with Conditional Access — verification evidence

Sign-in log	CA policy result
APP report	Policy delivered
Token claim	Client/app context
Test matrix	Managed/unmanaged × platform

LAB 8

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.


© 2026 Tertiary Infotech Academy Pte Ltd

DAY 4

Lunch break

Return at the time announced by the trainer.

Deliver app configuration to managed and unmanaged apps — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 8 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Deliver app configuration to managed and unmanaged apps — exact contract

1 Managed device

Configuration through MDM

FIELD / STATE

2 Managed app

Configuration through APP channel

FIELD / STATE

3 Data type

String · boolean · integer

FIELD / STATE

4 Vendor schema

Exact supported keys

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Deliver app configuration to managed and unmanaged apps — failure and recovery

1 Key ignored

Wrong name or type

DIAGNOSE → RECOVER

2 Wrong channel

Managed app vs managed device

DIAGNOSE → RECOVER

3 Conflicting values

Consolidate policies

DIAGNOSE → RECOVER

4 No report

Verify app supports reporting

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Deliver app configuration to managed and unmanaged apps — verification evidence

Policy payload	Exact keys
App diagnostics	Received configuration
Device report	Success
Behavior test	Expected tenant/account state

LAB 8

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Troubleshoot application deployment from logs — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 8 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Troubleshoot application deployment from logs — exact contract

1 IME log

IntuneManagementExtension.log

FIELD / STATE

2 Agent Executor

PowerShell execution

FIELD / STATE

3 Content cache

Staging files

FIELD / STATE

4 Portal report

Device install details

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Troubleshoot application deployment from logs — failure and recovery

1 Download timeout

Network/proxy/DO

DIAGNOSE → RECOVER

2 Install failure

Exit code and command

DIAGNOSE → RECOVER

3 Detection false negative

Fix rule

DIAGNOSE → RECOVER

4 Requirement not met

Inspect applicability

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Troubleshoot application deployment from logs — verification evidence

Timestamp chain	First failing phase
Exit code	Vendor meaning
Detection trace	Rule output
Retest	Successful device status

LAB 8

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Manage app lifecycle and inventory — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 8 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Manage app lifecycle and inventory — exact contract

1 Owner

Named service owner

FIELD / STATE

2 Detection

Version-aware

FIELD / STATE

3 Update SLA

Risk-based deadline

FIELD / STATE

4 Retirement

Data and access cleanup

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Manage app lifecycle and inventory — failure and recovery

1 Shadow IT

Compare discovered vs approved

DIAGNOSE → RECOVER

2 Stale package

Monitor version drift

DIAGNOSE → RECOVER

3 Uninstall fails

Validate command/context

DIAGNOSE → RECOVER

4 Orphan assignment

Review group lifecycle

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Manage app lifecycle and inventory — verification evidence

Discovered apps	Version footprint
Install base	Device/user count
Update compliance	Current version %
Retirement proof	No active assignment

LAB 8

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

HANDS-ON · 120 MIN

Lab 8: Win32 apps, Microsoft 365 Apps, MAM and app configuration

SCENARIO

Contoso must implement the control, prove the observed state, diagnose one seeded failure, and retain an auditable evidence pack.



YOU'LL PRODUCE

Deployable app contract, detection evidence, MAM/CA test matrix and troubleshooting trace

© 2026 Tertiary Infotech Academy Pte Ltd

LO2 · LO3 · K2 · K3 · A2 · A5

Lab 8 — acceptance and evidence

Configured state

Policy/profile/assignment values are visible and scoped to the intended cohort.

EVIDENCE REQUIRED

Observed result

The device, app or identity shows the expected service and client-side outcome.

EVIDENCE REQUIRED

Failure diagnosis

The seeded issue is tied to an error, log, report or missing state—not a guess.

EVIDENCE REQUIRED

Recovery proof

A post-change retest demonstrates the corrected state with timestamp/correlation evidence.

EVIDENCE REQUIRED

SUBMISSION

Save the evidence under labs/lab-08-apps-mam-configuration/evidence/. Detailed steps are in the Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

RETRIEVE · DIAGNOSE · EXPLAIN

Day 4 technical recap

1 Checkpoint 1

- Package and deploy Win32 applications
- Sequence apps with dependencies and supersedence

2 Checkpoint 2

- Deploy Microsoft 365 Apps
- Integrate Apple and Managed Google Play stores

3 Checkpoint 3

- Protect corporate data with MAM
- Combine app protection with Conditional Access

4 Checkpoint 4

- Deliver app configuration to managed and unmanaged apps
- Troubleshoot application deployment from logs

REMEMBER

For each checkpoint, name the architecture boundary, exact contract, failure evidence and acceptance state.

© 2026 Tertiary Infotech Academy Pte Ltd

DAY 5 · 8 HOURS

Automation, analytics and incident response

Graph; PowerShell; analytics; remediation; health; unauthorized-access investigation


DOMAIN 5 · 10–15%

Optimize endpoint operations

LO3 · LO4 · K3 · K5 · A5 · A7 · A8

DOMAIN 5 · NATIVE CHART

Optimize endpoint operations — indicative operational signal



10–15%

CURRENT EXAM WEIGHT

LO3 · LO4

K3 · K5 · A5 · A7 · A8

Indicative teaching data

WHAT THE DATA SHOWS

Operational time accumulates in triage and remediation; automation must preserve verification.

© 2026 Tertiary Infotech Academy Pte Ltd

MECHANISM VISUAL · ANNOTATED

Automation is an evidence-preserving control loop



Collect

Read tenant and device signals.

Decide

Apply bounded policy logic.

Remediate

Change only the required state.


Verify

Re-read state and publish outcome evidence.

Concept illustration generated for this course; Graph/PowerShell contracts are taught on adjacent editable slides.

© 2026 Tertiary Infotech Academy Pte Ltd

Automate Intune with Microsoft Graph — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 9 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Automate Intune with Microsoft Graph — exact contract

1 Base URI

https://
graph.microsoft.com/v1.0

FIELD / STATE

2 Permission

DeviceManagementManag
edDevices.Read.All

FIELD / STATE

3 Pagination

Follow every nextLink

FIELD / STATE

4 Throttling

Honor Retry-After

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Automate Intune with Microsoft Graph — failure and recovery

1 401

Token missing/expired

DIAGNOSE → RECOVER

2 403

Permission or role absent

DIAGNOSE → RECOVER

3 429

Back off and retry

DIAGNOSE → RECOVER

4 Partial export

Pagination ignored

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Automate Intune with Microsoft Graph — verification evidence

Token claims	aud + roles/scp
HTTP trace	Status + request-id
Count check	All pages retrieved
Audit log	Automation identity

LAB 9

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Use PowerShell for repeatable endpoint operations — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 9 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Use PowerShell for repeatable endpoint operations — exact contract

1 Context

Get-MgContext

FIELD / STATE

2 Least privilege

Explicit scopes

FIELD / STATE

3 WhatIf pattern

Preview intended targets

FIELD / STATE

4 Idempotence

Compare before update

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Use PowerShell for repeatable endpoint operations — failure and recovery

1 Wrong tenant

Check TenantId

DIAGNOSE → RECOVER

2 Broad filter

Count before mutate

DIAGNOSE → RECOVER

3 Module drift

Pin/test version

DIAGNOSE → RECOVER

4 Transient failure

Retry safe operations

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Use PowerShell for repeatable endpoint operations — verification evidence

✓ **Transcript**	Command and time
✓ **Before/after JSON**	Changed fields
✓ **Target count**	Expected devices
✓ **Exit status**	Automation result

LAB 9

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Extend compliance with custom scripts — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 9 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Extend compliance with custom scripts — exact contract

1 Exit code

0 for successful discovery

FIELD / STATE

2 Output

Single compressed JSON object

FIELD / STATE

3 Data types

Match schema

FIELD / STATE

4 Schedule

Periodic reevaluation

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Extend compliance with custom scripts — failure and recovery

1 Invalid JSON

Validate serialization

DIAGNOSE → RECOVER

2 Wrong property type

Match boolean/int/string

DIAGNOSE → RECOVER

3 Script timeout

Keep discovery bounded

DIAGNOSE → RECOVER

4 Sensitive data

Do not emit secrets

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Extend compliance with custom scripts — verification evidence

✓ **Local script output**	Valid JSON
✓ **Per-setting report**	Detected value
✓ **Compliance state**	Expected result
✓ **Remediation ticket**	Closed with proof

LAB 9

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate Security Copilot agents responsibly — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 10 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate Security Copilot agents responsibly — exact contract

1 Grounding

Tenant telemetry

FIELD / STATE

2 Recommendation

Not automatic authority

FIELD / STATE

3 Review

Check affected devices and blast radius

FIELD / STATE

4 Audit

Record decision and outcome

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate Security Copilot agents responsibly — failure and recovery

1 Hallucinated cause

Verify against raw evidence

DIAGNOSE → RECOVER

2 Overbroad action

Pilot and approve

DIAGNOSE → RECOVER

3 Sensitive prompt

Apply data governance

DIAGNOSE → RECOVER

4 Agent unavailable

Maintain manual runbook

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Operate Security Copilot agents responsibly — verification evidence

Source evidence	Linked telemetry
Reviewer decision	Accept/modify/reject
Change record	Approved scope
Outcome metric	Issue resolved without regression

LAB 10

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.


© 2026 Tertiary Infotech Academy Pte Ltd

DAY 5

Tea break

Return at the time announced by the trainer.

Build operational reports and dashboards — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 9 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Build operational reports and dashboards — exact contract

1 Freshness

Record report timestamp

FIELD / STATE

2 Filter

Define cohort explicitly

FIELD / STATE

3 Export

CSV or Graph

FIELD / STATE

4 KPI

Numerator, denominator, threshold

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Build operational reports and dashboards — failure and recovery

1 Misleading denominator

Exclude not-applicable correctly

DIAGNOSE → RECOVER

2 Stale export

Display freshness

DIAGNOSE → RECOVER

3 Duplicate devices

Use stable device ID

DIAGNOSE → RECOVER

4 Vanity metric

Tie KPI to action

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Build operational reports and dashboards — verification evidence

Query definition	Reproducible filter
Dashboard tile	Current value
Drill-through	Affected devices
Action log	Owner and deadline

LAB 9

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Interpret Endpoint Analytics and reliability — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 9 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Interpret Endpoint Analytics and reliability — exact contract

1 Startup score

Boot + sign-in experience

FIELD / STATE

2 App reliability

Crashes and hangs

FIELD / STATE

3 Restart frequency

Operational stability

FIELD / STATE

4 Baseline

Compare cohort and time

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Interpret Endpoint Analytics and reliability — failure and recovery

1 Low sample

Avoid overinterpreting

DIAGNOSE → RECOVER

2 Cohort mix

Segment by model/OS

DIAGNOSE → RECOVER

3 Score improved but tickets rise

Use multiple signals

DIAGNOSE → RECOVER

4 Telemetry gap

Check prerequisites

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Interpret Endpoint Analytics and reliability — verification evidence

Score trend	Before/after
Model cohort	Outlier devices
App report	Top regressions
Validation	Reduced incident rate

LAB 9

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.


© 2026 Tertiary Infotech Academy Pte Ltd

DAY 5

Lunch break

Return at the time announced by the trainer.

Deploy proactive remediations safely — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 9 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Deploy proactive remediations safely — exact contract

1 Detection

No change, evidence only

FIELD / STATE

2 Remediation

Idempotent and bounded

FIELD / STATE

3 Execution

System or user context

FIELD / STATE

4 Schedule

Operational need

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Deploy proactive remediations safely — failure and recovery

1 Detection always fails

Fix exit logic

DIAGNOSE → RECOVER

2 Remediation loops

Make desired state idempotent

DIAGNOSE → RECOVER

3 32/64-bit mismatch

Choose host setting

DIAGNOSE → RECOVER

4 Large blast radius

Pilot and stage

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Deploy proactive remediations safely — verification evidence

✓ **Pre-state**	Issue reproduced
✓ **Detection result**	Issue found
✓ **Remediation log**	Change made
✓ **Post-state**	Issue absent

LAB 9

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Monitor tenant health, alerts and change — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 10 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Monitor tenant health, alerts and change — exact contract

1 Enrollment alert

Failure-rate threshold

FIELD / STATE

2 Compliance drift

Noncompliant percentage

FIELD / STATE

3 Config conflict

New conflict count

FIELD / STATE

4 Service advisory

Affected workload and region

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Monitor tenant health, alerts and change — failure and recovery

1 Alert fatigue

Tune severity and routing

DIAGNOSE → RECOVER

2 No baseline

Measure normal first

DIAGNOSE → RECOVER

3 Duplicate incident

Correlate service advisory

DIAGNOSE → RECOVER

4 Unowned action

Use escalation matrix

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Monitor tenant health, alerts and change — verification evidence

✓ **Alert payload**	Cohort + timestamp
✓ **Incident timeline**	Detection to recovery
✓ **Change correlation**	Policy/deployment event
✓ **Postmortem**	Control improvement

LAB 10

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.


PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

Investigate unauthorized endpoint access — mechanism



CONTROL POINT

Inspect the evidence at every transition; the first missing state is the most useful troubleshooting boundary. Lab 10 carries the full procedure.

© 2026 Tertiary Infotech Academy Pte Ltd

Investigate unauthorized endpoint access — exact contract

1 Identity action

Revoke sessions

FIELD / STATE

2 Device action

Isolate or retire

FIELD / STATE

3 Evidence handling

Preserve timestamps and IDs

FIELD / STATE

4 Access review

Remove excess privilege

FIELD / STATE

DECISION RULE

Configuration is a contract: names, values, scope and resulting state must all agree.

© 2026 Tertiary Infotech Academy Pte Ltd

Investigate unauthorized endpoint access — failure and recovery

1 Premature wipe

Preserve evidence first

DIAGNOSE → RECOVER

2 Incomplete scope

Correlate device and sign-in IDs

DIAGNOSE → RECOVER

3 Credential persists

Reset and revoke tokens

DIAGNOSE → RECOVER

4 Access restored early

Require clean compliance

DIAGNOSE → RECOVER

DECISION RULE

Treat the symptom as a pointer to a failed stage; collect evidence before changing policy.

© 2026 Tertiary Infotech Academy Pte Ltd

Investigate unauthorized endpoint access — verification evidence

Incident timeline	Ordered events
Sign-in log	CA and device details
Device timeline	Alert/process activity
Closure proof	Risk cleared and access reviewed

LAB 10

Evidence standard

Capture the configured state, the observed result, the timestamp or correlation ID, and the interpretation.

PASS = REPRODUCIBLE

PRACTICE BRIDGE

Full click paths, commands, expected outputs and troubleshooting are in the Learner Guide and the individual lab folder.

© 2026 Tertiary Infotech Academy Pte Ltd

HANDS-ON · 115 MIN

Lab 9: Graph, PowerShell, remote actions and Endpoint Analytics

SCENARIO

Contoso must implement the control, prove the observed state, diagnose one seeded failure, and retain an auditable evidence pack.



YOU'LL PRODUCE

Least-privilege automation transcript, paginated export, remote-action evidence and KPI readout

© 2026 Tertiary Infotech Academy Pte Ltd

LO3 · LO4 · K3 · K5 · A5 · A7

Lab 9 — acceptance and evidence

Configured state

Policy/profile/assignment values are visible and scoped to the intended cohort.

EVIDENCE REQUIRED

Observed result

The device, app or identity shows the expected service and client-side outcome.

EVIDENCE REQUIRED

Failure diagnosis

The seeded issue is tied to an error, log, report or missing state—not a guess.

EVIDENCE REQUIRED

Recovery proof

A post-change retest demonstrates the corrected state with timestamp/correlation evidence.

EVIDENCE REQUIRED

SUBMISSION

Save the evidence under labs/lab-09-graph-powershell-analytics/evidence/. Detailed steps are in the Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

HANDS-ON · 110 MIN

Lab 10: Capstone: investigate access, remediate endpoints and brief operations

SCENARIO

Contoso must implement the control, prove the observed state, diagnose one seeded failure, and retain an auditable evidence pack.



YOU'LL PRODUCE

Incident timeline, containment record, remediation proof, access review and executive operations brief

© 2026 Tertiary Infotech Academy Pte Ltd

LO4 · K5 · A7 · A8

Lab 10 — acceptance and evidence

Configured state

Policy/profile/assignment values are visible and scoped to the intended cohort.

EVIDENCE REQUIRED

Observed result

The device, app or identity shows the expected service and client-side outcome.

EVIDENCE REQUIRED

Failure diagnosis

The seeded issue is tied to an error, log, report or missing state—not a guess.

EVIDENCE REQUIRED

Recovery proof

A post-change retest demonstrates the corrected state with timestamp/correlation evidence.

EVIDENCE REQUIRED

SUBMISSION

Save the evidence under labs/lab-10-capstone-incident-operations/evidence/. Detailed steps are in the Learner Guide.

© 2026 Tertiary Infotech Academy Pte Ltd

RETRIEVE · DIAGNOSE · EXPLAIN

Day 5 technical recap

1 Checkpoint 1

- Automate Intune with Microsoft Graph
- Use PowerShell for repeatable endpoint operations

2 Checkpoint 2

- Extend compliance with custom scripts
- Operate Security Copilot agents responsibly

3 Checkpoint 3

- Build operational reports and dashboards
- Interpret Endpoint Analytics and reliability

4 Checkpoint 4

- Deploy proactive remediations safely
- Monitor tenant health, alerts and change

REMEMBER

For each checkpoint, name the architecture boundary, exact contract, failure evidence and acceptance state.

© 2026 Tertiary Infotech Academy Pte Ltd

Assessment: demonstrate current endpoint judgment

1 **WA**

Explain the mechanism and decision rule using K1 –K5.

2 **PP**

Perform six connected tasks and preserve evidence for A1–A8.

3 **Competency**


Meet every criterion; partial evidence does not demonstrate the full ability.

4 **Submission**

Upload the completed learner-facing papers to the LMS.

© 2026 Tertiary Infotech Academy Pte Ltd

Assessment flow: final sign-off



SUBMISSION RULE

Question papers go to the LMS. Answer keys remain trainer-only and are never linked from the learner record.

© 2026 Tertiary Infotech Academy Pte Ltd

Digital attendance: final reconciliation

1 Check today

Confirm every required session has a recorded attendance state.

2 Resolve exception

Show the trainer the relevant Singpass/TRAQOM result.

3 Do not delay

Attendance exceptions become harder to resolve after course close.

4 Keep evidence

Retain the confirmation until the training record is finalized.

© 2026 Tertiary Infotech Academy Pte Ltd

THANK YOU

Manage endpoints as an evidence-driven control system.

Identity · Policy · Security · Applications · Operations



https://www.tertiarycourses.com.sg/wsq-microsoft-certified-endpoint-administrator-associate-md-102.html

TGS-2024042603 · Version v3.0