

Navigating Digital Threats: Proactive Measures Against Cyber Frauds and Scams

TGS-2024043420
ACC-ICT-3002-1.1 Cyber Security
Version v10.1



Tertiary Infotech Academy Pte Ltd · UEN 201200696W



Digital Attendance

Complete AM, PM and assessment attendance through the trainer-provided SSG QR.

1**AM session**

Scan only the current trainer-displayed code.

2**PM session**

Repeat after lunch for the afternoon session.

3**Assessment**

Complete the separate assessment attendance.

4**Evidence**

Confirm the accepted attendance state before leaving.

General Trainer Profile

Use a consistent visual profile for the assigned trainer.

1

Name

Insert assigned trainer name.

2

Credentials

List relevant qualifications and certifications.

3

Experience

State industry and adult-learning experience.

4

Contact

Provide the approved contact route.

About Dr Alfred Ang

Courseware lead and trainer for applied digital-risk learning.

1**Role**

Founder and adult educator.

2**Coverage**

AI, cloud and cybersecurity.

3**Method**

Evidence-led applied learning.

4**Contact**

Use the official academy channel.

Ground Rules

Protect people and data while practising scam analysis.

1**Simulated data**

Use only the supplied fictional evidence.

2**Safe handling**

Do not open live suspect links or files.

3**Evidence first**

Support decisions with observable facts.

4**Participate**

Share reasoning without exposing personal data.

Course Schedule

One focused day from recognition through response.

1**Morning**

Attack chains, signals and verification.

2**Midday**

Account, device and payment controls.

3**Afternoon**

Response, evidence and escalation.

4**Assessment**

One hour: WA followed by Case Study.

Skills Framework

ACC-ICT-3002-1.1 Cyber Security

1

A1

Identify cyber risks and threats.

2

A2

Protect personal and business information.

3

A3

Interpret and escalate incidents.

4

Evidence

Apply controls through eight activities.

Learning Outcomes

Move from recognition to action with defensible evidence.

1**LO1**

Identify potential fraud and scam threats.

2**LO2**

Protect information, accounts and funds.

3**LO3**

Interpret and escalate verified incidents.

4**Transfer**

Apply the same reasoning to new scenarios.

Courseware and Assessment on the LMS

Use the LMS as the single learner access point.

1**Courseware**

Download slides and Learner Guide.

2**Activities**

Open the eight activity folders.

3**Assessment**

Access WA and Case Study papers.

4**Submission**

Upload answers through the assigned course record.

Assessment Briefing

Demonstrate reasoning, evidence and control selection.

1**Written Assessment**

Three open-ended questions, K1–K3.

2**Case Study**

One scenario, three questions, A1–A3.

3**Resources**

Open book using approved materials.

4**Standard**

Address every criterion with evidence.

Assessment Flow



Candidate papers are learner-facing; answer keys remain trainer-only.

Assessment and Funding

Completion depends on attendance and demonstrated competence.

1**Attendance**

Meet the required course attendance.

2**Assessment**

Attempt all prescribed instruments.

3**Competence**

Achieve competent evidence for every criterion.

4**Records**

Complete required declarations and sign-off.

Safety Boundary

Analyse safely without interacting with real threats.

1**Links**

Never open a live suspicious URL.

2**Data**

Never submit real personal or banking data.

3**Credentials**

Never share passwords, OTPs or recovery codes.

4**Devices**

Use supplied screenshots and fictional cases.

Identify Cyber Frauds and Scams

Trace how contact becomes trust, action and loss; then break the attacker-controlled path.

01



Annual scam and cybercrime cases




READ THE SIGNAL

2025 improved from 2024, but 37,308 scam cases still require consistent prevention and verification.

Decision rule

Verify the specific claim through an independent route.

Scam losses remain material




READ THE SIGNAL

Loss reduction does not remove personal exposure. A small number of high-loss incidents can dominate outcomes.

Decision rule

Verify the specific claim through an independent route.

First-half scam cases




READ THE SIGNAL

The first-half count declined again in 2026, while attackers continued shifting channels and pretexts.

Decision rule

Verify the specific claim through an independent route.

2025 victim average loss by age




READ THE SIGNAL

Average losses rise across the reported age groups. Controls must protect both frequent and high-impact targets.

Decision rule

Verify the specific claim through an independent route.

2025 high-volume scam types





READ THE SIGNAL

Different pretexts converge on the same actions: disclose, install, authenticate, pay or forward funds.

Decision rule

Verify the specific claim through an independent route.

Phishing: attack chain



OBSERVABLE SIGNALS

sender-domain mismatch; login link; authentication-code request

Break the path before disclosure, installation, authentication or payment.

Phishing: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Phishing: evidence-led decision



CLAIM

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE



Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.

A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Smishing: attack chain



Break the path before disclosure, installation, authentication or payment.

Smishing: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Smishing: evidence-led decision



CLAIM

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.

A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Vishing: attack chain



Break the path before disclosure, installation, authentication or payment.

Vishing: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Vishing: evidence-led decision



CLAIM

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE



Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.

A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Government impersonation: attack chain



Break the path before disclosure, installation, authentication or payment.

Government impersonation: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Government impersonation: evidence-led decision



CLAIM

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.


A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Bank impersonation: attack chain



OBSERVABLE SIGNALS

urgent reversal; app install; authentication request



Break the path before disclosure, installation, authentication or payment.

Bank impersonation: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3

ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Bank impersonation: evidence-led decision



Inspect the source-deck artifact at readable scale

CLAIM

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE



Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.

A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Investment scam: attack chain



Break the path before disclosure, installation, authentication or payment.

Investment scam: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3

ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Investment scam: evidence-led decision



Inspect the source-deck artifact at readable scale

CLAIM

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.


A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Job scam: attack chain



OBSERVABLE SIGNALS

easy income; group chat; pay to unlock commission



Break the path before disclosure, installation, authentication or payment.

Job scam: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Job scam: evidence-led decision

**CLAIM**

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE



Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.

A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

E-commerce scam: attack chain



Break the path before disclosure, installation, authentication or payment.

E-commerce scam: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

E-commerce scam: evidence-led decision



CLAIM

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.


A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Tech-support scam: attack chain



OBSERVABLE SIGNALS

unsolicited alert; remote tool; refund or clean-up fee



Break the path before disclosure, installation, authentication or payment.

Tech-support scam: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Tech-support scam: evidence-led decision

**CLAIM**

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.


A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Business email compromise: attack chain



OBSERVABLE SIGNALS

changed beneficiary; urgency; process bypass



Break the path before disclosure, installation, authentication or payment.

Business email compromise: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Business email compromise: evidence-led decision

**CLAIM**

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE




Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.

A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Romance scam: attack chain



Break the path before disclosure, installation, authentication or payment.

Romance scam: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Romance scam: evidence-led decision



CLAIM

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.

A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Malware-enabled scam: attack chain



Break the path before disclosure, installation, authentication or payment.

Malware-enabled scam: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Malware-enabled scam: evidence-led decision

**CLAIM**

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.

A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

QR phishing: attack chain



OBSERVABLE SIGNALS

unverifiable code; payment/login request; domain mismatch



Break the path before disclosure, installation, authentication or payment.

QR phishing: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3

ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

QR phishing: evidence-led decision



go.gov.sg/scamshield-bot

Inspect the source-deck artifact at readable scale

CLAIM

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.

A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Account takeover: attack chain



Break the path before disclosure, installation, authentication or payment.

Account takeover: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3

ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Account takeover: evidence-led decision



CLAIM

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.


A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Money-mule recruitment: attack chain



OBSERVABLE SIGNALS

keep commission; receive and forward; secrecy



Break the path before disclosure, installation, authentication or payment.

Money-mule recruitment: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Money-mule recruitment: evidence-led decision

**CLAIM**

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.


A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Lottery and prize scam: attack chain



OBSERVABLE SIGNALS

unexpected win; tax or delivery fee; urgency



Break the path before disclosure, installation, authentication or payment.

Lottery and prize scam: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Lottery and prize scam: evidence-led decision

**CLAIM**

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.


A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Loan scam: attack chain



OBSERVABLE SIGNALS

guaranteed approval; processing fee; unofficial channel



Break the path before disclosure, installation, authentication or payment.

Loan scam: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Loan scam: evidence-led decision



CLAIM

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE


Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.


A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Deepfake impersonation: attack chain



OBSERVABLE SIGNALS

unusual request; channel shift; no independent callback



Break the path before disclosure, installation, authentication or payment.

Deepfake impersonation: signal model

1

CHANNEL

How did it arrive?

Account, number, domain, redirect and device context

2

PRESSURE

What emotion is engineered?

Authority, urgency, scarcity, fear, reward or secrecy

3


ACTION

What must you do?

Disclose, install, authenticate, pay, forward or stay connected

DECIDE: move to an independently obtained contact route before taking the requested action.

Deepfake impersonation: evidence-led decision

**CLAIM**

Record exactly what the sender says. Identity cues remain unverified.

EVIDENCE

Capture sender, domain, number, URL, payment route, requested authentication and timing.

DISPOSITION

Block and report when independent verification fails or the requested action is high risk.

A polished message can still be fraudulent; the decision rests on verified evidence and action risk.

Assess and Protect Information

Layer controls around identity, devices, accounts and payments so one mistake does not become a loss.

02



Independent verification



CONTROL INTENT

Move to contact data obtained outside the suspicious message


ATTACK PATH INTERRUPTED

Breaks the scammer-controlled trust path

PROOF TO RETAIN

Enabled state · owner · timestamp · residual risk — with secrets redacted

Independent verification: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Passkeys and phishing-resistant MFA



CONTROL INTENT

Bind authentication to the legitimate origin and device


ATTACK PATH INTERRUPTED

Reduces credential replay and OTP interception

PROOF TO RETAIN

Enabled state · owner · timestamp · residual risk — with secrets redacted

Passkeys and phishing-resistant MFA: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Password manager

LAYERED CONTROL

REQUEST treat as unverified

VERIFY use a trusted route

AUTHORISE apply the control

MONITOR retain safe evidence

CONTROL INTENT

Generate unique credentials and match saved origins


ATTACK PATH INTERRUPTED

Prevents password reuse and exposes look-alike domains

PROOF TO RETAIN


Enabled state · owner · timestamp · residual risk — with secrets redacted

Password manager: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Device patching



Control evidence

CONTROL INTENT

Apply supported operating-system and browser fixes


ATTACK PATH INTERRUPTED

Removes known exploit paths used by malicious sites and apps

PROOF TO RETAIN

Enabled state · owner · timestamp · residual risk — with secrets redacted

Device patching: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Unknown-source restriction

CONTROL INTENT


Block sideloading and risky accessibility permissions

ATTACK PATH INTERRUPTED


Interrupts malware-enabled scam installation

PROOF TO RETAIN

Enabled state · owner · timestamp · residual risk — with secrets redacted




Unknown-source restriction: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Session review



CONTROL INTENT

Inspect devices, sessions, forwarding and recovery changes


ATTACK PATH INTERRUPTED

Detects persistence after credential compromise

PROOF TO RETAIN


Enabled state · owner · timestamp · residual risk — with secrets redacted

Session review: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Transaction alerts



Control evidence

CONTROL INTENT

Notify immediately on transfers, payees and card activity


ATTACK PATH INTERRUPTED

Shortens detection and bank-contact time

PROOF TO RETAIN

Enabled state · owner · timestamp · residual risk — with secrets redacted

Transaction alerts: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Transfer limits

The screenshot shows a mobile app interface for 'Money Lock'. At the top, there's a title bar with 'Money Lock' and a close button. Below it, a blue banner reads: 'Protect your funds from scams by locking them safely in your bank account.' The main section is titled 'Enter the amount you wish to lock'. It features a currency selector set to 'SGD' and a numeric input field containing '10,000'. Below the input is a slider control. At the bottom of this section, it says 'Current Locked: SGD 0' and 'Max: SGD 30,000'. A yellow warning box contains the text: 'Remember, funds locked with Money Lock cannot be used for GIRO or recurring payments. Keep enough Available Balance to avoid late fees and charges.' At the very bottom, there are 'Back' and 'Submit' buttons, and the text 'Control evidence' is visible below the 'Submit' button.

CONTROL INTENT

Cap routine exposure and require deliberate changes


ATTACK PATH INTERRUPTED

Reduces maximum loss from one compromised session

PROOF TO RETAIN

Enabled state · owner · timestamp · residual risk — with secrets redacted

Transfer limits: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Money Lock

LAYERED CONTROL

REQUEST

treat as unverified

VERIFY

use a trusted route

AUTHORISE

apply the control

MONITOR

retain safe evidence

CONTROL INTENT

Separate protected funds from digitally transferable balances


ATTACK PATH INTERRUPTED

Limits funds reachable through online compromise

PROOF TO RETAIN

Enabled state · owner · timestamp · residual risk — with secrets redacted

Money Lock: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Maker-checker approval

LAYERED CONTROL

REQUEST treat as unverified

VERIFY use a trusted route

AUTHORISE apply the control

MONITOR retain safe evidence

CONTROL INTENT

Separate request, verification and payment release


ATTACK PATH INTERRUPTED

Stops a single compromised mailbox from authorising payment

PROOF TO RETAIN

Enabled state · owner · timestamp · residual risk — with secrets redacted

Maker-checker approval: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Beneficiary callback

LAYERED CONTROL

REQUEST treat as unverified

VERIFY use a trusted route

AUTHORISE apply the control

MONITOR retain safe evidence

CONTROL INTENT

Verify account changes through a known channel


ATTACK PATH INTERRUPTED

Targets business email compromise and invoice diversion

PROOF TO RETAIN

Enabled state · owner · timestamp · residual risk — with secrets redacted

Beneficiary callback: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

ScamShield



CONTROL INTENT

Check and report suspicious numbers, messages and links


ATTACK PATH INTERRUPTED

Adds community and SPF-informed detection signals

PROOF TO RETAIN

Enabled state · owner · timestamp · residual risk — with secrets redacted

ScamShield: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Privacy minimisation

LAYERED CONTROL

REQUEST

treat as unverified

VERIFY

use a trusted route

AUTHORISE

apply the control

MONITOR

retain safe evidence

CONTROL INTENT

Limit public identity, role and relationship data


ATTACK PATH INTERRUPTED

Reduces material available for tailored pretexts

PROOF TO RETAIN


Enabled state · owner · timestamp · residual risk — with secrets redacted

Privacy minimisation: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Offline backup



CONTROL INTENT

Keep tested, disconnected recovery copies


ATTACK PATH INTERRUPTED

Reduces ransomware leverage and preserves business continuity

PROOF TO RETAIN


Enabled state · owner · timestamp · residual risk — with secrets redacted

Offline backup: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Incident rehearsal



CONTROL INTENT

Practice evidence, bank, police and internal escalation


ATTACK PATH INTERRUPTED

Reduces delay and omissions under pressure

PROOF TO RETAIN

Enabled state · owner · timestamp · residual risk — with secrets redacted

Incident rehearsal: control test



PASS only when the expected control response is visible and the evidence is safe to retain.

Activity 1: Scam Signal Triage

01

Classify a suspicious contact using channel, claim, pressure, requested action and payment route.

SCENARIO

Use the supplied fictional case and worksheet.

YOU WILL PRODUCE

Completed signal matrix with risk score and decision rationale.

ACCEPTANCE

Every decision cites at least two observable indicators; no decision relies only on spelling or grammar.

Detailed procedure: Learner Guide and [activities/activity-01-scam-signal-triage/ACTIVITY-GUIDE.md](#)

Activity 2: Phishing URL and Header Analysis

02

Inspect a simulated phishing message without opening its link or attachment.

SCENARIO

Use the supplied fictional case and worksheet.

YOU WILL PRODUCE

Annotated header and URL decomposition with disposition.

ACCEPTANCE

The registrable domain and authentication result are stated correctly and no live suspect link is opened.

Detailed procedure: Learner Guide and [activities/activity-02-phishing-url-header-analysis/ACTIVITY-GUIDE.md](#)

Activity 3: Independent Verification Drill

03

Break the scammer-controlled channel and verify a claim through trusted contact data.

SCENARIO

Use the supplied fictional case and worksheet.

YOU WILL PRODUCE

Verification log and trust-boundary explanation.

ACCEPTANCE

No sender-provided telephone number, link or QR code is used for verification.

Detailed procedure: [Learner Guide and activities/activity-03-independent-verification/ACTIVITY-GUIDE.md](#)

Activity 4: Account and Device Hardening

04

Apply layered safeguards that reduce credential, session and malware-enabled fraud.

SCENARIO

Use the supplied fictional case and worksheet.

YOU WILL PRODUCE

Hardening checklist with redacted screenshots and residual risks.

ACCEPTANCE

Credentials and recovery codes are absent; each control names the attack path it interrupts.

Detailed procedure: Learner Guide and [activities/activity-04-account-device-hardening/ACTIVITY-GUIDE.md](#)

Activity 5: ScamShield Check and Report

05

Use ScamShield resources to check and report a simulated suspicious message safely.

SCENARIO

Use the supplied fictional case and worksheet.

YOU WILL PRODUCE

ScamShield check record, redacted report example and limitations note.

ACCEPTANCE

Only simulated data is submitted; the learner distinguishes a tool result from proof of legitimacy.

Detailed procedure: Learner Guide and [activities/activity-05-scamshield-check-report/ACTIVITY-GUIDE.md](#)

Activity 6: Financial Control Plan

06

Design preventive and detective controls for a personal or small-business payment workflow.

SCENARIO

Use the supplied fictional case and worksheet.

YOU WILL PRODUCE

Payment control map, approval matrix and scenario test result.

ACCEPTANCE

The design separates request, verification and approval, and names at least one preventive and one detective control.

Detailed procedure: Learner Guide and [activities/activity-06-financial-control-plan/ACTIVITY-GUIDE.md](#)

Respond to Cyber Security Threats

Contain loss, preserve the timeline and route verified facts to the parties able to act.

03



Stop interaction

01 · ACTION

End calls and messages; do not follow new instructions

WHY THIS ORDER

prevents further coercion and data disclosure

EVIDENCE

Time · owner · reference number · source item · observable outcome

RESPONSE CHECKPOINT


NOW contain the active risk

NEXT preserve and secure


THEN report and track

Stop interaction: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Protect money

01 · ACTION

Contact the bank through an official channel and request urgent action

WHY THIS ORDER

maximises the chance of stopping or tracing transfers


EVIDENCE

Time · owner · reference number · source item · observable outcome




Protect money: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Isolate compromise

01 · ACTION

Disconnect a suspected infected device while preserving state

WHY THIS ORDER

limits attacker access without erasing evidence

EVIDENCE

Time · owner · reference number · source item · observable outcome

RESPONSE CHECKPOINT


NOW contain the active risk

NEXT preserve and secure


THEN report and track

Isolate compromise: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Preserve evidence

01 · ACTION

Save originals, screenshots, headers, numbers, URLs and transaction references

WHY THIS ORDER

supports bank, platform and police action

EVIDENCE

Time · owner · reference number · source item · observable outcome

RESPONSE CHECKPOINT


NOW contain the active risk

NEXT preserve and secure


THEN report and track

Preserve evidence: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Secure accounts

01 · ACTION

Change exposed credentials from a trusted device and revoke sessions

WHY THIS ORDER

closes reused credentials and stolen sessions

EVIDENCE

Time · owner · reference number · source item · observable outcome

RESPONSE CHECKPOINT


NOW contain the active risk

NEXT preserve and secure


THEN report and track

Secure accounts: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Assess scope

01 · ACTION

Identify people, accounts, devices, data and payments affected

WHY THIS ORDER

sets severity and notification priorities

EVIDENCE

Time · owner · reference number · source item · observable outcome

RESPONSE CHECKPOINT


NOW contain the active risk

NEXT preserve and secure


THEN report and track

Assess scope: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Report platform abuse

01 · ACTION

Use the platform reporting path for the account, advert, message or listing

WHY THIS ORDER

enables removal and ecosystem disruption

EVIDENCE


Time · owner · reference number · source item · observable outcome




Operational evidence

Report platform abuse: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Use ScamShield

01 · ACTION


Check or report suspicious contact through official ScamShield resources

WHY THIS ORDER

contributes signals and receives current advice


EVIDENCE

Time · owner · reference number · source item · observable outcome




Use ScamShield: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Make a Police report

01 · ACTION

Provide a factual chronology and supporting evidence

WHY THIS ORDER

creates an official record and supports investigation

EVIDENCE

Time · owner · reference number · source item · observable outcome

RESPONSE CHECKPOINT


NOW contain the active risk

NEXT preserve and secure


THEN report and track

Make a Police report: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Notify the workplace

01 · ACTION

Engage security, finance, legal and data-protection roles as applicable

WHY THIS ORDER

coordinates containment and statutory decisions

EVIDENCE

Time · owner · reference number · source item · observable outcome

RESPONSE CHECKPOINT


NOW contain the active risk

NEXT preserve and secure


THEN report and track

Notify the workplace: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Track recovery

01 · ACTION

Maintain actions, owners, reference numbers and outcomes

WHY THIS ORDER

prevents gaps and supports handoffs

EVIDENCE

Time · owner · reference number · source item · observable outcome

RESPONSE CHECKPOINT


NOW contain the active risk

NEXT preserve and secure


THEN report and track

Track recovery: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Review controls

01 · ACTION

Convert the incident into owned corrective actions

WHY THIS ORDER

reduces recurrence and tests whether controls work

EVIDENCE

Time · owner · reference number · source item · observable outcome

RESPONSE CHECKPOINT


NOW contain the active risk

NEXT preserve and secure


THEN report and track

Review controls: escalation check

SEVERITY MATRIX



ROUTE VERIFIED FACTS



Handoff test: chronology + evidence IDs + confirmed facts + impact + clear request

Activity 7: Incident Evidence Pack

07

Preserve useful evidence and start containment without destroying the incident timeline.

SCENARIO

Use the supplied fictional case and worksheet.

YOU WILL PRODUCE

Incident timeline, evidence register and initial containment record.

ACCEPTANCE

The chronology is complete, evidence remains unaltered, and containment actions are distinguished from eradication.

Detailed procedure: Learner Guide and [activities/activity-07-incident-evidence-pack/ACTIVITY-GUIDE.md](#)

Activity 8: Escalation Tabletop

08

Route a scam incident to the right internal and external parties using severity and evidence.

SCENARIO

Use the supplied fictional case and worksheet.

YOU WILL PRODUCE

Escalation matrix, incident brief, notification sequence and after-action actions.

ACCEPTANCE

The brief separates facts from assumptions and includes timestamps, evidence references, impact and a clear request.

Detailed procedure: [Learner Guide and activities/activity-08-escalation-tabletop/ACTIVITY-GUIDE.md](#)

Assessment and Close

Apply the same evidence models, controls and escalation logic used across the eight activities.

04



Written Assessment



Three open-ended questions mapped to K1–K3.

**Use verified channels · protect credentials and funds · preserve evidence ·
escalate with facts**

Case Study



One coherent scenario with three questions mapped to A1–A3.

Use verified channels · protect credentials and funds · preserve evidence · escalate with facts

Assessment Flow



Candidate papers are learner-facing; answer keys remain trainer-only.

Digital Attendance (Mandatory)



Complete the assessment attendance using the trainer-provided SSG QR code.

Use verified channels · protect credentials and funds · preserve evidence ·
escalate with facts

TRAQOM and Course Feedback



Complete the course feedback and required TRAQOM survey through the LMS.

Use verified channels · protect credentials and funds · preserve evidence ·
escalate with facts

Thank You



Stay calm, break the attacker-controlled channel, verify independently and preserve evidence.

Use verified channels · protect credentials and funds · preserve evidence · escalate with facts