TGS-2024043854 · DAY 2 · LAB 6 · 45 MIN

Activity 6 — Source Assurance, RAG Comparison & Maintenance

Build a Human-AI Workforce with Autonomous AI Agents · Multi-agent team + human oversight · LO3

> Retrieve approved source passages, compare grounded and unsupported answers, and repair a stale source before it reaches the video.

The business scenario

The first cut depends on price, date and promotion wording. Source quality must be checked before product claims are reused. Then transfer the design to a fictional financial-services advisory workflow.

You will deliver

- outputs/source/source-register.md — file IDs, versions, passages and owners
- outputs/source/retrieval-test.md and verifier-report.md — supported, missing and conflicting cases
- outputs/source/rag-feasibility.md — standard LLM comparison, costs, access, upkeep and evaluation

Agents: Distinct Hermes profiles: researcher, scriptwriter, producer, auditor and publisher
You (the human): Own approval gates, inspect evidence and accept the exact version
Goal: Compare a retrieval-grounded assistant with a standard LLM and assess implementation and maintenance feasibility using actual source tests (LO3; PP Task 3 written analysis).

Before you start

- Activity 5 real Hermes video team is working
- Same approved launch workspace and original source files

Lab files (data/)

File	What it is
`brand-guide.md`	Brand voice, colours, platform formats
`campaign-brief.md`	Gula Melaka Cold Brew campaign brief (offer, KPIs, timeline)
`compliance-rules.md`	C1–C10 brand-safety and escalation rules
`product-catalogue.csv`	12 products and prices

`video-qa-checklist.md`	V1–V9 video QA checks
`assets/brand-palette.png`	Brand image asset
`assets/cold-brew-product-card.png`	Brand image asset
`assets/kopi-kaki-logo.png`	Brand image asset
`source-test-cases.csv`	

All company data in this lab (Kopi Kaki Co., people, reviews, comments, metrics, competitors) is fictional and generated for training.

Steps

1. Register sources (10 min)

PROMPT — PASTE INTO HERMES DESKTOP CHAT IN THE KOPI KAKI WORKSPACE

```
Assign the researcher a separate source-register.md task. Inspect campaign-brief.md, product-catalogue.csv and compliance-rules.md. Record actual filenames, human-readable source IDs, current version/date if present, owner and permitted use. Quote exact supporting passages for price, launch date and promotion. Missing version metadata is a gap; do not invent it.
```

✓ Expected: Actual passages and stable source IDs support video claims.

2. Run supported and unsupported retrieval tests (10 min)

PROMPT — PASTE INTO HERMES DESKTOP CHAT IN THE KOPI KAKI WORKSPACE

```
Use only the approved local sources for three tests: product price; full promo terms; whether the drink has a certified health benefit. Quote the supporting passage and source ID for each supported answer; answer INSUFFICIENT EVIDENCE for the unsupported health claim. Save retrieval-test.md. This is a small file-retrieval grounding exercise, not proof of a deployed vector database or production RAG system.
```

✓ Expected: Supported answers cite real passages; unsupported claim is refused.

3. Verify independently and repair stale evidence (10 min)

PROMPT — PASTE INTO HERMES DESKTOP CHAT IN THE KOPI KAKI WORKSPACE

```
Assign the independent auditor to check each answer against the original source, not the researcher summary. In a separate training test fixture copy one price line and change it to an intentionally conflicting value; preserve the original files. Mark the fixture SYNTHETIC STALE TEST, detect the conflict and keep downstream release gated until I choose the authoritative source. Save verifier-report.md and the resolution; do not let majority vote decide factual truth.
```

✓ Expected: Verifier detects the seeded conflict and downstream copy uses the human-confirmed source.

4. Transfer to financial services and assess feasibility (15 min)

PROMPT — PASTE INTO HERMES DESKTOP CHAT IN THE KOPI KAKI WORKSPACE

```
Write rag-feasibility.md for a fictional financial-services client. Compare a standard LLM assistant with retrieval from a firm-approved corpus: strengths, limitations, provenance, latency, cost and access boundaries. Assess implementation feasibility: corpus owner, ingestion/chunking/indexing choice, permissions, source versioning and rollback, refresh/re-index routine, test questions, accuracy/relevance checks and human approval. Explain how this local passage test differs from a production RAG service. Give one condition under which the simpler standard assistant is adequate and one condition requiring retrieval.
```

✓ Expected: Balanced RAG-vs-standard comparison with realistic maintenance plan and product decision.

Verification / checkpoint

- □ Every accepted claim has a checked source passage
- □ Auditor independently detects the stale test without changing approved originals
- □ Feasibility covers cost/access/upkeep/evaluation and limitations of the local exercise

Checkpoint: Source-backed and missing-evidence tests plus independent verification and a written maintenance decision.

Troubleshooting

Symptom	Fix
Agent invents certification	Return to original passages; mark unsupported and block reuse.
Different source versions disagree	Human source owner decides; preserve old/new versions and retest affected artifacts.

Stretch challenge

Transfer the checks to a different product while preserving source and decision ownership.