

Lab 10 - Error budget to Retirement control

TGS-2024044051 | v1.0 | 27 September 2026

Scenario

Northstar Service is a synthetic service organisation. All records and metrics in this lab are fictional. Use an approved training tenant if available; otherwise complete the same evidence analysis offline.

Materials

- scenario.csv: 5 synthetic case records with task volumes, timing, claims and access values.
- roles.csv: pilot roles, licences and approved data access.
- pilot-metrics.csv: synthetic active seats, wage and license assumptions, and latency timings.
- ui-reference.png: authentic Tertiary Infotech training-tenant UI example; your tenant may differ.
- source-pack.md: synthetic policy excerpts, an outdated source and an injection test.
- evidence-template.md: learner evidence form.
- Microsoft 365 Copilot or Copilot Studio only when your trainer has provided access.

Procedure

1. Error budget. Open the matching row in scenario.csv, then check its role against roles.csv and source against source-pack.md. Record the source version and owner. Set severity-weighted threshold. Calculate net minutes saved as baseline minus pilot minus review, and verify supported claims do not exceed total claims. Save the output as 01-error-budget.md. Check: Pause rollout at threshold. Negative test: Aggregate rate masks severe event. Measure: Severe failures per 1000 tasks.
2. Feedback triage. Open the matching row in scenario.csv, then check its role against roles.csv and source against source-pack.md. Record the source version and owner. Tag source, prompt, policy or tool cause. Calculate net minutes saved as baseline minus pilot minus review, and verify supported claims do not exceed total claims. Save the output as 02-feedback-triage.md. Check: Preserve evidence and owner. Negative test: Prompt tweak hides source defect. Measure: Median time to close defect.
3. Experiment design. Open the matching row in scenario.csv, then check its role against roles.csv and source against source-pack.md. Record the source version and owner. Hold task and measurement constant. Calculate net minutes saved as baseline minus pilot minus review, and verify supported claims do not exceed total claims. Save the output as 03-experiment-design.md. Check: Avoid claiming causality from correlation. Negative test: Different work mix biases result. Measure: Adjusted change in cycle time.
4. Rollout wave gate. Open the matching row in scenario.csv, then check its role against roles.csv and source against source-pack.md. Record the source version and owner. Evaluate go or hold criteria. Calculate net minutes saved as baseline minus pilot minus review, and verify supported claims do not exceed total claims. Save the output as 04-rollout-wave-gate.md. Check: Named sponsor owns release. Negative test: Wave launches without risk sign-off. Measure: Criteria passed divided by required.
5. Retirement control. Open the matching row in scenario.csv, then check its role against roles.csv and source against source-pack.md. Record the source version and owner. Disable access and retain required records. Calculate net minutes saved as baseline minus pilot minus review, and verify supported claims do not exceed total claims. Save the output as 05-retirement-control.md. Check: Verify no dependent workflow remains. Negative test: Connector remains active after agent removal. Measure: Orphaned privileged grants count.

Copy-ready Copilot prompt

You are supporting a synthetic Northstar Service training case. Use only the provided scenario row. Identify your sources and assumptions. Complete the requested transformation, then list every claim that requires human verification. Never send, publish, grant access, or change production data.

Acceptance

- Five output artifacts correspond to the five rows in scenario.csv.
- Recompute net_minutes_saved independently from the three timing columns; record the source version used.
- For ROI use the role's hourly value and license cost from pilot-metrics.csv as labelled synthetic assumptions.
- For latency, add retrieval, model and tool component times for the same percentile; do not mix p50 with p95.
- Record whether the role may open the source; do not use the injected or retired source as an instruction.
- Every artifact records source, method, reviewer, date and a pass/fail decision.
- At least one failed or uncertain test is recorded with a correction.
- No real customer or tenant data appears in submitted evidence.

Troubleshooting

If the Microsoft feature is unavailable, state the licence/policy limitation and use the synthetic row to complete the same decision and validation evidence. Do not fabricate a live configuration.

UI reference

[!!!llustrative Microsoft workflow from a separate synthetic training tenant](#) This screenshot orients you to a Microsoft workspace. It is not evidence of your own configuration; submit your own screenshot or clearly labelled offline artifact.