TERTIARY INFOTECH ACADEMY

LAB 07
Build a Multi-Account Compliance Evidence Flow

AWS Certified SysOps Administrator Associate Training
TGS-2024051413 · Version v5.0

Scenario
Northstar Retail cannot demonstrate consistent security and service-quality controls across its training accounts.

Objective
Apply K1, K3, A1 and A7 by evaluating required tags and encryption, aggregating findings and documenting a controlled remediation exception.

Deliverable
A Config rule template, tag policy, findings register, remediation decision and service-quality scorecard.

Services and tools
AWS Config · Organizations · Security Hub · EventBridge · Systems Manager Automation

Safety and cost boundary
- Use only the trainer-authorised learner account and Region.
- Replace placeholders and tag learner-owned resources.
- Capture evidence before cleanup.
- Verify deletion and report retained chargeable resources.

Detailed procedure

Step 1 — Review the required state in `QUALITY-STANDARD.md`; define scope, evidence, owner, remediation SLA and exception expiry.
```
open QUALITY-STANDARD.md
```

Evidence note: _____

Step 2 — Validate `config-controls.yaml` and `tag-policy.json`; replace the approved delivery channel and organisation values.
```
aws cloudformation validate-template --template-body file://config-controls.yaml
python3 -m json.tool tag-policy.json
```

Evidence note: _____

Step 3 — Deploy the Config controls in the learner account and record the recorder and delivery status.
```
aws cloudformation deploy --stack-name SysOps-Lab07-REPLACE_SUFFIX --template-file config-controls.yaml --capabilities CAPABILITY_NAMED_IAM
```

Evidence note: _____

Step 4 — Create one compliant and one intentionally noncompliant learner-owned test resource.
```
aws resourcegroupstaggingapi get-resources --tag-filters Key=Course,Values=TGS-2024051413 | tee evidence/tagged-resources.json
```

Evidence note: _____

Step 5 — Run rule evaluation and export compliant/noncompliant resources with timestamps.

```
aws configservice get-compliance-details-by-config-rule --config-rule-name required-tags |
tee evidence/config-findings.json
```

Evidence note: _____

Step 6 — Review `sample-security-findings.json`; prioritise by severity, exposure, asset and exploitability—not count alone.

```
python3 -m json.tool sample-security-findings.json
```

Evidence note: _____

Step 7 — Complete `REMEDIATION-REGISTER.csv` with owner, due date, chosen automation and verification.

```
open REMEDIATION-REGISTER.csv
```

Evidence note: _____

Step 8 — Document one time-bound exception with business owner, compensating control and expiry.

```
open EXCEPTION-RECORD.md
```

Evidence note: _____

Step 9 — Capture Config compliance and finding summary as JPEG evidence; run validation.

```
open EXPECTED-ARCHITECTURE.jpg
bash validate.sh
```

Evidence note: _____

Step 10 — Remove intentional noncompliance and delete learner-created controls; retain the evidence files.

```
bash cleanup.sh | tee evidence/cleanup.txt
```

Evidence note: _____

Verification

Required controls evaluate learner-owned resources, findings are prioritised with context, remediation has owner/SLA/verification, the exception expires, and validation emits LAB 07 PASS.

Acceptance criteria

- Scope and standard are explicit
- Every finding has an owner
- Exception has compensating control and expiry
- Verification proves compliant state
- Intentional noncompliance is removed

Evidence checklist

□ Config findings

□ tagged resources export

□ completed remediation register

□ exception record

□ JPEG evidence

□ cleanup.txt

Troubleshooting

- Check identity, Region and resource ID before changing permissions.
- Resolve every REPLACE placeholder.
- Preserve error output as evidence.
- Escalate cleanup failures immediately.