WSQ · AI CONTENT GENERATION

Generative AI for Script Development and Storytelling

TGS-2025056983

Tertiary Infotech Academy Pte Ltd · UEN 201200696W

v2.0 · 19 September 2026



Digital attendance

AM

Scan the trainer-provided QR code

PM

Record second session attendance

ASSESSMENT

Record assessment attendance

Download course materials

COURSE PAGE

Open your enrolled course in LMS-TMS

LEARNER GUIDE

Use the Learner Guide folder and slide PDF

LABS

Open the matching numbered lab folder

https://lms-tms.tertiaryinfotech.com/

Your trainer

TRAINER NAME

[Trainer name]
Script development, storytelling and generative media facilitator

CLASS CONTACT

[Trainer email]
Ask for review of the story, continuity and rights packet before treating an asset as approved.

Dr Alfred Ang

COURSE LEAD

Dr Alfred Ang
Tertiary Infotech Academy

LEARNING FOCUS

Human creative direction, narrative craft, multimodal continuity and responsible AI production.

Learning outcomes and assessment

LO1

LO1: Use generative AI techniques to develop compelling script elements enriched with narrative structure and creative storytelling.

LO2

LO2: Identify effective prompt terms and narrative components to enhance AI-generated storyboards for visual storytelling.

LO3

LO3: Utilise generative AI tools to refine video scripts for clarity, tone, and narrative consistency.

LO4

LO4: Analyse generative AI outputs for ethical issues, bias, and copyright risks, applying appropriate corrective actions.

LO5

LO5: Identify copyright risks in generative AI production and apply corrective actions to avoid copyright infringement.

Human-directed generative workflow

DIRECT

Human creator defines story intent and constraints

GENERATE

AI proposes structured text, image and audio assets

VERIFY

Human reviews continuity, ethics, rights and release evidence

Practice exam

OPEN

Visit exams.tertiaryinfotech.com

PRACTISE

Use the matching course practice assessment when available

REVIEW

Check answers against slides, Learner Guide and lab evidence

https://exams.tertiaryinfotech.com/

Topic 1: Story architecture, world-building and character systems



LO1: Use generative AI techniques to develop compelling script elements enriched with narrative structure and creative storytelling.

10 mechanisms · 2 labs

Premise contract

INPUT

creative brief and audience need

CONTROL

compress protagonist, goal, obstacle, stakes and change into one causal sentence

OUTPUT

premise record

Decision rule: every clause must affect the central conflict

Premise contract · worked artifact



BRIEF

creative brief and audience need

MODEL

compress protagonist, goal, obstacle, stakes and change into one causal sentence

DRAFT

premise record

REVIEW

premise field coverage

DECIDE

every clause must affe the central conflict

Premise contract · failure and gate

FAILURE MODE

theme without dramatic action

REVIEW CONTROL

Check premise field coverage.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Premise contract · evidence contract

SOURCE

creative brief and audience need

›

RESULT

premise record

›

CHECK

premise field coverage

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Story question and controlling idea

INPUT

premise and intended audience effect

›

CONTROL

frame the uncertain dramatic question and the value change the ending proves

›

OUTPUT

story spine

Decision rule: ending must answer the opening question

Story question and controlling idea · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

premise and intended audience effect

03 CREATIVE MOVE

frame the uncertain dramatic question and the value change the ending proves

04 ARTIFACT

story spine

05 HUMAN REVIEW

question-to-resolution trace

06 ACCEPT

ending must answer the opening question

Story question and controlling idea · failure and gate

01 OBSERVE

message stated before it is earned

02 MEASURE

question-to-resolution trace

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

frame the uncertain dramatic question and the value change the ending proves


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Story question and controlling idea · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: question-to-resolution trace
Compare against a pre-agreed release threshold; inspect evidence before approval.

Three-act turning-point model

INPUT

story spine and target duration

›

CONTROL

allocate setup, confrontation and resolution around irreversible decisions

›

OUTPUT

beat sheet

Decision rule: each act turn changes goal, cost or available options

Three-act turning-point model · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: story spine and target duration
Creative operation: allocate setup, confrontation and resolution around irreversible decisions

STRUCTURED ARTIFACT

artifact_type: beat sheet
story_id: HL-01
review_owner: human creator
accept_if: each act turn changes goal, cost or available options

Three-act turning-point model · failure and gate

FAILURE MODE

episodic events without escalation

REVIEW CONTROL

Check causal beat ratio.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Three-act turning-point model · evidence contract

SOURCE

story spine and target duration

›

RESULT

beat sheet

›

CHECK

causal beat ratio

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Five-beat short-form arc

INPUT

single objective and platform duration

›

CONTROL

map hook, trigger, escalation, crisis and payoff to timed beats

›

OUTPUT

short-form beat map

Decision rule: each beat changes audience knowledge or emotion

Five-beat short-form arc · worked artifact



BRIEF

single objective and platform duration

MODEL

map hook, trigger, escalation, crisis and payoff to timed beats

DRAFT

short-form beat map

REVIEW

beat function coverage

DECIDE

each beat changes audience knowledge emotion

Five-beat short-form arc · failure and gate

01 OBSERVE

montage without progression

02 MEASURE

beat function coverage

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

map hook, trigger, escalation, crisis and payoff to timed beats


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Five-beat short-form arc · evidence contract



Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Character want, need and misbelief

INPUT

premise and character seed

›

CONTROL

separate external objective, internal need and belief under pressure

›

OUTPUT

character arc card

Decision rule: climax forces a choice between want and need

Character want, need and misbelief · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

premise and character seed

03 CREATIVE MOVE

separate external objective, internal need and belief under pressure

04 ARTIFACT

character arc card

05 HUMAN REVIEW

decision-to-arc alignment

06 ACCEPT

climax forces a choice between want and need

Character want, need and misbelief · failure and gate

FAILURE MODE

traits without decisions

REVIEW CONTROL

Check decision-to-arc alignment.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Character want, need and misbelief · evidence contract

SOURCE

premise and character seed

›

RESULT

character arc card

›

CHECK

decision-to-arc alignment

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Character relationship engine

INPUT

two character arc cards

›

CONTROL

define power, dependence, conflict, history and change across scenes

›

OUTPUT

relationship matrix

Decision rule: each relationship beat must alter trust or leverage

Character relationship engine · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: two character arc cards
Creative operation: define power, dependence, conflict, history and change across scenes

STRUCTURED ARTIFACT

artifact_type: relationship matrix
story_id: HL-01
review_owner: human creator
accept_if: each relationship beat must alter trust or leverage

Character relationship engine · failure and gate

01 OBSERVE

dialogue that repeats exposition

02 MEASURE

relationship-state changes

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

define power, dependence, conflict, history and change across scenes


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Character relationship engine · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: relationship-state changes
Compare against a pre-agreed release threshold; inspect evidence before approval.

World rule ledger

INPUT

genre promise and setting constraints

CONTROL

record physical, social, economic and cultural rules with consequences

OUTPUT

world bible

Decision rule: a rule is usable only when violation has a cost

World rule ledger · worked artifact



BRIEF

genre promise and setting constraints

MODEL

record physical, social, economic and cultural rules with consequences

DRAFT

world bible

REVIEW

rule-to-consequence coverage

DECIDE

a rule is usable only wl violation has a cost

World rule ledger · failure and gate

FAILURE MODE

decorative lore

REVIEW CONTROL

Check rule-to-consequence coverage.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

World rule ledger · evidence contract

SOURCE

genre promise and setting constraints

›

RESULT

world bible

›

CHECK

rule-to-consequence coverage

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Scene objective-obstacle-turn

INPUT

beat sheet and character state

›

CONTROL

encode objective, tactic, obstacle, turn and exit value for every scene

›

OUTPUT

scene card

Decision rule: scene exits with changed value or information

Scene objective-obstacle-turn · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

beat sheet and character state

03 CREATIVE MOVE

encode objective, tactic, obstacle, turn and exit value for every scene

04 ARTIFACT

scene card

05 HUMAN REVIEW

scene-change rate

06 ACCEPT

scene exits with changed value or information

Scene objective-obstacle-turn · failure and gate

01 OBSERVE

talking scene with no turn

02 MEASURE

scene-change rate

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

encode objective, tactic, obstacle, turn and exit value for every scene


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Scene objective-obstacle-turn · evidence contract



Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Scenario iteration tree

INPUT

approved premise and constraints

›

CONTROL

vary one narrative variable per branch and compare consequences

›

OUTPUT

option matrix

Decision rule: select by audience fit, originality and feasibility

Scenario iteration tree · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: approved premise and constraints
Creative operation: vary one narrative variable per branch and compare consequences

STRUCTURED ARTIFACT

artifact_type: option matrix
story_id: HL-01
review_owner: human creator
accept_if: select by audience fit, originality and feasibility

Scenario iteration tree · failure and gate

FAILURE MODE

random novelty without brief fit

REVIEW CONTROL

Check controlled-variable score.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Scenario iteration tree · evidence contract

SOURCE

approved premise and constraints

›

RESULT

option matrix

›

CHECK

controlled-variable score

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Human creative authorship record

INPUT

AI suggestions and creator decisions

CONTROL

log selection, rejection, recombination and original contribution

OUTPUT

creative decision log

Decision rule: human must make consequential expressive choices

Human creative authorship record · worked artifact



Human creative authorship record · failure and gate

01 OBSERVE

unmodified model output

02 MEASURE

documented human contribution

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

log selection, rejection, recombination and original contribution


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Human creative authorship record · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: documented human contribution
Compare against a pre-agreed release threshold; inspect evidence before approval.

Topic 1 · lab evidence

LAB 01

Premise, story spine and beat architecture

LAB 02

Character arcs, relationships and world bible

Topic 2: Prompt contracts, storyboard grammar and visual continuity



LO2: Identify effective prompt terms and narrative components to enhance AI-generated storyboards for visual storytelling.

10 mechanisms · 2 labs

Prompt role and boundary

INPUT

approved story bible and task

CONTROL

separate durable constraints, task input, references and output schema

OUTPUT

prompt contract

Decision rule: untrusted text cannot override creative or safety constraints

Prompt role and boundary · worked artifact



Prompt role and boundary · failure and gate

FAILURE MODE

prompt injection from references

REVIEW CONTROL

Check role-boundary violations.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Prompt role and boundary · evidence contract

SOURCE

approved story bible and task

›

RESULT

prompt contract

›

CHECK

role-boundary violations

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Narrative constraint stack

INPUT

character, world, tone and audience rules

›

CONTROL

rank hard continuity constraints above optional style preferences

›

OUTPUT

constraint ledger

Decision rule: reject output that violates a hard rule

Narrative constraint stack · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

character, world, tone and audience rules

03 CREATIVE MOVE

rank hard continuity constraints above optional style preferences

04 ARTIFACT

constraint ledger

05 HUMAN REVIEW

hard-rule pass rate

06 ACCEPT

reject output that violates a hard rule

Narrative constraint stack · failure and gate

01 OBSERVE

contradictory character or setting

02 MEASURE

hard-rule pass rate

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

rank hard continuity constraints above optional style preferences


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Narrative constraint stack · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: hard-rule pass rate
Compare against a pre-agreed release threshold; inspect evidence before approval.

Few-shot scene imitation control

INPUT

original example scenes and target schema

CONTROL

demonstrate format and pacing without copying protected expression

OUTPUT

example pack

Decision rule: examples teach structure, not distinctive wording

Few-shot scene imitation control · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: original example scenes and target schema
Creative operation: demonstrate format and pacing without copying protected expression

STRUCTURED ARTIFACT

artifact_type: example pack
story_id: HL-01
review_owner: human creator
accept_if: examples teach structure, not distinctive wording

Few-shot scene imitation control · failure and gate

FAILURE MODE

near-copy reproduction

REVIEW CONTROL

Check phrase-overlap review.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Few-shot scene imitation control · evidence contract

SOURCE

original example scenes and target schema

›

RESULT

example pack

›

CHECK

phrase-overlap review

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Storyboard shot grammar

INPUT

scene card and emotional intention

›

CONTROL

map shot size, angle, movement, duration and transition to story function


›

OUTPUT

shot list

Decision rule: camera choice must reveal information or emotion

Storyboard shot grammar · worked artifact



Storyboard shot grammar · failure and gate

01 OBSERVE

random cinematic adjectives

02 MEASURE

motivated-shot share

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

map shot size, angle, movement, duration and transition to story function

05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Storyboard shot grammar · evidence contract

1	2	3	4	5
ID	**INPUT**	**RESULT**	**CHECK**	**OWNER**
story and scene	scene card and emotional intention	shot list	motivated-shot share	human approval

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Continuity state ledger

INPUT

approved scenes and character bible

CONTROL

track wardrobe, props, geography, time, eyeline and emotional state

OUTPUT

continuity sheet

Decision rule: next shot inherits all unchanged states

Continuity state ledger · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

approved scenes and character bible

03 CREATIVE MOVE

track wardrobe, props, geography, time, eyeline and emotional state

04 ARTIFACT

continuity sheet

05 HUMAN REVIEW

state mismatch count

06 ACCEPT

next shot inherits all unchanged states

Continuity state ledger · failure and gate

FAILURE MODE

visual discontinuity

REVIEW CONTROL

Check state mismatch count.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Continuity state ledger · evidence contract

SOURCE

approved scenes and character bible

›

RESULT

continuity sheet

›

CHECK

state mismatch count

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Image prompt anatomy

INPUT

shot list and continuity state

CONTROL

specify subject, action, setting, composition, lens, light, palette and exclusions

OUTPUT

visual prompt record

Decision rule: prompt must encode story function and continuity anchors

Image prompt anatomy · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: shot list and continuity state
Creative operation: specify subject, action, setting, composition, lens, light, palette and exclusions

STRUCTURED ARTIFACT

artifact_type: visual prompt record
story_id: HL-01
review_owner: human creator
accept_if: prompt must encode story function and continuity anchors

Image prompt anatomy · failure and gate

01 OBSERVE

beautiful but unusable image

02 MEASURE

prompt field completeness

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

specify subject, action, setting, composition, lens, light, palette and exclusions


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Image prompt anatomy · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: prompt field completeness
Compare against a pre-agreed release threshold; inspect evidence before approval.

Reference image control

INPUT

owned or licensed references

›

CONTROL

label style, subject, composition and edit-target roles separately

›

OUTPUT

reference manifest

Decision rule: do not imply permission from mere access

Reference image control · worked artifact

1

BRIEF

owned or licensed references

2

MODEL

label style, subject, composition and edit-target roles separately

3

DRAFT

reference manifest

4

REVIEW

rights-labelled reference rate

5

DECIDE

do not imply permissi from mere access

Reference image control · failure and gate

FAILURE MODE

unlicensed or ambiguous reference

REVIEW CONTROL

Check rights-labelled reference rate.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Reference image control · evidence contract

SOURCE

owned or licensed references

›

RESULT

reference manifest

›

CHECK

rights-labelled reference rate

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Iterative variation protocol

INPUT

baseline prompt and generated frames

CONTROL

change one parameter, preserve invariants and score against rubric

OUTPUT

variation log

Decision rule: retain a frame only when it improves named criteria

Iterative variation protocol · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

baseline prompt and generated frames

03 CREATIVE MOVE

change one parameter, preserve invariants and score against rubric

04 ARTIFACT

variation log

05 HUMAN REVIEW

single-variable iteration rate

06 ACCEPT

retain a frame only when it improves named criteria

Iterative variation protocol · failure and gate

01 OBSERVE

untraceable prompt drift

02 MEASURE

single-variable iteration rate

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

change one parameter, preserve invariants and score against rubric


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Iterative variation protocol · evidence contract



Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Storyboard evaluation rubric

INPUT

panels, shot list and story beat

CONTROL

score clarity, continuity, composition, emotion, feasibility and rights

OUTPUT

storyboard QA sheet

Decision rule: block any critical continuity or rights failure

Storyboard evaluation rubric · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: panels, shot list and story beat
Creative operation: score clarity, continuity, composition, emotion, feasibility and rights

STRUCTURED ARTIFACT

artifact_type: storyboard QA sheet
story_id: HL-01
review_owner: human creator
accept_if: block any critical continuity or rights failure

Storyboard evaluation rubric · failure and gate

FAILURE MODE

subjective approval only

REVIEW CONTROL

Check rubric agreement.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Storyboard evaluation rubric · evidence contract

SOURCE

panels, shot list and story beat

›

RESULT

storyboard QA sheet

›

CHECK

rubric agreement

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Animatic timing model

INPUT

approved storyboard and dialogue timing

CONTROL

combine shot durations, pauses, transitions and audio cues

OUTPUT

timed animatic plan

Decision rule: total duration must fit delivery constraint

Animatic timing model · worked artifact



BRIEF

approved storyboard and dialogue timing

MODEL

combine shot durations, pauses, transitions and audio cues

DRAFT

timed animatic plan

REVIEW

duration variance

DECIDE

total duration must fi delivery constraint

Animatic timing model · failure and gate

01 OBSERVE

pacing collapse in edit

02 MEASURE

duration variance

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

combine shot durations, pauses, transitions and audio cues


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Animatic timing model · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: duration variance
Compare against a pre-agreed release threshold; inspect evidence before approval.

Topic 2 · lab evidence

LAB 03

Prompt contract and shot grammar

LAB 04

Storyboard continuity and animatic plan

Topic 3: Script analysis, revision and multimodal production



LO3: Utilise generative AI tools to refine video scripts for clarity, tone, and narrative consistency.

10 mechanisms · 2 labs

Script document schema

INPUT

draft script and format target

›

CONTROL

parse slugline, action, character, dialogue, parenthetical and transition roles


›

OUTPUT

structured script

Decision rule: every line has one production function

Script document schema · worked artifact



Script document schema · failure and gate

FAILURE MODE

mixed prose and screenplay syntax

REVIEW CONTROL

Check schema-valid line rate.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Script document schema · evidence contract

SOURCE

draft script and format target

›

RESULT

structured script

›

CHECK

schema-valid line rate

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Dialogue subtext test

INPUT

character objectives and scene conflict

CONTROL

compare spoken line with hidden tactic, status and emotional pressure

OUTPUT

subtext annotation

Decision rule: retain line only if it advances tactic or reveals conflict

Dialogue subtext test · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

character objectives and scene conflict

03 CREATIVE MOVE

compare spoken line with hidden tactic, status and emotional pressure

04 ARTIFACT

subtext annotation

05 HUMAN REVIEW

subtext-bearing line rate

06 ACCEPT

retain line only if it advances tactic or reveals conflict

Dialogue subtext test · failure and gate

01 OBSERVE

on-the-nose explanation

02 MEASURE

subtext-bearing line rate

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

compare spoken line with hidden tactic, status and emotional pressure


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Dialogue subtext test · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: subtext-bearing line rate
Compare against a pre-agreed release threshold; inspect evidence before approval.

Readability and rhythm profile

INPUT

script text and audience level

CONTROL

measure sentence length, lexical difficulty, repetition and pause pattern

OUTPUT

language report

Decision rule: revise outliers without flattening voice

Readability and rhythm profile · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: script text and audience level
Creative operation: measure sentence length, lexical difficulty, repetition and pause pattern

STRUCTURED ARTIFACT

artifact_type: language report
story_id: HL-01
review_owner: human creator
accept_if: revise outliers without flattening voice

Readability and rhythm profile · failure and gate

FAILURE MODE

mechanical simplification

REVIEW CONTROL

Check target-band compliance.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Readability and rhythm profile · evidence contract

SOURCE

script text and audience level

›

RESULT

language report

›

CHECK

target-band compliance

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Tone vector control

INPUT

brand or genre samples and draft

›

CONTROL

score warmth, formality, urgency, humour and intensity with cited examples

›

OUTPUT

tone matrix

Decision rule: revision must move failed dimensions while preserving plot facts

Tone vector control · worked artifact



Tone vector control · failure and gate

01 OBSERVE

tone drift

02 MEASURE

dimension delta

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

score warmth, formality, urgency, humour and intensity with cited examples

05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Tone vector control · evidence contract



Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Narrative consistency graph

INPUT

character, prop, location and event claims

CONTROL

link entities and temporal dependencies across scenes

OUTPUT

continuity graph

Decision rule: flag impossible order or unsupported state change

Narrative consistency graph · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

character, prop, location and event claims

03 CREATIVE MOVE

link entities and temporal dependencies across scenes

04 ARTIFACT

continuity graph

05 HUMAN REVIEW

unresolved contradiction count

06 ACCEPT

flag impossible order or unsupported state change

Narrative consistency graph · failure and gate

FAILURE MODE

contradiction hidden in long context

REVIEW CONTROL

Check unresolved contradiction count.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Narrative consistency graph · evidence contract

SOURCE

character, prop, location and event claims

›

RESULT

continuity graph

›

CHECK

unresolved contradiction count

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Pacing by information load

INPUT

scene durations and new information units

›

CONTROL

estimate reveal density, emotional beat spacing and recovery time

›

OUTPUT

pacing map

Decision rule: slow or split overloaded sequences

Pacing by information load · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: scene durations and new information units
Creative operation: estimate reveal density, emotional beat spacing and recovery time

STRUCTURED ARTIFACT

artifact_type: pacing map
story_id: HL-01
review_owner: human creator
accept_if: slow or split overloaded sequences

Pacing by information load · failure and gate

01 OBSERVE

constant tempo

02 MEASURE

information units per minute

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

estimate reveal density, emotional beat spacing and recovery time


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Pacing by information load · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: information units per minute
Compare against a pre-agreed release threshold; inspect evidence before approval.

Revision diff and rationale

INPUT

baseline draft and review rubric

CONTROL

change only failed criteria and explain each consequential edit

OUTPUT

revision log

Decision rule: every edit maps to evidence or creative intent

Revision diff and rationale · worked artifact



Revision diff and rationale · failure and gate

FAILURE MODE

endless cosmetic rewrite

REVIEW CONTROL

Check defect closure rate.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Revision diff and rationale · evidence contract

SOURCE

baseline draft and review rubric

›

RESULT

revision log

›

CHECK

defect closure rate

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Voiceover and dialogue split

INPUT

visual action and information needs

CONTROL

assign only non-visible information to narration and preserve scene sound

OUTPUT

audio script

Decision rule: remove narration that merely describes the picture

Voiceover and dialogue split · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

visual action and information needs

03 CREATIVE MOVE

assign only non-visible information to narration and preserve scene sound

04 ARTIFACT

audio script

05 HUMAN REVIEW

audio-visual complementarity

06 ACCEPT

remove narration that merely describes the picture

Voiceover and dialogue split · failure and gate

01 OBSERVE

redundant voiceover

02 MEASURE

audio-visual complementarity

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

assign only non-visible information to narration and preserve scene sound


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Voiceover and dialogue split · evidence contract



Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Multimodal asset map

INPUT

script, storyboard, audio and captions

›

CONTROL

bind asset IDs, scene IDs, timing, owner and version

›

OUTPUT

production manifest

Decision rule: no orphan asset enters the edit

Multimodal asset map · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: script, storyboard, audio and captions
Creative operation: bind asset IDs, scene IDs, timing, owner and version

STRUCTURED ARTIFACT

artifact_type: production manifest
story_id: HL-01
review_owner: human creator
accept_if: no orphan asset enters the edit

Multimodal asset map · failure and gate

FAILURE MODE

wrong-version media

REVIEW CONTROL

Check manifest completeness.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Multimodal asset map · evidence contract

SOURCE

script, storyboard, audio and captions

›

RESULT

production manifest

›

CHECK

manifest completeness

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Rough-cut acceptance gate

INPUT

edit timeline and delivery brief

CONTROL

review narrative clarity, sync, pacing, captions, mix and export settings

OUTPUT

rough-cut report

Decision rule: release only when critical defects are zero

Rough-cut acceptance gate · worked artifact



Rough-cut acceptance gate · failure and gate

01 OBSERVE

technically exported but narratively unclear

02 MEASURE

critical defect count

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

review narrative clarity, sync, pacing, captions, mix and export settings


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Rough-cut acceptance gate · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: critical defect count
Compare against a pre-agreed release threshold; inspect evidence before approval.

Topic 3 · lab evidence

LAB 05

Script parsing and diagnostic analysis

LAB 06

Revision, voiceover and rough-cut plan

Topic 4: Bias, authenticity and responsible creative control



LO4: Analyse generative AI outputs for ethical issues, bias, and copyright risks, applying appropriate corrective actions.

10 mechanisms · 2 labs

Bias surface map

INPUT

story bible, audience and generated draft

›

CONTROL

inspect representation, agency, descriptors, roles, harm and omission

›

OUTPUT

bias review matrix

Decision rule: review impact, not only model intent

Bias surface map · worked artifact



Bias surface map · failure and gate

FAILURE MODE

stereotype reproduced as realism

REVIEW CONTROL

Check flagged pattern count.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Bias surface map · evidence contract

SOURCE

story bible, audience and generated draft

›

RESULT

bias review matrix

›

CHECK

flagged pattern count

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Counterfactual character test

INPUT

character and scene records

CONTROL

change one protected or social attribute and compare role, agency and outcome

OUTPUT

counterfactual report

Decision rule: investigate unexplained quality or outcome shifts

Counterfactual character test · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

character and scene records

03 CREATIVE MOVE

change one protected or social attribute and compare role, agency and outcome

04 ARTIFACT

counterfactual report

05 HUMAN REVIEW

outcome asymmetry

06 ACCEPT

investigate unexplained quality or outcome shifts

Counterfactual character test · failure and gate

01 OBSERVE

token diversity without agency

02 MEASURE

outcome asymmetry

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

change one protected or social attribute and compare role, agency and outcome


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Counterfactual character test · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: outcome asymmetry
Compare against a pre-agreed release threshold; inspect evidence before approval.

Cultural specificity check

INPUT

setting claims and cultural references

›

CONTROL

separate researched detail, lived contribution and generic inference

›

OUTPUT

sensitivity notes

Decision rule: escalate high-impact claims to an informed reviewer

Cultural specificity check · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: setting claims and cultural references
Creative operation: separate researched detail, lived contribution and generic inference

STRUCTURED ARTIFACT

artifact_type: sensitivity notes
story_id: HL-01
review_owner: human creator
accept_if: escalate high-impact claims to an informed reviewer

Cultural specificity check · failure and gate

FAILURE MODE

flattened cultural shorthand

REVIEW CONTROL

Check verified-detail share.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Cultural specificity check · evidence contract

SOURCE

setting claims and cultural references

›

RESULT

sensitivity notes

›

CHECK

verified-detail share

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Factual claim ledger

INPUT

script claims and sources

CONTROL


classify supported, disputed, uncertain, fictional or opinion

OUTPUT

claim register

Decision rule: block unsupported real-world claims

Factual claim ledger · worked artifact



Factual claim ledger · failure and gate

01 OBSERVE

hallucinated authority

02 MEASURE

supported-claim rate

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

classify supported, disputed, uncertain, fictional or opinion


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Factual claim ledger · evidence contract



Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Authenticity boundary

INPUT

human experience and AI-assisted language

CONTROL

record whose experience, voice and consent supports the narrative

OUTPUT

authenticity statement

Decision rule: do not fabricate testimony or lived experience

Authenticity boundary · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

human experience and AI-assisted language

03 CREATIVE MOVE

record whose experience, voice and consent supports the narrative

04 ARTIFACT

authenticity statement

05 HUMAN REVIEW

consent coverage

06 ACCEPT

do not fabricate testimony or lived experience

Authenticity boundary · failure and gate

FAILURE MODE

synthetic personal story presented as real

REVIEW CONTROL

Check consent coverage.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Authenticity boundary · evidence contract

SOURCE

human experience and AI-assisted language

›

RESULT

authenticity statement

›

CHECK

consent coverage

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Synthetic media disclosure

INPUT

generated image, audio or video and context

›

CONTROL

assess audience expectation, materiality and deceptive potential

›

OUTPUT

disclosure decision

Decision rule: disclose when generation could mislead a reasonable viewer

Synthetic media disclosure · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: generated image, audio or video and context
Creative operation: assess audience expectation, materiality and deceptive potential

STRUCTURED ARTIFACT

artifact_type: disclosure decision
story_id: HL-01
review_owner: human creator
accept_if: disclose when generation could mislead a reasonable viewer

Synthetic media disclosure · failure and gate

01 OBSERVE

undisclosed realistic fabrication

02 MEASURE

decision trace completeness

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

assess audience expectation, materiality and deceptive potential


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Synthetic media disclosure · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: decision trace completeness
Compare against a pre-agreed release threshold; inspect evidence before approval.

Privacy-minimised prompting

INPUT

source material and tool policy

›

CONTROL

remove identifiers, secrets and unnecessary personal data before upload

›

OUTPUT

safe prompt pack

Decision rule: use only data necessary for the creative task

Privacy-minimised prompting · worked artifact



Privacy-minimised prompting · failure and gate

FAILURE MODE

personal data copied into public tool

REVIEW CONTROL

Check PII leakage count.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Privacy-minimised prompting · evidence contract

SOURCE

source material and tool policy

›

RESULT

safe prompt pack

›

CHECK

PII leakage count

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Safety and harm review

INPUT

story content and audience context

CONTROL

screen self-harm, violence, sexual content, defamation and vulnerable groups

OUTPUT

harm review

Decision rule: escalate high-severity or uncertain cases

Safety and harm review · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

story content and audience context

03 CREATIVE MOVE

screen self-harm, violence, sexual content, defamation and vulnerable groups

04 ARTIFACT

harm review

05 HUMAN REVIEW

severity-weighted findings

06 ACCEPT

escalate high-severity or uncertain cases

Safety and harm review · failure and gate

01 OBSERVE

creative framing masks harm

02 MEASURE

severity-weighted findings

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

screen self-harm, violence, sexual content, defamation and vulnerable groups

05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Safety and harm review · evidence contract



Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Human red-team session

INPUT

near-final assets and failure hypotheses

CONTROL

assign reviewers to challenge evidence, bias, continuity and deception

OUTPUT

red-team log

Decision rule: every high-risk issue has owner and disposition

Human red-team session · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: near-final assets and failure hypotheses
Creative operation: assign reviewers to challenge evidence, bias, continuity and deception

STRUCTURED ARTIFACT

artifact_type: red-team log
story_id: HL-01
review_owner: human creator
accept_if: every high-risk issue has owner and disposition

Human red-team session · failure and gate

FAILURE MODE

group confirmation bias

REVIEW CONTROL

Check closed finding rate.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Human red-team session · evidence contract

SOURCE

near-final assets and failure hypotheses

›

RESULT

red-team log

›

CHECK

closed finding rate

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Responsible release decision

INPUT

QA packet and named approver

CONTROL

record approve, revise or block with conditions and exceptions

OUTPUT

release authorization

Decision rule: AI cannot self-approve external publication

Responsible release decision · worked artifact



Responsible release decision · failure and gate

01 OBSERVE

automatic release after generation

02 MEASURE

approval audit completeness

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

record approve, revise or block with conditions and exceptions


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Responsible release decision · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: approval audit completeness
Compare against a pre-agreed release threshold; inspect evidence before approval.

Topic 4 · lab evidence

LAB 07

Bias, culture and factual integrity

LAB 08

Authenticity, privacy and disclosure gate

Topic 5: Copyright, provenance and release governance



LO5: Identify copyright risks in generative AI production and apply corrective actions to avoid copyright infringement.

10 mechanisms · 2 labs

Copyright subject-matter screen

INPUT

script, image, audio and source manifest

›

CONTROL

identify protected expression, public-domain material, facts and ideas

›

OUTPUT

rights classification

Decision rule: rights attach to expression, not a vague topic

Copyright subject-matter screen · worked artifact



Copyright subject-matter screen · failure and gate

FAILURE MODE

assuming online means free

REVIEW CONTROL

Check classified asset rate.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Copyright subject-matter screen · evidence contract

SOURCE

script, image, audio and source manifest

›

RESULT

rights classification

›

CHECK

classified asset rate

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Human authorship evidence

INPUT

creative decision log and final work

CONTROL

separate machine proposals from human selection, arrangement and revision

OUTPUT

authorship dossier

Decision rule: claim only demonstrable human contribution

Human authorship evidence · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

creative decision log and final work

03 CREATIVE MOVE

separate machine proposals from human selection, arrangement and revision

04 ARTIFACT

authorship dossier

05 HUMAN REVIEW

decision evidence density

06 ACCEPT

claim only demonstrable human contribution

Human authorship evidence · failure and gate

01 OBSERVE

copyright claim over raw AI output

02 MEASURE

decision evidence density

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

separate machine proposals from human selection, arrangement and revision


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Human authorship evidence · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: decision evidence density
Compare against a pre-agreed release threshold; inspect evidence before approval.

Licence compatibility matrix

INPUT

asset licences and intended channels

CONTROL

compare permitted use, modification, attribution, territory and duration

OUTPUT

licence matrix

Decision rule: block use outside licence scope

Licence compatibility matrix · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: asset licences and intended channels
Creative operation: compare permitted use, modification, attribution, territory and duration

STRUCTURED ARTIFACT

artifact_type: licence matrix
story_id: HL-01
review_owner: human creator
accept_if: block use outside licence scope

Licence compatibility matrix · failure and gate

FAILURE MODE

incompatible or expired licence

REVIEW CONTROL

Check compatible asset share.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Licence compatibility matrix · evidence contract

SOURCE

asset licences and intended channels

›

RESULT

licence matrix

›

CHECK

compatible asset share

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Similarity and plagiarism review

INPUT

draft and reference corpus

CONTROL

inspect distinctive phrases, plot sequences, characters and visual composition

OUTPUT

similarity report

Decision rule: rewrite or replace material with substantial expressive overlap

Similarity and plagiarism review · worked artifact



Similarity and plagiarism review · failure and gate

01 OBSERVE

surface paraphrase of source

02 MEASURE

resolved match count

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

inspect distinctive phrases, plot sequences, characters and visual composition

05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Similarity and plagiarism review · evidence contract

1	2	3	4	5
ID	**INPUT**	**RESULT**	**CHECK**	**OWNER**
story and scene	draft and reference corpus	similarity report	resolved match count	human approval

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Style imitation risk

INPUT

creator request and living-artist references

CONTROL

translate named style into generic visual attributes and original references

OUTPUT

style-safe brief

Decision rule: avoid prompts seeking close imitation of a living creator

Style imitation risk · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

creator request and living-artist references

03 CREATIVE MOVE

translate named style into generic visual attributes and original references

04 ARTIFACT

style-safe brief

05 HUMAN REVIEW

named-creator prompt count

06 ACCEPT

avoid prompts seeking close imitation of a living creator

Style imitation risk · failure and gate

FAILURE MODE

signature-style mimicry

REVIEW CONTROL

Check named-creator prompt count.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Style imitation risk · evidence contract

SOURCE

creator request and living-artist references

›

RESULT

style-safe brief

›

CHECK

named-creator prompt count

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Music and voice rights

INPUT

audio assets, performers and generation settings

CONTROL

record composition, recording, voice consent and synthetic-use permissions

OUTPUT

audio rights ledger

Decision rule: each audio layer needs a valid rights basis

Music and voice rights · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: audio assets, performers and generation settings
Creative operation: record composition, recording, voice consent and synthetic-use permissions

STRUCTURED ARTIFACT

artifact_type: audio rights ledger
story_id: HL-01
review_owner: human creator
accept_if: each audio layer needs a valid rights basis

Music and voice rights · failure and gate

01 OBSERVE

voice clone without consent

02 MEASURE

cleared audio share

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

record composition, recording, voice consent and synthetic-use permissions


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Music and voice rights · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: cleared audio share
Compare against a pre-agreed release threshold; inspect evidence before approval.

Provenance manifest

INPUT

all final media assets and generation records

CONTROL

store source, tool, prompt hash, editor, version, licence and disclosure status

OUTPUT

provenance package

Decision rule: no asset without owner and origin enters export

Provenance manifest · worked artifact



Provenance manifest · failure and gate

FAILURE MODE

lost source trail

REVIEW CONTROL

Check manifest completeness.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Provenance manifest · evidence contract

SOURCE

all final media assets and generation records

RESULT

provenance package

CHECK

manifest completeness

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Correction and takedown route

INPUT

published asset and rights contacts

CONTROL

define complaint intake, evidence hold, decision owner and replacement path

OUTPUT

remediation plan

Decision rule: pause distribution on credible high-risk complaint

Correction and takedown route · worked artifact

01 SCENE ID

HL-S01 · version 02

02 STORY INPUT

published asset and rights contacts

03 CREATIVE MOVE

define complaint intake, evidence hold, decision owner and replacement path

04 ARTIFACT

remediation plan

05 HUMAN REVIEW

response time

06 ACCEPT

pause distribution on credible high-risk complaint

Correction and takedown route · failure and gate

01 OBSERVE

no accountable response path

02 MEASURE

response time

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

define complaint intake, evidence hold, decision owner and replacement path

05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Correction and takedown route · evidence contract



Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Platform and client terms check

INPUT

current tool terms and production brief

CONTROL

compare commercial use, retention, training and indemnity terms

OUTPUT

terms review

Decision rule: use only tools approved for the content class

Platform and client terms check · worked artifact

HARBOUR LIGHTS · STORY RECORD

Format: 90-second human-interest short
Audience: Singapore adult learners
Input: current tool terms and production brief
Creative operation: compare commercial use, retention, training and indemnity terms

STRUCTURED ARTIFACT

artifact_type: terms review
story_id: HL-01
review_owner: human creator
accept_if: use only tools approved for the content class

Platform and client terms check · failure and gate

FAILURE MODE

rights assumption based on marketing claim

REVIEW CONTROL

Check terms attestation.
Record source, owner and outcome.
Return to the producing agent when the contract fails.

Platform and client terms check · evidence contract

SOURCE

current tool terms and production brief

RESULT

terms review

CHECK

terms attestation

Evidence record: story_id · scene_id · artifact_version · source_ids · owner · approval_status

Final release checklist

INPUT

approved script, cut, rights and QA records

›

CONTROL

verify version, captions, disclosures, permissions and destination

›

OUTPUT

release packet

Decision rule: all mandatory gates must pass

Final release checklist · worked artifact



Final release checklist · failure and gate

01 OBSERVE

correct file sent to wrong audience

02 MEASURE

release-gate pass rate

03 LOCATE

scene, line, frame or asset ID

04 CORRECT

verify version, captions, disclosures, permissions and destination


05 RETEST

same criterion and evidence

06 DISPOSITION

PASS · REVISE · BLOCK

Final release checklist · illustrative decision chart



CLASSROOM DATA

Illustrative scores only.
Metric: release-gate pass rate
Compare against a pre-agreed release threshold; inspect evidence before approval.

Topic 5 · lab evidence

LAB 09

Rights, licences and similarity review

LAB 10

Provenance and final release packet

Written and practical assessment

WA · 60 MIN

Ten open-ended questions cover K1–K10

PP · 60 MIN

Three tasks cover A1–A9

SUBMIT

Upload candidate papers through LMS-TMS

Assessment evidence flow

WA

Knowledge evidence K1–K10

PP

Practical evidence A1–A9

SIGN-OFF

Assessor reviews and records C / NYC

Digital attendance

AM

Scan the trainer-provided QR code

PM

Record second session attendance

ASSESSMENT

Record assessment attendance

Thank you

Carry your human creative intent from premise to final frame.

enquiry@tertiaryinfotech.com · +65 6100 0613