Lab 5: A /parallel-review that can't fan out because Task isn't allowed

Topic 1: Agentic Architecture & Orchestration · Task 1.3: Configure subagent invocation, context passing, and spawning

Runs on Simulator 2: Code Generation with Claude Code · Run in class

Source: SkillCertPro practice exam Part 1, Q25 (unofficial third-party question)

The question

A custom /parallel-review command starts an SDK run in a repository pinned to a pre-v2.1.63 Claude Code configuration, where subagent delegation is performed with Task . It should fan out across specialized review subagents. The current SDK options auto-approve only Read, Grep, and Glob, and each run pauses at the first attempted subagent delegation with an interactive permission prompt. What should the team change?

A. Add Task to the coordinator SDK run's allowedTools / allowed_tools list.

B. Remove delegation tools from allowed tools and rely on permission prompts.

C. Add Agent only to the worker subagents' tools list for nested calls.

D. Add Task delegation guidance to CLAUDE.md for the project repository.

Simulate it live

```
# In the browser: open Simulator 2, then Lab 5
cd labs
uv run serve.py

# In Claude Code, from the labs folder
/lab 5

# In a terminal, from simulators/simulator-2-code-generation/
uv run casekit.py --case UC-25
```

What you should see

Delegation disallowed: no reviewer spawns. Allowed: the subagent runs and its answer comes back.

With the delegation tool disallowed the coordinator cannot spawn the reviewer; with Agent allowed the subagent runs and its answer comes back.

Open `simulators/simulator-2-code-generation/evidence/` and find it yourself.

The answer

A. Add Task to the coordinator's allowed tools.

In this legacy configuration delegation goes through Task , so the coordinator run must auto-approve it. The subagents are defined. The problem is that the first delegation is not auto-approved and falls into interactive permission handling. Current docs describe the tool as Agent (renamed from Task in v2.1.63), so current configurations should generally use Agent . Also note that allowedTools auto-approves the listed tools but is not a hard allow-list on its own: unlisted tools fall through to the permission mode or callback unless they are denied.

Why the others fail

B. The opposite of the fix: the permission prompts are what stall the run.

C. Wrong tool name for this pinned version, and on the wrong agent: the coordinator is the one doing the delegating.

D. Guidance text grants no permission.

Check yourself

- without the delegation tool the fan-out cannot happen
- with Agent (Task before v2.1.63) in the allowed list the reviewer's verdict comes back
- learner can state that allowedTools auto-approves and is not a hard allowlist

Now change one thing

Set LAB_MODEL=claude-sonnet-5-5, rerun, and compare the result and the cost line in evidence/.

Third-party practice material from SkillCertPro, reconstructed from a video transcript in the Tertiary Markdown Vault. Not a real exam item. Wording may differ from the original.