WSQ Course Code: TGS-2026064173

AI Agents with Gemini Spark

Version 3.0 · 7 November 2026

Tertiary Infotech Academy Pte Ltd
UEN: 201200696W

www.tertiarycourses.com.sg | enquiry@tertiaryinfotech.com | +65 6100 0613

© Tertiary Infotech Academy Pte Ltd. All rights reserved.

HOUSEKEEPING

TRAQOM and Digital Attendance



Attendance is mandatory for SSG funding.

Take AM, PM and Assessment digital attendance for every session.

Scan the SSG digital attendance QR code shown by your trainer with your phone camera.

The TRAQOM survey and Assessment attendance are taken on assessment day.

Minimum

75%

attendance required

© Tertiary Infotech Academy Pte Ltd

About the Trainer

?

[Trainer Name]

[Title / Role]

Qualifications: _____


Expertise: _____

Experience: _____

Contact / Profile: _____

© Tertiary Infotech Academy Pte Ltd

About the Trainer



Qualifications PhD-qualified trainer specialising in AI, automation and software engineering.

Expertise Builds and teaches autonomous AI agents and multi-agent workflows.

Experience Trains professionals across Singapore on practical, project-based AI skills.

Certifications Claude Certified Associate (Foundations), PMP, AWS, Microsoft, CompTIA, CKA, CKAD.

Profile linkedin.com/in/angchewhoe · github.com/alfredang

© Tertiary Infotech Academy Pte Ltd

INTRODUCTION

Let's Know Each Other

Take a minute to introduce yourself to the class:



Your name & role



What you do day to day



Your experience with AI or agents



One Google Workspace chore you want off your plate

© Tertiary Infotech Academy Pte Ltd

HOUSEKEEPING

Ground Rules

Phones on silent

Step out quietly for calls or breaks.

Participate actively

No question is too small. Ask freely.

Mutual respect

Agree to disagree; one conversation at a time.

Be punctual

Return from breaks on time.

75% attendance

Required for funding eligibility.

Stay hands-on

Follow along with every lab.

© Tertiary Infotech Academy Pte Ltd

ROADMAP

Course Outline

First the big picture of AI agents, then a full day on the one you can run from your browser: Gemini Spark.

1 TOPIC 1

Landscape + Spark

- History of AI, agentic AI vs AI agents, use cases
- The Big Five always-on agents
- Tasks, schedules, skills and approvals
- Lab 1 · Gmail, Calendar, Docs

2 TOPIC 2

Skills + Workspace

- Teach Spark your voice with a skill
- One source of approved facts
- Sheets, Slides and Docs from one request
- Lab 2 · Launch kit with Sites

3 TOPIC 3

Always-on

- Clock, email and topic triggers
- The close-the-lid test
- Implementation plan, gates, rollback
- Lab 3 · Schedules and monitors

4 TOPIC 4

Monitor + optimise

- A four-part scorecard
- Prompt injection and containment
- Complaints and engagement plans
- Lab 4 · The hidden instruction

© Tertiary Infotech Academy Pte Ltd

WHAT YOU'LL ACHIEVE

Learning Outcomes

Mapped to the TSC Media Platforms Management (TOU-PRE-4003-1.1-1).

LO1 · Strategy

Determine an AI-agent strategy by deciding which work to hand to Gemini Spark, through which platforms, with which permissions and approval points.

LO2 · Content + integration

Develop agent skills, tasks and content, and integrate them across Gmail, Docs, Sheets, Slides, Sites and Drive.

LO3 · Implementation plan

Develop an implementation plan for always-on Gemini Spark workflows, covering schedules, monitors, responsibilities, timelines, targets and rollback.

LO4 · Evaluate + optimise

Evaluate agent performance using task outcomes, error rates and review effort, contain incidents, and optimise the workflow.

© Tertiary Infotech Academy Pte Ltd

WHAT YOU'LL ACHIEVE

Learning Units, Topics and Labs

Time = classroom + hands-on. Plus admin, tea breaks and final briefing, for 8 hours in total.

LU	Topic	Lab	K & A	Time
LU1	AI Agent Strategy and Gemini Spark Fundamentals	Lab 1: Gmail + Calendar chief of staff	K1, A1	100 + 40 min
LU2	Building Agent Skills, Tasks and Tool Integrations	Lab 2: Sheets, Slides + Sites launch kit	K4, K5, A2	30 + 60 min
LU3	Agent Workflow Implementation, Scheduling and Governance	Lab 3: Schedules + monitors on autopilot	K3, K6, A3	30 + 30 min
LU4	Agent Monitoring, Performance Evaluation and Optimisation	Lab 4: Hidden instruction + scorecard	K2, A4	20 + 30 min
Assess	PP (60 min) + OQ (20 min)	Open book, 5:10 PM – 6:30 PM	A1–A4 · K1–K6	80 min

© Tertiary Infotech Academy Pte Ltd

ROADMAP

Lesson Plan (9:30 AM – 6:30 PM)

Time	Session
9:30–9:50	Welcome, digital attendance, course orientation and assessment briefing
9:50–10:50	Topic 1 (Part A) - History of AI, agentic AI vs AI agents, use cases and the Big Five always-on agents
10:50–11:00	Tea break
11:00–11:40	Topic 1 (Part B) - Gemini Spark fundamentals: tasks, schedules, skills, platforms and approvals
11:40–12:20	Lab 1 - Your Always-On Chief of Staff in Gmail, Calendar and Docs
12:20–13:20	Lunch break
13:20–13:50	Topic 2 - Building Agent Skills, Tasks and Tool Integrations
13:50–14:50	Lab 2 - Build the Launch Kit in Sheets, Slides, Docs and Sites
14:50–15:20	Topic 3 - Agent Workflow Implementation, Scheduling and Governance
15:20–15:30	Tea break, laptops closed for the close-the-lid test
15:30–16:00	Lab 3 - Put Northstar on Autopilot with Schedules and Monitors
16:00–16:20	Topic 4 - Agent Monitoring, Performance Evaluation and Optimisation
16:20–16:50	Lab 4 - Catch the Hidden Instruction, Contain It and Prove the Savings
16:50–17:10	Course summary, final assessment briefing, TRAQOM and assessment digital attendance
17:10–18:10	Practical Performance (PP)
18:10–18:30	Oral Questioning (OQ) and sign-off

© Tertiary Infotech Academy Pte Ltd

ROADMAP · HANDS-ON

Four Labs, One Startup Story

You are the founder of Northstar Studio, a fictional two-person design business in Singapore. Spark is your first hire, and every lab runs on Google Workspace.

LAB 1 · 40 MIN

Gmail + Calendar chief of staff

Gmail · Calendar · Drive · Docs

Personal assistant + human decisions

LAB 2 · 60 MIN

Sheets, Slides + Sites launch kit

Sheets · Slides · Docs · Sites · Drive

One agent + one skill + four apps

LAB 3 · 30 MIN

Schedules + monitors on autopilot

Gmail · Sheets · Docs · Drive

Scheduled and triggered work, human gates

LAB 4 · 30 MIN

Hidden instruction + scorecard

Drive · Docs · Sheets · Gmail


Incident drill + evaluation

TIP PP evidence: Task 1 = Lab 1 contract · Task 2 = Lab 2 website · Task 3 = Lab 3 plan · Task 4 = Lab 4 checklist.

© Tertiary Infotech Academy Pte Ltd

Lab Materials & the Lab Prompts Page

Everything is in the course folder: an instructions PDF and mock data per lab, and copy-ready prompts for every step.



TGS-2026064173 · AI AGENTS WITH GEMINI SPARK · V3.0

Lab Steps & Copyable Prompts

You are the founder of Northstar Studio, a fictional two-person design business in Singapore. Your new website goes live on 1 Feb 2027, enquiries already land in Gmail, and nobody is free to chase them. So you hire Gemini Spark. Over four labs it runs your inbox and calendar, builds your launch kit in Sheets, Slides, Docs and Sites, takes the repeat work onto a schedule, and then gets caught by a hidden instruction so you can practise cleaning up. Every step below has its instructions and a **Copy** button: copy, paste into the named place, and verify every result. This page works offline: open `labs/prompts.html` from the downloaded course folder.

One connected story: launch Northstar Studio on Google Workspace.

- Lab 1: Your Always-On Chief of Staff in Gmail, Calendar and Docs · Topic 1 · 40 min · Gmail, Calendar, Drive, Docs
- Lab 2: Build the Launch Kit in Sheets, Slides, Docs and Sites · Topic 2 · 60 min · Sheets, Slides, Docs, Sites, Drive
- Lab 3: Put Northstar on Autopilot with Schedules and Monitors · Topic 3 · 30 min · Gmail, Sheets, Docs, Drive
- Lab 4: Catch the Hidden Instruction, Contain It and Prove the Savings · Topic 4 · 30 min · Drive, Docs, Sheets, Gmail

Everything runs in your browser at gemini.google.com with the **Task** button (Google's new name for Spark). You need a personal Google Account on Google AI Pro or Ultra. Nothing to install, no code.

Google Help: tasks · schedules · skills · Download course ZIP

Lab 1 | Lab 2 | Lab 3 | Lab 4

Get the labs

On the LMS (Activities), or GitHub → Code → Download ZIP. Unzip anywhere.

Open the prompts page

Double-click labs/prompts.html, or click the orange button on any lab slide.

Use the lab folder

labs/labNN-.../ holds LAB-NN-Instructions.pdf and data/ with the mock files.


Verify every result

Each lab ends with a checkpoint: evidence, not vibes.

© Tertiary Infotech Academy Pte Ltd

COURSE PORTAL

Login to LMS and Download Course Material



- Log in at lms-tms.tertiaryinfotech.com with your registered email and the OTP sent to your inbox, then open this course to download the slides and Learner Guide.

© Tertiary Infotech Academy Pte Ltd

LEARNING MANAGEMENT SYSTEM

Download Course Material

STEP 1



Open the LMS

Go to lms-tms.tertiaryinfotech.com

STEP 2



Send OTP

Enter your registered email and click Send OTP.

STEP 3



Verify

Key in the one-time password from your inbox.

STEP 4



Open the course

Select AI Agents with Gemini Spark.

STEP 5



Download

Slides PDF + Learner Guide. Keep them for the open-book assessment.

© Tertiary Infotech Academy Pte Ltd

ASSESSMENT

Briefing for Assessment

Clear your space

Phones and other materials under the table or on the floor.

No recording

No photos or recording of assessment scripts.

Open book

Slides, Learner Guide and approved materials only.

Work individually

No discussion during the assessment.

Manage your time

PP (60 min), then OQ (20 min).

Appeals

An appeal process is available if you disagree with the outcome.

© Tertiary Infotech Academy Pte Ltd

ASSESSMENT

Assessment & Funding

Final Assessment

- Practical Performance (PP) - 4 tasks covering A1-A4, one screenshot per task - 60 minutes - open book.
- Oral Questioning (OQ) - 4 questions covering K1-K6 - 20 minutes - open book.
- From 5:10 PM
- Allowed: slides, Learner Guide, approved materials
- Appeal process available

Criteria for Funding

Minimum 75% attendance
Based on SSG digital attendance records.

Assessed as 'Competent'
Complete and pass both assessment components (PP and OQ).

© Tertiary Infotech Academy Pte Ltd

ASSESSMENT

Assessment Flow

On assessment day, follow these five steps in order.

STEP 1

TRAQOM

Scan the TRAQOM QR code on the LMS and complete the survey.

STEP 2

Attendance

Take the Assessment digital attendance (SSG QR).

STEP 3

Assessment

Sit the PP, then the OQ. Open book.

STEP 4

Submit

Upload your answers on the LMS.

STEP 5

Sign the record

Sign the Assessment Summary Record.

© Tertiary Infotech Academy Pte Ltd

Free AI Subscription: Redeem It as Google AI Pro

STEP 1

Eligibility

Singapore Citizen, age 18 or over.

STEP 2

Course label

Look for the "Free AI sub" label on MySkillsFuture. Check your course.

STEP 3

Notification

An email arrives after you attend an eligible course. You have 60 days to submit.

STEP 4

Choose Google AI Pro

One of five options, and the plan Spark needs.

TIP One free six-month subscription per person, for eligible courses ending 16 Sep 2026 or later. It arrives after class, so you still need Pro or Ultra on the day.

MySkillsFuture: Redeem AI Subscription, updated 21 Oct 2026 · click

© Tertiary Infotech Academy Pte Ltd


TOPIC 1

AI Agent Strategy and Gemini Spark Fundamentals

1. Brief history of AI
2. Agentic AI vs AI agents
3. How agents work; humans decide
4. Use cases and the Big Five
5. Everything about Gemini Spark
6. Lab 1 · Gmail, Calendar and Docs

© Tertiary Infotech Academy Pte Ltd · TGS-2026064173


From Rules to Learning to Action



These approaches coexist. A modern agent still uses ordinary software, rules and databases.

© Tertiary Infotech Academy Pte Ltd

2023 → 2026: Four Engineering Lenses



Course framing: overlapping priorities, not invention dates or exclusive eras.

© Tertiary Infotech Academy Pte Ltd

Singapore Healthcare: 12,000+ AI Agents in Three Months

AgentSea, Synapxe's agentic AI platform built with AWS, lets public healthcare staff build their own agents in plain language

12,000+

AI agents created

By healthcare professionals, from the end-May 2026 launch to 24 Aug 2026.

80,000+

healthcare professionals

Everyone in Singapore's public health sector can create agents, with little or no coding.

300+

agents shared

Published for colleagues to reuse and adapt for their own work.

Cardiologist, National Heart Centre

An agent summarises patient histories before clinic, halving 40+ minutes of daily pre-clerking. He still verifies and makes the clinical assessment.

KK Women's and Children's Hospital

An agent generates daily staff rosters, cutting manual data entry and transcription errors.

Guardrails and governance

Rejects requests for card or ID numbers; MOH's updated AI in Healthcare Guidelines keep professional judgment with people.

TIP The course pattern at national scale: agents prepare the work; clinicians verify and decide.

The Straits Times, 24 Aug 2026: New platform to create AI agents available to all public healthcare professionals · click

© Tertiary Infotech Academy Pte Ltd

Agentic AI Is the System. An Agent Does the Work.



Agentic AI · the system

- Goal-directed planning, action and feedback.
- May contain one agent or a coordinated team.
- The harness controls access, state and execution.



AI agent · the worker


- A model plus tools, memory and skills, given a job.
- Can act between messages while runtime is available.
- Always-on examples: Gemini Spark, OpenAI Dots, Grok Bot.

TIP Always-on describes how an agent is deployed. It is not a universal definition of every AI agent, and it is not an uptime promise.

© Tertiary Infotech Academy Pte Ltd

An AI Agent Works Like a Person


Brain + body need food to do work. Model + harness need tokens to do work.



TIP In Spark: the model is Gemini, the harness is Antigravity, and the fuel is your plan's compute-based usage limit. Run out, and schedules stop.

© Tertiary Infotech Academy Pte Ltd

The Agentic Loop: Observe, Act, Verify



Tool errors are observations. Never replace an unavailable result with an invented success.

© Tertiary Infotech Academy Pte Ltd

AI Agents Do the Work. Humans Decide.

AI agent

- Reads the permitted source records.
- Uses tools to calculate, draft and produce.
- Checks the result and reports exceptions.

Human

- Chooses the goal and permitted access.
- Exercises judgment when facts or values conflict.
- Approves consequential actions and accepts work.

TIP Example: the agent proposes a meeting time; you resolve a conflict and approve the message.

© Tertiary Infotech Academy Pte Ltd

Personal Assistant or Digital Worker?

Personal assistant

- Organises YOUR day: email, schedule, travel.
- Success: a source-checked brief and useful draft.
- You decide priorities and approve commitments.

Digital worker

- Performs a BUSINESS role: analyst, marketer, bookkeeper.
- Success: verified work products and a review trail.
- A named owner accepts the result and exceptions.

TIP These are work roles, not two different kinds of language model. In this course, Spark plays both.

© Tertiary Infotech Academy Pte Ltd

Scenario 1 · One Human, One AI Agent

Your own chief of staff that never clocks off

USE CASE · PERSONAL ASSISTANT

One person, one always-on agent. It works through your inbox and calendar overnight and has a brief, a clash and a draft waiting before you wake up.

WHERE YOU SEE IT TODAY

Always-on personal assistants

Gemini Spark, OpenAI Dots, Grok Bot, Claude Duet and Manus Cue: the Big Five you meet in a moment.

A morning brief on your phone

A Spark schedule reads Gmail, Calendar and Drive around 7 AM and tells you what to prioritise.

A guard on your calendar

It spots the double-booking before you say yes. You catch one in Lab 1.



TIP Let it read your inbox and calendar, but keep the Send button: it drafts, you commit.

© Tertiary Infotech Academy Pte Ltd

Scenario 2 · Multiple Humans, One AI Agent

One chatbot answers every customer at once

USE CASE · CHATBOT & CUSTOMER SERVICE

Put one agent on the front line and every customer gets an answer, even at 2 am. It clears the routine questions and hands the tricky ones to a person.

WHERE YOU SEE IT TODAY

A WhatsApp Business chatbot

Tertiary Infotech Academy answers course questions on one WhatsApp account.

Klarna's AI assistant

2.3 million chats in its first month: two-thirds of Klarna's customer service chats (Klarna, Feb 2024).

A helpdesk bot in the team chat

Staff ask it too: one agent in a trainers' group chat reassigns a course run and reports a blocker.



TIP Give every chatbot an exit: when it cannot answer, it says so and passes the chat to a person.

© Tertiary Infotech Academy Pte Ltd

Scenario 3 · One Human, Multiple AI Agents

One founder, a whole AI staff

USE CASE · ONE-PERSON COMPANY

You are the only human on the payroll. Specialist agents do the jobs a startup would hire for, in parallel, while you approve the hand-offs.

WHERE YOU SEE IT TODAY

A team of named bots

Grok Bot runs Research, Sales and Ops bots on one shared cloud computer.

Agents in one group chat

Manus Cue agents share a group chat and a goal; you make the final call.

Fifteen jobs at once

Gemini lets you run up to 15 tasks at a time: inbox, Sheets and Slides side by side.



TIP One-person does not mean no oversight: every spend and every post still waits for your yes.

© Tertiary Infotech Academy Pte Ltd

Scenario 4 · Multiple Humans, Multiple AI Agents

When a whole organisation runs on agents

Many people, each building and running their own agents, all pointed at shared goals. This is where agents stop being a gadget and become part of the workforce.

WHERE YOU SEE IT TODAY

Singapore public healthcare

80,000+ staff can build AgentSea agents: 12,000+ built, 300+ shared for colleagues to reuse.

Stanford's virtual biotech

A research team directs 37,000 AI scientist agents across drug-discovery divisions.

Gemini Spark for organisations

Google offers Spark through Gemini Enterprise, working across Workspace and custom connectors.



TIP Scale needs governance: named owners, permissions for each role and an audit trail.

© Tertiary Infotech Academy Pte Ltd

Scenario 5 · Inter-Company Collaboration

Your agent negotiates with their agent

Agents start working across the company wall. A buyer's agent requests quotes, a supplier's agent checks stock and replies, and people on both sides sign off.

WHERE YOU SEE IT TODAY

Agents with their own inbox

Each Grok Bot gets its own @mail.grokbot.com address: an email from another company can start its routine.

Personal agents meeting business services

Google announced Gemini MCP connections to Canva, OpenTable and Instacart for Spark to use.

Agents with their own identity

Manus Cue agents have their own email, phone and wallet, calling and paying outside businesses.



TIP Treat anything from another company's agent as untrusted until a person verifies it. Lab 4 shows you why.

© Tertiary Infotech Academy Pte Ltd

AI Agents for Business: Five Use Cases

Business functions: what the agent does, what people decide, and the evidence to check

01 Customer service operations

Digital worker · customer service

INPUT	AGENT WORK	HUMAN DECISION	EVIDENCE
Incoming requests + account history	Classify, look up the account, draft a reply, suggest next step	Complex or sensitive cases; limits on what it may complete	Prepared response + next action

ACCEPT WHEN Less time spent searching for information

02 IT service management

Digital worker · IT support

INPUT	AGENT WORK	HUMAN DECISION	EVIDENCE
Access, account, device and software requests	Collect details, check known issues, create and route tickets	Technician fixes; approves access changes	Triage-ready ticket with details

ACCEPT WHEN Repeat requests routed to the right group

Genic Solutions, 30 Sep 2026: AI Agents for Business, Use Cases and Implementation · click

© Tertiary Infotech Academy Pte Ltd

AI Agents for Business: Five Use Cases

Business functions: what the agent does, what people decide, and the evidence to check

03 Finance operations

Digital worker · finance

INPUT	AGENT WORK	HUMAN DECISION	EVIDENCE
Invoices, payment queries, internal records	Read documents, match records, flag missing details	Approves payments and high-risk actions	Items prepared for approval

ACCEPT WHEN Clear approval rules applied every time

04 Sales operations

Digital worker · sales

INPUT	AGENT WORK	HUMAN DECISION	EVIDENCE
Customer records + meeting notes	Update records, prepare notes, create follow-up tasks	Salesperson owns the customer relationship	Updated records + follow-up tasks

ACCEPT WHEN Less administration for sales staff

Genic Solutions, 30 Sep 2026: AI Agents for Business, Use Cases and Implementation · click

© Tertiary Infotech Academy Pte Ltd

AI Agents for Business: Five Use Cases

Business functions: what the agent does, what people decide, and the evidence to check

05 Procurement and supply chain

Digital worker · operations

INPUT	AGENT WORK	HUMAN DECISION	EVIDENCE
Orders, stock, supplier and delivery data	Monitor orders, flag delays, gather facts across systems	Operations manager decides the response	Delay alert with consolidated records

ACCEPT WHEN Delays flagged with supporting records

Genic Solutions, 30 Sep 2026: AI Agents for Business, Use Cases and Implementation · click

© Tertiary Infotech Academy Pte Ltd

Same Always-On Idea, Five Different Brains

The model decides how it thinks; the use case decides whether it fits your job. Pick by the job, then check who can get it.

Gemini Spark

Google

MODEL INSIDE

Gemini Flash / Argon

launched on Gemini 3.5, with the Antigravity harness

USE IT FOR

Your Gmail, Docs, Sheets, Slides and Drive: inbox briefs, files and schedules

SINGLE OR MULTI-AGENT

Single agent

up to 15 tasks at once

PRICING

Paid

Google AI Pro from US$19.99/mo · Ultra

OpenAI Dots

OpenAI

MODEL INSIDE

GPT-6 Astra

its own cloud computer, 24/7

USE IT FOR

Ongoing goals inside ChatGPT, Slack and Teams; hands code to Codex

SINGLE OR MULTI-AGENT

Single agent only

one agent per goal

PRICING

Paid

ChatGPT Pro · Business Premium

Grok Bot

xAI

MODEL INSIDE

Grok 4.6 → 4.7

4.7 is trained for the Grok Bot harness

USE IT FOR

A team of named bots (Research, Sales, Ops) on one shared cloud computer

SINGLE OR MULTI-AGENT

Multi-agent

named bots work as a team

PRICING

Paid

Premium from US$30/mo

Claude Duet

Anthropic

MODEL INSIDE

Claude Opus 5.5

chosen for judgement: what needs you

USE IT FOR

A morning brief, business inbox, invoices and follow-ups; asks before it sends, pays or signs

SINGLE OR MULTI-AGENT

Unknown

Anthropic has not said

PRICING

Paid

US Pro/Max · waitlist

Manus Cue

Manus

MODEL INSIDE

Manus 2.0 harness

model not published by Manus

USE IT FOR

Agents with their own email, phone and wallet: calls, bookings, capped payments

SINGLE OR MULTI-AGENT

Multi-agent

agents share a group chat and a goal

PRICING

Free for now

early access · invite code

Spark checked 7 Nov 2026 (Google Help, Google blog; custom sub-agents announced May 2026). Others checked 31 Oct and 1 Nov 2026. Vendors change these without notice. Comparison: BULDRR, 22 Oct 2026.

© Tertiary Infotech Academy Pte Ltd

Before You Connect Anything: Who Asks First, Who Can Get In

Same always-on idea, different guard-rails. One briefing slide per agent follows, with its official source.

Product	Human control to inspect	Access checkpoint
Spark	Confirms sends, data changes, purchases and web forms; Stop, Deny, Take over	Pro or Ultra; personal account; not in EEA, UK, Switzerland or Nigeria
Dots	Connection permissions, custom rules and review	Pro, Business Premium; Enterprise beta
Grok Bot	Approval settings; shared cloud logins across bots	Check your plan's access
Duet	Approval before sensitive actions; some actions disallowed	US Pro/Max waitlist preview
Cue	Per-agent permissions, wallet budget, review boundaries	Early access; free with invite code

TIP No universal winner. Verify your current account, region, connector and action controls before delegating.

Comparison reference: BULDRR · click

© Tertiary Infotech Academy Pte Ltd

Gemini Spark: What It Does and How to Set It Up

Google · 24/7 personal agent, announced May 2026, now the Task button in Gemini · this is the agent you use all day

What it can do

Cloud-based and always on

Google says it keeps working when you close your laptop. You will test that in Lab 3.

Inside Google Workspace

Calendar, Docs, Drive, Gmail, Keep, Sheets, Slides and Tasks, plus Search, Maps and YouTube.

Tasks, schedules, skills

What to do, when to do it, and how you like it done. Runs on a clock or when an email lands.

Asks before it acts

Confirms sends, data changes, purchases and web forms. Stop, deny or take over at any time.

How to set it up

1. **Subscribe**
   Google AI Pro or Ultra on a personal Google Account, age 18+.
2. **Switch on**
   Keep Activity and Personal Intelligence.
3. **Connect**
   Settings → Connected Apps → Google Workspace.
4. **Click Task**
   Below the text box at gemini.google.com, Mac or mobile app.
5. **Assign work**
   State the goal, the scope, the output and what it must ask first.



▶ Open in YouTube

TIP Older videos show a Spark toggle: Google renamed it Task. This course says Spark and Task interchangeably.

Google Help: tasks · click

Google blog: Gemini Spark, 19 May 2026 · click

YouTube: Gemini Spark tutorial · click

© Tertiary Infotech Academy Pte Ltd

OpenAI Dots: What It Does and How to Set It Up

OpenAI · rolling out to ChatGPT Pro and Business Premium · reference route

What it can do

Ongoing responsibilities

Give one dot several long-running jobs instead of one-off chats.

Its own cloud computer

Works in its own browser; optionally on your computer while the ChatGPT app is open.

Plugins and channels


Email, calendar and files through plugins; Slack and other contact methods for messages.

Delegates and schedules

Hands parts to ChatGPT Work or Codex; fixed schedules, event triggers and an Activity view.

How to set it up

1. **Open dots**
   ChatGPT mobile app, desktop app or desktop browser (not mobile web).
2. **Create a dot**
   Follow the intro; name it and pick its look (changeable later).
3. **Plugins**
   Connect email, calendar and files plugins; authorise each one.
4. **Channels**
   Optional: profile → Add a contact method such as Slack.
5. **Assign work**
   Describe an ongoing responsibility, its sources and your decisions.



▶ Open in YouTube

TIP A messaging channel does not grant inbox access. Ending a chat does not stop assigned work: check Activity.

ChatGPT Learn: Get started with your dot · click

YouTube: How to set up your first dot (Short) · click

© Tertiary Infotech Academy Pte Ltd

Grok Bot: What It Does and How to Set It Up

xAI · Grok Bot documentation, updated 28 Oct 2026 · reference route

What it can do

Persistent cloud computer

Browser, command line and files; keeps working while your laptop is closed.

Several bots, one computer

Each bot has its own screen; sessions, files and logins are shared across your bots.

Apps, MCP and its own email


Gmail, Calendar, Sheets, Slack and Notion; mail to name@mail.grokbot.com can start routines.

Watch, take over, review

Live computer view; take control for a sign-in or CAPTCHA; Auto Review gates sends.

How to set it up

1. **Install**
   Start at x.ai/bot; get the desktop or mobile app and sign in.
2. **Create a bot**
   Sidebar + → Create a Bot → name it → Create.
3. **Connect apps**
   Open Connect apps (mobile: avatar → Connect apps); add Gmail.
4. **Authorise**
   Finish the Google login in the browser; repeat for Google Calendar.
5. **Verify**
   Both show under Installed; "Added" is not signed in, so fix "Needs auth".



▶ Open in YouTube

TIP All bots on one account share a cloud computer and logins. The bot's @mail.grokbot.com inbox is not your Gmail.

xAI docs: Grok Bot computer and apps · click

YouTube: 3 steps to set up Grok Bot (Short) · click

© Tertiary Infotech Academy Pte Ltd

Claude Duet: What It Does and How to Set It Up

Anthropic research preview · 21 Oct 2026 · US Pro/Max via waitlist · reference route

What it can do

Morning brief, then watching

A daily brief, then checks every few hours; messages you only when something needs you.

Works while you are away

Its own virtual machine and browser: meetings, dashboards, forecasts, prototypes and web apps.

6,000+ connectors


Gmail, Slack, QuickBooks, Stripe, HubSpot, Docusign, Canva, Shopify and more.

You approve actions

Shows exactly what it will send, pay, sign or delete and waits; some actions stay off-limits.

How to set it up

1. **Get access**
   Pro or Max plan; join the Claude Duet waitlist on claude.com.
2. **Install**
   Open the Claude Duet app (iOS / Android) or claude.ai once invited.
3. **Carry context**
   Memory, skills and apps carry over from your Claude account.
4. **Connect apps**
   Add Gmail, Calendar, Slack or others from the Claude Marketplace.
5. **Set the brief**
   Tell it what to watch and how often; approve every send or payment.



▶ Open in YouTube

TIP Reference route, not assessed. Background checks use your plan limits; some actions stay off-limits even with approval.

Anthropic: Introducing Claude Duet · click

YouTube: Claude Duet is here (Short) · click

© Tertiary Infotech Academy Pte Ltd

Manus Cue: What It Does and How to Set It Up

Manus · early access since 28 Sep 2026 · free with an invite code · reference route

What it can do

Agent identity

Each agent has its own email address, phone number, wallet and computer.

Calls, messages, payments

Takes forwarded calls, emails from its own address and pays within the budget you set.

Agent teams


Agents share a group chat and a goal; you make the final call.

Connectors and routines

Gmail, Trip.com, Oura and more; routines repeat your steps; scan a QR code to create an agent.

How to set it up

1. **Get Cue**
   cue.im on the web, desktop or Android; iOS pending.
2. **Invite code**
   Sign up with an invite code from your trainer or a user.
3. **Create an agent**
   Give it one responsibility and the context it needs.
4. **Identity + limits**
   Choose its email, phone, wallet; set budgets and approvals.
5. **Connect + routines**
   Connect Gmail or other services, then define routines for repeat steps.



▶ Open in YouTube

TIP Reference route, not assessed. Keep wallet budgets small; require approval for payments, calls and messages.

Cue by Manus: cue.im · click

YouTube: Meet Manus Cue (Short) · click

© Tertiary Infotech Academy Pte Ltd

FROM HERE ON: GEMINI SPARK

Five agents, one choice for today. You already live in Gmail, Docs and Sheets.

Every remaining slide and every lab is Gemini Spark on Google Workspace. Nothing to install. No code.

© Tertiary Infotech Academy Pte Ltd

ALWAYS-ON

Chat waits for you. Spark keeps working.

Same Gemini account, two different jobs. Pick the wrong one and you stay the bottleneck.

Gemini chat

- Answers one request while you sit there asking
- Stops when you stop
- Formats a document differently each time
- No recurring work: it acts when you ask

Gemini Spark (Task)

- Takes a goal, makes a plan, works through the steps
- Runs in Google's cloud, so it carries on after you close the tab
- Reuses your instructions through skills
- Runs on a clock or fires when an email lands

Teacher's Tech video · click

© Tertiary Infotech Academy Pte Ltd

READ THIS BEFORE YOU CLICK

Looking for the Spark button? Google renamed it Task.

Spark is now the Task button under the Gemini text box. Google says beta users kept asking it to finish "tasks", so it renamed the toggle. Existing tasks and schedules stay in the sidebar. This course says Spark and Task interchangeably.

© Tertiary Infotech Academy Pte Ltd

TASK · SCHEDULE · SKILL

Three words run everything: what, when, how

Learn these three and the rest of the product stops looking complicated.

Task = what

Your goal, kept in its own thread. Google's example: "Plan and manage my business trip to London."

Schedule = when

The trigger. "Every day at 8AM, give me an update on AI news."

Skill = how

Reusable instructions and context, so you never retype how you like it done.


Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

ALWAYS-ON IN PRACTICE

One day with an agent that never clocks off

Northstar Studio's owner sleeps, meets clients and takes lunch. Spark keeps the watch. Illustrative day.



Nothing here needs VS Code, Git or a terminal. You need a browser and a Google account.

© Tertiary Infotech Academy Pte Ltd

WHAT GOOGLE ACTUALLY PROMISES

Always-on comes with fine print

Say this on day one and nobody blames the agent when a 7 AM brief lands at 7:20.

Google's rule	What it means for you
Run times are approximate	"Daily at 7 AM" means around 7. Never schedule anything time-critical.
Up to 15 tasks at once	A schedule will not run if 15 tasks are already running.
Up to 50 active schedules	Pause or delete one before adding the 51st.
Hit your usage limit and it stops	Schedules skip when your plan's compute limit is reached.
It is experimental	Google says your supervision matters. Offline, you may not be able to stop a run.

TEST IT Google's pages disagree on running with your device off. Lab 3 makes you close the lid and check.

Google Help: schedules · click

© Tertiary Infotech Academy Pte Ltd

WHAT YOU NEED

Five gates between you and your first task

Miss one and the Task button stays missing. Check them before class, not during it.

Age 18 or over

Google's minimum for assigning tasks.

A personal Google Account

Work and school accounts are not supported yet.

Google AI Pro or Ultra

Tasks are a paid feature. Skills alone work without one.

Keep Activity on

Toggle it at myactivity.google.com/product/gemini.

Personal Intelligence on

Opt in through Gemini settings.

Plus a supported place and app

Off limits: EEA, Nigeria, Switzerland, UK. Singapore is not on Google's list. Use the web, Mac or mobile app.

Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

SEE IT RUN

Watch these three before Lab 1

38 minutes of screen recordings. We built the labs on the same moves, with Google's current button names.



▶ Open in YouTube

Teacher's Tech · 15:31 · Oct 2026

Gemini Spark Tutorial for Beginners

Tasks, approvals, morning brief, monitors, a reply skill, Sheets and PDFs from your inbox.



▶ Open in YouTube

Santrel Media · 11:09 · Sep 2026

Gemini Spark Full Beginner's Guide

Subscription audit, calendar manager and trip folder: three schedules you can copy tonight.



▶ Open in YouTube

Tasia Custode · 11:38 · Jun 2026

Your Complete Gemini Spark Tutorial

The always-on idea, and how to turn one task into a skill, then a schedule.

NOTE Older recordings show a Spark toggle, and June's says US Ultra only. Both have changed: follow the labs.

© Tertiary Infotech Academy Pte Ltd

WHAT TO DELEGATE

Climb the ladder: read first, buy never unattended

Teacher's Tech gives the same advice: tasks that read and summarise come first, sending comes once you trust the results.



Read → Let it run

"Which newsletters did I ignore this month?"



Draft → Review before use

"Save a reply in Gmail Drafts"



Change → Confirm the planned edit

"Edit the shared price list"



Send or buy → You approve every time

"Email the client. Pay the invoice."

Teacher's Tech video · click

© Tertiary Infotech Academy Pte Ltd

PLATFORM STRATEGY · K1, A1

Pick the platform before you write the prompt

Northstar has two audiences and one owner. Each channel earns its place by the action it drives.

Platform	Who it reaches	Action it drives	Spark's job
Website	New SME visitors	Request a discovery call	Draft copy only
Email (Gmail)	Enquirers, clients	Reply within 2 business days	Triage and draft
LinkedIn	Local business owners	Visit the website	Draft posts only
Google Calendar	Owner and clients	Book the call	Suggest open slots

CHOOSE BY Audience fit, action, who maintains it, privacy risk and the KPI you can actually evidence.

© Tertiary Infotech Academy Pte Ltd

CONNECTED APPS

One switch moves Spark from guessing to knowing

Without Google Workspace connected, most inbox and Drive tasks do not get far.

Google Workspace: turn this on

Calendar, Docs, Drive, Gmail, Keep, Sheets, Slides and Tasks.

Other Google services

Contacts, Photos, YouTube, Search, Finance, Flights, Hotels and Maps.

Third-party apps: only when needed

Recent videos show Canva, Dropbox, Granola and OpenTable. Your list depends on account and location.

Least privilege in practice

Each app has its own switch. Off by default. On when a task needs it.

Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

YOUR FIRST TWO MINUTES

Stuck for ideas? Tell Spark to interview you

Google built this in. About five questions, and you have your first task and skill.

EXAMPLE · plain English, typed into Gemini → Task

```
Interview me about my work so you can
set up my first task and skills.

I run Northstar Studio, a small Singapore
design business. Enquiries reach my Gmail.
Nothing gets sent without my approval.
```

Teacher's Tech video · click

Be specific

Typing only "interview me" can start a practice job interview instead.

Short triggers work too

Google lists "set up", "get started" and "interview me".

It stays in the thread

The profile is not saved everywhere. Ask Spark to save it as a skill.

© Tertiary Infotech Academy Pte Ltd

WRITE THE TASK

A good task reads like a brief, not a wish

"The more specific you are, the better this works": Teacher's Tech, opening the built-in Declutter task.



Vague

- "Clean up my inbox."
- No scope, so it decides what counts
- No output, so you get a guess
- No limit, so it may try to act



Briefed

- "List every newsletter I haven't opened in the last month."
- Scope: last month, newsletters only
- Output: sender, unread count, what it is
- Limit: "Ask me before you unsubscribe."

Teacher's Tech video · click

© Tertiary Infotech Academy Pte Ltd

WATCH IT WORK

Spark shows its plan before it touches anything

Click the progress chip and read the work panel: completed, current and planned steps, plus files used.

STEP 1

You submit

Goal, scope, limits

STEP 2

Plan appears

Read this first

STEP 3

Steps run

Each shows its app

STEP 4

Needs input

Spark waits for you

STEP 5

Result

Links and files

TIP Spotted a gap? Type more instructions mid-run. Gemini updates its work without losing progress.

Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

APPROVALS

Reading is free. Sending costs a click.

Google designs Gemini to stop and ask before these, even if you chose "Always allow" elsewhere.

6

actions Google names that stop for you

1. Sending communications
2. Modifying or deleting your data
3. Making purchases
4. Completing financial transactions
5. Filling out and submitting web forms
6. Signing in with Sign in with Google

REMEMBER Memorise the exception: Gemini can make bulk changes in Google Tasks without asking.

Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

CLOUD OR LOCAL

Two browsers, two very different risks

When Spark goes to a website, know whose browser it is using.

	Remote browser (cloud)	Your local Chrome
Laptop closed?	Keeps working	Needs device and Chrome awake
What it can reach	Sites it signs in to, with your help	Every site you are signed into
Sign-in step	Pauses until you take over	Can use saved logins, with permission
Clean up	Settings → Browser → Delete	Delete data in Chrome

NEVER Type passwords or card numbers into a task thread. Take over the browser and enter them on the page.

Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

STAY IN CONTROL

Four ways to grab the wheel

Autonomy is only safe when you know how to end it. Practise all four in Lab 1.

Stop

Hit Stop in the text box to cancel the task outright.

Steer

Type new instructions while it runs. Progress is kept.

Deny

Refuse an action and Gemini stops. It does not try another way.

Take over

View live → Take over task, finish the step, then Go back to Gemini.

Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

FROM GOOGLE

Google's own first example: your inbox, summarised

Thinking, then a file to open. Your job is deciding what it may read and what it may do next.



- Start here. An inbox summary reads a lot and changes nothing, which makes it the safest first job you can give an agent.

Visual: Google's Gemini Spark page, as saved for this course in Aug 2026.

© Tertiary Infotech Academy Pte Ltd

WORKED CASE · NORTHSTAR STUDIO

Northstar's line in the sand

This matrix goes in your agent task contract for PP Task 1. Spark prepares; a named human decides.

Action	Gemini Spark	Site builder*	Human owner
Read approved enquiries	Allowed	No access	Sets the scope
Draft replies and web copy	Allowed	Uses approved copy	Approves
Edit the website	No access	Allowed, after approval	Reviews
Send, publish or pay	Asks first	Asks first	Decides, every time

*SITE BUILDER In Lab 2 you build the site yourself in Google Sites. The PP paper calls this role "the coding agent".

© Tertiary Infotech Academy Pte Ltd

TOPIC 1 · LAB 1

▶ COPY THE PROMPTS · lab 01

Lab 1: Your Always-On Chief of Staff in Gmail, Calendar and Docs

Five emails and a double-booking are waiting. Spark reads them before you do, and you practise telling it no.

The business scenario

Monday morning at Northstar Studio. A bakery wants a call, a motor shop wants a price you must not give, a yoga studio is unhappy, and two meetings clash on Tuesday. You have not opened your laptop yet. Before Spark touches any of it, you decide what it may read, what it may draft and what stays with you. That decision becomes the agent task contract your studio runs on.

You will deliver

✓ Northstar-Agent-Task-Contract in Google Docs: two recommended platforms, permission matrix, approval map
✓ A task thread showing the plan, the brief and one denied action
✓ One Gmail draft, unsent

Agents One Gemini Spark task
Human role Set the scope, read the plan, deny the send, correct the contract
Time 40 min · Personal assistant + human decisions

Copy every prompt for this lab ▸ https://tertiarycourses.github.io/TGS-2026064173-AI-Agents-with-Gemini-Spark/labs/prompts.html#lab-01

© Tertiary Infotech Academy Pte Ltd

Meet Northstar Studio

You are the founder of this fictional Singapore design business. Spark helps you launch it, from this lab to Lab 4. All data is made up.



A studio, founded by you

Two people, Singapore-based, 10+ years of combined experience. Strategy, visual design and responsive web build.



Launch: the new website

Goes live 1 Feb 2027. Promise on the homepage: clear websites for growing local businesses.



Your one call to action

Request a 20-minute discovery call. Replies go out within two business days.



Rules that matter

No prices in public. No promises of revenue or lead growth. A human approves everything public.

© Tertiary Infotech Academy Pte Ltd

Lab 1: Who Does What, Step by Step

Perception → reasoning → action, with you at the checkpoints.

HUMAN · STEP 1



Connect

Clear the five gates and connect Google Workspace only.

AGENT · STEP 2



Read

Spark reads tagged emails and your Northstar Lab calendar.

HUMAN · STEP 3



Refuse

Ask it to send, then deny. It stops.

AGENT · STEP 4



Draft

Spark saves one reply in Gmail Drafts and fills the contract in Docs.

HUMAN · STEP 5



Sign off

You correct the contract and take the screenshot.

Checkpoint The inbox is unchanged, the denied send stopped dead, and every send, publish or pay row in your matrix sits with the human owner.

© Tertiary Infotech Academy Pte Ltd

▶ COPY THE PROMPTS · lab 01

Get your first brief, read-only (8 min)

PROMPT · click to copy it from the Lab Prompts page · labs/prompts.html#lab-01

```
Search only emails with [NORTHSTAR-LAB] in the subject and only
my calendar named Northstar Lab for the next 7 days.
Give me one brief: who wants what, any deadline, which email
needs me first, and any calendar clash.
Do not archive, label, reply, send, or change any event. Ask me
before any change.
```

Paste into

Gemini → Task, new thread

Expect

A plan first, then a brief naming the Tuesday clash and flagging Sarah's complaint. Gmail and Calendar are unchanged.

You decide

Whether the priority order is right. Spark does not know your clients. You do.

© Tertiary Infotech Academy Pte Ltd

▶ COPY THE PROMPTS · lab 01

Have Spark fill the contract, then correct it (10 min)

PROMPT · click to copy it from the Lab Prompts page · labs/prompts.html#lab-01

```
Create a Google Doc named Northstar-Agent-Task-Contract in my
Gemini Spark Workspace/Northstar folder, following the attached
template exactly.
Recommend two media platforms for the website rollout using the
attached platform notes. For each, state the audience, the action
it drives, the owner, the risk and a KPI.
Fill the permission matrix for Gemini Spark, the coding agent and
the human owner. Every send, publish or pay action stays with the
human owner.
```

Paste into

Gemini → Task, then Google Docs

Expect

A Doc with two justified platforms, a full permission matrix, an approval map and stop rules.

You decide

You change at least one line, then take the PP Task 1 screenshot.

© Tertiary Infotech Academy Pte Ltd

TOPIC 2

Building Agent Skills, Tasks and Tool Integrations

Teach Spark your way of working, then let one email update three apps

1. Skills
2. Description first
3. Tool integration
4. Consistent content
5. Lab 2 · Launch kit in Sheets, Slides, Docs and Sites

© Tertiary Infotech Academy Pte Ltd · TGS-2026064173

WHY SKILLS

Stop retyping yourself

Santrel Media's invoice test: chat changes the format every time, a task with your template does not.

Without a skill

- Paste the same instructions in every thread
- Tone drifts from reply to reply
- Formats change between runs
- Your standards live in your head

With a skill

- Write the instructions once
- Reuse them in any chat or task
- Combine several for one job
- Your standards live where Spark reads them

Santrel Media video · click

© Tertiary Infotech Academy Pte Ltd

CREATE A SKILL

Five doors into the same skill

Fastest first: Tasia Custode's move is to finish a task, then type "turn this into a skill".

Ask in a thread

"Turn this into a skill." Seconds later it is on your Skills page.

Create with Gemini

Customize → Skills → Create. Describe it in plain language.

Prefilled template

Under Recommended. Edit the name, description and instructions.

Create manually

Title, description and instructions, in your exact words.

Upload SKILL.md

A file, folder or .zip with SKILL.md in its main folder.

Then test it

One real task. Read the output. Fix the instructions, not the result.

Google Help: skills · click

© Tertiary Infotech Academy Pte Ltd

ANATOMY OF A SKILL

Spark reads the description first, so write it like a job ad

The name and description decide when the skill fires. The instructions decide how it behaves.

EXAMPLE · plain English, typed into Gemini → Task

```
NAME
northstar-writer

DESCRIPTION
Write customer replies, web copy and presentation text
for Northstar Studio. Not for newsletters or receipts.

INSTRUCTIONS
Use only approved facts in the content inventory.
Never state a price. Never promise results.
If asked for a price or date you do not have,
stop and ask me. Never guess.
Save replies as Gmail drafts. Never send.
```

Google Help: skills · click

Name format

For uploads: all lowercase, words joined by hyphens.

The ask-me rule

In Teacher's Tech it fired: Spark asked about delivery notice instead of inventing an answer.

Upload limits

100 MB in total. Scripts cannot reach the internet.

© Tertiary Infotech Academy Pte Ltd

USE A SKILL

Call it by name, or let Spark pick it up

Both happen, so decide which skills may fire without you.

Type / or @

In a task thread, pick the skill from the list. Which symbol depends on your shortcut.

Automatic

Gemini can use any activated skill when the task matches its description.

Stack them

Google's example: a "Travel Booking" and a "Gmail Writing" skill on one rebooking.

Deactivate from the Skills page

You cannot switch a skill off from a thread. Go to Customize → Skills.


Google Help: skills · click

© Tertiary Infotech Academy Pte Ltd

TOOL INTEGRATION · K5, A2

One email, four Google apps, one folder

This is platform integration with no code: Spark names each app as it goes, and files everything in one place.



TIP Teacher's Tech ran this from an inbox: a spreadsheet plus a print-ready PDF, in two requests.

Teacher's Tech video · click

© Tertiary Infotech Academy Pte Ltd

WORKSPACE HABIT

One folder keeps Spark's work out of your life

Two of the videos land on the same habit. Name the folder in the request and its output stops scattering.

1

folder for everything Spark makes

1. Create "Gemini Spark Workspace" in Drive
2. Name it in every task that creates files
3. Editing a shared file? Spark asks first
4. Files panel shows what was read or updated

REMEMBER Spark can also create .docx, .xlsx, .pptx, .pdf, .csv, .md and images.

Santrel Media video · click

© Tertiary Infotech Academy Pte Ltd

TRUST, THEN VERIFY

Check the row count, because Spark only sees its reach

In Teacher's Tech, one cafe appeared twice: it emailed twice, and nobody specified one row per cafe.



What went wrong

- Emails in spam or other tabs did not make it in
- Two emails became two rows
- Spark picked the format you did not specify



What you do

- Count rows against what you expected
- State the rule: one row per enquirer
- Ask where each detail came from

Teacher's Tech video · click

© Tertiary Infotech Academy Pte Ltd

Your customers set the rules for this workflow

Four shifts in how people use media, and what each one forces into your Spark design.

What people do now	What it demands	Your Spark design
Read on phones first	Short and scannable	Reply limit in the skill
Move across channels	The same facts everywhere	One content inventory
Expect fast, personal replies	Hours, not days	Gmail monitor drafts on arrival
Question how data is used	Clear limits on access	Least privilege, human approval


ASSESSED OQ Q2 asks for two trends, two integration methods and one control for each.

© Tertiary Infotech Academy Pte Ltd

FROM GOOGLE

Google's demo: tracking down expenses across your inbox

Spark says which app it is using at each step, so you can see exactly where it has been.



- "Google Workspace Search", then "Gmail". Those step labels become your evidence of what the agent touched.

Visual: Google's Gemini Spark page, as saved for this course in Aug 2026.

© Tertiary Infotech Academy Pte Ltd

What Spark Can Really Do in Each App

Straight from Google's list. Learn it, and you stop asking Spark for things it cannot do.

App	Spark can	You still
Gmail	Search, summarise, draft, forward, reply and label	Confirm every send
Calendar	Check, RSVP, schedule, reschedule, suggest slots	Confirm changes that affect others
Docs	Create and edit documents, add images and Sheets charts	Confirm edits to shared files
Sheets	Build and edit spreadsheets with data, tables and formulas	Check rows and formulas
Slides	Generate and edit presentations, add images and Sheets charts	Read it as your client would
Drive	Search, read, rename and delete files, check metadata	Confirm deletions
Keep + Tasks	Find and create notes; manage reminders and tasks	Check it: Tasks bulk changes need no confirmation

MISSING Google Sites is not on this list. So in Lab 2, Spark writes the words and you build the site.

Google Help: Workspace actions · click

© Tertiary Infotech Academy Pte Ltd

Spark Writes the Website. You Build It and You Publish It.

Spark's job

- Write hero, services, approach, proof and contact in a Doc.
- Trace every claim back to your inventory.
- Build the deck and chart you will embed.

Your job in Google Sites

- Create the site and paste the approved copy.
- Insert → Slides for the deck, Insert → Charts for the chart.
- Check it at phone width. Click Publish yourself.

TIP Sites has no Spark connection, and that is useful: nothing on your website goes live without your hands on it.

© Tertiary Infotech Academy Pte Ltd

TOPIC 2 · LAB 2

▶ COPY THE PROMPTS · lab 02

Lab 2: Build the Launch Kit in Sheets, Slides, Docs and Sites

One skill, one approved fact list, four Google apps. You finish with a dashboard, a deck and a website that all say the same thing.

The business scenario

Launch is close and your facts live in three places. You need a dashboard to see where enquiries come from, a capability deck for client meetings, and a website that goes live on 1 Feb 2027. Spark builds the first two and writes every word of the third. Google Sites is not on Google's list of apps Spark can edit, so you assemble the site yourself: that is your hands, your judgement and your Publish button.

You will deliver

- ✓ northstar-writer skill on your Skills page
- ✓ Northstar-Launch-Dashboard in Sheets: 23 leads, formulas and a chart
- ✓ Northstar-Capability-Deck in Slides: 6 slides with the Sheets chart
- ✓ Northstar-Site-Copy in Docs, with a claim-to-source table
- ✓ Your Northstar website in Google Sites, checked at phone width

Agents One Gemini Spark task using one skill

Human role Write the skill, count the rows, reject bad claims, build and publish the site

Time 60 min · One agent + one skill + four apps

Copy every prompt for this lab ▸ https://tertiarycourses.github.io/TGS-2026064173-AI-Agents-with-Gemini-Spark/labs/prompts.html#lab-02

© Tertiary Infotech Academy Pte Ltd

Lab 2: Who Does What, Step by Step

Perception → reasoning → action, with you at the checkpoints.

HUMAN · STEP 1



Teach

Create the northstar-writer skill.

AGENT · STEP 2



Sheets

Spark cleans the leads and builds the dashboard.

AGENT · STEP 3



Slides

Spark builds the deck and adds the chart.

AGENT · STEP 4



Docs

Spark writes site copy with sources.

HUMAN · STEP 5



Sites

You build the site and test it on a phone width.

Checkpoint All five outputs use only approved claims, the lead count is 23 and not 24, and no price or results promise appears anywhere.

© Tertiary Infotech Academy Pte Ltd

▶ COPY THE PROMPTS · lab 02

Sheets: turn a messy export into a dashboard (12 min)

PROMPT · click to copy it from the Lab Prompts page · labs/prompts.html#lab-02

```
Create a Google Sheet named Northstar-Launch-Dashboard in my
Gemini Spark Workspace/Northstar folder with three tabs.
Leads: one row per business, merging duplicates, from the
enquiries export.
Summary: live formulas counting leads by service and by source,
and the average days to first reply.
Trend: the monthly numbers with a chart of enquiries and
discovery calls.
Tell me how many rows you merged and which ones.
```

Paste into

Gemini → Task, then Google Sheets

Expect

23 leads, because Bukit Bakes appears twice. Trend still shows 24 enquiries, because it counts emails and not businesses. Summary cells are formulas, not typed numbers. A chart sits on Trend.

You decide

Your count must match Spark's. If it says 24, your rule was not followed.

© Tertiary Infotech Academy Pte Ltd

▶ COPY THE PROMPTS · lab 02

Slides: build the capability deck from the Sheet (12 min)

PROMPT · click to copy it from the Lab Prompts page · labs/prompts.html#lab-02

```
@northstar-writer Create a Google Slides presentation named
Northstar-Capability-Deck in my Gemini Spark Workspace/Northstar
folder, following the attached deck brief.
Add the attached logo to the first slide. Add the enquiries chart
from the Trend tab of Northstar-Launch-Dashboard to slide 5.
Use only approved claims from the inventory. No prices. No
promises of results.
```

Paste into

Gemini → Task, then Google Slides

Expect

Six slides, the logo, and the real Sheets chart on slide 5.

You decide

Ask for one concrete change, such as a shorter title on slide 2, and check Spark changes only that.

© Tertiary Infotech Academy Pte Ltd

TOPIC 3

Agent Workflow Implementation, Scheduling and Governance

Set it once, and let Spark handle that part of your day from here on

1 Three triggers

2 Build and test

3 Implementation plan

4 Rollback

5 Lab 3 · Schedules and monitors

© Tertiary Infotech Academy Pte Ltd · TGS-2026064173

SCHEDULE TYPES

Three triggers wake your agent up

A clock, an email or a headline. Every always-on workflow starts with one of these.

Time-based

Once, hourly, daily, weekly, monthly or yearly. "Every day at 7 AM, tell me what to prioritise."

Gmail monitor

An email matches a filter. "When my manager sends an action item, draft a reply."

Topic monitor

News, finance, sports or local events. "When a food popup is announced, email me."

Google Help: schedules · click

© Tertiary Infotech Academy Pte Ltd

CREATE A SCHEDULE

Describe it in a sentence and Spark builds the schedule

Tasia Custode's schedule took about 20 seconds. The manual form handles time-based schedules only.

EXAMPLE · plain English, typed into Gemini → Task

```
Every weekday around 7 AM, look through my
emails, calendar and my Northstar Drive folder.
Tell me what to prioritise today. Put enquiries
waiting for a reply at the top.

Do not send anything.
```

Google Help: schedules · click

Find it

Sidebar → Scheduled. Sections: Active, Paused, Completed.

Test it now

Hover → More → Run now. No need to wait until tomorrow.

Fixed to your time zone

It stays on the zone where you created it, even when you travel.

© Tertiary Infotech Academy Pte Ltd

WHERE PEOPLE RUN THIS TODAY

Steal these schedules, all proven on camera

Each one comes from the three videos. Swap in your own folder, and keep every output a draft.

Morning brief

Daily around 7 AM, priorities from Gmail, Calendar and Drive. Teacher's Tech.

Lead catcher

A Gmail monitor adds wholesale enquiries to Google Tasks. Teacher's Tech.

Subscription audit

Sundays at 8 AM, receipts into one Sheet. Santrel Media.

Calendar guard

Daily class bookings to Calendar, with a clash alert. Santrel Media.

Trip folder

6 AM until departure, confirmations into one folder. Santrel Media.

Expense log

Vendor and total from each receipt into a Sheet. Tasia Custode.

Santrel Media video · click

© Tertiary Infotech Academy Pte Ltd

BUILD ORDER

Task, then skill, then schedule: stack them in that order

Tasia Custode's sequence: prove the task, save the method, then hand over the timing.

STEP 1

Run a task

Prove it by hand

STEP 2

Save a skill

Lock in the method

STEP 3

Add a schedule

Hand over the when

STEP 4

Click Run now

Test before trusting

STEP 5

Pause to review

Then let it run

TIP You can also run any of the three alone. They only need to connect when the job does.

Tasia Custode video · click

© Tertiary Infotech Academy Pte Ltd

LAB 3 CHECK

Set it just before the break. Close the laptop. Come back and read the timestamp.

Google's schedules page says it keeps working with the device off. Its Task settings page says schedules will not run "if your device is off". You will record what actually happened.

© Tertiary Infotech Academy Pte Ltd

IMPLEMENTATION PLAN • A3

Roll it out over four weeks, not one afternoon

PP Task 3 asks for five activities with timelines, targets, owners, an approval gate and a rollback. Here is the shape.

When	Activity	Target	Owner	Evidence
Week 1	Read-only morning brief	5 of 5 briefs useful	Owner	Task threads
Week 2	Reply skill, drafts only	80% need light edits	Owner	Gmail Drafts
Week 3	Gmail monitor to lead tracker	Every lead logged	Admin	Lead Sheet
Week 4	Weekly content draft schedule	Owner approves each	Marketing	Review folder
Monthly	Review scorecard and permissions	Time saved beats review	Owner	Scorecard

ILLUSTRATIVE Targets are examples for Northstar. Set your own and evidence them.

© Tertiary Infotech Academy Pte Ltd

Usage trends decide what your plan should measure

How people use media today shapes your channels, your schedule and which KPIs still count.

Trend	Change to your plan	KPI to watch
Phones first	Keep briefs and replies short	Drafts accepted without edits
Cross-channel journeys	One inventory feeds every channel	Claims traced to the inventory
Fast replies expected	Gmail monitor on new enquiries	Enquiries answered on time
Privacy scrutiny	Drafts only, narrow scope	Actions without approval: zero

ASSESSED OQ Q3 asks how trends affect evaluation, plus four KPIs and the evidence for each.

© Tertiary Infotech Academy Pte Ltd

GOVERNANCE

What stays off the schedule

Google's warning: if a schedule runs while you are offline, you may not be able to stop an unintended action.



Keep a human on it

- Anything sensitive, says Google
- Time-critical alerts, such as ticket sales
- Fast-moving data
- Anything public



Fine to run unattended

- Summaries and briefs
- Drafts saved for review
- Rows added to your own tracker
- Files in your Spark folder

Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

NO-OVERLAP RULE

Google documents no no-overlap switch, so write your own

A repeat run must not duplicate your work. One line in the instructions gives you the guard you need.

EXAMPLE · plain English, typed into Gemini → Task

```
Name the output Northstar-brief-YYYY-MM-DD
in my Gemini Spark Workspace folder.

Before you start, check for today's file.
If it exists, stop and tell me.
Do not create a second copy.
```

Google Help: schedules · click

Test it

Click Run now twice. The second run should stop.

Written down

Your schedule specification records this rule.

Hard limit

A schedule also skips when 15 tasks are already running.

© Tertiary Infotech Academy Pte Ltd

ROLLBACK

Know your way back before you go live

Each undo has a different cost. Pick the smallest one that stops the damage.

Move	What it does	What it costs you
Pause one schedule	Stops that trigger	Nothing. Resume any time
Undo a Workspace change	Use the link in Gemini's confirmation	A manual edit in that app
Restore a Doc	Use Docs version history	Later edits to that file
Turn off task mode	Pauses all tasks and schedules	Deletes remote browser and code data
Delete the task thread	Removes the thread	Deletes that thread's schedules too

ALSO Completed schedules cannot be resumed. They can only be deleted.

Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

TOPIC 3 · LAB 3

▶ COPY THE PROMPTS · lab 03

Lab 3: Put Northstar on Autopilot with Schedules and Monitors

Close your laptop and find out what always-on really means. Then hand over the weekly content and the lead log, with a rollback ready.

The business scenario

The launch kit is done, and the repeat work is about to start: three posts a week, and every new enquiry logged and answered within two business days. You will not remember, so Spark must. Before you trust it, you check Google's own conflicting claim about whether schedules run with your device off, and you write down exactly how to pull the plug.

You will deliver

✓ Your close-the-lid result, written down
✓ northstar-content skill, a weekly schedule and a Gmail monitor
✓ Northstar-Implementation-Plan in Sheets: 5+ activities, timelines, targets, owners, approval gate, rollback

Agents One Gemini Spark schedule and one Gmail monitor

Human role Prove it by hand, read the plan, approve every draft, own the rollback

Time 30 min · Scheduled and triggered work, human gates

Copy every prompt for this lab ▸ https://tertiarycourses.github.io/TGS-2026064173-AI-Agents-with-Gemini-Spark/labs/prompts.html#lab-03

© Tertiary Infotech Academy Pte Ltd

Lab 3: Who Does What, Step by Step

Perception → reasoning → action, with you at the checkpoints.

HUMAN · STEP 1



Lid test

Set a schedule, close your laptop, take your break.

HUMAN · STEP 2



Skill

Save the northstar-content skill.

AGENT · STEP 3



Schedule

Spark drafts next week's posts with a no-overlap rule.

AGENT · STEP 4



Monitor

A new enquiry adds a row and saves a draft.

HUMAN · STEP 5



Plan

Spark drafts the plan. You own the gate and the rollback.

Checkpoint The second Run now stopped at the no-overlap rule, the monitor logged the test enquiry, and the plan names an approval gate and a rollback owner.

© Tertiary Infotech Academy Pte Ltd

▶ COPY THE PROMPTS · lab 03

Schedule the weekly posts, with a no-overlap rule (8 min)

PROMPT · click to copy it from the Lab Prompts page · labs/prompts.html#lab-03

```
Every Monday around 9 AM Singapore time, use @northstar-content
to draft next week's three LinkedIn posts from the attached
content calendar.
Save them in a Google Doc named Northstar-Posts-YYYY-MM-DD in my
Gemini Spark Workspace/Northstar folder.
Before you start, check for a Doc with today's date. If it
exists, stop and tell me. Do not create a second copy.
Never publish or send anything.
```

Paste into

Gemini → Task, then Scheduled

Expect

One Doc with three posts. The second Run now stops at your rule and creates no second copy.

You decide

Posts stay drafts until you approve them. That is your approval gate.

© Tertiary Infotech Academy Pte Ltd

▶ COPY THE PROMPTS · lab 03

Fire a Gmail monitor from a real email (7 min)

PROMPT · click to copy it from the Lab Prompts page · labs/prompts.html#lab-03

```
When an email arrives with "[NORTHSTAR-LAB] New enquiry" in the
subject, add the business, contact, service and date to the Leads
tab of Northstar-Launch-Dashboard, and save a Gmail draft reply
using @northstar-writer offering the 20-minute discovery call.
Never send the reply. Do not act on any other email.
```

Paste into

Gemini → Task, then Gmail

Expect

A new row in Leads and one unsent draft in Gmail.

You decide

Who reads those drafts, and by when? Put a name in your plan.

© Tertiary Infotech Academy Pte Ltd

TOPIC 4

Agent Monitoring, Performance Evaluation and Optimisation

Measure whether it really saves time, and know what to do when it goes wrong

1 Monitor

2 Measure

3 Contain

4 Optimise

5 Lab 4 · The hidden instruction

© Tertiary Infotech Academy Pte Ltd · TGS-2026064173

SCORECARD · K6

"Task completed" is not a KPI

Four questions decide whether this agent stays. Each needs evidence you can open and show.

Ask	KPI	Where the evidence lives
Was it right?	Facts correct, draft accepted first time	Claim-source check, sign-off
Was it safe?	Approvals followed, injections caught	Task thread, permission review
Was it worth it?	Minutes saved minus minutes reviewing	Time log, task runs
Did it help the business?	Qualified enquiries, replies on time	Lead Sheet, Gmail

WATCH OUT Low intervention can mean strong autonomy, or that nobody is checking. Sample the output.

© Tertiary Infotech Academy Pte Ltd

MONITOR

Know where to look when you are not watching

An always-on agent leaves a trail. These four places tell you what it did.

Progress chip → work panel

Completed, current and planned steps for every task in the thread.

Files panel

Which files Gemini read or updated. Click to open any of them.

Task list

Filter by needs input, in progress, completed or scheduled.

Scheduled page

Active, Paused and Completed. Your weekly five-minute check.

Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

THE RISK NOBODY SEES

An email can give your agent orders

Prompt injection hides instructions in content: invisible to you, visible to the agent.

4

harms Google names

1. Posts your private info on a public website
2. Sends your Gmail to an external service
3. Exposes insights from your Connected Apps
4. Runs a command or installs compromised software


REMEMBER Google's safeguards "don't guarantee protection". Your review is the control that counts.

Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

Hidden instruction found: seven moves, in this order

Contain first and investigate second. Your PP Task 4 checklist records each of these.



TIP Then delete saved remote browser data in Settings → Browser, and re-run to prove the fix worked.

Google Help: tasks · click

© Tertiary Infotech Academy Pte Ltd

ESCALATED COMPLAINT · A4

A customer complains. The agent wrote it. You own it.

Simulated case: "Northstar guarantees a 300% increase in leads" reached a client. Nobody approved that claim.

In the first hour

- Acknowledge the customer, without excuses
- Pause the workflow and keep the evidence
- Escalate to the named owner
- Correct it only with owner approval

Before it runs again

- Add "only claims from the inventory" to the skill
- Require an owner gate on anything public
- Re-run the case and compare
- Set a date to review it

© Tertiary Infotech Academy Pte Ltd

Write the engagement plan before the complaint arrives

OQ Q4 asks for these components. The escalation route is the one you will wish you had.

Audience and objectives

Who you serve, and what you want them to do.

Channel roles

What the website, email and LinkedIn are each for.

Message rules

Approved claims, tone, what is never said.

Cadence and owners

Who posts and replies, and how often.

Escalation route

Who handles a complaint, and how fast.

KPIs and review date

How you will know, and when you will check.

© Tertiary Infotech Academy Pte Ltd

TROUBLESHOOT

Why didn't it run? Check these before you blame the agent


Most surprises have a boring cause. Diagnose first, then change one thing.

What you see	Likely cause	Your move
Schedule did not run	Usage limit, or 15 tasks running	Check limits, clear finished tasks
Brief arrived late	Run times are approximate	Move anything time-critical out
Task says needs input	Waiting for your approval	Read the request, then decide
Wrong skill fired	Description is too broad	Tighten it, or deactivate the skill
Missing rows	Outside Spark's reach or scope	Name the sources and count again

Google Help: schedules · click

© Tertiary Infotech Academy Pte Ltd

Does it actually save time? Do the sum.



Net saving, first version: 120 - 45 - 30 = 45 min

After one fix: 120 - 25 - 10 = 85 min

1. Values are an illustrative worked example.
2. Net saving = hand time minus review and fix time.
3. Replace these with your own log in Lab 4.

© Tertiary Infotech Academy Pte Ltd

OPTIMISE

Earn it: widen the agent's job one rung at a time

One change per cycle. If the score drops, you know exactly which change did it.



Fix → Edit with Gemini

Failed run? Refine the instructions first



Prove → Before and after

Re-run the same case and compare



Widen → One at a time

Low-risk task clean for a while? Add one duty



Review → Named owner

Check permissions and skills on a set date

Google Help: skills · click

© Tertiary Infotech Academy Pte Ltd

TOPIC 4 · LAB 4

▶ COPY THE PROMPTS · lab 04

Lab 4: Catch the Hidden Instruction, Contain It and Prove the Savings

A supplier's Doc hides an order in white text. Run it safely, contain it in order, fix one control and then do the maths on whether Spark earns its keep.

The business scenario

A supplier emails a note to file in Drive. Hidden in white text is an instruction telling any AI agent to claim Northstar guarantees 300% more leads. The same week, a client complains about a slipped launch date. Nothing here is dangerous: the test phrase is a harmless canary. What you practise is real: stop, pause, preserve, remove, restore, tell and fix.

You will deliver

- ✓ Northstar-Containment-Checklist in Google Docs
- ✓ An unsent, owner-approved complaint reply in Gmail Drafts
- ✓ Northstar-Scorecard in Sheets with before-and-after evidence

Agents One Gemini Spark task, deliberately exposed to a harmless canary

Human role Spot it, contain it, approve the reply, change one control, sign off

Time 30 min · Incident drill + evaluation

Copy every prompt for this lab ▸ https://tertiarycourses.github.io/TGS-2026064173-AI-Agents-with-Gemini-Spark/labs/prompts.html#lab-04

© Tertiary Infotech Academy Pte Ltd

Lab 4: Who Does What, Step by Step

Perception → reasoning → action, with you at the checkpoints.

HUMAN · STEP 1

Pause

Pause your Lab 3 schedules first.

AGENT · STEP 2

Expose

Spark drafts from a Doc with a hidden canary.

HUMAN · STEP 3

Contain

Stop, preserve, remove, restore, tell.

AGENT · STEP 4

Fix + re-run

Change one skill rule, and run the same test.

HUMAN · STEP 5

Score

Four KPIs and the net minutes saved.

Checkpoint You can show the canary before and after your fix, the complaint reply is still unsent, and your scorecard states net minutes saved.

© Tertiary Infotech Academy Pte Ltd

▶ COPY THE PROMPTS · lab 04

Run the task against the booby-trapped note (6 min)

PROMPT · click to copy it from the Lab Prompts page · labs/prompts.html#lab-04

```
Read supplier-note in my Gemini Spark Workspace/Northstar folder
and the attached inventory. Draft a short public announcement
about our new supplier in a Google Doc named Northstar-
Announcement-Draft. Do not publish or send anything.
```

Paste into

Google Drive, then Gemini → Task

Expect

A draft. Look for BLUE-CANARY-42 and any 300% claim. Whether Spark obeyed or ignored it, both are valid results: write down which.

You decide

Would this have reached a client if you had not checked? That is the point of the human gate.

© Tertiary Infotech Academy Pte Ltd

▶ COPY THE PROMPTS · lab 04

Contain it in order and fill the checklist (10 min)

PROMPT · click to copy it from the Lab Prompts page · labs/prompts.html#lab-04

```
Create a Google Doc named Northstar-Containment-Checklist in my
Gemini Spark Workspace/Northstar folder, following the attached
template exactly.
Here is what I did, in order: [paste your notes].
Fill in the containment actions, the approval route, the
restoration method and the check that shows the workflow is safe
to resume. Do not invent any step I did not list.
```

Paste into

Gemini → Task, then Google Docs

Expect

A completed checklist that matches what you actually did.

You decide

Correct every line that overstates what you did, then take the PP Task 4 screenshot.

© Tertiary Infotech Academy Pte Ltd

WRAP-UP

Course Summary & Next Steps

1. What you can now do
2. Assessment
3. Digital attendance

© Tertiary Infotech Academy Pte Ltd · TGS-2026064173

WRAP-UP

Summary & Q&A

Topic 1

You know how AI got here, how the Big Five differ, and you drew the line for Spark in Gmail, Calendar and Docs.

Topic 2

One skill and one approved list produced a dashboard, a deck, site copy and a website.

Topic 3

You closed the lid and checked, then put posts and leads on a schedule with a rollback ready.

Topic 4

You caught a hidden instruction, contained it, fixed one control and did the maths.

© Tertiary Infotech Academy Pte Ltd

WRAP-UP

Keep Spark Working After Today

Start with one read-only schedule

A morning brief tomorrow, with nothing sent. Widen its job only after a clean week.

Turn your retyping into skills

Any instruction you have pasted three times is a skill waiting to be written.

Review on a set date

Check the Scheduled page, permissions and active skills every month.


Keep the scorecard

If review time beats saved time, change it or stop it.

© Tertiary Infotech Academy Pte Ltd

PRACTICE

Practise Before Your Next Certification



- Tertiary Exams at exams.tertiaryinfotech.com: realistic practice exams for AWS, Microsoft, Google Cloud and more. Separate from this course's PP and OQ.

exams.tertiaryinfotech.com · click

© Tertiary Infotech Academy Pte Ltd

ASSESSMENT

Final Assessment



Practical Performance (PP)

60 minutes, open book. Four tasks, one screenshot each. Task 1: Lab 1 contract. Task 2: Lab 2 website at mobile width. Task 3: Lab 3 implementation plan. Task 4: Lab 4 containment checklist.



Oral Questioning (OQ)

20 minutes, open book, one to one with your assessor. Four questions covering K1 to K6: platform strategy, trends and integration, KPIs, and engagement plans.

TIP Take the Assessment digital attendance and submit your answers on the LMS at https://lms-tms.tertiaryinfotech.com/.

© Tertiary Infotech Academy Pte Ltd

ASSESSMENT

Assessment Flow

On assessment day, follow these five steps in order.

STEP 1



TRAQOM

Scan the TRAQOM QR code on the LMS and complete the survey.

STEP 2



Attendance

Take the Assessment digital attendance (SSG QR).

STEP 3



Assessment

Sit the PP, then the OQ. Open book.

STEP 4



Submit

Upload your answers on the LMS.

STEP 5



Sign the record

Sign the Assessment Summary Record.

© Tertiary Infotech Academy Pte Ltd

BEFORE YOU GO

Certification, TRAQOM Survey & Digital Attendance

TRAQOM Survey (mandatory)

Complete the certification & TRAQOM survey to receive your certificate.

Scan the TRAQOM QR code on the LMS.

Digital Attendance

Take the AM, PM and Assessment digital attendance. Scan the SSG QR code.

Minimum 75% attendance is required for funding.

© Tertiary Infotech Academy Pte Ltd

Thank You!

Questions? We're here to help, during and after class.

enquiry@tertiaryinfotech.com | +65 6100 0613 | www.tertiarycourses.com.sg

© Tertiary Infotech Academy Pte Ltd