


POWER BI DASHBOARD REQUIREMENTS

Operational Performance and Data Analytics

Maximus UK | Operations Analytics | Power BI Reporting Framework

Dashboard landing page wireframe



Target Power BI landing-page concept for operational performance reporting.

Document type	Dashboard requirements and delivery specification
Business area	Maximus UK - operational reporting, service delivery and data analytics
Prepared by	Teruyuki Ito, Reporting and Data Visualisation Manager
Version	v1.0
Date	11 June 2025

Document control

This document defines the business, data, functional, security and delivery requirements for a Power BI dashboard suite supporting Maximus UK operational reporting and management oversight. It is written as a practical requirements artefact that can be used by analytics, operations, PMO, service delivery, quality and leadership teams.

Version	Date	Author / owner	Change summary
0.1	Draft	Data Analytics / PMO	Initial dashboard scope, KPI themes and user requirements.
0.2	Draft	Operations stakeholders	Added service delivery, case pipeline, SLA and data-quality requirements.
0.3	Draft	Reporting governance	Added RLS, refresh, adoption and acceptance criteria.
1.0	Baseline	Data Analytics / PMO	Baseline version for build planning, stakeholder walkthrough and backlog creation.

Contents

1. Executive summary
2. Business context and reporting problem
3. Dashboard objectives and scope
4. Stakeholders and user personas
5. Dashboard suite design
6. KPI dictionary and metric logic
7. Data sources, model and architecture
8. Functional and non-functional requirements
9. Security, access and governance
10. Delivery plan and implementation roadmap
11. Testing, UAT and acceptance criteria
12. Risks, assumptions, issues and dependencies
13. Operating model and adoption plan
14. Appendices

1. Executive summary

This document sets out the requirements for a Power BI dashboard suite to support operational performance monitoring, service delivery governance and management reporting within Maximus UK. The purpose is to replace fragmented spreadsheet reporting and manual status packs with a governed, repeatable and insight-led reporting model that gives leaders and delivery teams a consistent view of performance.

The dashboard suite is designed around common operational questions: how much work is entering the service, how quickly cases are progressing, where backlogs or SLA risks are building, how capacity compares with demand, whether outcomes are improving, and whether the underlying data is complete, timely and reliable.


1.1 Target outcomes

- Create a single version of the truth for operational KPIs, service levels, case progression, appointments, outcomes and data quality.
- Reduce manual Excel consolidation by replacing recurring reporting packs with refreshable Power BI dashboards and controlled metric definitions.
- Improve management visibility of trends, exceptions, ageing work, capacity pressure and quality risks before they become delivery issues.
- Enable drill-through from executive summary metrics into contract, region, office, team, case-stage and exception-level detail.
- Introduce a dashboard operating model covering ownership, access, refresh monitoring, change control and adoption.

1.2 Design principles

Principle	How it is applied	Expected benefit
Business-led KPI design	Each KPI has a named owner, definition, calculation rule, source and tolerance.	Less ambiguity in management reporting.
Actionable, not decorative	Every visual is linked to a decision, action, owner or escalation route.	Dashboards support operational control, not just visibility.
Exception-focused reporting	Default pages highlight SLA risks, ageing cases, data gaps and unusual trends.	Teams can focus effort on what needs attention.
Reusable semantic model	Measures are centralised in a Power BI dataset rather than duplicated in individual reports.	Consistent calculations across dashboards.
Governed self-service	Operational users can filter and analyse approved data without creating uncontrolled KPI versions.	Better adoption with controlled reporting.

Planned dashboard page coverage by KPI group



2. Business context and reporting problem

Operational reporting across service delivery environments often depends on extracts from case management systems, appointment tools, quality logs, workforce trackers, finance feeds and manually maintained spreadsheets. This creates duplicated effort, inconsistent metric definitions and delays in identifying service risk. A Power BI dashboard suite provides a controlled mechanism for bringing those datasets together into one reporting model.

2.1 Current reporting challenges

Challenge	Current impact	Dashboard requirement	Priority
Manual reporting effort	Weekly and monthly packs require repeated Excel consolidation and manual checking.	Automate standard dashboards with scheduled refresh and exception summaries.	High
Inconsistent KPI definitions	Different teams may calculate backlog, completed work or SLA compliance differently.	Create a KPI dictionary and centralised DAX measures.	High
Limited drill-down	Senior reporting may show a headline issue without enough diagnostic detail.	Enable drill-through by contract, region, office, team, case stage and status.	High
Delayed risk visibility	SLA exposure, ageing cases and capacity pressure are often visible after escalation.	Add early-warning indicators and trend thresholds.	High
Data quality uncertainty	Missing status dates, duplicate records or late refreshes can undermine trust.	Include a dedicated data-quality and refresh monitoring page.	High
Low adoption of reporting	Reports are not always designed around user journeys and operational decisions.	Design role-based pages and landing views for different stakeholder groups.	Medium

2.2 Reporting scope

The reporting scope is deliberately general so it can support multiple Maximus UK operational areas rather than a single team. The dashboard suite should be configurable by contract, programme, service line, location, delivery team and reporting period.

- Operational demand: referrals, inbound work, appointment requests, contact volumes and new case volumes.
- Case progression: open caseload, status movement, ageing, closures, rework and exceptions.
- Service levels: SLA compliance, breached work, days to action, response timeliness and escalation queues.
- Appointments: booked, completed, cancelled, rescheduled, DNA/no-show and capacity utilisation.
- Outcomes and delivery quality: successful outcomes, failed journeys, quality audit findings and rework drivers.
- Workforce and productivity: completed work per FTE, queue ownership, capacity pressure and workload distribution.
- Data quality: missing mandatory fields, duplicate records, invalid dates, stale statuses and refresh reliability.

3. Dashboard objectives and scope

3.1 Objectives

Objective	Description	Success measure	Owner
Operational control	Give managers a daily view of work volumes, backlog, SLA exposure and service risks.	Dashboard adopted in weekly performance reviews.	Operations
Executive visibility	Provide leadership with concise summaries of performance, trends, risks and decisions required.	Executive page used as the first page in governance meetings.	Senior leadership
Metric consistency	Standardise definitions for	KPI dictionary signed off and	Analytics / PMO

	referrals, open caseload, closures, SLA breach and outcomes.	version controlled.	
Data trust	Surface data-quality exceptions alongside the performance results they affect.	Data-quality dashboard reviewed weekly.	Data owners
Self-service insight	Allow users to slice approved data without creating conflicting spreadsheet versions.	Reduction in ad hoc data requests and manual reports.	Analytics

3.2 In scope

- Power BI report pages covering executive summary, service delivery, case pipeline, SLA, appointments, workforce, quality and data quality.
- Reusable semantic model with conformed dimensions and approved DAX measures.
- Role-level filters and row-level security where users should only see specific contracts, regions or teams.
- Scheduled refresh, refresh-status monitoring and data-load failure alerting.
- Dashboard documentation including KPI definitions, data lineage, security rules, user guide and support model.

3.3 Out of scope

- Replacement of source systems or case management workflow tools.
- Automated operational decisioning, unless separately approved and governed.
- Manual correction of source data within Power BI; data corrections must remain in approved source systems.
- Uncontrolled extraction of person-level sensitive data into unmanaged spreadsheets.
- Full predictive modelling in the first release, although future forecasting and anomaly detection are included in the enhancement backlog.

4. Stakeholders and user personas

Persona	Typical questions	Dashboard needs	Access level	Cadence
Senior leadership	Are we on track? Where are risks building? What decisions are needed?	Executive scorecard, trend summary, risks, contract comparison and exception narrative.	Aggregated national / contract-level	Weekly / monthly
Operations directors	Which contracts, teams or locations need intervention?	Backlog, SLA, capacity, productivity, quality and drill-through views.	Contract / regional	Daily / weekly
Service delivery managers	Which queues, stages or teams are under pressure?	Case-stage pipeline, ageing, workload distribution and action lists.	Assigned service area	Daily
Quality and compliance	Where are quality issues, rework or data defects increasing?	QA findings, rework reasons, audit outcomes and data-quality exceptions.	Quality-approved views	Weekly
PMO / reporting	Are KPIs aligned, reconciled and ready for reporting?	Metric definitions, reconciliation checks, refresh status and change log.	Full reporting model	Daily / weekly
Data owners	Which source fields are missing, duplicated, stale or invalid?	Data-quality dashboard and source-level exception extracts.	Relevant source domain	Daily / weekly


4.1 Stakeholder engagement approach

- Run KPI definition workshops with operations, PMO, quality and data owners before build starts.
- Use low-fidelity wireframes to confirm layout and user journeys before detailed Power BI development.
- Hold weekly playback sessions during build to review prototype pages, assumptions and outstanding decisions.
- Create a formal UAT group covering executive users, operations managers, data owners and report consumers.
- Maintain a feedback backlog separating defects, agreed changes and future enhancements.

5. Dashboard suite design

The dashboard suite should be designed as a connected reporting product rather than a collection of disconnected reports. Users should land on an executive or operational summary and drill into diagnostic pages where needed. All pages must use consistent filters, naming conventions, colour logic, KPI cards, date hierarchy and tooltip behaviour.

Dashboard landing page wireframe



Indicative landing page wireframe showing filters, KPI cards, trend visuals and exception panels.

5.1 Proposed report pages

Page	Purpose	Core visuals	Filters	Primary users	Action supported
1. Executive overview	Headline performance across contracts and service lines.	KPI cards, RAG status, trends, top risks, exception summary.	Period, contract, region, service line.	Leadership, PMO	Prioritise decisions and escalations.
2. Service delivery	Daily and weekly operational performance view.	Demand vs completions, backlog trend, status movement, throughput.	Period, contract, region, team, status.	Operations	Identify pressure points and plan intervention.
3. Case pipeline	Track journey stages, ageing and queue build-up.	Funnel, ageing buckets, stage conversion, stuck cases.	Referral route, status, team, age band.	Service managers	Clear blocked stages and ageing cases.
4. SLA performance	Monitor achieved, at-risk and breached work.	SLA compliance %, breach count, days to deadline, breach reason.	SLA type, priority, contract, team.	Operations, PMO	Act before breach and manage recovery.
5. Appointments	Understand capacity, attendance and appointment outcomes.	Booked vs completed, cancellations, DNA/no-show, reschedule rate.	Appointment type, location, team, clinician/adviser group.	Operations	Improve attendance and capacity planning.
6. Workforce productivity	Compare workload, output and available capacity.	Completed work per FTE, open work per owner, utilisation, queue balance.	Team, manager, role group, period.	Managers	Rebalance workload and resource planning.
7. Quality assurance	Monitor audit outcomes, rework and process adherence.	QA pass rate, rework reasons, defects, trend by process.	Contract, process, auditor, team.	Quality, operations	Target coaching and control improvements.
8. Data quality	Surface issues affecting KPI reliability.	Missing fields, duplicate cases, stale statuses,	Source, issue type, severity, owner.	Analytics, data owners	Correct source issues and protect reporting

		invalid dates, refresh status.			trust.
9. Drill-through detail	Controlled row-level list behind aggregated KPIs.	Exception table, case attributes, owner, ageing, action fields.	Context passed from summary page.	Approved operational users	Investigate records behind exceptions.

5.2 Common dashboard behaviours

Requirement	Detail	Acceptance criteria
Global filters	Date, contract, programme, service line, region, office, team and status filters available where relevant.	Filters work consistently across pages and do not break measures.
RAG rules	KPIs use agreed green, amber and red thresholds with tooltip explanations.	Thresholds match KPI dictionary and stakeholder sign-off.
Tooltips	Tooltips explain KPI definition, source, last refresh and exception logic.	Users can understand what each metric means without external notes.
Drill-through	Summary visuals drill to contract, region, team, stage and exception detail.	Users can move from headline issue to supporting records.
Bookmarks	Optional bookmarks for leadership view, operations view, quality view and data-quality view.	Bookmarks preserve filters and display states correctly.
Export controls	Aggregated exports allowed; sensitive row-level exports restricted based on access role.	Access rules tested during UAT.

6. KPI dictionary and metric logic

The KPI dictionary is the control point for consistent reporting. Each KPI must have a definition, calculation rule, source, granularity, refresh cadence and accountable owner. KPI names in Power BI should match this dictionary exactly unless an agreed display name is approved.

KPI	Definition	Indicative calculation	Primary source	Granularity	Refresh	Owner
Referral volume	Count of new referrals or new cases received in the reporting period.	COUNTROWS where referral_date in selected period	Case management	Day / contract / service	Daily	Operations
Open caseload	Cases active at the end of the selected period.	Open cases where closure_date is blank or after period end	Case management	Day / team	Daily	Operations
Closed cases	Cases completed, exited or closed in the selected period.	COUNTROWS where closure_date in selected period	Case management	Day / contract	Daily	Operations
Backlog ageing	Open cases grouped by number of days since referral or last action.	DATEDIFF(reference date, today) by age band	Case management	Case / status	Daily	Service delivery
SLA compliance %	Share of completed or active work handled within target.	Compliant records / eligible records	Case management / SLA rules	Contract / SLA type	Daily	PMO
SLA breach count	Number of records that have exceeded agreed service-level target.	COUNTROWS where breach_flag = 1	Case management / SLA rules	Case / team	Daily	Operations
At-risk cases	Records within a defined warning window before SLA breach.	COUNTROWS where days_to_deadline <= threshold and breach_flag = 0	Case management	Case / SLA	Daily	Operations
Appointment completion rate	Completed appointments as a share of booked appointments.	Completed appointments / booked appointments	Appointment system	Day / office / team	Daily	Operations
DNA / no-show rate	Appointments not attended without successful completion.	DNA appointments / booked appointments	Appointment system	Office / appointment type	Daily	Operations

Reschedule rate	Booked appointments moved to a new date/time.	Rescheduled appointments / booked appointments	Appointment system	Team / office	Daily	Operations
Throughput	Volume of completed operational activities in the selected period.	COUNTROWS of completed activities	Activity / case system	Day / team	Daily	Operations
Productivity per FTE	Completed work divided by available full-time-equivalent capacity.	Completed units / available FTE	Workforce + activity	Week / team	Weekly	Operations
Quality pass rate	Share of audited cases passing agreed QA criteria.	QA pass records / audited records	QA system / audit log	Team / process	Weekly	Quality
Rework rate	Share of work requiring correction, repeat handling or reprocessing.	Rework records / completed records	QA / case system	Contract / process	Weekly	Quality
Outcome rate	Share of eligible cases reaching a successful or defined target outcome.	Successful outcomes / eligible cases	Outcome dataset	Contract / cohort	Weekly	Service delivery
Contact volume	Inbound/outbound contact activity linked to case support.	COUNTROWS of contact interactions	Contact / telephony / CRM	Day / team	Daily	Operations
Data completeness %	Share of records with mandatory fields populated.	Complete mandatory fields / eligible fields	Data quality rules	Source / field	Daily	Data owner
Refresh success	Whether scheduled data refresh completed successfully and within SLA.	Latest successful refresh timestamp and status	Power BI / data pipeline	Dataset	Per refresh	Analytics


6.1 KPI rules requiring sign-off

- Whether backlog ageing is calculated from referral date, first contact date, last action date or SLA start date.
- Which case statuses are included or excluded from open caseload, inactive caseload, closed cases and outcome measures.
- How cancelled appointments, client-requested reschedules and provider-driven reschedules should be treated.
- Whether SLA measures are evaluated against calendar days, working days, business hours or contract-specific rules.
- How rework, duplicated cases and reopened cases should contribute to throughput and quality KPIs.
- Which record-level attributes can be exposed in drill-through views and exports.

7. Data sources, model and architecture

The dashboard suite should be built on an approved data model rather than connecting each report page directly to isolated spreadsheets or raw operational extracts. The recommended approach is to land source data, apply cleansing and business rules, create conformed dimensions, then publish a governed Power BI semantic model.

Target analytics architecture for operational Power BI reporting




Proposed reporting architecture for operational Power BI dashboards.

7.1 Source inventory

Source domain	Example data	Key fields	Refresh	Data owner	Notes / risks
Case management	Referrals, case status, closures, owner, service line.	Case ID, referral date, status, contract, team, closure date.	Daily	Operations data owner	Core source for volume, backlog, SLA and outcomes.
Appointment management	Booked, attended, cancelled, rescheduled and no-show appointments.	Appointment ID, case ID, booked date, outcome, office, appointment type.	Daily	Operations	Requires clear treatment of cancellation and reschedule reasons.
Workforce / capacity	FTE, team structure, rota capacity, working days.	Team, role, FTE, available hours, manager, location.	Weekly	Workforce planning	Used for productivity and capacity indicators.
Quality assurance	Audit results, defects, rework reasons, compliance checks.	Audit ID, case ID, finding, pass/fail, process, auditor.	Weekly	Quality	Must align QA categories to operational process map.
Contact / service desk	Calls, emails, tasks, client contact and service requests.	Contact ID, case ID, contact type, date, outcome, owner.	Daily	Service operations	May require de-duplication across channels.
Reference data	Contract, programme, service line, location, team hierarchy, KPI thresholds.	Contract ID, service line ID, team ID, effective dates.	Controlled change	PMO / analytics	Critical for consistent filtering and RLS.
Data-quality rules	Completeness, duplicates, invalid dates, stale statuses, missing joins.	Rule ID, source, field, severity, owner, exception count.	Daily	Analytics / data owners	Required to explain trust level of dashboard outputs.

7.2 Semantic model



Indicative star-schema model for operational reporting.

- Use a star schema with fact tables for service performance, appointments, QA outcomes, contacts and data-quality exceptions.
- Use conformed dimensions for date, contract, programme, service line, location, team, status and outcome.
- Create central DAX measures for approved KPIs and hide raw technical columns from report consumers.
- Apply incremental refresh where source volumes make full refresh inefficient.
- Maintain a data dictionary documenting source fields, transformation rules and relationship logic.

7.3 Data quality controls

Rule type	Example rule	Severity	Dashboard treatment	Owner
Completeness	Mandatory fields such as case ID, contract, referral date or status must not be blank.	High	Count exception; flag affected KPIs; provide source extract.	Data owner
Validity	Closure date cannot be before referral date; appointment outcome must be in approved list.	High	Exclude or flag based on agreed metric rule.	Analytics / source owner
Uniqueness	Case ID should not appear as duplicate active records unless valid reopen logic exists.	High	Show duplicate count and impacted records.	Operations
Timeliness	Source refresh should complete by agreed reporting cut-off.	Medium	Show last refresh timestamp and refresh status banner.	Analytics
Referential integrity	Case records should join to valid contract, team, location and service-line reference data.	Medium	Report unmatched records and assign remediation owner.	PMO / analytics

8. Functional and non-functional requirements

8.1 Functional requirements

ID	Requirement	Description	Priority	Acceptance criteria
FR-01	Executive summary	Provide one-page summary of overall performance, risks, SLA, backlog and trends.	Must	All agreed headline KPIs available with date and contract filters.
FR-02	Operational drill-down	Allow users to drill from national/contract view into region, office, team and status.	Must	Drill path works across all core KPIs.
FR-03	SLA risk view	Display breached and at-risk records with deadline and owner context.	Must	At-risk logic reconciles to signed-off SLA rules.
FR-04	Case ageing	Show ageing bands and identify cases with no recent action.	Must	Ageing aligns to agreed reference date and exclusions.
FR-05	Appointment performance	Track booking, completion, cancellation, DNA/no-show and reschedule patterns.	Should	Appointment numbers reconcile to source extract.
FR-06	Workforce productivity	Show output, workload and capacity by team and manager.	Should	Productivity visible only where capacity data is approved.
FR-07	Data-quality page	Show exceptions affecting completeness, validity, duplicates and refresh timeliness.	Must	Exception counts link back to data-quality rules.
FR-08	Narrative summary	Provide management-friendly text boxes for risks, movements and decision points.	Should	Narrative can be updated through approved comments/source table.
FR-09	Controlled export	Allow approved users to export supporting exception lists.	Could	Export behaviour follows access and data-protection rules.
FR-10	Mobile-friendly summary	Provide simplified view for leadership review on smaller screens.	Could	Mobile layout tested with key KPI cards.

8.2 Non-functional requirements


Area	Requirement	Target	Notes
Performance	Common pages should load within an acceptable time for business users.	Target under 5 seconds for standard interactions.	Optimise model, relationships and DAX measures.
Refresh	Dataset refresh must complete before reporting cut-off.	Daily refresh before business reporting window.	Refresh failures surfaced on data-quality page.
Security	Users should only see authorised contracts, teams or sensitive detail.	RLS applied and tested before release.	Aggregated views may be broader where approved.
Usability	Dashboard should be usable without analyst explanation.	Consistent navigation, filters, tooltips and KPI definitions.	Provide a one-page user guide.
Auditability	Metric logic, source mapping and changes must be traceable.	Version-controlled KPI dictionary and change log.	Changes approved through governance cadence.
Resilience	Dashboard should handle missing source files or late loads clearly.	Clear refresh status and last successful load timestamp.	Do not silently show stale data.

9. Security, access and governance

The dashboard will contain operational performance information and may include sensitive record-level details in drill-through views. Access should follow least-privilege principles and must be tested before release. Aggregated management information should be separated from restricted row-level or personal information.

Role	View level	Allowed actions	Restrictions	Example users
Executive viewer	Aggregated national, contract and service-line summary.	View summary, filter, view trends.	No personal record export.	Leadership / directors
Operations manager	Assigned contract, region, office or team.	View detail, drill-through, export approved exception lists.	RLS by responsibility area.	Service delivery managers
Quality viewer	Quality and audit views across approved areas.	View QA findings, rework, quality trends.	Restricted access to sensitive case fields.	QA and compliance
Data owner	Data-quality exceptions for owned source domain.	Investigate field-level defects and refresh issues.	No broader operational access unless approved.	Source-system owners
Analytics admin	Full dataset and report workspace.	Maintain model, refresh, DAX, deployment and access setup.	Admin activity governed through change control.	BI / analytics team

Dashboard governance model



Governance model required to keep the dashboard trusted after rollout.


9.1 Governance cadence

Cadence	Forum	Purpose	Inputs	Outputs
Daily	Refresh monitoring	Confirm data refreshed successfully and identify failed loads.	Power BI refresh status, source-load logs.	Refresh issue log and owner.
Weekly	Operational performance review	Review KPI trends, exceptions, SLA risks and actions.	Dashboard pages and action tracker.	Actions, escalations and decisions.
Fortnightly	KPI and data-quality review	Review data defects, metric logic questions and remediation progress.	Data-quality page, issue log, KPI dictionary.	Updated rules and remediation plan.
Monthly	Reporting governance board	Approve changes, new measures, access updates and enhancement backlog.	Change requests, adoption metrics, UAT feedback.	Approved release backlog.

10. Delivery plan and implementation roadmap

The first release should focus on controlled delivery of a usable operational dashboard suite rather than attempting to automate every reporting requirement in one cycle. The recommended plan is a 12-week delivery path with discovery, data profiling, semantic modelling, report build, UAT, rollout and hypercare.

12-week delivery plan for the Power BI dashboard suite



Indicative delivery roadmap. Final dates should be aligned to stakeholder availability and source-system readiness.

Phase	Key activities	Deliverables	Decision points	Dependencies	Exit criteria
1. Discovery	Confirm users, reporting pain points, KPI themes and success criteria.	Stakeholder map, scope, draft KPI list.	Agree dashboard scope.	Stakeholder availability.	Signed-off scope and priorities.
2. Data assessment	Map source systems, fields, data quality and refresh feasibility.	Source inventory, profiling summary.	Confirm viable sources.	Data access and extracts.	Source-to-KPI mapping completed.
3. Model design	Design facts, dimensions, relationships and measure logic.	Semantic model design, KPI dictionary.	Approve metric rules.	Reference data and RLS rules.	Model ready for build.
4. Wireframes	Create page layouts and validate user journeys.	Wireframes, navigation design.	Approve UX approach.	Stakeholder feedback.	Wireframes accepted.
5. Build	Develop dataset, measures, pages, drill-through and tooltips.	Power BI report and dataset.	Prototype playback.	Development workspace, access.	Build ready for UAT.
6. UAT	Reconcile measures, test filters, test access and capture defects.	UAT log, defect list, sign-off.	Go/no-go decision.	UAT users and test data.	Critical defects closed.
7. Rollout	Publish dashboard, train users and communicate support route.	Production report, user guide, comms.	Release approval.	Workspace and app permissions.	Users onboarded.
8. Hypercare	Monitor adoption, refresh, defects and enhancement requests.	Hypercare log and backlog.	Transition to BAU.	Support ownership.	Stable dashboard and agreed backlog.

10.1 RACI overview

Activity	Analytics	Operations	PMO	Data owners	Leadership
KPI definition	R	A/C	C	C	I
Source mapping	R	C	C	A/R	I
Semantic model build	A/R	C	I	C	I

Dashboard design	R	A/C	C	I	C
UAT	R	A/R	R	C	C
Access approval	R	C	A	C	I
Production release	A/R	C	C	I	A
Change control	R	C	A/R	C	I

R = Responsible, A = Accountable, C = Consulted, I = Informed.

11. Testing, UAT and acceptance criteria

Testing should cover data reconciliation, metric logic, report usability, security, performance, refresh behaviour and adoption readiness. UAT should be completed by business users, not only the analytics team, because the purpose of the dashboard is operational decision support.

Test area	Test objective	Example tests	Evidence	Pass criteria
Data reconciliation	Confirm Power BI totals match approved source extracts.	Referral count, open caseload, closures, appointment totals, SLA breaches.	Reconciliation workbook and sign-off notes.	Variance within agreed tolerance or explained.
KPI logic	Confirm DAX measures follow signed-off definitions.	SLA compliance, age bands, at-risk rules, productivity per FTE.	Measure review and test cases.	All priority KPIs approved.
Filter behaviour	Confirm filters apply consistently across pages.	Date, contract, region, office, team, status and service line.	UAT checklist.	No broken interactions or unexpected blanks.
Security	Confirm users only see approved data.	RLS testing for executive, manager, quality, data-owner and admin roles.	Access test matrix.	No unauthorised rows visible.
Performance	Confirm report is responsive for normal use.	Page load, slicer response, drill-through, export.	Performance analyser outputs.	Common interactions meet target.
Refresh	Confirm scheduled refresh, status monitoring and failure handling.	Refresh run, failed-refresh simulation, stale-data banner.	Refresh log and screenshots.	Refresh works and failures are visible.
Usability	Confirm business users can interpret dashboard independently.	Navigation, tooltip clarity, page naming, user guide.	UAT feedback log.	No critical usability blockers.

11.1 Acceptance criteria

- Priority KPIs reconcile to approved source extracts or documented reconciliation rules.
- KPI dictionary, source-to-target mapping and data-quality rules are agreed and stored with the project artefacts.
- RLS and workspace permissions are tested for each user group before publication.
- The dashboard includes last-refresh information and data-quality exception visibility.
- Operations, PMO and analytics representatives complete UAT sign-off.
- A BAU owner is assigned for refresh monitoring, issue triage, access requests and change control.

12. Risks, assumptions, issues and dependencies

Type	ID	Description	Impact	Likelihood	Mitigation / action	Owner
Risk	R01	KPI definitions are not agreed consistently across teams.	Conflicting numbers and low adoption.	Medium	Run KPI sign-off workshops and version-control definitions.	PMO / Analytics
Risk	R02	Source data has missing mandatory fields or duplicate records.	Metrics may be delayed or questioned.	High	Build data-quality checks and exception reports from day one.	Data owners
Risk	R03	Dashboard scope expands before first release is stable.	Delayed delivery and reduced quality.	Medium	Use MoSCoW prioritisation and move enhancements to backlog.	Project owner
Assumption	A01	Source systems can provide regular extracts	Build depends on	Medium	Confirm access during data assessment	Analytics

		or direct controlled access.	stable data feeds.		phase.	
Assumption	A02	Operational hierarchy data is available and maintained.	Filters and RLS depend on it.	Medium	Create controlled reference-data owner and update process.	PMO
Issue	I01	Some measures currently exist only in manual spreadsheets.	Logic may be undocumented.	High	Reverse-engineer existing calculations and obtain owner sign-off.	Analytics
Dependency	D01	Power BI workspace, gateway and access groups must be configured.	Production release cannot proceed without them.	Medium	Engage IT/admin support early.	Analytics / IT
Dependency	D02	UAT users must be available during test window.	Delayed sign-off.	Medium	Book UAT slots at project start.	Project owner

13. Operating model and adoption plan

The dashboard should move into a BAU support model after rollout. Without clear ownership, refresh monitoring, change control and user guidance, Power BI dashboards can quickly become another unmanaged reporting layer. The operating model below is designed to keep the dashboard trusted and useful after initial delivery.

Process	How it works	Owner	Output
Refresh monitoring	Check scheduled refresh status each reporting day and log failures.	Analytics	Refresh log and issue actions.
Access requests	Requests submitted through agreed route and approved by data owner or manager.	PMO / Analytics	Updated access group and audit trail.
KPI changes	New or changed KPIs require definition, owner, source mapping and sign-off.	Reporting governance	Updated KPI dictionary and release notes.
Defect triage	Classify issues as data defect, calculation defect, security defect, usability issue or enhancement.	Analytics / data owners	Defect log and resolution status.
User training	Provide short walkthroughs by persona and a one-page dashboard guide.	Analytics / operations	Adoption evidence and reduced manual queries.
Monthly review	Review usage, feedback, performance, refresh stability and backlog priorities.	Governance group	Approved backlog and next release plan.

13.1 Adoption measures

Measure	Why it matters	Target direction	Source
Active users	Shows whether report is being used by intended audience.	Increase after rollout and stabilise.	Power BI usage metrics
Manual report reduction	Confirms dashboard replaces repeated manual reporting effort.	Decrease over first two months.	Reporting inventory
Ad hoc data requests	Indicates whether users can self-serve standard questions.	Decrease for standard KPI queries.	Analytics request log
Data-quality defects	Shows whether source owners are improving reporting reliability.	Decrease in recurring high-severity defects.	Data-quality dashboard
Refresh reliability	Confirms dashboard is dependable for daily governance.	High successful refresh rate.	Power BI refresh history

14. Appendices

Appendix A - Example backlog

ID	Enhancement	Description	Benefit	Priority	Release
E01	Forecasting	Add referral and backlog forecast using historical demand and capacity assumptions.	Earlier capacity planning.	Medium	R2
E02	Anomaly detection	Flag unusual increases in backlog, DNA/no-show, breaches or data defects.	Proactive exception management.	Medium	R2
E03	Narrative automation	Generate standard commentary for trend movements and outliers.	Less manual report writing.	Low	R3
E04	Power Automate alerts	Send notifications when SLA risk or data-quality exceptions exceed threshold.	Faster action on exceptions.	Medium	R2
E05	Finance overlay	Add cost-to-serve, budget, productivity and contract financial performance where approved.	Better performance-to-cost visibility.	Low	R3

Appendix B - Page naming convention

- Use numbered pages for clear navigation: 01 Executive Overview, 02 Service Delivery, 03 Case Pipeline, and so on.
- Use business-friendly names in the report and technical names only in the model documentation.
- Prefix measures with a KPI grouping only where it improves discoverability, for example SLA Compliance %, Case Open Count and Appointment Completion Rate.
- Use consistent tooltip wording for source, definition, refresh and known exclusions.

Appendix C - Definition of done

- Report pages built against approved semantic model.
- KPI dictionary completed and agreed by accountable owners.
- Data-quality checks implemented for priority source fields.
- RLS and workspace access tested.
- UAT completed and defects closed or accepted with workaround.
- User guide and support route published.
- Dashboard released to production workspace or app with refresh schedule enabled.

Appendix D - Sign-off checklist

Area	Reviewer	Evidence required	Status	Comments
Business scope	Operations / PMO	Scope statement, page list and priority matrix.	Pending	
KPI definitions	Metric owners	KPI dictionary and signed-off calculation logic.	Pending	
Data sources	Data owners	Source inventory, lineage and refresh agreement.	Pending	
Security	Information governance / analytics	RLS test matrix and workspace permissions.	Pending	
UAT	Business users	UAT log, reconciliation evidence and defect closure.	Pending	

BAU handover	Analytics / support owner	Support model, change log and user guide.	Pending	
--------------	---------------------------	---	---------	--