VISOKA SKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

DOKUMENTACIJA

https://luxuryshoptesic.000webhostapp.com/index.php

Contents

Uvod	4
Korisceni programski jezici:	4
Opis funkcionalnosti:	4
Template	6
Organizacija	6
Schema baze:	6
Slike stranica I opis funkcionalnosti:	7
Kodovi	23
PHP	23
Index.php	23
views/pages/products.php	24
views/pages/contact.php	28
views/pages/home.php	29
views/pages/author.php	32
views/pages/account.php	32
views/pages/login.php	35
views/pages/register.php	37
views/pages/single.php	39
views/pages/checkout.php	43
views/fixed/header.php	45
views/fixed/footer.php	47
view/fixed/nav.php	48
views/pages/adminPanel/adminHome	50
views/pages/adminPanel/adminTable	52
views/pages/adminPanel/indexAdmin	56
views/fixed/navAdmin	71
models/adminEdit	72
modal/cart_items	75
models/checkoutCart	75
models/contact_form	76
models/adminDelete	77
models/filter_sort	77

models/functions	79
models/getAllForForeignKey	83
models/getColumnsforEdit	83
models/insertAdmin	84
models/login	89
models/logout	92
models/registration	93
models/returnOptions	94
models/unbanUserAdmin	94
models/userChangeProfil	95
config/config	96
config/conncetion	96
JS	98
CSS	120

Uvod

Korisceni programski jezici:

Jezici koji su korisceni za izradu sajta: HTML, CSS, JAVASCRIPT, JQUERY, PHP, MySQL

Opis funkcionalnosti:

- Dinamicko ispisivanje proizvoda iz baze podataka.
- Sistem registracije potom upisivanje korisnika u bazu.
- Logovanje korisnika I prikazivanje sadrzaja sajta za korisnika u odnosu na njegovu role.
- Sortiranje proizvoda po ceni (opadajuce, rastuce) i po imenu(A-Z, Z-A).
- Filtriranje proizvoda po brandu, polu, popustu koje je zajedno sa sortiranjem i paginacijom odradjeno sinhronizovano.
- Klikom na proizvod dobija se single-page stranica o tom proizvodu I dodatne informacije kao i "slicni proizvodi" koji odgovoraju tom proizvodu.
- Registrovani korisnici imaju mogucnost da dodaju proizvode u korpu, a potom u korpi u zavinosti mogu da obrisu dodat proizvod, izmene kolicinu tog proizvoda, da obrisu sve proizvode i da zavrse kupovinu.
- Svaki korisnik dobija staticnu "user" sliku, a potom kada klikne na svoje ime u gornjem desnom uglu npr: "Djordje" moze da pogleda profil.

- U stranici account.php korisnik moze da pogleda osnovne informacije o sebi, pregled svoje kupovine po stavkama, a takodje moze i da odradi unos svoje slike, promeni sebi sifru ili email.
- Korisnik moze I sa index.php stranice klikom na brend sata da ga odmah preusmeri na stranicu shop.php I tu mu isfiltrira brend sata u zavisnosti od toga sta je korisnik izabrao.
- Ne moze svaki korisnik da vidi stranicu author.php vec samo korisnici koji su ulogovani.
- Korisnik moze kontaktirati administrator u stranici contact.php I tu kada popuni formu za kontakt, njegovi podaci ce biti upisani u bazu i automatski ce administratoru admin panelu pojaviti vase pitanje.
- Administrator stranice ima poseban pristup stranici indexAdmin.php koja je zasticena tako da ako na nju proba da pristupi obican korisnik ili ne ulogovan korisnik bice odmah redirektovan na pocetnu stranicu.
- Administrator ima pristup svim tabelama u admin panelu I moze da radi bilo koju operaciju koju CRUD operaciju.
- Administrator u admin panelu ima i evidenciju o broju ulogovani korisnika na sajtu u poslednjih 24h kao i posete stranicama u poslednjih 24h.
- Korisnik kada promasi sifru 3 puta u 5minuta ce biti automatski banovan I nece moci da se loguje na sajt, dok mu administrator ne skine ban. Dobija mejl sa porukom da je banovan I da kontaktira administrator za unban.


Template

Za izradu ovog sajta koriscen je template sa W3Layouts:

https://w3layouts.com/template/luxury-watches-a-flat-ecommerce-bootstrap-responsive-web-template/

Organizacija


Schema baze:




Slike stranica I opis funkcionalnosti:




Pocetni meni za neautorizovanog korisnika. Broj elemenata u korpi je inicijalno 0 I svakim drugim dodavanjem/brisanjem ce taj broj u zavisnosti da se menja



Neautorizovani korisnik isto kao I autorizovani moze da dodaje u korpu proizvode,menja im kolicinu,brise ih dodaje, ali za razliku od autorizovanog, on nece imati pravo na dugme 'Checkout' vec ce mu biti ispisana poruka o nemogucnosti zavrsetka kupovine.




Klikom na 'Login' neautorizovani korisnik ce dobiti opciju logovanja. Ako nema nalog ima opciju dugmeta 'Create an Account' koji ce ga redirektovati na stranicu za registraciju. Provera se vrsi na klijentskoj I na serverskoj strani i kod logovanja I kod registracije.



Provera registracije na klijentskoj stranici kako korisnik ne bi mogao da unese bilo sta. Kada korisnik se uloguje, dobice poruku da je uspesno se logovao a potom ce posle par sekundi biti redirektovan ponovo na login stranicu.



Prikaz kada se uloguje admin. Bice mu prosirena navigacija,imace dugme za odjavljivanje. Za razliku od obicnog korisnika kada se uloguje, admin ima poseban link za admin panel. I bice mu prikazan tekst 'Welcome admin' i takodje ime ce mu biti crvene boje (dok je za obicne korisnike zelena). Bice mu prikazana slika odmah pored imena. (kada se prvi put loguje bice mu slika user.png koja je automatski u bazi).



Kada klikne na svoje ime 'Djordje' bice mu prikazana profil stranice gde se nalaze njegovi osnovni podaci, polje gde moze da modifikuje profil I prikaz istorije kupovine. Nije u obavezi da izmeni sliku, ali kada izmeni sliku automatski ce mu biti kreirana u thumbnail slika za navigaciju. Moze da menja podatke u zavisnosti koje on hoce.

History of purchase

Product name	Quantity	Price	Total	Date of purchase
CASIO-EFR-564D-1A	2	172.00	\$344	2023-05-29
Casio-MTP-VD300D-1E	1	73.00	\$73	2023-05-29
SEIKO-SUR515P1	1	300.00	\$300	2023-05-29
ROLEX-SUBMARINER	1	21500.00	\$21500	2023-05-29
CITIZEN BM7460-88H	1	133.00	\$133	2023-06-01
CASIO-EFR-564D-1A	1	172.00	\$172	2023-06-02

Total: \$22522

Close

Klikom na dugme 'History of purchase' dobija se modal u istoriji kupovine za korisnika.



CASIO-EFR-564D-1A

\$172.00

Casio is a Japanese watch brand known for its durability, functionality, and affordability. Casio watches offer various features such as calendars, alarms, backlighting, and water resistance. This brand is also recognized for its digital watches, particularly the popular G-Shock series.

Specification:


Gender:	Male
Brand:	Casio
Waterproof:	10 ATM
Bracelet size:	38 mm
Watch:	mechanic
Weight:	172 g
Color:	White,Red
Guarantee:	24 month

ADD TO CART


Klikom na neki proizvod otvara se single strana tog proizvoda. Slika je originalnog formata,dok je na stranici products.php resajzovane slike. Tu je ispisano ime proizvoda, aktuelna cena proizvoda,opis brenda 'Casio', a takodje su tabelarno prikazane I specifikacije o proizvodi. Mogucnost dodavanja u korpu za ulogovane korisnike.

▼ DESCRIPTION


Casio EFR-564D-1A is a men's analog watch that belongs to the Casio Edifice series. Casio EFR-564D-1A features an elegant and sporty look, characteristic of the Edifice line. The watch is designed for men and combines style and functionality. The watch case is made of stainless steel, providing durability and resistance to wear. It has a black dial with silver hands and markers, ensuring easy readability even in low-light conditions. The watch is equipped with mineral glass, providing protection against scratches and damages.




Drugi deo stranice je opis samog tog proizvoda kao I prikaz 'povezanih' proizvoda ako postoji, uglavnom satove koji imaju isto ime.





Prikaz stranice products.php gde imamo sve satove,njihove 'resize' slike,kao filtriranje po polu,brendu,boji, popustu I sortiranje. Klikom na korpu korisnik ce dobit poseban modal o tome da je stavio proizvod u korpu. Ako ponovo klikne na taj proizvod dobice modal sa obavestenjem da je povecao kolicinu tog proizvoda u korpi zaz jedan.




U donjem delu je broj stranica. Svaka stranica ima 9 proizvoda I dinamicki se racuna broj stranica. Klikom na drugu stranicu dobijaju se jos dva proizvoda.








Shopping Cart



Klikom kada je korpa ima proizvode na 'Checkout' Korisnik ce biti obavesten da je uspesno izvrsio kupovinu I njega kupovina ce biti upisana u bazu podataka.



Klikom na 'Contact' korisniku ce biti prikazana forma za kontaktiranje administratora I nju mogu da popune I neulogovani korisnici. Provera se radi na klijentskoj strani I serverskoj.

ACCOUNT


Existing User	New User? Create an Account
Email	By creating an account with our store, you will be able to move through the checkout process faster, store multiple shipping addresses, view and track your orders in your
Password	account and more. Create an Account
You are pernament banned from this site	Visual an Assum
Forgot Your Password? Login	

Kada korisnik 3 puta pogresi lozinku u 5minuta automatski ce dobiti poruku o tome da je banovan I samo administrator moze da mu skine ban. Automtaski mu se salje mejl gde ce biti obavesten da je banovan.

#	Site	Visit in the last 24h	Visit by percentage	
1	Login	42	29.17%	
2	Home	39	27.08%	
3	Profil	2	1.39%	
4	Products	27	18.75%	
5	Contact	11	7.64%	
6	Single	9	6.25%	
7	Checkout	8	5.56%	
8	Register	2	1.39%	
9	Author	4	2.78%	

Kada administrator ode u deo za admin panel on tu ima na pocetnoj strani prikaz poseta po sajtu u poslednjih 24h kao I procentualni poredak. Takodje ima prikaz I koliko je bilo ulogovano korisnika u poslednja 24h.


Luxury Watches




Takodje sa njegove leve strane imamo izlistane I prikazane sve tabele koje postoje u bazi.

Product_specification					
Insert					
ld	Product Name	Specification Name	Value	Delete	Update
1	CASIO-EFR-564D-1A	Waterproof	10	Delete	Update
2	CASIO-EFR-564D-1A	Weight	172	Delete	Update
3	CASIO-EFR-564D-1A	Bracelet size	38	Delete	Update
5	CASIO-EFR-564D-1A	Watch	mechanic	Delete	Update
7	Casio-MTP-VD300D-1E	Waterproof	3	Delete	Update
8	Casio-MTP-VD300D-1E	Weight	110	Delete	Update
9	Casio-MTP-VD300D-1E	Bracelet size	45	Delete	Update


Klikom na jednu od tabela (u ovom slucaju product_specification) dobija tabelaran prikaz svih redova I kolona za tu tabelu uz dodatne kolone Delete I Update za brisanje i izmenu redova.



Kada klikne na dugme insert dobice ovakav modal za dodavanje novog zapisa u tabelu. Gde god je strani kljuc administrator bira iz padajuce liste, kada treba da kuca veci text onda ima textarea-u, a za datume ima padajucu listu da izabere datum.



Kada korisnik klikne na neki red u tabeli na dugme Delete dobice ovakav modal da potvrdi da li je siguran da zeli da obrise taj red.



Kada klikne na dugme update dobice modal popunjen sa vrednoscima is tog reda.



Takodje administrator u tabeli users pored insert-dela ima I dugme za prikaz banovanih korisnika.

The are no banned user

Close

Prikaz modala,trenutno nema nijedan korisnik koji je banovan.

Kodovi

PHP

Index.php

```
<!DOCTYPE html>
CheckTimeInFile("data/korisnici.txt", "5m");
```

```
<div class="modal-content text-center">
                 <div class="icon-box" style="margin:0px auto">
alert-icon"></span>
                 </div>
                 <h4 class="modal-title w-100">Cart</h4>
             </div>
             <div class="modal-body">
             </div>
         </div>
     </div>
<script src="https://code.jquery.com/jquery-3.7.0.js" integrity="sha256-</pre>
JlqSTELeR4TLqP00G9dxM7yDPqX1ox/HfgiSLBj8+kM="
crossorigin="anonymous"></script>
<script src="assets/js/main.js"></script>
</body>
</html>
```

views/pages/products.php

```
<div class="prdt-top">
         <div class="dj-t-flex justify-content-center dj-t-center">
                     <option value="0">Choose</option>
                     <option value="name-asc">Name ASC</option>
                     <option value="name-desc">Name DESC</option>
                     <option value="price-asc">Price ASC</option>
                     <option value="price-desc">Price DESC</option>
                 </select>
            </div>
            </div>
        </div>
                $upit="SELECT id FROM products";
                $rezultat=$konekcija->query($upit)->fetchAll();
                 $pages=(int)ceil($numberOfProducts/$per page);
                 $upit1="SELECT * FROM products
                $nizProizvoda=$konekcija->query($upit1)->fetchAll();
                 Explore Now
```

```
$postojiPopust=CheckPercent($proizvod id);
echo "$". LoadOldPrice($proizvod id) ?></del>
                                        <button class="item add" href="#"</pre>
                                        <span class=" item price"><?php echo</pre>
"$". LoadPrice($proizvod id) ?></span>
                                   </h4>
                     </div>
                               $rezultat datuma=CheckPercent($proizvod id);
$procenat=ProductPercent($proizvod id);
                  </div>
               </div>
               <div class="clearfix"></div>
link paginacija"><?=$i?></a>
                               </nav>
                       </div>
            </div>
         </div>
                  <h4>Gender</h4>
                  <div class="row1 scroll-pane">
                     <div class="col col-4" id="gender">
                                      $kategorije=GetTableAll("gender");
```

```
</div>
                   </div>
               </section>
               <section class="sky-form">
                   <h4>Brands</h4>
                      <div class="col col-4" id="brand">
                                      $brendovi=GetTableAll("brand");
                         <label class="checkbox"><input type="checkbox"</pre>
                      </div>
                   </div>
               </section>
                   <h4>Colour</h4>
                             $boje=GetTableAll("color");
                         <button class="<?=$boja['class']?> dugmici"data-
               </section>
                   <h4>discount</h4>
name="radio" value="60"><i></i>60 % and above</label>
                            <label class="radio"><input type="radio"</pre>
                                         <label class="radio"><input</pre>
                         </div>
                      </div>
               </section>
            </div>
         </div>
         <div class="clearfix"></div>
      </div>
   </div>
 /div>
```

```
<?php
?>
<!--product-end-->
```

views/pages/contact.php

```
<div class="breadcrumbs">
  <div class="container">
        Contact
        </div>
  </div>
</div>
        <h2>CONTACT</h2>
     </div>
             <div class="address">
                <h5>Address</h5>
                Luxury Watches,
             <div class="address">
                <h5>Contact</h5>
                Tel:064555333,
                <span>Fax:190-4509-494
                Email:luxurywatches@example.com
             </div>
          </div>
                <div class="dj-t-flex">
good format Example: Djordje Tesic</h5>
                          </div>
                            <div class="xaxaax">
                               <input type="text" id="subject" class="dj-</pre>
t-sirina" placeholder="Subject">
                           </div>
```

```
<input type="text" id="email contact"</pre>
                                    <h5 class="dj-t-none">Your email is not in
good format Example: djordjetesic@gmail.com</h5>
                            </div>
required=""></textarea>
                            <h5 class="dj-t-none">You have to fill in
                     <input type="button" id="contact btn" value="SUBMIT">
               </form>
            </div>
            <div class="clearfix"></div>
         </div>
               <div class="obavestenje ">
               </div>
           </div>
  </div>
</div>
       <iframe
</div>
```

views/pages/home.php

```
<h1 class="text-center dj-t-razmak-hedera">Top Brands</h1>
        <div class="about-top grid-1">
                <a href="#" id="rolexSat">
                         <img class="img-responsive" src="assets/images/abt-</pre>
                        <fiqcaption>
                             <h2>Rolex</h2>
known for their exceptional quality, precision, and elegance. Their watches
are synonymous for luxury...
                        </figcaption>
                </a>
            </div>
               <a href="#" id="casioSat">
2.jpg" alt=""/>
                       <figcaption>
                            < h4 > Casio < /h4 >
                       </figcaption>
                   </figure>
               </a>
            </div>
                        <figcaption>
                             <h4>Tissot</h4>
features...
                        </figcaption>
                    </figure>
                </a>
            </div>
            <div class="clearfix"></div>
        </div>
    </div>
</div>
        <div class="product-top">
            <div class="product-one">
                Supit="SELECT p.id,p.name,p.src,p.description,pr.price
```

```
dateTo<=CURRENT_DATE AND product_id=p.id LIMIT 1) as old_price
FROM products p INNER JOIN product_price pr ON
                 $rezultat proizvoda=$konekcija->query($upit)->fetchAll();
                     <div class="product-main simpleCart shelfItem">
href="index.php?page=single&id=<?=$proizvod['id']?>" class="mask"><img
resize/<?=$proizvod['src']?>" alt="" /></a>
                              Explore Now
$postojiPopust=CheckPercent($proizvod id);
                                       <del class="dj-t-dell-product"><?php echo</pre>
"$". LoadOldPrice($proizvod id) ?></del>
                                  <span class=" item price"><?php echo "$".</pre>
LoadPrice ($proizvod id) ?></span>
                              </h4>
                          </div>
                          $rezultat datuma=CheckPercent($proizvod id);
                              <div class="srch srch1">
                                           <span><?php
$procenat=ProductPercent($proizvod id);
                                                ?></span>
                              </div>
                     </div>
                 </div>
                 <div class="clearfix"></div>
             </div>
```

```
</div>
</div>
</div>
</!--product-end-->
```

views/pages/author.php

```
<div class="breadcrumbs">
       <div class="breadcrumbs-main">
          Contact
          </div>
   </div>
</div>
   <div class="container-fluid">
       <div class="container">
                     <div class="col-lg-5 col-12">
                             <img src="assets/images/mypic.jpg"</pre>
                     </div>
                     <div class="col-lg-7 col-12">
                         <div id="text" class="text-center">
                         </div>
                     </div>
                  </div>
              </div>
          </div>
      </div>
   </div>
</div>
```

views/pages/account.php

```
<?php
if(empty($_SESSION["korisnik"])){
   header("Location:index.php?page=home");
}</pre>
```

```
header("location:index.php?page=home");
       $upit za dohvatanje korisnika="SELECT
.id,u.first_name,u.last_name,u.email,u.picture, r.name FROM users u INNER
OIN role r ON u.role_id=r.id WHERE u.id='$id' ";
       $rezultat upita=$konekcija->query($upit za dohvatanje korisnika)-
>fetch();
        <div class="row">
            </div>
             <div class="col-md-8">
                 <h2>Basic information</h2>
                     <strong>Email Adress: </strong><?php echo
                     <strong>Role Name: </strong><?php echo
$rezultat upita['name'] ?>
                 </div>
        </div>
    </div>
        <div class="row">
             <div class="col-md-6">
form" enctype="multipart/form-data">
                         <input type="text" class="form-control" id="ime"</pre>
format Example:<?php echo $rezultat upita['first name'] ?>
                     </div>
                         <label for="prezime">Last Name:</label>
```

```
<input type="text" class="form-control" id="prezime"</pre>
format Example:<?php echo $rezultat upita['last name'] ?>
                      </div>
                      <div class="form-group">
                          <input type="email" class="form-control" id="email"</pre>
Example:<?php echo $rezultat upita['email'] ?>
                      </div>
                          <input type="file" class="form-control"</pre>
.jpg,.png,.jpeg
                      </div>
                      <button type="button" class="btn btn-primary"</pre>
id="save">Save</button>
                 </form>
             </div>
             <div class="col-md-6">
                 <h2>History of buying</h2>
                 <a href="#" class="btn btn-secondary history-button">Show
                 <div class="modal" id="dj-t-5" style="overflow-y:scroll;"</pre>
                              <div class="modal-header">
                                   <h5 class="modal-title">History of
purchase</h5>
                              </div>
                                       $upit="SELECT
oc ON p.id=pc.product_id INNER JOIN cart c ON pc.cart_id=c.id INNER JOIN product_price pr ON p.id=pr.product_id WHERE
                                       $rezultat=$konekcija->query($upit)-
>fetchAll();
```

```
".$element['quantity']."
".$element['price']."
                            </div>
                                 <button type="button" class="btn btn-</pre>
                        </div>
                   </div>
              </div>
         </div>
    </div>
</div>
```

views/pages/login.php

```
Login
            </div>
      </div>
   </div>
   <div class="account">
           <h2>ACCOUNT</h2>
        </div>
        <div class="account-main">
            <div class="col-md-6 account-left">
                       <form action="models/login.php" method="POST"</pre>
onsubmit="return ProveraPodatakaLogin()">
                           <input placeholder="Email" id="email login"</pre>
name="email login" type="text" tabindex="3">
Example("djordje.tesa@gmail.com")</h5>
                       </div>
                  <div class="form-group">
                            <input placeholder="Password"</pre>
id="password login" name="password login" type="password" tabindex="4">
                            <h5 class="dj-t-none">Your password have to
contain at least one lowercase letter, one uppercase letter and one number,
danger"><?=$message?>
                           </div>
                 <div class="address">
                    <input type="submit" class="" id="login button"</pre>
value="Login">
                 </div>
                       </form>
              </div>
           </div>
              <h3>New User? Create an Account</h3>
move through the checkout process faster, store multiple shipping addresses,
              <a href="index.php?page=register">Create an Account</a>
```

views/pages/register.php

```
header("Location:index.php");
   <div class="breadcrumbs">
         <div class="breadcrumbs-main">
            </div>
     </div>
   </div>
   <div class="register">
            <h2>Register</h2>
        </div>
                        <input placeholder="First name" id="first name"</pre>
type="text" tabindex="1" required>
Example("Djordje")</h5>
                     </div>
                           <input placeholder="Last name" id="last name"</pre>
Example("Tesic")</h5>
                       </div>
                           <input placeholder="Email address"</pre>
```

```
id="email register" type="text" tabindex="3" required>
Example (djordjetesic@gmail.com) </h5>
                       </div>
           </div>
           <div class="col-md-6 account-left">
                       <input placeholder="Password" id="password input"</pre>
type="password" />
contain at least one lowercase letter, one uppercase letter and one number,
                   </div>
                       <input placeholder="Retype password"</pre>
good..</h5>
                   </div>
           </div>
           <div class="clearfix"></div>
         </div>
         <div class="address submit">
                    <input type="button" id="registracija btn"</pre>
value="Register">
                 </div>
           </form>
           </div>
      </div>
  </div>
    <div class="breadcrumbs">
       <div class="breadcrumbs-main">
           <a href="index.php">Home</a>
               Login
           </div>
    </div>
</div>
                <h2>Login</h2>
            </div>
            <div class="register-main">
                    <input placeholder="Email address" type="text"</pre>
```

views/pages/single.php

```
<div class="breadcrumbs">
      <div class="container">
          <div class="breadcrumbs-main">
             Single
             </div>
      </div>
   </div>
gender g ON p.gender id = g.id INNER JOIN brand b ON p.brand id = b.id INNER JOIN product_price pr ON p.id = pr.product_id WHERE p.id = '$id' AND (pr.dateOf IS NOT NULL AND pr.dateTo IS NULL)";
          $proizvod=$konekcija->query($upit za proizvod)->fetch();
          header("Location:index.php?page=home");
   <div class="single contact">
      <div class="container">
          <div class="single-main">
```

```
<div class="flexslider">
                    class="img-responsive" alt=""/> </div>
                    </div>
            </div>
               <div class="single-para simpleCart shelfItem">
                  <div class="star-on">
                    <a href="#"><i> </i></a>
                         <a href="#"><i> </i></a>
                         <a href="#"><i> </i></a>
                         <a href="#"><i> </i></a>
                       <div class="review">
                    </div>
                  <div class="clearfix"> </div>
                  </div>
?></h5>
                            $upit za brend gender="SELECT b.name as
>query($upit za brend gender)->fetch();
>query($upit za sve specifikacije)->fetchAll(PDO::FETCH ASSOC);
                            $upit za boje="SELECT c.name FROM products p
>query($upit za boje)->fetchAll(PDO::FETCH ASSOC);
                  <h3 class="mb-2">Specification:</h3>
```

```
?>
                <strong>Brand:</strong>
?>
                ATM
                          <strong><?= $item['name']
?>:</strong>
                          <strong><?= $item['name']
?>:</strong>
                          ?>:</strong>
                             <?= $item['value'] ?>
                          $rezultat=implode(",",$boje);
                       <strong>Guarantee:</strong>
```

```
</div>
echo $proizvod['id'] ?>">ADD TO CART</button>
              </div>
              <div class="clearfix"> </div>
           </div>
src="assets/images/arrow.png" alt="">Description</a>
              $upit="SELECT
href="#"><img src="assets/images/arrow.png" alt="">Featured Products</a>
           </div>
                <div class="col-md-4 product-left p-left">
                          <div class="product-main simpleCart shelfItem">
href="index.php?page=single&id=<?=$proizvod['id']?>" class="mask"><img
```

```
class="img-responsive zoom-img" src="assets/images/img-
resize/<?=$proizvod['src']?>" alt="" /></a>
$postojiPopust=CheckPercent($proizvod id);
><i></i></button>
"$". LoadPrice($proizvod id) ?></span>
                                </div>
                                $rezultat datuma=CheckPercent($proizvod id);
                                         <span><?php
$procenat=ProductPercent($proizvod id);
                                     </div>
                            </div>
                  </div>
                  <div class="clearfix"></div>
               </div>
            </div>
         </div>
         </div>
      </div>
  </div>
```

```
<div class="breadcrumbs">
       <div class="breadcrumbs-main">
          <a href="index.php">Home</a>
          </div>
     </div>
  </div>
     <div class="container">
       </div>
          <span>Unit Price</span>
             <span>Quantity</span>
             <div class="clearfix"> </div>
          </div>
       </div>
       </div>
      </div>
          <div class="checkout-btn dj-t-padd-20">
             <button class="btn btn-danger" id="delete all">Remove
All</button>
          </div>
              <h3 class="text-right">
             </h3>
          </div>
             <button class="btn btn-success"</pre>
id="checkout">Checkout</button>
```

views/fixed/header.php

```
>query($upit za dohvatanje imena proizvoda)->fetch();
                     $proizvod_ime=$prozivod[0];
echo "<title>$proizvod_ime | Luxury Watches</title>";
```

```
media="all" />
   <link rel="shortcut icon" href="assets/images/favicon.png" type="image/x-</pre>
media="all" />
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
Bootstrap Web Templates, Flat Web Templates, Andriod Compatible web template,
    <link href="assets/css/memenu.css" rel="stylesheet" type="text/css"</pre>
</head>
<div class="top-header">
            <div class="col-md-6 top-header-left">
               Kneza Milosa Obrenovic 16 Bajina
Basta
           </div>
            <div class="col-md-6 top-header-left">
                        <div class="total">
                   </a>
                    <div class="clearfix"> </div>
                </div>
            </div>
            <div class="clearfix"></div>
       </div>
   </div>
</div>
```

views/fixed/footer.php

```
<div class="container">
       <div class="infor-top">
          <div class="col-md-3 infor-left">
              <h3>Follow Us</h3>
                  <a href="https://sr-rs.facebook.com/"</pre>
target=" blank"><span class="fb"></span><h6>Facebook</h6></a>
target=" blank"><span class="twit"></span><h6>Twitter</h6></a>
                 <a href="https://www.instagram.com/"</pre>
target=" blank"><span class="google"></span><h6>Instagram</h6></a>
              </div>
          <div class="col-md-3 infor-left">
              <h3>Information</h3>
                  <a href="#">Specials</a>
                  <a href="#">Our Stores</a>
                  <a href="contact.html">Contact Us</a>
                  <a href="#">Top Sellers</a>
              </div>
          <div class="col-md-3 infor-left">
                  <a href="#">My Addresses</a>
          </div>
              <h3>Store Information</h3>
              <h4>The company name,
                  <span>Lorem ipsum dolor,</span>
                  Glasglow Dr 40 Fe 72.</h4>
              <h5>+955 123 4567</h5>
href="mailto:example@email.com">contact@example.com</a>
```

view/fixed/nav.php

```
<a href="models/logout.php">Logout</a>
                       <1i>>
                           <a href="index.php?page=login">Login</a>
                       <div class="clearfix"> </div>
          </div>
             $upit za dohvatanje korisnika="SELECT * FROM users
>query($upit za dohvatanje korisnika)->fetch();
rc='assets/images/$picture' alt='$picture'/>";
```

views/pages/adminPanel/adminHome

```
#
                    Visit in the last 24h
                    Visit by percentage
                 </thead>
                    <?=$brojac?>
                    <;=$visit?>
                 file("../../data/ulogovani korisnici.txt");
                   $currentDateTime = time();
                      $podaci = explode("\t", $red);
```

views/pages/adminPanel/adminTable

```
$rezultat upita=$konekcija->query($upit za dohvatanje kolona)-
>fetchAll();
```

```
<h2 class="title-1 m-b-25 mt-5"><?php echo ucfirst($tabela)</pre>
?></h2>
           <div class="table-responsive table--no-card m-b-40">
id="laki kitica">Banned</button>
                          if(strpos($item," id")):
                              $broj = strpos($item, " id");
                              var dump($samo ime);
                          <?=$samo ime?>
                      <?=$item?>
                      Delete
                      Update
                  </thead>
                      $upit za dohvatanje vrednosti="SELECT * FROM
>query($upit za dohvatanje vrednosti)->fetchAll();
                              $rezultat=$konekcija->query($upit)->fetch();
```

```
$rezultat=$konekcija->query($upit)->fetch();
$rezultat=$konekcija->query($upit)->fetch();
$rezultat=$konekcija->query($upit)->fetch();
$upit="SELECT name FROM role WHERE id='$id'";
$rezultat=$konekcija->query($upit)->fetch();
```

```
?>"><?=$item[$kolona]?>
id="<?=$item['id']?>" data-table="<?=$tabela?>">Delete</button>
                      <button href="indexAdmin.php" data-</pre>
table="<?=$tabela?>" data-id="<?=$item['id']?>" class="btn btn-warning
                      </div>
       </div>
   </div>
</div>
<div class="modal" id="dj-t-8" style="overflow-y:scroll;" tabindex="-1"</pre>
               </button>
           </div>
                   $rezultat=$konekcija->query($upit)->fetchAll();
```

views/pages/adminPanel/indexAdmin

```
<title>Admin Panel | Luxury Watches</title>
    link
href="https://cdn.jsdelivr.net/npm/@mdi/font@7.2.96/css/materialdesignicons.m
    <link rel="stylesheet" href="../../assets/css/fontawesome-all.css"</pre>
type="text/css" media="all"/>
    <link href="../../assets/vendor/bootstrap-4.1/bootstrap.min.css"</pre>
rel="stylesheet" media="all">
    <link href="../../assets/vendor/bootstrap-progressbar/bootstrap-</pre>
    <link href="../../.assets/vendor/wow/animate.css" rel="stylesheet"</pre>
media="all">
scrollbar.css" rel="stylesheet" media="all">
    <link href="../../assets/css/theme.css" rel="stylesheet" media="all">
</head>
        <header class="header-mobile d-block d-lg-none">
                <div class="container-fluid">
                    <div class="header-mobile-inner">
alt="CoolAdmin" />
                        <button class="hamburger hamburger--slider"</pre>
type="button">
```

```
<span class="hamburger-box">
                             <span class="hamburger-inner"></span>
                      </button>
                  </div>
              </div>
           </div>
           <nav class="navbar-mobile">
              <div class="container-fluid">
                             <i class="fas fa-tachometer-</pre>
alt"></i>Dashboard</a>
js-sub-list">
                             <1i>>
                                 <a href="index.html">Dashboard 1</a>
                             <a href="index2.html">Dashboard 2</a>
                             <1i>>
                                 <a href="index3.html">Dashboard 3</a>
                             <1i>>
                                 <a href="index4.html">Dashboard 4</a>
                      <1i>>
                          <a href="chart.html">
                      <1i>>
                             <i class="fas fa-table"></i>Tables</a>
                      <a href="form.html">
                             <i class="far fa-check-square"></i>Forms</a>
                      <1i>>
                         <a href="calendar.html">
                             <i class="fas fa-calendar-</pre>
alt"></i>Calendar</a>
                      <1i>>
                      <i class="fas fa-copy"></i>Pages</a>
                         js-sub-list">
                             <1i>>
```

```
<a href="login.html">Login</a>
                            <a href="register.html">Register</a>
                            <1i>>
                               <a href="forget-pass.html">Forget
Password</a>
                           <i class="fas fa-desktop"></i>UI Elements</a>
                            <1i>>
                               <a href="button.html">Button</a>
                            <a href="badge.html">Badges</a>
                            <1i>>
                               <a href="tab.html">Tabs</a>
                            <1i>>
                               <a href="card.html">Cards</a>
                               <a href="alert.html">Alerts</a>
Bars</a>
                            <a href="modal.html">Modals</a>
                            <a href="switch.html">Switchs</a>
                            <1i>>
                            <1i>>
                               <a href="fontawesome.html">Fontawesome
Icon</a>
                            <a href="typo.html">Typography</a>
                            </div>
          </nav>
       </header>
```

```
<aside class="menu-sidebar d-none d-lg-block">
            <div class="logo">
                    <h3>Luxury Watches</h3>
            </div>
            </div>
        </aside>
            <header class="header-desktop">
                        <div class="header-wrap">
                            <form class="form-header" action=""</pre>
                                <input class="au-input au-input--xl"</pre>
type="text" name="search" placeholder="Search for datas & amp; reports..." />
                                <button class="au-btn--submit" type="submit">
                                    <i class="zmdi zmdi-search"></i>
                                </button>
                            </form>
                                <div class="noti-wrap">
more"></i>
                                         <span class="quantity">1</span>
dropdown">
                                             <div class="mess title">
                                                 You have 2 news
message
                                             </div>
imq-40">
src="../../assets/images/icon/avatar-06.jpg" alt="Michelle Moreno" />
                                                 </div>
                                                     <h6>Michelle Moreno</h6>
                                                     <span class="time">3 min
                                                 </div>
                                             </div>
```

```
src="../../assets/images/icon/avatar-04.jpg" alt="Diane Myers" />
                                                 </div>
                                                     <h6>Diane Myers</h6>
on message
                                                    <span
class="time">Yesterday</span>
                                                </div>
                                             </div>
                                                 <a href="#">\overline{\text{View}} all
                                             </div>
                                        </div>
                                    </div>
                                    <div class="noti item js-item-menu">
                                         <i class="zmdi zmdi-email"></i></i>
                                        <span class="quantity">1</span>
                                             <div class="email title">
                                                 You have 3 New Emails
                                             </div>
                                                 </div>
                                                     Meeting about new
dashboard...
                                                     <span>Cynthia Harvey, 3
min ago</span>
                                                </div>
                                             </div>
                                                 </div>
dashboard...
                                                     <span>Cynthia Harvey,
Yesterday</span>
                                                </div>
                                            </div>
                                             <div class="email item">
                                                 <div class="image img-cir
```

```
src="../../assets/images/icon/avatar-04.jpg" alt="Cynthia Harvey" />
dashboard...
April 12,,2018</span>
                                                 </div>
                                             </div>
                                                 <a href="#">See all
emails < /a >
                                             </div>
                                     </div>
notifications"></i>
                                         <span class="quantity">3</span>
                                         <div class="notifi-dropdown js-</pre>
Notifications
                                             </div>
                                             <div class="notifi item">
email-open"></i>
                                                 </div>
notification
12, 2018 06:50</span>
                                                 </div>
                                             </div>
                                             <div class="notifi item">
                                                 <div class="bg-c2 img-cir</pre>
account-box"></i>
                                                 </div>
blocked
                                                     <span class="date">April
12, 2018 06:50</span>
                                                 </div>
                                             </div>
                                                 <div class="bg-c3 img-cir</pre>
imq-40">
                                                     <i class="zmdi zmdi-file-</pre>
text"></i>
```

```
</div>
                                                    You got a new file
                                                    <span class="date">April
12, 2018 06:50</span>
                                                </div>
                                            </div>
                                            <div class="notifi footer">
notifications</a>
                                            </div>
                                        </div>
                                    </div>
                                </div>
item-menu">
src="../../assets/images/icon/avatar-01.jpg" alt="John Doe" />
                                        </div>
href="#">john doe</a>
                                        </div>
dropdown">
src="../../../assets/images/icon/avatar-01.jpg" alt="John Doe" />
                                                </div>
                                                <div class="content">
                                                        <a href="#">john
doe</a>
                                                    </h5>
class="email">johndoe@example.com</span>
                                                </div>
                                            </div>
                                            <div class="account-
                                                <div class="account-
                                                    <a href="#">
account"></i>Account</a>
                                                </div>
dropdown item">
                                                    <a href="#">
                                                        <i class="zmdi zmdi-</pre>
settings"></i>Setting</a>
                                                </div>
```

```
money-box"></i>Billing</a>
                                                 </div>
                                             </div>
                                             <div class="account-
                                                 <a href="#">
power"></i>Logout</a>
                                             </div>
                                         </div>
                                     </div>
                                 </div>
                            </div>
                        </div>
                    </div>
                </div>
            </header>
        </div>
    </div>
    <div class="modal" id="dj-t-2" tabindex="-1" style="overflow-y:scroll">
  <div class="modal-dialog">
    <div class="modal-content" >
```

```
</div>
      <div class="modal-body">
            <form enctype="multipart/form-data">
                <label for="first name">First Name:</label>
                <input type="text" value="" id="first name" name="first name"</pre>
                </div>
                <label for="last name">Last Name:</label>
class="form-control"/>
Example:Tesic
                </div>
                <label for="email">Email:</label>
                <input type="email" id="email" name="email" class="form-</pre>
Example:djordjetesic@gmail.com
                </div>
                <input type="password" id="password" name="password"</pre>
one lowercase letter, one uppercase letter and one number, and the length of
                </div>
                <input type="file" id="picture" name="picture" class="form-</pre>
.jpeg
                </div>
                     <option value="0">Choose</option>
                     $role=GetTableAll("role");
                     <option</pre>
value="<?=$rol['id']?>"><?=$rol['name']?></option>
```

```
</select>
                </div>
          </form>
              <div class="form-group">
                 <input type="text" id=" name" name=" name" class="form-</pre>
                 </div>
control"></textarea>
                 </div>
                     <input type="text" id="username" name="username"</pre>
class="form-control"/>
format Example: Djordje Tesic
                 </div>
                     <input type="text" id="message email"</pre>
format Example:djordjetesic@gmail.com
                 </div>
                     <input type="text" id="user subject"</pre>
name="user subject" class="form-control"/>
                     <div class="form-group">
                     <label for="message text">Message text:</label>
rows="5"></textarea>
                     </div>
                     <div class="form-group">
                        <label for="page">Page:</label>
                        <input type="text" id="page" name="page"</pre>
```

```
</div>
                           <input type="text" id="nav text" name="nav text"</pre>
                           </div>
           <form enctype="multipart/form-data">
                  <input type="text" id="product name" name="product name"</pre>
              </div>
                  <label for="src text">Src:</label>
                  "Extensions must be .jpg , .jpeg,
              </div>
              <div class="form-group">
                  <label for="product text">Description:</label>
control"></textarea>
                  </div>
                      <option value="0">Choose</option>
                          <option</pre>
value="<?=$brend['id']?>"><?=$brend['name']?></option>
              </select>
           </div>
                      <option value="0">Choose</option>
                          <option</pre>
value="<?=$pol['id']?>"><?=$pol['name']?></option>
```

```
</select>
                 </div>
          </form>
                 <input type="text" id="product price"</pre>
                 </div>
                    <option value="0">Choose</option>
                    <option value="<?=$row['id']</pre>
?>"><?=$row['name']?></option>
                 </select>
                 </div>
                 <input type="date" id="date of" name="date of"</pre>
             </div>
                 </div>
             $korisnici=GetTableAll("users");
                   <option value="">Choose</option>
                   <option</pre>
value="<?=$korisnik['id']?>"><?=$korisnik['first name']?>
```

```
?=$korisnik['last name']?></option>
                 </select>
              </div>
              $specifikacije=GetTableAll("specifications");
            <label for="product">Product:</label>
               <option value="">Choose</option>
               <option value="<?=$sat['id']?>"><?=$sat['name']?></option>
           </select>
            </div>
                <label for="specification">Specification:</label>
            <option value="">Choose</option>
            <option</pre>
value="<?=$specifikacija['id']?>"><?=$specifikacija['name']?></option>
         </select>
                </div>
                  <input type="text" id="spec value" name="spec value"</pre>
                  </div>
                   <label for="first name">Name:</label>
                   <input type="text" id=" name color" name=" name color"</pre>
class="form-control" />
                  </div>
     </div>
     <div id="AlertDiv">
     </div>
```

```
<button type="button" class="btn btn-secondary" data-bs-</pre>
dismiss="modal" id="Odbij3">Close</button>
        <button type="button" class="btn btn-primary" data-table="<?php echo</pre>
      </div>
  </div>
</div>
        <div class="modal-dialog modal-confirm">
                    <div class="icon-box" style="margin:0px auto">
                    </div>
                    <h4 class="modal-title w-100">Are you sure?</h4>
                <div class="modal-body">
cannot be undone. 
                </div>
id="Odbija" >Cancel
                    <button type="button" class="btn btn-danger"</pre>
id="Prihvata">Delete</button>
                </div>
            </div>
        </div>
   </div>
    <script src="../../assets/vendor/jquery-3.2.1.min.js"></script>
4.1/popper.min.js"></script>
    <script src="../../assets/vendor/bootstrap-</pre>
4.1/bootstrap.min.js"></script>
    <script src="../../assets/vendor/slick/slick.min.js">
    <script src="../../../assets/vendor/wow/wow.min.js"></script>
src="../../assets/vendor/animsition/animsition.min.js"></script>
    </script>
    <script src="../../assets/vendor/counter-</pre>
up/jquery.waypoints.min.js"></script>
    <script src="../../../assets/vendor/counter-up/jquery.counterup.min.js">
   <script src="../../assets/vendor/circle-progress/circle-</pre>
progress.min.js"></script>
scrollbar.js"></script>
```

views/fixed/navAdmin

```
$rezultat tabele=$konekcija->query($dohvatanje tabela)->fetchAll();
      <1i>>
to site</a>
```

models/adminEdit

```
 \begin{array}{l} \texttt{\$regexEmail="/^([a-z]{3,11}(\d)*)(\.)?([a-z]{3,11}(\d)*)(\d)*)(\d)*} \\ \texttt{$z]{3,11}(\d)*)(\d) \end{array} 
         $novi_niz=explode(",",$niz);
              if (strpos($element, "@")) {
                    if(!preg match($regexEmail, $email)){
                    $upit="UPDATE $tabela SET
                         $update result=$result->fetch();
                    $result=$konekcija->query($upit);
                         $update result=$result->fetch();
```

```
$result=$konekcija->query($upit);
$result=$konekcija->query($upit);
$upit="UPDATE $tabela SET
$result=$konekcija->query($upit);
    $update result=$result->fetch();
$upit="UPDATE $tabela SET name='".$novi niz[0]."' WHERE
$result=$konekcija->query($upit);
    $update result=$result->fetch();
$result=$konekcija->query($upit);
    $update result=$result->fetch();
```

```
$result=$konekcija->query($upit);
$result=$konekcija->query($upit);
$upit="UPDATE $tabela SET
$result=$konekcija->query($upit);
    $update result=$result->fetch();
$result=$konekcija->query($upit);
```

modal/cart_items

```
<?php
include_once ("../config/connection.php");
global $konekcija;
if ($konekcija) {
        $cart_array=$_POST['cart_array'];
        $products=array();
        foreach ($cart_array as $item) {
            $id=$item['id'];
            $upit="SELECT p.id,p.src,p.name,pr.price FROM products p INNER JOIN
product_price pr ON p.id=pr.product_id WHERE dateTo is null and p.id="$id"";
            $rezultat=$konekcija->query($upit)->fetch();
            array_push($products,$rezultat);
        }
        echo json_encode($products);
}
else{
        echo "Nema konekcije";
}
?>
```

models/checkoutCart

```
<?php
session_start();
include_once("../config/connection.php");
global $konekcija;
if($konekcija) {
    $code="";
    if(isset($_POST['cart'])) {
        $cart=$_POST['cart'];
        $user_id=$_SESSION["korisnik"]["id"];
        $upit="INSERT INTO cart(user_id)VALUES(:user_id)";
        $preparacija=$konekcija->prepare($upit);
        $preparacija->bindParam(":user_id",$user_id);
        $izvrsavanje=$preparacija->execute();
        $cart id=$konekcija->lastInsertId();
```

models/contact form

```
<!php
if(isset($_POST['btnKlik'])){
    include("../config/connection.php");
    require ("function.php");
    global $konekcija;
    $brGresaka;
    $poruka="";
    $code="";
    if($konekcija){
        $brGresaka=0;
        $name=$_POST['name'];
        $semail=$_POST['email'];
        $message=$_POST['message'];
        $regexFullName = "/^([A-Z$BŽĆČ][a-zšdžćČ]{2,15})\s([A-Z$BŽĆČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčČ][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžčč][a-zšdžč][a-zšdžč][a-zšdžč][a-zšdž
```

models/adminDelete

```
    include("../config/connection.php");
    global $konekcija;
$code="";
    if(isset($_POST['btnKlik'])){
        $id=$_POST['id'];
        $table=$_POST['table'];
        if($konekcija){
            $upit="DELETE FROM $table WHERE id='$id'";
            $rezultat=$konekcija->query($upit)->fetch();
            if(!$rezultat){
                $code=["code"=>201];
            }
                $ajaxResponse=json_encode($code);
                echo $ajaxResponse;
        }
}
```

models/filter sort

```
<?php
include_once ("../config/connection.php");
global $konekcija;</pre>
```

```
FROM products p INNER JOIN product price pr ON p.id=pr.product id";
     if (gettype ($brands) == "string") {
         $string=implode(",",$brands);
     $string2=implode(",",$genders);
```

models/functions

```
<?php
global $konekcija;
function ValidateRegex($regex,$input,$poruka) {
    global $brGresaka;
    global $code;

    if(!preg_match($regex,$input)) {
        $brGresaka++;
        $code=["poruka"=>$poruka];
        $code=["code"=>423];
    }
}
function GetTableAll($table) {
    global $konekcija;
        $upit_za_dohvatanje="SELECT * FROM $table";
        $rezultat=$konekcija->query($upit_za_dohvatanje)->fetchAll();
        return $rezultat;
}
function CheckEmptyString($input,$poruka) {
    global $brGresaka;
    global $code;
    if($input=="") {
```

```
function CheckDdlList($ddl value,$poruka){
function CheckDates($datum od,$datum do,$poruka){
function ValidateTextArea($input,$poruka,$poruka2){
function cutImage($slika,$profile=false){
   list($sirina, $visina) = getimagesize($tmp);
     f($type=="image/jpeq"){$izvorna slika=imagecreatefromjpeg($tmp);}
```

```
else if($type=="image/png"){$izvorna slika=imagecreatefrompng($tmp);}
     $objekat slika=imagecreatetruecolor($nova sirina,$nova visina);
imagecopyresampled ($objekat slika, $izvorna slika, 0,0,0,0,$nova sirina, $nova v
    move uploaded file ($tmp, ".../assets/images/".$name);
         imagejpeg($objekat slika,"../assets/images/img-resize/".$name);
         imagepng($objekat slika,"../assets/images/img-resize/".$name);
function CheckPercent($id){
    $dohvatanje datuma do="SELECT dateTo FROM product price WHERE
    $rezultat datuma=$konekcija->query($dohvatanje datuma do)->fetch();
function ProductPercent($id) {
     $stara cena niz=$konekcija->query($upit za najblizu staru cenu)-
>fetch();
    $_upit_najnovija_cena="SELECT price FROM product price WHERE
     $najnovija cena niz=$konekcija->query($ upit najnovija cena)->fetch();
function LoadOldPrice($id){
    Supit za najblizu staru cenu="SELECT price FROM product price WHERE
    $stara cena niz=$konekcija->query($upit za najblizu staru cenu)->fetch();
function LoadPrice($id){
    $ upit najnovija cena="SELECT price FROM product price WHERE
    $najnovija cena niz=$konekcija->query($ upit najnovija cena)->fetch();
```

```
function RoleColorGender($tabela,$kolona){
   CheckEmptyString($kolona,"You have to fill in this field");
       $upit za postojanje uloge="SELECT * FROM $tabela WHERE
            $preparacija=$konekcija->prepare($upit za ubacivanje);
           $rezultat=$preparacija->execute();
function CheckTimeInFile($filename, $vreme isteka) {
   $svi korisnici = file($filename);
   $trenutno vreme = time();
       list($email, $datum vreme) = explode("\t", $korisnik);
           var dump($korisnik);
```

```
function obrisiKorisnika($korisnikIndex, $filename) {
    $lines = file($filename, FILE_IGNORE_NEW_LINES);
    unset($lines[$korisnikIndex]);
    $lines = array_filter($lines); // Uklanja prazne redove
    file_put_contents($filename, implode("\n", $lines));
}
```

models/getAllForForeignKey

```
<?php
include_once ("../config/connection.php");
global $konekcija;
if(isset($_POST['kljuc'])){
    $strani_kljuc=$_POST['kljuc'];
    $upit="";
    if($strani_kljuc=="role_id"){
        $upit.="SELECT_id,name_FROM_role";
    }
    else if($strani_kljuc=="product_id"){
        $upit.="SELECT_id,name_FROM_products";
    }
    else if($strani_kljuc=="specification_id"){
        $upit.="SELECT_id,name_FROM_specifications";
    }
    else if($strani_kljuc=="gender_id"){
        $upit.="SELECT_id,name_FROM_gender";
    }
    else if($strani_kljuc=="brand_id"){
        $upit.="SELECT_id,name_FROM_brand";
    }
    else if($strani_kljuc=="color_id"){
        $upit.="SELECT_id,name_FROM_color";
    }
    *supit.="SELECT_id,name_FROM_color";
}
    *rezultat=$konekcija->query($upit)->fetchAll(PDO::FETCH_ASSOC);
    echo_json_encode($rezultat);
}
```

models/getColumnsforEdit

```
<?php
include_once ("../config/connection.php");
if(isset($_POST['table'])){
    $id = $_POST['id'];
    $table = $_POST['table'];
    $sql= "SELECT * FROM $table WHERE id='$id'";
    $rezultat=$konekcija->query($sql)->fetch(PDO::FETCH_ASSOC);
    echo json_encode($rezultat);
}
}
```

models/insertAdmin

```
$regexPassword ="/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[A-Za-z\d]{8,}$/";
$regexPicture="/^(\.\.\/images\/).*\.(jpg|jpeg|png)$/";
         CheckEmptyString($product name, "You have to fill in this
         CheckDdlList($product genderId, "You have to choose gender");
              cutImage($product picture);
              $preparacija=$konekcija->prepare($upit za ubacivanje);
              $preparacija->bindParam(":name", $product name);
              $preparacija->bindParam(":gender id", $product genderId);
              $izvrsanaje=$preparacija->execute();
```

```
CheckEmptyString($productPrice, "You have to fill in this
CheckEmptyString($datumOd, "You have to fill in this dateOf
    CheckDates ($datumOd, $datumDo, "the to date must not be
   $preparacija=$konekcija->prepare($upit za ubacivanje);
    $preparacija->bindParam(":product id", $product id);
    $preparacija->bindParam(":price", $productPrice);
    $preparacija->bindParam(":dateOf",$datumOd);
        $preparacija->bindParam(":dateTo",$datumDo);
    $rezultat=$preparacija->execute();
ValidateRegex($regexName, $first name, "Your first name not in
ValidateRegex($regexName,$last name,"Your last name not in good
ValidateRegex($regexEmail,$email,"Your email not in good
```

```
ValidateRegex($regexPassword,$password,"Your password have to contain at least one lowercase letter, one uppercase letter and one number, and the length of the password is at least 8 characters.");
                    $kriptovana sifra=md5($password);
>query($upit za postojanje korisnika)->fetch();
                               cutImage($picture, true);
                          $preparacija=$konekcija->prepare($upit za ubacivanje);
                          $preparacija->bindParam(":first name", $first name);
                          $preparacija->bindParam(":last name", $last name);
                          $preparacija->bindParam(":email", $email);
                          $preparacija->bindParam(":password", $kriptovana sifra);
                          $preparacija->bindParam(":roleId", $roleId);
               CheckEmptyString($page, "You have to fill in this page field");
               CheckEmptyString($text, "You have to fill in this text field ");
                    $rezultat=$konekcija->query($provera da li postoji)-
>fetch();
```

```
$preparacija=$konekcija->prepare($upit za ubacivanje);
        $preparacija->bindParam(":page", $page);
        $preparacija->bindParam(":text", $text);
        $rezultat=$preparacija->execute();
        if($rezultat){
ValidateRegex($regexName,$username,"Your username not in good
ValidateRegex($regexEmail, $email, "Your email not in good
CheckEmptyString($user subject,"You have to fill in this
ValidateTextArea($message text,"Your text must be longer than 3
    $preparacija=$konekcija->prepare($upit za ubacivanje);
    $preparacija->bindParam(":username", $username);
    $preparacija->bindParam(":email", $email);
    $preparacija->bindParam(":message text", $message text);
    $rezultat=$preparacija->execute();
RoleColorGender($tabela, "role name");
```

```
RoleColorGender($tabela, "gender name");
             RoleColorGender($tabela, "color name");
            RoleColorGender($tabela, "name color");
             CheckEmptyString($spec value, "You have to fill in this field");
                 $preparacija=$konekcija->prepare($upit za ubacivanje);
                 $preparacija->bindParam(":product id", $product id);
>bindParam(":specification id", $specification id);
                 $rezultat=$preparacija->execute();
            CheckEmptyString($brand name, "You have to fill in this field");
            ValidateTextArea ($brand description, "Your text must be longer
                $provera da li postoji brend="SELECT * FROM brand WHERE
>query($provera da li postoji brend)->fetch();
                    $preparacija=$konekcija->prepare($upit za ubacivanje);
                    $preparacija->bindParam(":name", $brand name);
>bindParam(":description", $brand description);
```

models/login

```
$svi uloqovani korisnici=file("../data/uloqovani korisnici.txt");
$fajl pokazivac=fopen("../data/ulogovani korisnici.txt","a");
                             $string za unos="$email adresa\t".time()."\n";
                             fclose($fajl pokazivac);
$fajl pokazivac=fopen("../data/ulogovani korisnici.txt","a");
$string za unos="$email adresa\t".time()."\n";
                                 fclose($fail pokazivac);
                         header("Location:../index.php?page=home");
                 $upit postojanja korisnika="SELECT * FROM users WHERE
>query($upit postojanja korisnika)->fetch();
                     $svi podaci=file("../data/korisnici.txt");
                         $fajl pokazivac=fopen("../data/korisnici.txt", "a");
                         $datum vreme=time();
                             $data=explode("\t",$row);
```

```
$datum vreme=time();
>query($upit za ban)->fetch();
header("Location:../index.php?page=login&msg=You are pernament banned from
                                      $string=implode("\t",$data);
                                      $string=trim($string);
                                          $data2=explode("\t", $item);
$niz clanova=explode("\n", $string za unos);
```

```
array push($pomocni niz,$item);
                                     var dump($pomocni niz);
                                     var dump($string za unos);
$fajl_pokazivac=fopen("../data/korisnici.txt","w");
$fajl pokazivac=fopen("../data/korisnici.txt", "a");
                             $datum vreme=time();
```

models/logout

```
<?php
session_start();
if(isset($_SESSION["korisnik"])){
   unset($_SESSION["korisnik"]);
   header("Location:../index.php?page=login");
}
else{
   header("location:../index.php?page=home");</pre>
```

```
}
?>
```

models/registration

```
$password = $_POST['password'];
$regexName = "/^[A-ZŠĐŽĆČ][a-zšđžćč]{2,15}(\s[A-
ValidateRegex($regexName, $first name, "First name is not in the
ValidateRegex($regexName, $last name, "Last name is not in the
ValidateRegex($regexEmail, $email, "Email is not in the correct
ValidateRegex($regexPassword, $password, "Your password must contain
    $preparacija provere = $konekcija->prepare($provera emaila);
```

models/returnOptions

```
<?php
include_once ("../config/connection.php");
global $konekcija;
if(isset($_POST['returnOptions'])) {
    $table = $_POST['table'];
    $sql= "select * FROM $table";
    $rezultat = $konekcija->query($sql)->fetchAll();
    echo json_encode($rezultat);
}
```

models/unbanUserAdmin

```
<?php
include once("../config/connection.php");</pre>
```

```
global $konekcija;
$code="";
if($konekcija){
    if(isset($_POST['btnKlik'])){
        $user_id=$_POST['id_user'];
        $upit="UPDATE users SET banned='0' WHERE id='$user_id'";
        $rezultat=$konekcija->query($upit)->fetch();
        $code=["code"=>201];
        $ajax_response=json_encode($code);
        echo $ajax_response;
    }
}
```

models/userChangeProfil

```
session start();
include_once ("../config/connection.php");
z]{3,11}(\d)*)\@(gmail.com|hotmail.com|yahoo.com|outlook.com)$/";
$regexPicture="/.*\.(jpg|png|jpeg)$/";;
         ValidateRegex($regexName,$ime,"Your first name is not in good
         ValidateRegex($regexName, $prezime, "Your last name is not in good
         ValidateRegex($regexEmail, $email, "Your email is not in good format.
              cutImage($slika, true);
             $upit="UPDATE users SET
```

config/config

config/conncetion

```
<?php
require_once "config.php";</pre>
```

```
PamcenjeStranice();
PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME,
    $konekcija->setAttribute(PDO::ATTR ERRMODE, PDO::ERRMODE EXCEPTION);
    echo "Greska sa konekcijom:" . $er->getMessage();
function PamcenjeStranice():void{
            $query=parse url($stranica koja je posecena, PHP URL QUERY);
            parse str($query,$params);
            $page=basename($params['page']);
            $fajl pokazivac=fopen(LOG FAJL, "a"); // data/txt.koji ti treba
```

```
console.log(document.location.pathname);
function ajaxCallBack(puna adresa,objekat,rezultat){
    $.ajax({
        url:puna adresa,
            console.log(xhr);
function ajaxCallBack2(puna adresa, objekat, rezultat) {
   $.ajax({
        url:puna adresa,
        data:objekat,
        error:function(xhr) {
            console.log(xhr);
function ProveraRegexom(regex,input){
    if(!regex.test(input.value)){
        input.nextElementSibling.classList.remove("dj-t-none");
        brGresaka++;
        input.nextElementSibling.classList.add("dj-t-none");
        input.nextElementSibling.classList.remove("dj-t-color-red");
        input.classList.remove("dj-t-border-red")
const regexName = /^[A-ZŠĐŽĆČ][a-zšđžćč]{2,15}(\s[A-ZŠĐŽĆČ][a-
const regexEmail=/^([a-z]{3,11}(\d)*)(\.)?([a-
const regexPassword = /^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[A-Za-z\d]{8,}$/;
const regexFullName = /^([A-ZŠĐŽĆČ][a-zšđžćč]{2,15})\s([A-ZŠĐŽĆČ][a-
const regexAddress = /^[\w\.]+(,?\s[\w\.]+){2,8}$/;
const regexSubject=/^[A-zšđžćč]{3,}$/
var slajder = document.querySelector('.slider');
if(slajder!=null){
   var slike = slajder.getElementsByTagName('img');
    var trenutniSlajd = 0;
```

```
function promijeniSlajd() {
      slike[trenutniSlajd].style.display = 'none';
      trenutniSlajd = (trenutniSlajd + 1) % slike.length;
      slike[trenutniSlajd].style.display = 'block';
   setInterval(promijeniSlajd, 5000);
if(dugme registracija!=null){
   var brGresaka;
   dugme registracija.addEventListener("click", DohvatanjeForme);
   function DohvatanjeForme(){
      brGresaka=0;
      let first name input=document.querySelector("#first name");
      let last name input=document.querySelector("#last name");
      let email address input=document.querySelector("#email register");
      let password input=document.querySelector("#password input");
      let re password input=document.querySelector("#re password input");
      ProveraRegexom(regexName, first name input);
      ProveraRegexom(regexName, last name input);
      ProveraRegexom(regexEmail, email address input);
      ProveraPassworda (regexPassword, password input, re password input);
      if (brGresaka==0) {
         let objekat={
             password:password input.value,
         ajaxCallBack("models/registration.php",objekat,function
             let ajax rezultat=JSON.parse(rezultat);
             if(ajax rezultat.code==201) {
                $(".response-text").html(`
                document.querySelector("#formaRegistracija").reset();
                window.location.href=""
             else if(ajax rezultat.code==422){
                $(".response-text").html(`
                $(".response-text").html(`
   function ProveraPassworda(regex,password,re password){
```

```
if(!regex.test(password.value)){
           password.classList.add("dj-t-border-red");
           brGresaka++;
           password.classList.remove("dj-t-border-red");
           brGresaka++;
           re password.nextElementSibling.classList.remove("dj-t-none");
           re password.nextElementSibling.classList.add("dj-t-none");
           re password.nextElementSibling.classList.remove("dj-t-color-
function ProveraPodatakaLogin(){
   brGresaka=0;
   let email input=document.querySelector("#email_login");
   let passw input=document.querySelector("#password login");
   ProveraRegexom(regexEmail, email input);
   ProveraRegexom(regexPassword, passw input)
   if (brGresaka==0) {
       console.log("PROSAO");
       console.log(brGresaka);
       console.log("NIJE");
let dugme contact=document.querySelector("#contact btn");
if(dugme contact!=null){
   dugme contact.addEventListener("click", DohvatanjeFormeKontakta);
   function DohvatanjeFormeKontakta() {
       brGresaka = 0;
       let name = document.querySelector("#full name");
       let subject = document.querySelector("#subject");
       let email = document.querySelector("#email contact");
       let message = document.querySelector("#message");
       ProveraRegexom(regexFullName, name);
       ProveraRegexom(regexEmail, email);
       ValidateTextArea (message)
       function ValidateTextArea(textarea) {
           if(textarea.value=="") {
               brGresaka++
               textarea.nextElementSibling.classList.remove("dj-t-none");
               textarea.classList.add("dj-t-border-red");
```

```
textarea.nextElementSibling.classList.remove("dj-t-color-
                textarea.classList.remove("dj-t-border-red");
        if (brGresaka==0) {
            let objekat={
                subject:subject.value,
                email:email.value,
            console.log(objekat);
            ajaxCallBack("models/contact form.php", objekat, function
(rezultat) {
                console.log(rezultat);
                let ajax response=JSON.parse(rezultat);
                let div za ispis=document.querySelector(".obavestenje");
                if(ajax response.code=="201") {
                    document.querySelector(".form-message").reset();
 f(document.location.pathname.includes("views/pages/adminPanel/indexAdmin.php
   let inserts button=document.querySelectorAll(".insert");
   console.log(inserts button);
           element.addEventListener("click", function () {
            document.querySelector("#dj-t-2").style.display="block";
document.querySelector("#Odbij3").addEventListener("click", function () {
                document.querySelector("#dj-t-2").style.display="none";
document.querySelector("#Prihvati3").addEventListener("click", function () {
                   brGresaka=0;
tabela=document.querySelector("#Prihvati3").getAttribute("data-table");
                   podaci za slanje.append("tabela", tabela);
                   podaci za slanje.append("btnKlik", true);
                   console.log(podaci za slanje);
product name=document.querySelector("#product name");
```

```
let slika=document.querySelector("#src file");
                       console.log(slika.files[0]);
product text=document.querySelector("#product text");
                        let gender ddl=document.guerySelector("#gender");
                       let brand ddl=document.querySelector("#brand");
                        ProveraDaliJePrazanString(product name, "You have to
                        ProveraRegexom(regexProductPicture, slika);
                        ProveraDdlListe(gender ddl, "You have to choose
                        ProveraDdlListe(brand ddl, "You have to choose
                        if (brGresaka==0) {
podaci za slanje.append("product name", product name.value);
podaci za slanje.append("product picture", slika.files[0]);
podaci za slanje.append("product text", product text.value);
podaci za slanje.append("product gender", gender ddl.value);
podaci za slanje.append("product brand", brand ddl.value);
product price input=document.querySelector("#product price");
                       let product ddl=document.querySelector("#products");
                       ProveraDaliJePrazanString(product price input, "You
                       ProveraDdlListe (product ddl, "You have to choose
                       ProveraDaliJePrazanString(datum od input, "You have to
                            ProveraDatuma (datum od input, datum do input, "the
                       if (brGresaka==0) {
podaci za slanje.append("product price",product price input.value);
podaci za slanje.append("productId", product ddl.value);
podaci za slanje.append("datumOd", datum od input.value);
```

```
first name input=document.querySelector("#first name");
last name input=document.querySelector("#last name");
                       let email input=document.guerySelector("#email");
password input=document.querySelector("#password");
                       ProveraRegexom(regexName, first name input);
                       ProveraRegexom(regexName, last name input);
                       ProveraRegexom(regexEmail,email input);
                       ProveraRegexom(regexPassword, password input);
podaci za slanje.append("picture", picture.files[0]);
                       ProveraDdlListe(role ddl, "You have to choose role");
                       if (brGresaka==0) {
podaci za slanje.append("first name", first name input.value);
podaci za slanje.append("last name", last name input.value);
podaci za slanje.append("email", email input.value);
podaci za slanje.append("password", password input.value);
                           podaci za slanje.append("roleId", role ddl.value);
                       ProveraDaliJePrazanString(page input, "You have to fill
                       ProveraDaliJePrazanString(text input, "You have to fill
                       if (brGresaka==0) {
                            podaci za slanje.append("page", page input.value);
                           podaci za slanje.append("text", text input.value);
email input=document.querySelector("#message email");
message text=document.querySelector("#message text");
                       ProveraRegexom(regexEmail,email input);
```

```
ProveraDaliJePrazanString(user subject, "You have to
                       ProveraTextArea (message text, "Your text must be longer
                       if (brGresaka==0) {
podaci za slanje.append("username", username input.value);
podaci za slanje.append("email", email input.value);
podaci za slanje.append("user subject", user subject.value);
podaci za slanje.append("message text", message text.value);
                       RoleGenderColor("role");
                       RoleGenderColor("color");
                       let brand name input=document.querySelector("# name");
brand description=document.querySelector("#deskripcija");
                       ProveraDaliJePrazanString(brand name input, "You have
                       ProveraTextArea (brand description, "Your text must be
                       if (brGresaka==0) {
podaci za slanje.append("brand name", brand name input.value);
podaci za slanje.append("brand description",brand description.value);
                        RoleGenderColor("name color");
ddl specification=document.querySelector("#specification");
                       let value input=document.querySelector("#spec value");
                      ProveraDaliJePrazanString(value input, "You have to fill
                      if (brGresaka==0) {
podaci za slanje.append("product id",ddl product.value);
podaci za slanje.append("specification id",ddl specification.value);
```

```
podaci za slanje.append("spec value", value input.value);
                   console.log(brGresaka);
                   console.log(podaci za slanje);
                        console.log(ajax_response);
                        if(ajax response.code==201) {
                            location.reload();
                       if (brGresaka==0) {
                   function ProveraDaliJePrazanString(input, poruka) {
                            input.nextElementSibling.classList.remove("dj-t-
                            input.classList.add("dj-t-border-red");
                           input.nextElementSibling.classList.add("dj-t-
                           input.nextElementSibling.innerHTML=poruka;
                            input.nextElementSibling.classList.remove("dj-t-
                   function ProveraTextArea(input, poruka, poruka2) {
                       if (input.value!="") {
                                input.nextElementSibling.classList.add("dj-t-
                                input.nextElementSibling.classList.remove("dj-
                                input.classList.add("dj-t-border-red");
                                input.nextElementSibling.classList.add("dj-t-
                                input.nextElementSibling.innerHTML=poruka;
```

```
brGresaka++;
        input.nextElementSibling.classList.remove("dj-t-
        input.nextElementSibling.classList.add("dj-t-
        input.nextElementSibling.innerHTML=poruka2;
        brGresaka++;
    if (ddlList.value=="0") {
        ddlList.nextElementSibling.classList.remove("dj-t-
        ddlList.classList.add("dj-t-border-red");
        ddlList.nextElementSibling.classList.add("dj-t-
        ddlList.nextElementSibling.innerHTML=poruka
        ddlList.nextElementSibling.classList.add("dj-t-
        ddlList.classList.remove("dj-t-border-red");
        ddlList.nextElementSibling.classList.add("dj-t-
        ddlList.nextElementSibling.innerHTML="";
function ProveraDatuma(datumOd, datumDo, poruka) {
    if (datumDo.value<datumOd.value) {</pre>
        datumDo.nextElementSibling.classList.add("dj-t-
        datumDo.nextElementSibling.innerHTML=poruka;
        datumDo.nextElementSibling.classList.add("dj-t-
        podaci za slanje.append("datumDo", datumDo.value);
```

```
for(let button of delete buttons) {
        button.addEventListener("click", function () {
            let id=$(this).data('id');
            let table=$(this).data('table');
() {document.querySelector("#myModal").classList.remove("d-block")})
document.querySelector("#Prihvata").addEventListener("click", function () {
                let objekat={"id":id,"table":table,"btnKlik":true};
                    console.log(rezultat);
                    let ajaxReponse=JSON.parse(rezultat);
                    if(ajaxReponse.code=="201") {
                        window.location.reload();
    let update button=document.querySelectorAll(".updates");
    if(update button!=null){
        for(let element of update button) {
            element.addEventListener("click", function() {
                console.log(div za ispis);
document.querySelector("#Odbij3").addEventListener("click",function () {
                    document.querySelector("#dj-t-2").classList.remove("d-
                let objekat={};
                objekat.table=table;
                objekat.id=id;
                    console.log(rezultat);
                    let ajax response=JSON.parse(rezultat)
                   popuniModal(ajax response);
                    function popuniModal(data) {
modal-body");
                     console.log(data);
```

```
console.log()
    console.log(element);
    console.log(data[element]);
               <label for="element">${splitovano[0]}
              <select id="${element}" class="form-</pre>
        for(let j of ajax_response) {
        console.log();
        div za ispis.innerHTML=html;
else if(element=="message text" ||
    console.log(data[element]);
    console.log(x);
```

```
document.querySelector("#Prihvati3").addEventListener("click", function () {
                    let tabela=table;
                    console.log(tabela);
                    let id za slanje=id;
                    console.log(id);
                        if (element.value.includes("fakepath")) {
                    let podaciZaSlanje=new FormData();
                    podaciZaSlanje.append("tabela", tabela);
                    podaciZaSlanje.append("niz", niz za slanje);
                    podaciZaSlanje.append("btnKlik", true);
                    podaciZaSlanje.append("id", id);
                    console.log(niz za slanje);
                    console.log(podaciZaSlanje);
                        let ajax response=JSON.parse(rezultat);
                        if(ajax response.poruka=="Izvrseno") {
                             window.location.reload();
```

```
let banned button=document.querySelector("#laki kitica");
    if (banned button!=null) {
         banned button.addEventListener("click", function () {
             document.querySelector("#dj-t-8").style.display="block";
document.querySelector("#Odbij5").addEventListener("click", function () {
                 document.guerySelector("#dj-t-8").style.display="none";
             console.log(unban buttos);
                      let id=$(this).data('id');
                      console.log(id);
(rezultat) {
                          let ajax response=JSON.parse(rezultat);
                          if(ajax response.code=="201") {
                               window.location.reload();
$ (document) .on("click", "#gender input", FiltriranjeSortiranje);
$ (document).on("click","#brand input",FiltriranjeSortiranje);
$ (document).on("click","#color ul li .dugmici",FiltriranjeSortiranje);
         $(this).parent().removeClass("active");
    $(this).parent().addClass("active");
    FiltriranjeSortiranje();
function FiltriranjeSortiranje() {
    var objekat={};
if (brand id.length!=0) objekat.brandId=brand id;
console.log(gender id);
if(gender id.length!=0)objekat.genderId=gender id;
if(color id!=undefined)objekat.colorId=color id;
    objekat.discount=discount;
```

```
f(ddl value!='') {
if($(".pagination .active")){
console.log(objekat);
    let ajaxResponse=JSON.parse(rezultat);
    console.log(ajaxResponse[0].proizvodi);
    LoadProducts(ajaxResponse[0].proizvodi);
    if (ajaxResponse[0].proizvodi.length>0) {
        makePagination(ajaxResponse[0].brojProizvoda,$(".pagination .active
function DohvatanjeNiza(x,tip='chb'){
function DohvatanjeButtona() {
function DohvatanjeDdlListe(tip) {
        var brojac=1;
        for(let element of niz) {
```

```
<div class="col-md-4 product-left p-left ${brojac>3?"dj-t-margin-
                    <h3>${element.name}</h3>
item price">$${element.dateTo==<mark>null</mark>?Math.round(element.price):""}</span>
   function IzracunajProcenat(stara cena, trenutna cena) {
        let izlaz=100-(trenutna cena*100)/stara cena;
        return Math.round(izlaz);
   div za ispis.innerHTML=x;
function makePagination(duzina, aktivno) {
   console.log(duzina);
   console.log(aktivno)
   aktivno=parseInt(aktivno);
   let productsHtml = document.querySelector('.product-one').innerHTML;
        if(aktivno == 1){
```

```
for (let i = 2; i <= numOfPages; i++)</pre>
   console.log(html);
   $('.product-one').html(productsHtml);
   rolex sat.addEventListener("click", function (e) {
        localStorage.setItem("brandId",1);
        localStorage.setItem("brandId", 3);
let casio sat=document.querySelector("#casioSat");
        e.preventDefault();
        let brands = document.querySelectorAll("#brand input");
        console.log(brand id);
            if (brand.value == brand id) {
                localStorage.removeItem("brandId");
```

```
let objekat = {"brandId": brand id, "btnKlik":true}
            let ajaxResponse = JSON.parse(rezultat);
            console.log(ajaxResponse);
            LoadProducts(ajaxResponse[0].proizvodi);
$ (document).on("click", ".item add", AddToCart);
    let id value=$(this).data('id');
    var cart array=[];
    if(carts length){
        if (CheckArraySameProducts()) {
                if(niz[element].id==id value){
            localStorage.setItem("carts array", JSON.stringify(niz));
            NumberOfProductsInCart();
            let niz=JSON.parse(localStorage.getItem("carts array"));
            localStorage.setItem("carts array", JSON.stringify(niz));
            AddCartModal("You have successfull added the product to the
            NumberOfProductsInCart();
        cart array[0]={
            id:id value,
            quantity:1
        AddCartModal("You have successfull added the first
```

```
NumberOfProductsInCart();
CheckElement();
function CheckArraySameProducts() {
    console.log(niz);
        LoadQuantityInProducts(x niz);
            console.log(rezultat);
        localStorage.setItem("niz za ispis", JSON.stringify(niz));
        Proba123();
        console.log(niz);
        console.log(cart array);
        console.log(niz);
        localStorage.setItem("niz za ispis", JSON.stringify(niz));
        Proba123();
```

```
function NumberOfProductsInCart() {
       let cart array=JSON.parse(localStorage.getItem("carts array"));
           broj=0;
       let simpleCart total=document.querySelector(".simpleCart total");
       console.log(small modal);
       let small modal value = document.querySelector("#myModal p");
       small modal value.textContent = "";
       setTimeout(() => {
            small modal.classList.remove("dj-t-block");
console.log(div za ispis);
function Proba123(){
   let div za ispis totala=document.querySelector(".text-right span");
   let niz za ispis=JSON.parse(localStorage.getItem("niz za ispis"));
 lass="cost">$${PriceForProduct(element.price,element.quantity)}</span>
```

```
onclick="ChangeQuantity(this)"/>
        console.log(total);
        function PriceForProduct(price, quantity) {
           price=parseInt(price);
            quantity=parseInt(quantity);
        function ChangeQuantity(element) {
            let attr=element.getAttribute("data-id");
            let element value=element.value;
            element value=parseInt(element value);
            let cart array=JSON.parse(localStorage.getItem("carts array"));
                if(x.id==attr){
            if(element value<1){</pre>
           CheckElement();
iunction ChangeQuantity(element) {
   element value=parseInt(element value);
       document.querySelector(".quantity").innerHTML=element value=1;
   localStorage.setItem("carts array", JSON.stringify(cart array));
   CheckElement();
```

```
let button cart x=document.querySelectorAll(".btn-x");
console.log(button cart x)
        element.addEventListener("click", RemoveCartElement);
        function RemoveCartElement() {
            let id=$(this).data('id');
            console.log(id);
            console.log(cart array);
            console.log(pomocni niz);
            localStorage.setItem("carts array", JSON.stringify(pomocni niz));
            CheckElement();
           NumberOfProductsInCart();
           window.location.reload();
f(delete all!=null) {
    delete all.addEventListener("click", function () {
        CheckElement();
NumberOfProductsInCart();
let checkout btn=document.querySelector("#checkout");
if(checkout btn!=null){
checkout btn.addEventListener("click", function () {
        let ispis=JSON.parse(localStorage.getItem("niz za ispis"));
            let objekat={"cart":ispis};
                console.log(rezultat);
                let ajax response=JSON.parse(rezultat);
                if(ajax response.code=="201") {
                    localStorage.removeItem("niz za ispis");
                    CheckElement();
                else if(ajax response.code=="423"){
                   poruka ispis.innerHTML="You
```

```
console.log(history button);
   history button.addEventListener("click", function (e) {
        e.preventDefault()
        document.querySelector("#dj-t-5").classList.add("dj-t-block");
        document.querySelector("#Odbij5").addEventListener("click",function
let edit profile btn=document.querySelector("#save");
if(edit profile btn!=null){
    edit profile btn.addEventListener("click", function () {
        brGresaka=0;
        let podaci=new FormData();
        let picture input=document.querySelector("#picture");
        ProveraRegexom(regexName, ime input);
        ProveraRegexom(regexName, prezime input);
        ProveraRegexom(regexEmail,email input);
        if(picture input.value!=""){
            podaci.append("picture", picture input.files[0]);
            podaci.append("first name", ime_input.value);
            podaci.append("last_name",prezime_input.value);
            ajaxCallBack2("models/userChangeProfil.php",podaci,function
               if(ajax response.code=="201") {
                   window.location.reload();
```

```
#dj-t-header{
   padding-top:10px;
.dj-t-margin-top-proizvodi{
  margin-top:15px;
.dj-t-dell-product{
.paginacija{
.mytext{
.dj-t-between{
#login button{
   padding: 6px 22px;
#login button:hover{
  text-decoration: none;
```

```
.dj-t-margin-top50{
  margin-top:50px;
.dj-t-margin-bottom50{
  margin-bottom: 50px;
.dj-t-border-red{
  border: 1px solid red!important;
.dj-t-profile{
  display: flex!important;
  align-items: center!important;
  margin:0!important;
.dj-t-margin-margin-top10{
.dj-t-margin-margin-bottom10{
  margin-bottom: 10px;
#dj-t-alert-icon{
  background-color: red;
.dj-t-gray{
.smanjiWidth{
```

```
width:300px!important;
   word-break: break-word;
   display: block!important;
   white-space: normal!important;
.smanjiWidth2{
  width:300px!important;
   white-space: normal!important;
.profile-image {
  border-radius: 50%;
  margin-top: 30px;
  margin-top: 30px;
  margin-top:0.25rem;
  margin-bottom:15px;
.dj-t-padd-20{
  padding-top:15px;
.dj-t-input-number{
  margin-top:25px;
  padding-bottom:20px;
#dj-t-nema-margine{
   margin:0;
.sat-specifikacije {
   margin-bottom: 20px;
```

```
.sat-specifikacije h2 {
  margin-top: 0;
  font-size: 24px;
  color: #333;
}

.sat-specifikacije table {
  width: 100%;
}

.sat-specifikacije tr:nth-child(odd) {
  background-color: #f2f2f2;
}

.sat-specifikacije td {
  padding: 8px;
}

.sat-specifikacije td:first-child {
  font-weight: bold;
  width: 40%;
  text-align: right;
}
```