

API Defender

####: https://vbank.open.bankingapi.ru/

#####: aggressive

#####: 95100 ##

#####

#####: High: 8 Low: 27 Medium: 124

#####:

- RateLimit: 4
- SecurityHeaders: 5
- CORS: 4
- MassAssignment: 1
- WeakAuth: 1
- HPP: 22
- IDOR: 8
- MethodOverride: 114

#####:

- RateLimit: 11801 ##
- SecurityHeaders: 164 ##
- ExcessiveData: 8618 ##
- CORS: 574 ##
- MassAssignment: 4479 ##
- WeakAuth: 4791 ##
- BFLA: 1861 ##
- HPP: 16508 ##
- Injection: 88100 ##
- IDOR: 82332 ##
- MethodOverride: 26054 ##
- VerboseErrors: 8415 ##

#####:

- rateBurst: 40
- idorMax: 12
- injectionOps: 30
- operationsPlanned: 65

(## t5000):

- /accounts/{account_id} (123 ms)
- /admin/payments (123 ms)
- /accounts/{account_id}/balances (121 ms)
- /auth/login (0 ms)

#####

--	--	--

#####	####	#####
POST	/accounts	### ##### ## ##### # OpenAPI: 401
GET	/admin/payments	### ##### ## ##### # OpenAPI: 500
PUT	/accounts/{account_id}/close	### ##### ## ##### # OpenAPI: 401
PUT	/accounts/{account_id}/status	### ##### ## ##### # OpenAPI: 401
POST	/payments	### ##### ## ##### # OpenAPI: 401
DELETE	/account-consents/{consent_id}	### ##### ## ##### # OpenAPI: 404
POST	/domestic-vrp-payments	### ##### ## ##### # OpenAPI: 401
GET	/accounts/{account_id}	### ##### ## ##### # OpenAPI: 500
GET	/accounts	### ##### ## ##### # OpenAPI: 401
GET	/auth/me	### ##### ## ##### # OpenAPI: 401
GET	/accounts/{account_id}/transactions	### ##### ## ##### # OpenAPI: 500
GET	/accounts/{account_id}/balances	### ##### ## ##### # OpenAPI: 500
GET	/account-consents/{consent_id}	### ##### ## ##### # OpenAPI: 404
GET	/payments/{payment_id}	### ##### ## ##### # OpenAPI: 401
GET	/domestic-vrp-payments/{payment_id}	### ##### ## ##### # OpenAPI: 401
POST	/product-agreements	### ##### ## ##### # OpenAPI: 401
DELETE	/product-agreements/{agreement_id}	### ##### ## ##### # OpenAPI: 401
POST	/product-application	### ##### ## ##### # OpenAPI: 401
DELETE	/product-application/{application_id}	### ##### ## ##### # OpenAPI: 401
DELETE	/customer-leads/{customer_lead_id}	### ##### ## ##### # OpenAPI: 404
POST	/product-offer-consents	### ##### ## ##### # OpenAPI: 401
DELETE	/product-offer-consents/{consent_id}	### ##### ## ##### # OpenAPI: 404
DELETE	/product-offers/{offer_id}	### ##### ## ##### # OpenAPI: 404
POST	/vrp-consents	### ##### ## ##### # OpenAPI: 401
DELETE	/vrp-consents/{consent_id}	### ##### ## ##### # OpenAPI: 401
PUT	/banker/consents/{request_id}/approve	### ##### ## ##### # OpenAPI: 404
PUT	/banker/consents/{request_id}/reject	### ##### ## ##### # OpenAPI: 404
GET	/product-agreements	### ##### ## ##### # OpenAPI: 401
GET	/products/{product_id}	### ##### ## ##### # OpenAPI: 404
GET	/product-agreements/{agreement_id}	### ##### ## ##### # OpenAPI: 401
GET	/product-application/{application_id}	### ##### ## ##### # OpenAPI: 401

GET	/product-application	### ##### ## ##### # OpenAPI: 401
GET	/customer-leads/{customer_lead_id}	### ##### ## ##### # OpenAPI: 404
GET	/product-offers/{offer_id}	### ##### ## ##### # OpenAPI: 404
GET	/vrp-consents/{consent_id}	### ##### ## ##### # OpenAPI: 401
GET	/product-offer-consents/{consent_id}	### ##### ## ##### # OpenAPI: 404
GET	/banker/clients/{client_id}	### ##### ## ##### # OpenAPI: 404

#####

#####	####	#####
GET	/openapi.json	200
GET	/payments/health	401
GET	/payments/metrics	401
GET	/payments/status	401
GET	/payments/debug	401
GET	/payments/internal	401
GET	/payments/admin	401
GET	/payments/v1	401
GET	/payments/v2	401
GET	/payments/info	401
GET	/product-agreements/health	401
GET	/product-agreements/status	401
GET	/product-agreements/admin	401
GET	/product-agreements/debug	401
GET	/product-agreements/internal	401
GET	/product-agreements/metrics	401
GET	/product-agreements/v2	401
GET	/product-agreements/v1	401
GET	/product-agreements/info	401
GET	/domestic-vrp-payments/health	401
GET	/domestic-vrp-payments/status	401
GET	/domestic-vrp-payments/metrics	401
GET	/domestic-vrp-payments/v1	401

GET	/domestic-vrp-payments/debug	401
GET	/domestic-vrp-payments/internal	401
GET	/domestic-vrp-payments/admin	401
GET	/domestic-vrp-payments/v2	401
GET	/domestic-vrp-payments/info	401
GET	/vrp-consents/health	401
GET	/vrp-consents/status	401
GET	/vrp-consents/metrics	401
GET	/vrp-consents/debug	401
GET	/vrp-consents/internal	401
GET	/vrp-consents/admin	401
GET	/vrp-consents/v1	401
GET	/vrp-consents/v2	401
GET	/vrp-consents/info	401
GET	/accounts/health	500
GET	/accounts/status	500
GET	/accounts/metrics	500
GET	/accounts/debug	500
GET	/accounts/admin	500
GET	/accounts/internal	500
GET	/accounts/v1	500
GET	/accounts/v2	500
GET	/accounts/info	500
GET	/product-application/status	401
GET	/product-application/health	401
GET	/product-application/metrics	401
GET	/product-application/debug	401
GET	/product-application/internal	401
GET	/product-application/admin	401
GET	/product-application/v2	401
GET	/product-application/v1	401
GET	/product-application/info	401

#####

#####	#####	#####	#####	#####
SecurityHeaders	Low	GET /	##### ##### X-Content-Type-Options	##### ##### GET https://vbank. Authorization: *** ##### Status: 200 content-length: 81 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s { "bank": "Virtual E #####: GET_https_
CORS	Medium	GET /	##### ##### Access-Control-Allow-Origin	##### ##### GET https://vbank. Authorization: *** ##### Status: 200 content-length: 81 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s { "bank": "Virtual E #####: GET_https_
SecurityHeaders	Low	GET /	##### ##### X-Frame-Options	##### ##### GET https://vbank. Authorization: *** ##### Status: 200 content-length: 81 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s

				<div><div><div><div><div><div></div><div>GET https://vbank. Authorization: ***</div></div></div><div><div>#####: GET_https_</div></div></div></div></div>
SecurityHeaders	Low	GET /	##### ##### Referrer-Policy	<div><div><div><div><div><div></div><div>GET https://vbank. Authorization: ***</div></div></div><div><div>#####</div></div></div></div><div><div><div><div><div><div></div><div>Status: 200 content-length: 81 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</div></div></div><div><div>#####</div></div></div></div><div><div>#####: GET_https_</div></div></div></div>
SecurityHeaders	Low	GET /	##### ##### Permissions-Policy	<div><div><div><div><div><div></div><div>GET https://vbank. Authorization: ***</div></div></div><div><div>#####</div></div></div></div><div><div><div><div><div><div></div><div>Status: 200 content-length: 81 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</div></div></div><div><div>#####</div></div></div></div><div><div>#####: GET_https_</div></div></div></div>
SecurityHeaders	Low	GET /	##### ##### Cache-Control	<div><div><div><div><div><div></div><div>GET https://vbank. Authorization: ***</div></div></div><div><div>#####</div></div></div></div><div><div><div><div><div><div></div><div>Status: 200 content-length: 81 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/**</div></div></div><div><div>#####</div></div></div></div></div></div>

				<pre>strict-transport-s {"bank":"Virtual E</pre> <pre>#####: GET_https_</pre>
CORS	Medium	GET /	<pre>##### ##### Access-Control-Allow-Origin</pre>	<pre>##### GET https://vbank. Authorization: *** ##### Status: 200 content-length: 81 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"bank":"Virtual E #####: GET_https_</pre>
CORS	Medium	GET /status	<pre>##### ##### Access-Control-Allow-Origin</pre>	<pre>##### GET https://vbank. Authorization: *** ##### Status: 404 content-length: 22 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail":"Not Fou #####: GET_https_</pre>
CORS	Medium	GET /health	<pre>##### ##### Access-Control-Allow-Origin</pre>	<pre>##### GET https://vbank. Authorization: *** ##### Status: 200 content-length: 71 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre>

HPP	Low	GET /auth/login	##### HPP # ##### (##### X-Role)	##### Status: 405 allow: POST content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: GET_https_
HPP	Low	GET /auth/me	##### HPP # ##### (##### X-Role)	##### ##### GET https://vbank. Authorization: *** X-Role: admin ##### Status: 401 content-length: 43 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Could r #####: GET_https_
HPP	Low	GET /auth/bank-token	##### HPP # ##### (##### X-Role)	##### ##### GET https://vbank. Authorization: *** X-Role: admin ##### Status: 405 allow: POST content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: GET_https_
				##### #####

HPP	Low	GET /auth/banker-login	##### HPP # ##### (##### X-Role)	<pre>GET https://vbank. Authorization: *** X-Role: admin</pre> <p>#####</p> <pre>Status: 405 allow: POST content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <p>{"detail": "Method</p> <p>#####: GET_https_</p>
RateLimit	High	GET /accounts/{account_id}	##### /##### ## ##### ##### (429 /5xx)	<p>#####</p> <pre>GET https://vbank. Authorization: ***</pre> <p>#####</p> <pre>Status: 500 content-length: 21 content-security-p content-type: text date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <p>Internal Server Er</p> <p>#####: GET_https_ json</p>
RateLimit	High	GET /accounts/{account_id}/balances	##### /##### ## ##### ##### (429 /5xx)	<p>#####</p> <pre>GET https://vbank. Authorization: ***</pre> <p>#####</p> <pre>Status: 500 content-length: 21 content-security-p content-type: text date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <p>Internal Server Er</p> <p>#####: GET_https_vbank_c json</p>

HPP	Medium	GET /auth/random-demo-client	<p>##### HTTP Parameter Pollution (query); JSON #####</p>	<p>##### #####</p> <pre>GET https://vbank. Authorization: ***</pre> <p>#####</p> <pre>Status: 200 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <pre>{ "person_id": "demo</pre> <p>#####: <i>GET_https_vbank_c json</i></p>
HPP	Low	GET /auth/random-demo-client	<p>##### HPP # ##### (##### X-Role)</p>	<p>##### #####</p> <pre>GET https://vbank. Authorization: *** X-Role: admin</pre> <p>#####</p> <pre>Status: 200 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <pre>{ "person_id": "demo</pre> <p>#####: <i>GET_https_</i></p>
HPP	Low	GET /accounts	<p>##### HPP # ##### (##### X-Role)</p>	<p>##### #####</p> <pre>GET https://vbank. Authorization: *** X-Role: admin</pre> <p>#####</p> <pre>Status: 401 content-length: 25 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/**</pre>

				<pre>strict-transport-s {"detail":"Unauthc #####: GET_https_</pre>
RateLimit	High	GET /admin /payments	<pre>##### /##### ## ##### ##### (429 /5xx)</pre>	<pre>##### ##### GET https://vbank. Authorization: *** ##### Status: 500 content-length: 21 content-security-p content-type: text date: Thu, 30 Oct server: nginx/** strict-transport-s Internal Server Er #####: GET_https_</pre>
MethodOverride	Medium	POST /auth/login	<pre>##### #####-override ##### X-HTTP- Method-Override</pre>	<pre>##### ##### POST https://vbank Authorization: *** X-HTTP-Method-Over ##### Status: 422 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail":[{"type" #####: POST_http</pre>
MethodOverride	Medium	POST /auth/login	<pre>##### #####-override ##### _method=query</pre>	<pre>##### ##### POST https://vbank Authorization: *** ##### Status: 422 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/**</pre>

				<pre>strict-transport-s</pre> <pre>{ "detail": [{"type"</pre> <pre>#####: POST_http:</pre>
MethodOverride	Medium	POST /auth/login	<pre>#####</pre> <pre>#####-override</pre> <pre>##### X-Original-</pre> <pre>Method</pre>	<pre>#####</pre> <pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>X-Original-Method:</pre> <pre>#####</pre> <pre>Status: 422</pre> <pre>content-length: 82</pre> <pre>content-security-p</pre> <pre>content-type: appl</pre> <pre>date: Thu, 30 Oct</pre> <pre>server: nginx/***</pre> <pre>strict-transport-s</pre> <pre>{ "detail": [{"type"</pre> <pre>#####: POST_http:</pre>
HPP	Low	GET /accounts/{account_id}/status	<pre>#####</pre> <pre>HPP #</pre> <pre>#####</pre> <pre>(##### X-Role)</pre>	<pre>#####</pre> <pre>#####</pre> <pre>GET https://vbank.</pre> <pre>Authorization: ***</pre> <pre>X-Role: admin</pre> <pre>#####</pre> <pre>Status: 405</pre> <pre>allow: PUT</pre> <pre>content-length: 31</pre> <pre>content-security-p</pre> <pre>content-type: appl</pre> <pre>date: Thu, 30 Oct</pre> <pre>server: nginx/***</pre> <pre>strict-transport-s</pre> <pre>{ "detail": "Method</pre> <pre>#####: GET_https_</pre>
MethodOverride	Medium	POST /auth/login	<pre>#####</pre> <pre>#####-override</pre> <pre>##### X-HTTP-</pre> <pre>Method</pre>	<pre>#####</pre> <pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>X-HTTP-Method: DEI</pre> <pre>#####</pre> <pre>Status: 422</pre> <pre>content-length: 82</pre> <pre>content-security-p</pre>

				<pre> content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail":[{"type" </pre> <p>#####: POST_https</p>
MethodOverride	Medium	POST /auth/login	<p>##### ##### #####-override ##### X-Method-Override</p>	<pre> ##### ##### POST https://vbank Authorization: *** X-Method-Override: ##### Status: 422 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail":[{"type" </pre> <p>#####: POST_https</p>
MethodOverride	Medium	POST /auth/login	<p>##### #####-override ##### _method=form</p>	<pre> ##### ##### POST https://vbank Authorization: *** Content-Type: appl ##### Status: 422 content-length: 16 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail":[{"type" extract fields fro </pre> <p>#####: POST_https</p>
			#####	<pre> ##### ##### POST https://vbank Authorization: *** X-HTTP-Method-Over ##### </pre>

MethodOverride	Medium	POST /auth/me	#####-override ##### X-HTTP-Method-Override	<pre>Status: 405 allow: GET content-length: 31 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:02:00 GMT server: nginx/1.3.3.6 strict-transport-security: max-age=31536000</pre> <pre>{"detail": "Method not allowed"}</pre> <p>#####: POST_https://vbank.com/auth/me</p>
HPP	Low	GET /accounts/{account_id}/close	##### HPP # ##### (##### X-Role)	<p>#####</p> <pre>GET https://vbank.com/accounts/1/close Authorization: *** X-Role: admin</pre> <p>#####</p> <pre>Status: 405 allow: PUT content-length: 31 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:02:00 GMT server: nginx/1.3.3.6 strict-transport-security: max-age=31536000</pre> <pre>{"detail": "Method not allowed"}</pre> <p>#####: GET_https://vbank.com/accounts/1/close</p>
MethodOverride	Medium	POST /auth/me	##### #####-override ##### _method=query	<p>#####</p> <pre>POST https://vbank.com/auth/me Authorization: ***</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:02:00 GMT server: nginx/1.3.3.6 strict-transport-security: max-age=31536000</pre> <pre>{"detail": "Method not allowed"}</pre> <p>#####: POST_https://vbank.com/auth/me</p>
				<p>#####</p> <pre>POST https://vbank.com/auth/me Authorization: *** X-Original-Method: POST</pre>

MethodOverride	Medium	POST /auth/me	##### #####-override ##### X-Original-Method	##### Status: 405 allow: GET content-length: 31 content-security-policy: default-src 'self'; script-src 'self'; style-src 'self'; content-type: application/json date: Thu, 30 Oct 2018 15:00:00 GMT server: nginx/1.16.1 strict-transport-security: max-age=31536000 {"detail": "Method not allowed"} #####: POST_https://vbank
MethodOverride	Medium	POST /auth/me	##### #####-override ##### X-HTTP-Method	##### ##### POST https://vbank Authorization: *** X-HTTP-Method: DELETE ##### Status: 405 allow: GET content-length: 31 content-security-policy: default-src 'self'; script-src 'self'; style-src 'self'; content-type: application/json date: Thu, 30 Oct 2018 15:00:00 GMT server: nginx/1.16.1 strict-transport-security: max-age=31536000 {"detail": "Method not allowed"} #####: POST_https://vbank
MethodOverride	Medium	POST /auth/me	##### #####-override ##### X-Method-Override	##### ##### POST https://vbank Authorization: *** X-Method-Override: POST ##### Status: 405 allow: GET content-length: 31 content-security-policy: default-src 'self'; script-src 'self'; style-src 'self'; content-type: application/json date: Thu, 30 Oct 2018 15:00:00 GMT server: nginx/1.16.1 strict-transport-security: max-age=31536000 {"detail": "Method not allowed"} #####: POST_https://vbank
				#####

MethodOverride	Medium	POST /auth/me	##### #####-override ##### _method=form	##### POST https://vbank Authorization: *** Content-Type: appl ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail":"Method #####: POST_http
HPP	Low	GET /account-consents/request	##### HPP # ##### (##### X-Role)	##### ##### GET https://vbank. Authorization: *** X-Role: admin ##### Status: 404 content-length: 30 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail":"Consent #####: GET_https
MethodOverride	Medium	POST /auth/bank-token	##### #####-override ##### X-HTTP-Method-Override	##### ##### POST https://vbank Authorization: *** X-HTTP-Method-Over ##### Status: 422 content-length: 18 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail":[{"type" loc":["query","cli

				#####: POST_https://vbank.com/
MethodOverride	Medium	POST /auth/bank-token	##### #####-override ##### _method=query	##### ##### POST https://vbank.com/... Authorization: *** ##### Status: 422 content-length: 18 content-security-policy: ... content-type: application/json date: Thu, 30 Oct 2023 12:00:00 GMT server: nginx/1.25.0 strict-transport-security: max-age=31536000 {\"detail\": [{\"type\": \"method_override\", \"loc\": [\"query\", \"cli\"]}]}
MethodOverride	Medium	POST /auth/bank-token	##### #####-override ##### X-Original-Method	##### ##### POST https://vbank.com/... Authorization: *** X-Original-Method: POST ##### Status: 422 content-length: 18 content-security-policy: ... content-type: application/json date: Thu, 30 Oct 2023 12:00:00 GMT server: nginx/1.25.0 strict-transport-security: max-age=31536000 {\"detail\": [{\"type\": \"method_override\", \"loc\": [\"query\", \"cli\"]}]}
MethodOverride	Medium	POST /auth/bank-token	##### #####-override ##### X-HTTP-Method	##### ##### POST https://vbank.com/... Authorization: *** X-HTTP-Method: DELETE ##### Status: 422 content-length: 18 content-security-policy: ... content-type: application/json date: Thu, 30 Oct 2023 12:00:00 GMT server: nginx/1.25.0 strict-transport-security: max-age=31536000 {\"detail\": [{\"type\": \"method_override\", \"loc\": [\"query\", \"cli\"]}]}

				<pre>{ "detail": [{ "type" loc": ["query", "cli</pre> <p>#####: <i>POST_http:</i></p>
HPP	Low	GET /account-consents/{consent_id}	<p>##### HPP # ##### (##### X-Role)</p>	<p>#####</p> <pre>GET https://vbank. Authorization: *** X-Role: admin</pre> <p>#####</p> <pre>Status: 404 content-length: 30 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</pre> <pre>{ "detail": "Consent</pre> <p>#####: <i>GET_https_</i></p>
MethodOverride	Medium	POST /auth/bank-token	<p>##### #####-override ##### X-Method-Override</p>	<p>#####</p> <pre>POST https://vbank Authorization: *** X-Method-Override:</pre> <p>#####</p> <pre>Status: 422 content-length: 18 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</pre> <pre>{ "detail": [{ "type" loc": ["query", "cli</pre> <p>#####: <i>POST_http:</i></p>
MethodOverride	Medium	POST /auth/bank-token	<p>##### #####-override #####</p>	<p>#####</p> <pre>POST https://vbank Authorization: *** Content-Type: appl</pre> <p>#####</p> <pre>Status: 422 content-length: 18 content-security-p</pre>

			<code>_method=form</code>	<pre> content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail":[{"type" loc":["query","cli </pre> <p>#####: POST_https</p>
MethodOverride	Medium	POST /auth /banker-login	<p>##### #####-override ##### X-HTTP- Method-Override</p>	<pre> ##### ##### POST https://vbank Authorization: *** X-HTTP-Method-Over ##### Status: 422 content-length: 17 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail":[{"type" loc:["body","pass </pre> <p>#####: POST_https</p>
HPP	Low	GET /payments	<p>##### HPP # ##### (##### X-Role)</p>	<pre> ##### ##### GET https://vbank. Authorization: *** X-Role: admin ##### Status: 405 allow: POST content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail":"Method </pre> <p>#####: GET_https</p>
				<pre> ##### ##### POST https://vbank Authorization: *** ##### </pre>

MethodOverride	Medium	POST /auth /banker-login	##### #####-override ##### _method=query	<pre>Status: 422 content-length: 17 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:00:00 GMT server: nginx/1.3.2 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": [{ "type": "invalid_request", "loc": ["body", "password"] }] }</pre> <p>#####: POST http://127.0.0.1:8080/auth/banker-login</p>
MethodOverride	Medium	POST /auth /banker-login	##### #####-override ##### X-Original-Method	<pre>#####</pre> <pre>POST https://vbank.com/auth/banker-login Authorization: Basic dXNlcm5kaW86c29udGVudA== X-Original-Method: POST</pre> <p>#####</p> <pre>Status: 422 content-length: 17 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:00:00 GMT server: nginx/1.3.2 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": [{ "type": "invalid_request", "loc": ["body", "password"] }] }</pre> <p>#####: POST http://127.0.0.1:8080/auth/banker-login</p>
MethodOverride	Medium	POST /auth /banker-login	##### #####-override ##### X-HTTP-Method	<pre>#####</pre> <pre>POST https://vbank.com/auth/banker-login Authorization: Basic dXNlcm5kaW86c29udGVudA== X-HTTP-Method: DELETE</pre> <p>#####</p> <pre>Status: 422 content-length: 17 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:00:00 GMT server: nginx/1.3.2 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": [{ "type": "invalid_request", "loc": ["body", "password"] }] }</pre> <p>#####: POST http://127.0.0.1:8080/auth/banker-login</p>
				<pre>#####</pre> <pre>#####</pre>

MethodOverride	Medium	POST /auth /banker-login	##### #####-override ##### X-Method-Override	<pre>POST https://vbank Authorization: *** X-Method-Override:</pre> <p>#####</p> <pre>Status: 422 content-length: 17 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</pre> <pre>{ "detail": [{ "type" loc": ["body", "pass</pre> <p>#####: POST_http:</p>
MethodOverride	Medium	POST /auth /banker-login	##### #####-override ##### _method=form	<p>#####</p> <pre>POST https://vbank Authorization: *** Content-Type: appl</pre> <p>#####</p> <pre>Status: 422 content-length: 17 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</pre> <pre>{ "detail": [{ "type" loc": ["body", "pass</pre> <p>#####: POST_http:</p>
HPP	Low	GET /payments/ {payment_id}	##### HPP # ##### (##### X-Role)	<p>#####</p> <pre>GET https://vbank. Authorization: *** X-Role: admin</pre> <p>#####</p> <pre>Status: 401 content-length: 43 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</pre> <pre>{ "detail": "Could r</pre>

				#####: GET_https_
MethodOverride	Medium	POST /auth /random-demo- client	##### #####-override ##### X-HTTP- Method-Override	##### ##### POST https://vbank Authorization: *** X-HTTP-Method-Over ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail":"Method #####: POST_http:
MethodOverride	Medium	POST /auth /random-demo- client	##### #####-override ##### _method=query	##### ##### POST https://vbank Authorization: *** ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail":"Method #####: POST_http:
MethodOverride	Medium	POST /auth /random-demo- client	##### #####-override ##### X-Original- Method	##### ##### POST https://vbank Authorization: *** X-Original-Method: ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/***

				<pre>strict-transport-s</pre> <pre>{ "detail": "Method</pre> <pre>#####: POST_http:</pre>
MethodOverride	Medium	POST /auth /random-demo-client	<pre>#####</pre> <pre>#####-override</pre> <pre>##### X-HTTP-</pre> <pre>Method</pre>	<pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>X-HTTP-Method: DEL</pre> <pre>#####</pre> <pre>Status: 405</pre> <pre>allow: GET</pre> <pre>content-length: 31</pre> <pre>content-security-p</pre> <pre>content-type: appl</pre> <pre>date: Thu, 30 Oct</pre> <pre>server: nginx/**</pre> <pre>strict-transport-s</pre> <pre>{ "detail": "Method</pre> <pre>#####: POST_http:</pre>
HPP	Low	GET /products	<pre>#####</pre> <pre>HPP #</pre> <pre>#####</pre> <pre>(##### X-Role)</pre>	<pre>#####</pre> <pre>#####</pre> <pre>GET https://vbank.</pre> <pre>Authorization: ***</pre> <pre>X-Role: admin</pre> <pre>#####</pre> <pre>Status: 200</pre> <pre>content-length: 92</pre> <pre>content-security-p</pre> <pre>content-type: appl</pre> <pre>date: Thu, 30 Oct</pre> <pre>server: nginx/**</pre> <pre>strict-transport-s</pre> <pre>{ "data": { "product"</pre> <pre>#####", "descript</pre> <pre>termMonths": 12}, {</pre> <pre>Premium", "descript</pre> <pre>termMonths": null},</pre> <pre>description": "####</pre> <pre>36}, {"productId": "</pre> <pre>12.00", "minAmount"</pre> <pre>#####: GET_https_</pre>
				<pre>#####</pre> <pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>X-Method-Override:</pre>

MethodOverride	Medium	POST /auth /random-demo-client	##### #####-override ##### X-Method-Override	##### Status: 405 allow: GET content-length: 31 content-security-policy: default-src 'self'; script-src 'self'; style-src 'self'; content-type: application/json date: Thu, 30 Oct 2023 12:00:00 GMT server: nginx/1.25.0 strict-transport-security: max-age=31536000 {"detail": "Method not allowed"} #####: POST_https://vbank
MethodOverride	Medium	POST /auth /random-demo-client	##### #####-override ##### _method=form	##### ##### POST https://vbank. Authorization: *** Content-Type: application/json ##### Status: 405 allow: GET content-length: 31 content-security-policy: default-src 'self'; script-src 'self'; style-src 'self'; content-type: application/json date: Thu, 30 Oct 2023 12:00:00 GMT server: nginx/1.25.0 strict-transport-security: max-age=31536000 {"detail": "Method not allowed"} #####: POST_https://vbank
HPP	Low	GET /products/{product_id}	##### HPP # ##### (##### X-Role)	##### ##### GET https://vbank. Authorization: *** X-Role: admin ##### Status: 404 content-length: 30 content-security-policy: default-src 'self'; script-src 'self'; style-src 'self'; content-type: application/json date: Thu, 30 Oct 2023 12:00:00 GMT server: nginx/1.25.0 strict-transport-security: max-age=31536000 {"detail": "Product not found"} #####: GET_https://vbank
				##### #####

HPP	Low	GET /product-agreements	##### HPP # ##### (##### X-Role)	<pre>GET https://vbank. Authorization: *** X-Role: admin</pre> <p>#####</p> <pre>Status: 401 content-length: 43 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <pre>{ "detail": "Could r</pre> <p>#####: GET_https</p>
MethodOverride	Medium	POST /accounts/{account_id}	##### #####-override ##### X-HTTP-Method-Override	<p>#####</p> <pre>POST https://vbank Authorization: *** X-HTTP-Method-Over</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <pre>{ "detail": "Method</pre> <p>#####: POST_http</p>
MethodOverride	Medium	POST /accounts/{account_id}	##### #####-override ##### _method=query	<p>#####</p> <pre>POST https://vbank Authorization: ***</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <pre>{ "detail": "Method</pre> <p>#####: POST_http</p>

MethodOverride	Medium	POST /accounts/{account_id}	##### #####-override ##### X-Original-Method	##### ##### POST https://vbank Authorization: *** X-Original-Method: ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method #####: POST_http
MethodOverride	Medium	POST /accounts/{account_id}	##### #####-override ##### X-HTTP-Method	##### ##### POST https://vbank Authorization: *** X-HTTP-Method: DEI ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method #####: POST_http
MethodOverride	Medium	POST /accounts/{account_id}	##### #####-override ##### X-Method-Override	##### ##### POST https://vbank Authorization: *** X-Method-Override: ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s

				<pre>{"detail": "Method</pre> <pre>#####: POST_http:</pre>
HPP	Low	GET /product-agreements/{agreement_id}	<pre>##### HPP # ##### (##### X-Role)</pre>	<pre>##### ##### GET https://vbank. Authorization: *** X-Role: admin ##### Status: 401 content-length: 43 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Could r #####: GET_https_</pre>
MethodOverride	Medium	POST /accounts/{account_id}	<pre>##### #####-override ##### _method=form</pre>	<pre>##### ##### POST https://vbank Authorization: *** Content-Type: appl ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method #####: POST_http:</pre>
MethodOverride	Medium	POST /accounts/{account_id}/balances	<pre>##### #####-override ##### X-HTTP- Method-Override</pre>	<pre>##### ##### POST https://vbank Authorization: *** X-HTTP-Method-Over ##### Status: 405 allow: GET content-length: 31 content-security-p</pre>

HPP	Low	GET /product-application	##### HPP # ##### (##### X-Role)	<pre>Status: 401 content-length: 43 content-security-policy: content-type: application/json date: Thu, 30 Oct 2018 15:00:00 GMT server: nginx/1.16.1 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": "Could not find the requested resource" }</pre> <p>#####: GET_https_</p>
MethodOverride	Medium	POST /accounts/{account_id}/balances	##### #####-override ##### X-HTTP-Method	<p>#####</p> <pre>POST https://vbank Authorization: *** X-HTTP-Method: DELETE</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-policy: content-type: application/json date: Thu, 30 Oct 2018 15:00:00 GMT server: nginx/1.16.1 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": "Method not allowed" }</pre> <p>#####: POST_http:</p>
MethodOverride	Medium	POST /accounts/{account_id}/balances	##### #####-override ##### X-Method-Override	<p>#####</p> <pre>POST https://vbank Authorization: *** X-Method-Override: DELETE</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-policy: content-type: application/json date: Thu, 30 Oct 2018 15:00:00 GMT server: nginx/1.16.1 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": "Method not allowed" }</pre> <p>#####: POST_http:</p>
				<p>#####</p> <p>#####</p>

MethodOverride	Medium	POST /accounts/{account_id}/balances	##### #####-override ##### _method=form	<pre>POST https://vbank Authorization: *** Content-Type: appl</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</pre> <p>{"detail": "Method</p> <p>#####: POST_http:</p>
MethodOverride	Medium	POST /accounts/{account_id}/transactions	##### #####-override ##### X-HTTP-Method-Override	<p>#####</p> <pre>POST https://vbank Authorization: *** X-HTTP-Method-Over</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</pre> <p>{"detail": "Method</p> <p>#####: POST_http:</p>
HPP	Low	GET /product-application/{application_id}	##### HPP # ##### (##### X-Role)	<p>#####</p> <pre>GET https://vbank. Authorization: *** X-Role: admin</pre> <p>#####</p> <pre>Status: 401 content-length: 43 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</pre> <p>{"detail": "Could r</p>

				#####: GET_https_
MethodOverride	Medium	POST /accounts/{account_id}/transactions	##### #####-override ##### _method=query	##### ##### POST https://vbank Authorization: *** ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail":"Method #####: POST_https_vbank_ json
MethodOverride	Medium	POST /accounts/{account_id}/transactions	##### #####-override ##### X-Original-Method	##### ##### POST https://vbank Authorization: *** X-Original-Method: ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail":"Method #####: POST_http:
MethodOverride	Medium	POST /accounts/{account_id}/transactions	##### #####-override ##### X-HTTP-Method	##### ##### POST https://vbank Authorization: *** X-HTTP-Method: DEI ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl

				<pre>date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method</pre> <p>#####: POST_https_</p>
MethodOverride	Medium	POST /accounts/{account_id}/transactions	<p>##### #####-override ##### X-Method-Override</p>	<pre>##### ##### POST https://vbank Authorization: *** X-Method-Override: ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method</pre> <p>#####: POST_https_</p>
HPP	Low	GET /customer-leads	<p>##### HPP # ##### (##### X-Role)</p>	<pre>##### ##### GET https://vbank. Authorization: *** X-Role: admin ##### Status: 405 allow: POST content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method</pre> <p>#####: GET_https_</p>
			#####	<pre>##### ##### POST https://vbank Authorization: *** Content-Type: appl #####</pre>

MethodOverride	Medium	POST /accounts/{account_id}/transactions	#####-override ##### _method=form	<pre>Status: 405 allow: GET content-length: 31 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:02:00 GMT server: nginx/1.3.3.1 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": "Method not allowed" }</pre> <p>#####: POST_https://vbank.com/accounts/{account_id}/transactions</p>
IDOR	High	GET /account-consents/{consent_id}	##### IDOR/BOLA: ##### # ##### # ##### ID	<p>#####</p> <pre>GET https://vbank.com/accounts/{account_id}/consents/{consent_id} Authorization: ***</pre> <p>#####</p> <pre>Status: 200 content-length: 36 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:02:00 GMT server: nginx/1.3.3.1 strict-transport-security: max-age=31536000</pre> <pre>{ "data": { "consentId": "Z", "statusUpdateDate": "2014-10-30", "readTransactionsDate": "2014-10-30", "req-2alf6d38f606" } }</pre> <p>#####: GET_https://vbank.com/accounts/{account_id}/consents/{consent_id}</p>
HPP	Low	GET /customer-leads/{customer_lead_id}	##### HPP # ##### (##### X-Role)	<p>#####</p> <pre>GET https://vbank.com/customer-leads/{customer_lead_id} Authorization: *** X-Role: admin</pre> <p>#####</p> <pre>Status: 404 content-length: 36 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:02:00 GMT server: nginx/1.3.3.1 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": "Customer lead not found" }</pre> <p>#####: GET_https://vbank.com/customer-leads/{customer_lead_id}</p>
				<p>#####</p> <p>#####</p>

HPP	Low	GET /product-offers	##### HPP # ##### (##### X-Role)	<pre>GET https://vbank. Authorization: *** X-Role: admin</pre> <p>#####</p> <pre>Status: 200 content-length: 39 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</pre> <pre>{ "data": { "offers": deposit-001", "proc personalized_term_ 29T17:13:45.385896</pre> <p>#####: GET_https_</p>
MethodOverride	Medium	POST /account-consents/request	##### #####-override ##### X-HTTP-Method-Override	<p>#####</p> <pre>POST https://vbank Authorization: *** X-HTTP-Method-Over</pre> <p>#####</p> <pre>Status: 422 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</pre> <pre>{ "detail": [{ "type"</pre> <p>#####: POST_https_</p>
MethodOverride	Medium	POST /account-consents/request	##### #####-override ##### _method=query	<p>#####</p> <pre>POST https://vbank Authorization: ***</pre> <p>#####</p> <pre>Status: 422 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</pre> <pre>{ "detail": [{ "type"</pre>

				#####: POST_https://vbank
MethodOverride	Medium	POST /account-consents/request	##### #####-override ##### X-Original-Method	##### ##### POST https://vbank Authorization: *** X-Original-Method: ##### Status: 422 content-length: 82 content-security-policy: default-src 'self'; script-src 'self'; style-src 'self'; content-type: application/json date: Thu, 30 Oct 2018 10:00:00 GMT server: nginx/1.16.1 strict-transport-security: max-age=31536000 {"detail":[{"type": "invalid_request_method"}]}
MethodOverride	Medium	POST /account-consents/request	##### #####-override ##### X-HTTP-Method	##### ##### POST https://vbank Authorization: *** X-HTTP-Method: DELETE ##### Status: 422 content-length: 82 content-security-policy: default-src 'self'; script-src 'self'; style-src 'self'; content-type: application/json date: Thu, 30 Oct 2018 10:00:00 GMT server: nginx/1.16.1 strict-transport-security: max-age=31536000 {"detail":[{"type": "invalid_request_method"}]}
MethodOverride	Medium	POST /account-consents/request	##### #####-override ##### X-Method-Override	##### ##### POST https://vbank Authorization: *** X-Method-Override: POST ##### Status: 422 content-length: 82 content-security-policy: default-src 'self'; script-src 'self'; style-src 'self'; content-type: application/json date: Thu, 30 Oct 2018 10:00:00 GMT server: nginx/1.16.1

				<pre>strict-transport-s</pre> <pre>{ "detail": [{"type"</pre> <pre>#####: POST_http:</pre>
MethodOverride	Medium	POST /account-consents/request	<pre>#####</pre> <pre>#####-override</pre> <pre>#####</pre> <pre>_method=form</pre>	<pre>#####</pre> <pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>Content-Type: appl</pre> <pre>#####</pre> <pre>Status: 422</pre> <pre>content-length: 16</pre> <pre>content-security-p</pre> <pre>content-type: appl</pre> <pre>date: Thu, 30 Oct</pre> <pre>server: nginx/***</pre> <pre>strict-transport-s</pre> <pre>{ "detail": [{"type"</pre> <pre>extract fields fro</pre> <pre>#####: POST_http:</pre>
MethodOverride	Medium	POST /account-consents/{consent_id}	<pre>#####</pre> <pre>#####-override</pre> <pre>##### X-HTTP-</pre> <pre>Method-Override</pre>	<pre>#####</pre> <pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>X-HTTP-Method-Over</pre> <pre>#####</pre> <pre>Status: 405</pre> <pre>allow: GET</pre> <pre>content-length: 31</pre> <pre>content-security-p</pre> <pre>content-type: appl</pre> <pre>date: Thu, 30 Oct</pre> <pre>server: nginx/***</pre> <pre>strict-transport-s</pre> <pre>{ "detail": "Method</pre> <pre>#####: POST_http:</pre>
MethodOverride	Medium	POST /account-consents/	<pre>#####</pre> <pre>#####-override</pre>	<pre>#####</pre> <pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>#####</pre> <pre>Status: 405</pre> <pre>allow: GET</pre> <pre>content-length: 31</pre>

		{consent_id}	##### _method=query	<pre> content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_https_vbank_ </pre>
MethodOverride	Medium	POST /account-consents/{consent_id}	##### #####-override ##### X-Original-Method	<pre> ##### ##### POST https://vbank Authorization: *** X-Original-Method: ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_http: </pre>
MethodOverride	Medium	POST /account-consents/{consent_id}	##### #####-override ##### X-HTTP-Method	<pre> ##### ##### POST https://vbank Authorization: *** X-HTTP-Method: DEI ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_http: </pre>
				<pre> ##### ##### POST https://vbank Authorization: *** X-Method-Override: </pre>

MethodOverride	Medium	POST /account-consents/{consent_id}	##### #####-override ##### X-Method-Override	##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail":"Method #####: POST_http
MethodOverride	Medium	POST /account-consents/{consent_id}	##### #####-override ##### _method=form	##### ##### POST https://vbank Authorization: *** Content-Type: appl ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail":"Method #####: POST_http
MethodOverride	Medium	POST /payments	##### #####-override ##### X-HTTP-Method-Override	##### ##### POST https://vbank Authorization: *** X-HTTP-Method-Over ##### Status: 401 content-length: 43 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail":"Could r #####: POST_http
				##### #####

IDOR	High	GET /products/{product_id}	<pre>##### IDOR/BOLA: ##### # ##### # ##### ID</pre>	<pre>GET https://vbank. Authorization: *** ##### Status: 200 content-length: 23 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"data":{"productI description":"#### #####: GET_https_</pre>
MethodOverride	Medium	POST /payments	<pre>##### #####-override ##### _method=query</pre>	<pre>##### ##### POST https://vbank Authorization: *** ##### Status: 401 content-length: 43 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail":"Could r #####: POST_http:</pre>
MethodOverride	Medium	POST /payments	<pre>##### #####-override ##### X-Original-Method</pre>	<pre>##### ##### POST https://vbank Authorization: *** X-Original-Method: ##### Status: 401 content-length: 43 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail":"Could r #####: POST_http:</pre>
				<pre>##### #####</pre>

MethodOverride	Medium	POST /payments	##### #####-override ##### X-HTTP-Method	<pre>POST https://vbank Authorization: *** X-HTTP-Method: DEI</pre> <p>#####</p> <pre>Status: 401 content-length: 43 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <pre>{"detail": "Could r</pre> <p>#####: POST_http:</p>
MethodOverride	Medium	POST /payments	##### #####-override ##### X-Method-Override	<p>#####</p> <pre>POST https://vbank Authorization: *** X-Method-Override:</pre> <p>#####</p> <pre>Status: 401 content-length: 43 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <pre>{"detail": "Could r</pre> <p>#####: POST_http:</p>
MethodOverride	Medium	POST /payments	##### #####-override ##### _method=form	<p>#####</p> <pre>POST https://vbank Authorization: *** Content-Type: appl</pre> <p>#####</p> <pre>Status: 401 content-length: 43 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <pre>{"detail": "Could r</pre> <p>#####: POST_http:</p>

MethodOverride	Medium	POST /payments/{payment_id}	##### #####-override ##### X-HTTP-Method-Override	##### ##### POST https://vbank Authorization: *** X-HTTP-Method-Over ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail":"Method #####: POST_http
MethodOverride	Medium	POST /payments/{payment_id}	##### #####-override ##### _method=query	##### ##### POST https://vbank Authorization: *** ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail":"Method #####: POST_http
MethodOverride	Medium	POST /payments/{payment_id}	##### #####-override ##### X-Original-Method	##### ##### POST https://vbank Authorization: *** X-Original-Method: ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/***

				<pre>strict-transport-s</pre> <pre>{ "detail": "Method</pre> <pre>#####: POST_http:</pre>
MethodOverride	Medium	POST /payments/{payment_id}	<pre>#####</pre> <pre>#####-override</pre> <pre>##### X-HTTP-</pre> <pre>Method</pre>	<pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>X-HTTP-Method: DEL</pre> <pre>#####</pre> <pre>Status: 405</pre> <pre>allow: GET</pre> <pre>content-length: 31</pre> <pre>content-security-p</pre> <pre>content-type: appl</pre> <pre>date: Thu, 30 Oct</pre> <pre>server: nginx/**</pre> <pre>strict-transport-s</pre> <pre>{ "detail": "Method</pre> <pre>#####: POST_http:</pre>
MethodOverride	Medium	POST /payments/{payment_id}	<pre>#####</pre> <pre>#####-override</pre> <pre>##### X-Method-</pre> <pre>Override</pre>	<pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>X-Method-Override:</pre> <pre>#####</pre> <pre>Status: 405</pre> <pre>allow: GET</pre> <pre>content-length: 31</pre> <pre>content-security-p</pre> <pre>content-type: appl</pre> <pre>date: Thu, 30 Oct</pre> <pre>server: nginx/**</pre> <pre>strict-transport-s</pre> <pre>{ "detail": "Method</pre> <pre>#####: POST_http:</pre>
MethodOverride	Medium	POST /payments/{payment_id}	<pre>#####</pre> <pre>#####-override</pre> <pre>#####</pre>	<pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>Content-Type: appl</pre> <pre>#####</pre> <pre>Status: 405</pre> <pre>allow: GET</pre>

			<code>_method=form</code>	<pre> content-length: 31 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:42:11 GMT server: nginx/1.3.3 strict-transport-security: max-age=31536000; includeSubDomains; {"detail": "Method not allowed"} </pre> <p>#####: POST_https://vbank.com/products</p>
MethodOverride	Medium	POST /products	<p>#####</p> <p>#####-override</p> <p>##### X-HTTP-Method-Override</p>	<pre> ##### ##### POST https://vbank.com/products Authorization: Basic *** X-HTTP-Method-Override: POST ##### Status: 405 allow: GET content-length: 31 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:42:11 GMT server: nginx/1.3.3 strict-transport-security: max-age=31536000; includeSubDomains; {"detail": "Method not allowed"} </pre> <p>#####: POST_https://vbank.com/products</p>
MethodOverride	Medium	POST /products	<p>#####</p> <p>#####-override</p> <p>#####</p> <p><code>_method=query</code></p>	<pre> ##### ##### POST https://vbank.com/products Authorization: Basic *** ##### Status: 405 allow: GET content-length: 31 content-security-policy: content-type: application/json date: Thu, 30 Oct 2014 15:42:11 GMT server: nginx/1.3.3 strict-transport-security: max-age=31536000; includeSubDomains; {"detail": "Method not allowed"} </pre> <p>#####: POST_https://vbank.com/products</p>
				<pre> ##### ##### POST https://vbank.com/products Authorization: Basic *** X-Original-Method: POST </pre>

MethodOverride	Medium	POST /products	##### #####-override ##### X-Original-Method	##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_http:
MethodOverride	Medium	POST /products	##### #####-override ##### X-HTTP-Method	##### ##### POST https://vbank Authorization: *** X-HTTP-Method: DEI ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_http:
MethodOverride	Medium	POST /products	##### #####-override ##### X-Method-Override	##### ##### POST https://vbank Authorization: *** X-Method-Override: ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_http:
				##### #####

MethodOverride	Medium	POST /products	<p>##### #####-override ##### _method=form</p>	<pre>POST https://vbank Authorization: *** Content-Type: appl</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <p>{"detail": "Method</p> <p>#####: POST_http:</p>
MethodOverride	Medium	POST /products/{product_id}	<p>##### #####-override ##### X-HTTP-Method-Override</p>	<p>#####</p> <pre>POST https://vbank Authorization: *** X-HTTP-Method-Over</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <p>{"detail": "Method</p> <p>#####: POST_http:</p>
MethodOverride	Medium	POST /products/{product_id}	<p>##### #####-override ##### _method=query</p>	<p>#####</p> <pre>POST https://vbank Authorization: ***</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <p>{"detail": "Method</p> <p>#####: POST_http:</p>

MethodOverride	Medium	POST /products/{product_id}	<p>#####</p> <p>#####</p> <p>POST https://vbank Authorization: *** X-Original-Method:</p> <p>#####</p> <p>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</p> <p>{"detail": "Method</p> <p>#####: POST_http:</p>
MethodOverride	Medium	POST /products/{product_id}	<p>#####</p> <p>#####</p> <p>POST https://vbank Authorization: *** X-HTTP-Method: DEI</p> <p>#####</p> <p>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</p> <p>{"detail": "Method</p> <p>#####: POST_http:</p>
MethodOverride	Medium	POST /products/{product_id}	<p>#####</p> <p>#####</p> <p>POST https://vbank Authorization: *** X-Method-Override:</p> <p>#####</p> <p>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s</p>

				<pre> {"detail": "Method #####: POST_http: </pre>
MethodOverride	Medium	POST /products/{product_id}	<pre> #####-override #####_method=form </pre>	<pre> ##### ##### POST https://vbank Authorization: *** Content-Type: appl ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method #####: POST_http: </pre>
MethodOverride	Medium	POST /product-agreements/{agreement_id}	<pre> #####-override ##### X-HTTP-Method-Override </pre>	<pre> ##### ##### POST https://vbank Authorization: *** X-HTTP-Method-Over ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method #####: POST_http: </pre>
MethodOverride	Medium	POST /product-agreements/	<pre> #####-override ##### </pre>	<pre> ##### ##### POST https://vbank Authorization: *** ##### Status: 405 allow: GET content-length: 31 content-security-p </pre>

		{agreement_id}	_method=query	<pre> content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_https_vbank_ json </pre>
MethodOverride	Medium	POST /product-agreements/{agreement_id}	<pre> #####-override ##### X-Original-Method </pre>	<pre> ##### ##### POST https://vbank Authorization: *** X-Original-Method: ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_http: </pre>
MethodOverride	Medium	POST /product-agreements/{agreement_id}	<pre> #####-override ##### X-HTTP-Method </pre>	<pre> ##### ##### POST https://vbank Authorization: *** X-HTTP-Method: DEI ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_http: </pre>
				<pre> ##### ##### POST https://vbank Authorization: *** X-Method-Override: </pre>

MethodOverride	Medium	POST /product-agreements/{agreement_id}	##### #####-override ##### X-Method-Override	##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_http:
MethodOverride	Medium	POST /product-agreements/{agreement_id}	##### #####-override ##### _method=form	##### ##### POST https://vbank Authorization: *** Content-Type: appl ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_http:
MethodOverride	Medium	POST /product-application/{application_id}	##### #####-override ##### X-HTTP-Method-Override	##### ##### POST https://vbank Authorization: *** X-HTTP-Method-Over ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_http:
				##### #####

MethodOverride	Medium	POST /product-application/{application_id}	##### #####-override ##### _method=query	<pre>POST https://vbank Authorization: ***</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <p>{ "detail": "Method</p> <p>#####: POST_https_vbank_ json</p>
IDOR	High	GET /customer-leads/{customer_lead_id}	##### IDOR/BOLA: ##### # ##### # ##### ID	<p>#####</p> <pre>GET https://vbank. Authorization: ***</pre> <p>#####</p> <pre>Status: 200 content-length: 41 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre> <p>{ "data": { "customer email": "sidorov@ma estimated_income": 12:27.294873Z" }, "1</p> <p>#####: GET_https_</p>
MethodOverride	Medium	POST /product-application/{application_id}	##### #####-override ##### X-Original-Method	<p>#####</p> <pre>POST https://vbank Authorization: *** X-Original-Method:</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s</pre>

				<pre> {"detail": "Method #####: POST_http: </pre>
MethodOverride	Medium	POST /product-application/{application_id}	<pre> #####-override ##### X-HTTP-Method </pre>	<pre> ##### ##### POST https://vbank Authorization: *** X-HTTP-Method: DEI ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method #####: POST_http: </pre>
MethodOverride	Medium	POST /product-application/{application_id}	<pre> #####-override ##### X-Method-Override </pre>	<pre> ##### ##### POST https://vbank Authorization: *** X-Method-Override: ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method #####: POST_http: </pre>
MethodOverride	Medium	POST /product-application/{application_id}	<pre> #####-override ##### </pre>	<pre> ##### ##### POST https://vbank Authorization: *** Content-Type: appl ##### Status: 405 allow: GET content-length: 31 </pre>

			<code>_method=form</code>	<pre> content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": "Method #####: POST_http: </pre>
MethodOverride	Medium	POST /customer-leads	<pre> ##### #####-override ##### X-HTTP-Method-Override </pre>	<pre> ##### POST https://vbank Authorization: *** X-HTTP-Method-Over ##### Status: 422 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": [{"type" #####: POST_http: </pre>
MethodOverride	Medium	POST /customer-leads	<pre> ##### #####-override ##### _method=query </pre>	<pre> ##### POST https://vbank Authorization: *** ##### Status: 422 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s {"detail": [{"type" #####: POST_http: </pre>
				<pre> ##### POST https://vbank Authorization: *** X-Original-Method: ##### ##### </pre>

MethodOverride	Medium	POST /customer-leads	#####-override ##### X-Original-Method	<pre>Status: 422 content-length: 82 content-security-policy: content-type: application/json date: Thu, 30 Oct 2025 12:00:00 GMT server: nginx/1.25.0 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": [{ "type": "method_not_allowed" }] }</pre> <p>#####: POST_http://vbank.com/api/customer-leads</p>
IDOR	High	GET /product-offers/{offer_id}	##### IDOR/BOLA: ##### # ##### # ##### ID	<p>#####</p> <pre>GET https://vbank.com/api/product-offers/001 Authorization: ***</pre> <p>#####</p> <pre>Status: 200 content-length: 55 content-security-policy: content-type: application/json date: Thu, 30 Oct 2025 12:00:00 GMT server: nginx/1.25.0 strict-transport-security: max-age=31536000</pre> <pre>{ "data": { "offer_id": "001", "product_name": "Personalized Rate", "personalized_rate": 0.05, "valid_until": "2025-12-31", "responded_at": null } }</pre> <p>#####: GET_https://vbank.com/api/product-offers/001</p>
MethodOverride	Medium	POST /customer-leads	##### #####-override ##### X-HTTP-Method	<p>#####</p> <pre>POST https://vbank.com/api/customer-leads Authorization: *** X-HTTP-Method: DELETE</pre> <p>#####</p> <pre>Status: 422 content-length: 82 content-security-policy: content-type: application/json date: Thu, 30 Oct 2025 12:00:00 GMT server: nginx/1.25.0 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": [{ "type": "method_not_allowed" }] }</pre> <p>#####: POST_http://vbank.com/api/customer-leads</p>
				<p>#####</p> <p>#####</p>

MethodOverride	Medium	POST /customer-leads	##### #####-override ##### X-Method-Override	<pre>POST https://vbank Authorization: *** X-Method-Override:</pre> <p>#####</p> <pre>Status: 422 content-length: 82 content-security-policy: content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-security: {"detail":[{"type":</pre> <p>#####: POST_http:</p>
MethodOverride	Medium	POST /customer-leads	##### #####-override ##### _method=form	<p>#####</p> <pre>POST https://vbank Authorization: *** Content-Type: appl</pre> <p>#####</p> <pre>Status: 422 content-length: 16 content-security-policy: content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-security: {"detail":[{"type": extract fields fro</pre> <p>#####: POST_http:</p>
MethodOverride	Medium	POST /customer-leads/{customer_lead_id}	##### #####-override ##### X-HTTP-Method-Override	<p>#####</p> <pre>POST https://vbank Authorization: *** X-HTTP-Method-Over</pre> <p>#####</p> <pre>Status: 405 allow: GET content-length: 31 content-security-policy: content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-security: {"detail":"Method</pre> <p>#####: POST_http:</p>

MethodOverride	Medium	POST /customer-leads/{customer_lead_id}	##### #####-override ##### _method=query	##### ##### POST https://vbank Authorization: *** ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method #####: POST_https_vbank_ json
MethodOverride	Medium	POST /customer-leads/{customer_lead_id}	##### #####-override ##### X-Original-Method	##### ##### POST https://vbank Authorization: *** X-Original-Method: ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/*** strict-transport-s {"detail": "Method #####: POST_http:
MethodOverride	Medium	POST /customer-leads/{customer_lead_id}	##### #####-override ##### X-HTTP-Method	##### ##### POST https://vbank Authorization: *** X-HTTP-Method: DEI ##### Status: 405 allow: GET content-length: 31 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/***

				<pre>strict-transport-s</pre> <pre>{ "detail": "Method</pre> <pre>#####: POST_http:</pre>
MethodOverride	Medium	POST /customer-leads/{customer_lead_id}	<pre>#####</pre> <pre>#####-override</pre> <pre>##### X-Method-Override</pre>	<pre>#####</pre> <pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>X-Method-Override:</pre> <pre>#####</pre> <pre>Status: 405</pre> <pre>allow: GET</pre> <pre>content-length: 31</pre> <pre>content-security-p</pre> <pre>content-type: appl</pre> <pre>date: Thu, 30 Oct</pre> <pre>server: nginx/**</pre> <pre>strict-transport-s</pre> <pre>{ "detail": "Method</pre> <pre>#####: POST_http:</pre>
MethodOverride	Medium	POST /customer-leads/{customer_lead_id}	<pre>#####</pre> <pre>#####-override</pre> <pre>#####</pre> <pre>_method=form</pre>	<pre>#####</pre> <pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>Content-Type: appl</pre> <pre>#####</pre> <pre>Status: 405</pre> <pre>allow: GET</pre> <pre>content-length: 31</pre> <pre>content-security-p</pre> <pre>content-type: appl</pre> <pre>date: Thu, 30 Oct</pre> <pre>server: nginx/**</pre> <pre>strict-transport-s</pre> <pre>{ "detail": "Method</pre> <pre>#####: POST_http:</pre>
MethodOverride	Medium	POST /product-offers	<pre>#####</pre> <pre>#####-override</pre> <pre>##### X-HTTP-</pre>	<pre>#####</pre> <pre>#####</pre> <pre>POST https://vbank</pre> <pre>Authorization: ***</pre> <pre>X-HTTP-Method-Over</pre> <pre>#####</pre> <pre>Status: 422</pre> <pre>content-length: 82</pre>

			Method-Override	<div>content-security-policy: no-injection; content-type: application/javascript; date: Thu, 30 Oct 2014 12:00:00 GMT; server: nginx/1.10.0; strict-transport-security: max-age=31536000; </div> <div>{ "detail": [{ "type": "method_override" }] }</div> <div>#####: POST_https://vbank.com/</div>
MethodOverride	Medium	POST /product-offers	<div>#####</div> <div>#####-override</div> <div>#####_method=query</div>	<div>#####</div> <div>POST_https://vbank.com/</div> <div>Authorization: ***</div> <div>#####</div> <div>Status: 422</div> <div>content-length: 82</div> <div>content-security-policy: no-injection; content-type: application/javascript; date: Thu, 30 Oct 2014 12:00:00 GMT; server: nginx/1.10.0; strict-transport-security: max-age=31536000; </div> <div>{ "detail": [{ "type": "method_override" }] }</div> <div>#####: POST_https://vbank.com/</div>
MethodOverride	Medium	POST /product-offers	<div>#####</div> <div>#####-override</div> <div>##### X-Original-Method</div>	<div>#####</div> <div>POST_https://vbank.com/</div> <div>Authorization: ***</div> <div>X-Original-Method: DELETE</div> <div>#####</div> <div>Status: 422</div> <div>content-length: 82</div> <div>content-security-policy: no-injection; content-type: application/javascript; date: Thu, 30 Oct 2014 12:00:00 GMT; server: nginx/1.10.0; strict-transport-security: max-age=31536000; </div> <div>{ "detail": [{ "type": "method_override" }] }</div> <div>#####: POST_https://vbank.com/</div>
				<div>#####</div> <div>#####</div> <div>POST_https://vbank.com/</div> <div>Authorization: ***</div> <div>X-HTTP-Method: DELETE</div> <div>#####</div>

MethodOverride	Medium	POST /product-offers	#####-override ##### X-HTTP-Method	<pre>Status: 422 content-length: 82 content-security-policy: content-type: application/json date: Thu, 30 Oct 2019 12:00:00 GMT server: nginx/1.15.10 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": [{ "type": "method_not_allowed" }] }</pre> <p>#####: POST_https://vbank</p>
MethodOverride	Medium	POST /product-offers	#####-override ##### X-Method-Override	<p>#####</p> <pre>POST https://vbank Authorization: *** X-Method-Override: POST</pre> <p>#####</p> <pre>Status: 422 content-length: 82 content-security-policy: content-type: application/json date: Thu, 30 Oct 2019 12:00:00 GMT server: nginx/1.15.10 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": [{ "type": "method_not_allowed" }] }</pre> <p>#####: POST_https://vbank</p>
MethodOverride	Medium	POST /product-offers	#####-override ##### _method=form	<p>#####</p> <pre>POST https://vbank Authorization: *** Content-Type: application/json</pre> <p>#####</p> <pre>Status: 422 content-length: 16 content-security-policy: content-type: application/json date: Thu, 30 Oct 2019 12:00:00 GMT server: nginx/1.15.10 strict-transport-security: max-age=31536000</pre> <pre>{ "detail": [{ "type": "method_not_allowed" }] }</pre> <p>#####: POST_https://vbank</p>
				<p>#####</p> <pre>GET https://vbank Authorization: ***</pre>

IDOR	Medium	GET /auth/random-demo-client	IDOR ##### query-#####: userId	##### Status: 200 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s { "person_id": "demo #####: GET_https_
IDOR	Medium	GET /auth/random-demo-client	IDOR ##### query-#####: accountId	##### ##### GET https://vbank. Authorization: *** ##### Status: 200 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s { "person_id": "demo #####: GET_https_
IDOR	Medium	GET /auth/random-demo-client	IDOR ##### query-#####: ownerId	##### ##### GET https://vbank. Authorization: *** ##### Status: 200 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s { "person_id": "demo #####: GET_https_
				##### ##### GET https://vbank. Authorization: ***

IDOR	Medium	GET /auth/random-demo-client	IDOR ##### query-#####: customerId	##### Status: 200 content-length: 82 content-security-p content-type: appl date: Thu, 30 Oct server: nginx/** strict-transport-s { "person_id": "denc #####: GET_https_
------	--------	------------------------------	--	--