

데이터셋 구축 가이드라인

- 코딩 스타일

- **이름짓기:** 변수, 함수, 클래스 등의 이름을 자신의 스타일에 맞게 수정.
- **주석 스타일:** 주석을 추가하거나 제거하고, 주석의 형식이나 내용을 자신의 스타일에 맞게 조정.
- **코드 포매팅:** 코드의 들여쓰기, 공백, 괄호 배치 등을 자신의 선호에 맞게 조정.
- **라인 길이:** 코드 라인의 길이를 조정하여 가독성을 높이거나, 자신의 스타일에 맞추어 코드가 한 줄에 너무 길지 않게 나누어 작성할 수 있음.

- 로직 및 알고리즘 최적화

- **로직 간소화:** 복잡한 로직을 간단하게 변경하거나, 중복된 코드를 제거하여 코드를 더 간결하게 만들.
- **성능 최적화:** 성능을 더 높이기 위해 알고리즘을 최적화하거나, 효율적인 데이터 구조로 대체.

- 모듈화 및 재사용성

- **함수 분리:** 코드의 특정 부분을 별도의 함수나 메소드로 분리하여 코드의 재사용성을 높임.

- 에러 처리

- **예외 처리 강화:** 오류가 발생할 수 있는 부분에 대해 예외 처리를 추가하거나 개선.

- etc

주의 사항

- 최대한 **line-level**로 수정하는 방향 (전체적인 코드 수정 X)
 - 예를 들어 코드 포매팅 형식을 바꾸는 경우, 전체 코드를 수정하는 것이 아니라
- 특정 line들에 대한 **formatting 변경** 후, 수정한 line-labeling
 - 수정된 코드 라인 수는 최대 50%를 넘지 않도록 annotation 진행 (30%~50%)
- Machine의 문제 풀이가 틀렸을 경우 (테스트 케이스를 통과하는 코드도 있고, 실행은 되나 테스트 케이스를 통과 못하는 코드도 있습니다)

- 약간의 수정으로 해결 가능한 경우, 수정 부탁드립니다
- 아예 코드를 다시 작성해야 하는 경우, 문제 풀이와 상관없이 **코드의 스타일을 변경**하는 방향으로 수정 부탁드립니다
(ex. 표절 검사를 피하기 위해 수정하듯이)

Dataset Construction Guidelines

1. Coding Style Adjustments

- **Naming Conventions:** You may modify variable, function, or class names to match your own coding style.
- **Comment Style:** Feel free to add or remove comments, and adjust their content or format according to your preferences.
- **Code Formatting:** Modify indentation, spacing, and bracket placement to align with your personal formatting style.
- **Line Length:** You may break long lines or adjust line lengths for better readability, as long as it reflects your own coding style.

2. Logic and Algorithm Optimization

- **Logic Simplification:** Refactor complex logic into simpler forms or eliminate redundant code to improve clarity.
- **Performance Optimization:** Enhance performance by refining the algorithm or replacing data structures with more efficient alternatives.

3. Modularity and Reusability

- **Function Decomposition:** Extract specific parts of the code into separate functions or methods to improve reusability and clarity.

4. Error Handling

- **Exception Handling:** Add or improve exception handling for parts of the code that may raise errors.

5. Others

- Any other meaningful improvements that align with the goals of the dataset.
-

Important Notes

- Focus on **line-level edits** rather than full code rewrites.
For example, when changing code formatting, modify only specific lines instead of reformatting the entire file.
- **Limit the number of modified lines to a maximum of 50%** of the original code (recommended range: 30%–50%).
- If the original machine-generated code fails to solve the problem (some codes may run but not pass test cases):
 - If the issue can be fixed with minor changes, please do so.
 - If the logic is fundamentally broken and requires a full rewrite, **please revise the code stylistically** instead (e.g., as if to avoid plagiarism), without focusing on solving the problem.