

Table A7.1. Title II Baseline Indicators

Indicators, 95% Confidence Intervals and Base Population [Uganda, 2013]

	Indicator Value	95% CI		Number of Records	Weighted Population	Standard Error	DEFT
		Lower	Upper				
HOUSEHOLD LEVEL INDICATORS							
Average Household Dietary Diversity Score (HDDS)	2.4	2.3	2.5	4,133	155,574	0.1	2.8
Prevalence of households with moderate or severe hunger (HHS)	72.8	70.0	75.5	4,766	155,574	1.4	2.2
Adult Female no Adult Male	71.7	66.0	76.7	452	15,340	2.7	1.3
Adult Male no Adult Female	70.7	55.7	82.3	70	1,749	6.7	1.2
Male and Female Adults	73.0	69.9	75.9	4,244	138,485	1.5	2.2
Child No Adults ¹	-	-	-	0	0	-	-
Percentage of households using an improved drinking water source	39.4	35.6	43.2	4,766	155,574	1.9	2.7
Percentage of households using improved sanitation facilities	8.9	7.1	11.1	4,766	155,574	1.0	2.4
Percentage of households with soap and water at a handwashing station commonly used by family members	8.1	5.4	11.9	4,478	155,574	1.6	4.0
Prevalence of poverty: Percent of people living on less than \$1.25/day	94.3	92.6	95.6	29,659	983,906	0.8	2.2
Adult Female no Adult Male	93.8	87.9	97.0	2,385	84,105	2.2	1.9
Adult Male no Adult Female	87.2	58.1	97.1	302	8,135	8.8	2.2
Male and Female Adults	94.4	92.7	95.7	26,972	891,666	0.7	2.1
Child No Adults ¹	-	-	-	0	0	-	-
Mean depth of poverty	63.7	61.0	66.4	29,659	983,906	1.4	3.6
Adult Female no Adult Male	58.2	50.1	66.4	2,385	84,105	4.1	3.1
Adult Male no Adult Female	56.6	43.3	69.8	302	8,135	6.5	1.9
Male and Female Adults	64.3	61.9	66.7	26,972	891,666	1.2	3.1
Child No Adults ¹	-	-	-	0	0	-	-
Per capita expenditures (as a proxy for income) of USG targeted beneficiaries	0.56	0.51	0.60	29,659	983,906	0.02	2.3
Adult Female no Adult Male	0.62	0.50	0.75	2,385	84,105	0.06	2.4
Adult Male no Adult Female	0.66	0.43	0.88	302	8,135	0.11	1.7
Male and Female Adults	0.55	0.51	0.59	26,972	891,666	0.02	2.0
Child No Adults ¹	-	-	-	0	0	-	-
AGRICULTURAL INDICATORS							
Percentage of farmers who used financial services in the past 12 months	29.5	25.3	34.1	5,784	209,926	2.2	3.7
Male farmers	30.3	25.3	35.8	2,659	95,360	2.7	3.0
Female farmers	28.9	24.7	33.5	3,125	114,566	2.2	2.7
Percentage of farmers who practiced value chain activities promoted by the project in the past 12 months	80.0	77.8	82.0	5,784	209,926	1.1	2.0
Male farmers	81.5	78.9	83.8	2,659	95,360	1.2	1.6
Female farmers	78.7	75.8	81.5	3,125	114,566	1.4	2.0
Percentage of farmers who used three sustainable agricultural practices in the past 12 months	17.7	14.2	21.8	5,834	209,926	1.9	3.9
Male farmers	21.8	17.3	27.1	2,674	95,360	2.5	3.1
Female farmers	14.3	11.5	17.6	3,160	114,566	1.5	2.5
Percentage of farmers who used improved storage practices in the past 12 months	50.3	46.3	54.3	5,434	209,926	2.0	3.0
Male farmers	53.5	48.1	58.8	2,510	95,360	2.7	2.7
Female farmers	47.6	43.8	51.5	2,924	114,566	2.0	2.1
WOMEN'S EMPOWERMENT IN AGRICULTURE INDEX (WEAI)							
Women's empowerment in agriculture index (WEAI)	0.788	NA	NA	4,591	153,825	NA	NA

Table A7.1. Title II Baseline Indicators

Indicators, 95% Confidence Intervals and Base Population [Uganda, 2013]

	Indicator Value	95% CI		Number of Records	Weighted Population	Standard Error	DEFT
		Lower	Upper				
WOMEN'S HEALTH AND NUTRITION INDICATORS							
Prevalence of underweight women	23.4	20.1	27.2	3,554	202,672	1.8	2.5
Women's Dietary Diversity Score	2.3	2.2	2.4	4,417	202,672	0.1	2.4
CHILDREN'S HEALTH AND NUTRITION INDICATORS							
Prevalence of underweight children under 5 years of age (Total)	21.0	18.9	23.3	5,335	191,021	1.1	2.0
Prevalence of underweight children under 5 years of age (Male)	23.5	19.9	27.5	2,583	93,842	1.9	2.3
Prevalence of underweight children under 5 years of age (Female)	18.7	17.0	20.5	2,752	97,179	0.9	1.2
Prevalence of stunted children under 5 years of age (Total)	34.5	32.0	37.2	5,335	191,021	1.3	2.0
Prevalence of stunted children under 5 years of age (Male)	37.3	32.6	42.3	2,583	93,842	2.5	2.6
Prevalence of stunted children under 5 years of age (Female)	31.8	29.5	34.2	2,752	97,179	1.2	1.3
Prevalence of wasted children under 5 years of age (Total)	12.6	11.3	14.1	5,335	191,021	0.7	1.6
Prevalence of wasted children under 5 years of age (Male)	13.7	11.4	16.4	2,583	93,842	1.3	1.9
Prevalence of wasted children under 5 years of age (Female)	11.6	10.2	13.1	2,752	97,179	0.7	1.2
Percentage of children under age 5 with diarrhea in the last two weeks (Total)	22.0	19.9	24.3	5,642	191,021	1.1	2.0
Percentage of children under age 5 with diarrhea in the last two weeks (Male)	22.7	20.0	25.7	2,722	93,842	1.4	1.8
Percentage of children under age 5 with diarrhea in the last two weeks (Female)	21.3	19.1	23.7	2,920	97,179	1.1	1.5
Percentage of children under age 5 with diarrhea treated with ORT (Total)	88.4	85.3	90.9	1,166	41,909	1.4	1.5
Percentage of children under age 5 with diarrhea treated with ORT (Male)	89.3	85.5	92.1	574	21,272	1.7	1.3
Percentage of children under age 5 with diarrhea treated with ORT (Female)	87.5	83.0	90.9	592	20,637	2.0	1.5
Prevalence of exclusive breast-feeding of children under six months of age	59.9	53.8	65.7	587	21,553	3.0	1.5
Prevalence of exclusive breast-feeding of children under six months of age (Male)	59.2	50.3	67.5	299	11,424	4.4	1.5
Prevalence of exclusive breast-feeding of children under six months of age (Female)	60.7	54.0	66.9	288	10,129	3.3	1.1
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD)	4.2	3.0	5.8	1,621	59,976	0.7	1.4
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD) (Male)	4.2	2.5	7.0	805	30,266	1.1	1.6
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD) (Female)	4.2	2.7	6.5	816	29,710	0.9	1.3

Note: Prevalence of wasted children is included but is not a required FFP indicator

¹ No households of this type in the sample

Table A7.2. Title II Baseline Indicators - Northern Karamoja
Indicators, 95% Confidence Intervals and Base Population [Uganda, 2013]

	Indicator Value	95% CI		Number of Records	Weighted Population	Standard Error	DEFT
		Lower	Upper				
HOUSEHOLD LEVEL INDICATORS							
Average Household Dietary Diversity Score (HDDS)	2.2	2.0	2.4	2,078	87,812	0.1	3.1
Prevalence of households with moderate or severe hunger (HHS)	76.0	72.2	79.3	2,399	87,812	1.8	2.2
Adult Female no Adult Male	73.2	65.9	79.3	254	9,660	3.4	1.3
Adult Male no Adult Female	61.7	36.1	82.1	25	658	12.2	1.3
Male and Female Adults	76.4	72.4	80.0	2,120	77,495	1.9	2.2
Child No Adults ¹	-	-	-	0	0	-	-
Percentage of households using an improved drinking water source	37.4	32.2	43.0	2,399	87,812	2.7	2.9
Percentage of households using improved sanitation facilities	12.7	9.9	16.1	2,399	87,812	1.6	2.4
Percentage of households with soap and water at a handwashing station commonly used by family members	11.0	7.0	16.8	2,323	87,812	2.4	4.0
Prevalence of poverty: Percent of people living on less than \$1.25/day	93.2	90.5	95.3	15,127	559,850	1.2	2.5
Adult Female no Adult Male	92.6	84.1	96.8	1,384	55,056	3.0	2.0
Adult Male no Adult Female	100.0	100.0	100.0	130	3,185	-	-
Male and Female Adults	93.3	90.6	95.2	13,613	501,609	1.1	2.2
Child No Adults ¹	-	-	-	0	0	-	-
Mean depth of poverty	61.5	57.4	65.5	15,127	559,850	2.1	4.1
Adult Female no Adult Male	57.1	45.3	68.8	1,384	55,056	5.9	3.5
Adult Male no Adult Female	64.3	54.9	73.7	130	3,185	4.6	1.3
Male and Female Adults	61.9	58.3	65.5	13,613	501,609	1.8	3.4
Child No Adults ¹	-	-	-	0	0	-	-
Per capita expenditures (as a proxy for income) of USG targeted beneficiaries	0.58	0.51	0.65	15,127	559,850	0.03	3.1
Adult Female no Adult Male	0.63	0.45	0.81	1,384	55,056	0.09	3.2
Adult Male no Adult Female	0.50	0.37	0.63	130	3,185	0.06	1.3
Male and Female Adults	0.58	0.51	0.64	13,613	501,609	0.03	2.6
Child No Adults ¹	-	-	-	0	0	-	-
AGRICULTURAL INDICATORS							
Percentage of farmers who used financial services in the past 12 months	31.6	24.5	39.6	2,721	116,926	3.8	4.7
Male farmers	33.7	25.4	43.0	1,245	52,043	4.5	3.6
Female farmers	29.9	22.9	37.9	1,476	64,884	3.8	3.5
Percentage of farmers who practiced value chain activities promoted by the project in the past 12 months	82.1	79.2	84.6	2,721	116,926	1.4	2.0
Male farmers	85.9	82.9	88.4	1,245	52,043	1.4	1.5
Female farmers	79.0	74.7	82.8	1,476	64,884	2.0	2.1
Percentage of farmers who used three sustainable agricultural practices in the past 12 months	16.7	12.4	21.9	2,754	116,926	2.4	3.7
Male farmers	20.8	15.2	27.9	1,256	52,043	3.2	3.0
Female farmers	13.3	10.0	17.5	1,498	64,884	1.9	2.3
Percentage of farmers who used improved storage practices in the past 12 months	48.7	42.9	54.5	2,519	116,926	2.9	3.2
Male farmers	56.3	48.5	63.8	1,167	52,043	3.9	2.9
Female farmers	42.4	37.5	47.5	1,352	64,884	2.5	2.1
WOMEN'S EMPOWERMENT IN AGRICULTURE INDEX (WEAI)							
Women's empowerment in agriculture index (WEAI)	0.774	NA	NA	2,332	87,154	NA	NA

Table A7.2. Title II Baseline Indicators - Northern Karamoja
Indicators, 95% Confidence Intervals and Base Population [Uganda, 2013]

	Indicator Value	95% CI		Number of Records	Weighted Population	Standard Error	DEFT
		Lower	Upper				
WOMEN'S HEALTH AND NUTRITION INDICATORS							
Prevalence of underweight women	20.9	16.2	26.6	1,776	118,040	2.6	2.9
Women's Dietary Diversity Score	2.1	2.0	2.2	2,233	118,040	0.1	2.2
CHILDREN'S HEALTH AND NUTRITION INDICATORS							
Prevalence of underweight children under 5 years of age (Total)	21.5	18.3	25.0	2,747	111,334	1.7	2.3
Prevalence of underweight children under 5 years of age (Male)	23.8	18.3	30.2	1,323	55,689	3.0	2.8
Prevalence of underweight children under 5 years of age (Female)	19.2	17.0	21.6	1,424	55,645	1.2	1.2
Prevalence of stunted children under 5 years of age (Total)	32.0	28.3	36.0	2,747	111,334	1.9	2.3
Prevalence of stunted children under 5 years of age (Male)	33.7	26.9	41.2	1,323	55,689	3.6	3.0
Prevalence of stunted children under 5 years of age (Female)	30.4	27.3	33.7	1,424	55,645	1.6	1.4
Prevalence of wasted children under 5 years of age (Total)	13.7	11.4	16.3	2,747	111,334	1.2	2.0
Prevalence of wasted children under 5 years of age (Male)	14.3	10.7	18.7	1,323	55,689	2.0	2.3
Prevalence of wasted children under 5 years of age (Female)	13.1	11.0	15.4	1,424	55,645	1.1	1.3
Percentage of children under age 5 with diarrhea in the last two weeks (Total)	21.3	18.6	24.3	2,886	111,334	1.4	2.0
Percentage of children under age 5 with diarrhea in the last two weeks (Male)	22.6	19.2	26.5	1,398	55,689	1.9	1.8
Percentage of children under age 5 with diarrhea in the last two weeks (Female)	20.1	17.2	23.2	1,488	55,645	1.5	1.6
Percentage of children under age 5 with diarrhea treated with ORT (Total)	92.7	88.1	95.6	581	23,663	1.8	1.8
Percentage of children under age 5 with diarrhea treated with ORT (Male)	92.9	87.5	96.1	290	12,541	2.1	1.5
Percentage of children under age 5 with diarrhea treated with ORT (Female)	92.4	86.4	95.8	291	11,123	2.3	1.5
Prevalence of exclusive breast-feeding of children under six months of age	60.8	51.6	69.3	311	12,645	4.5	1.7
Prevalence of exclusive breast-feeding of children under six months of age (Male)	61.4	47.8	73.5	159	6,712	6.6	1.8
Prevalence of exclusive breast-feeding of children under six months of age (Female)	60.1	50.3	69.2	152	5,933	4.8	1.3
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD)	2.1	1.0	4.4	803	34,540	0.8	1.7
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD) (Male)	2.3	0.6	8.4	407	18,039	1.6	2.2
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD) (Female)	1.9	0.7	4.7	396	16,501	0.9	1.4

Note: Prevalence of wasted children is included but is not a required FFP indicator

¹ No households of this type in the sample

Table A7.3. Title II Baseline Indicators - Southern Karamoja

Indicators, 95% Confidence Intervals and Base Population [Uganda, 2013]

	Indicator Value	95% CI		Number of Records	Weighted Population	Standard Error	DEFT
		Lower	Upper				
HOUSEHOLD LEVEL INDICATORS							
Average Household Dietary Diversity Score (HDDS)	2.7	2.5	2.9	2,055	67,762	0.1	2.2
Prevalence of households with moderate or severe hunger (HHS)	68.8	65.3	72.1	2,367	67,762	1.7	1.7
Adult Female no Adult Male	69.1	60.4	76.7	198	5,681	4.1	1.2
Adult Male no Adult Female	76.2	59.4	87.5	45	1,091	7.0	1.1
Male and Female Adults	68.7	64.8	72.3	2,124	60,990	1.9	1.8
Child No Adults ¹	-	-	-	0	0	-	-
Percentage of households using an improved drinking water source	41.9	36.8	47.2	2,367	67,762	2.6	2.4
Percentage of households using improved sanitation facilities	4.0	3.1	5.1	2,367	67,762	0.5	1.2
Percentage of households with soap and water at a handwashing station commonly used by family members	4.0	2.6	6.2	2,155	67,762	0.9	2.0
Prevalence of poverty: Percent of people living on less than \$1.25/day	95.6	93.9	96.9	14,532	424,056	0.8	1.7
Adult Female no Adult Male	96.2	91.2	98.4	1,001	29,049	1.6	1.0
Adult Male no Adult Female	78.9	40.3	95.4	172	4,950	14.0	2.2
Male and Female Adults	95.8	94.0	97.1	13,359	390,057	0.7	1.6
Child No Adults ¹	-	-	-	0	0	-	-
Mean depth of poverty	66.7	64.1	69.4	14,532	424,056	1.4	2.5
Adult Female no Adult Male	60.5	55.1	65.8	1,001	29,049	2.7	1.3
Adult Male no Adult Female	51.5	31.3	71.8	172	4,950	10.0	2.0
Male and Female Adults	67.4	64.7	70.0	13,359	390,057	1.3	2.4
Child No Adults ¹	-	-	-	0	0	-	-
Per capita expenditures (as a proxy for income) of USG targeted beneficiaries	0.52	0.47	0.58	14,532	424,056	0.03	1.5
Adult Female no Adult Male	0.61	0.50	0.72	1,001	29,049	0.06	1.1
Adult Male no Adult Female	0.76	0.41	1.10	172	4,950	0.17	1.7
Male and Female Adults	0.51	0.46	0.57	13,359	390,057	0.03	1.5
Child No Adults ¹	-	-	-	0	0	-	-
AGRICULTURAL INDICATORS							
Percentage of farmers who used financial services in the past 12 months	27.1	24.4	29.9	3,063	93,000	1.4	1.6
Male farmers	26.3	23.4	29.5	1,414	43,318	1.5	1.2
Female farmers	27.7	24.6	31.0	1,649	49,682	1.6	1.3
Percentage of farmers who practiced value chain activities promoted by the project in the past 12 months	77.4	73.6	80.8	3,063	93,000	1.8	2.2
Male farmers	76.3	72.5	79.7	1,414	43,318	1.8	1.5
Female farmers	78.4	73.9	82.3	1,649	49,682	2.1	1.9
Percentage of farmers who used three sustainable agricultural practices in the past 12 months	19.0	13.7	25.7	3,080	93,000	3.0	3.9
Male farmers	22.9	16.3	31.3	1,418	43,318	3.8	3.2
Female farmers	15.5	11.2	21.0	1,662	49,682	2.5	2.5
Percentage of farmers who used improved storage practices in the past 12 months	52.2	47.3	57.2	2,915	93,000	2.5	2.5
Male farmers	50.2	43.7	56.6	1,343	43,318	3.3	2.2
Female farmers	54.1	49.5	58.7	1,572	49,682	2.3	1.7
WOMEN'S EMPOWERMENT IN AGRICULTURE INDEX (WEAI)							
Women's empowerment in agriculture index (WEAI)	0.806	NA	NA	2,259	66,671	NA	NA

Table A7.3. Title II Baseline Indicators - Southern Karamoja
Indicators, 95% Confidence Intervals and Base Population [Uganda, 2013]

	Indicator Value	95% CI		Number of Records	Weighted Population	Standard Error	DEFT
		Lower	Upper				
WOMEN'S HEALTH AND NUTRITION INDICATORS							
Prevalence of underweight women	26.8	23.8	30.0	1,778	84,632	1.6	1.4
Women's Dietary Diversity Score	2.6	2.5	2.8	2,184	84,632	0.1	2.3
CHILDREN'S HEALTH AND NUTRITION INDICATORS							
Prevalence of underweight children under 5 years of age (Total)	20.5	17.9	23.2	2,588	79,687	1.3	1.6
Prevalence of underweight children under 5 years of age (Male)	23.1	19.4	27.3	1,260	38,153	2.0	1.5
Prevalence of underweight children under 5 years of age (Female)	17.9	15.4	20.9	1,328	41,534	1.4	1.2
Prevalence of stunted children under 5 years of age (Total)	38.0	35.6	40.5	2,588	79,687	1.2	1.2
Prevalence of stunted children under 5 years of age (Male)	42.6	38.9	46.5	1,260	38,153	1.9	1.3
Prevalence of stunted children under 5 years of age (Female)	33.7	30.4	37.1	1,328	41,534	1.7	1.2
Prevalence of wasted children under 5 years of age (Total)	11.2	10.1	12.4	2,588	79,687	0.6	0.9
Prevalence of wasted children under 5 years of age (Male)	12.9	10.9	15.1	1,260	38,153	1.1	1.0
Prevalence of wasted children under 5 years of age (Female)	9.6	7.8	11.8	1,328	41,534	1.0	1.2
Percentage of children under age 5 with diarrhea in the last two weeks (Total)	22.9	19.8	26.5	2,756	79,687	1.7	2.0
Percentage of children under age 5 with diarrhea in the last two weeks (Male)	22.9	18.9	27.5	1,324	38,153	2.2	1.7
Percentage of children under age 5 with diarrhea in the last two weeks (Female)	23.0	19.8	26.5	1,432	41,534	1.7	1.4
Percentage of children under age 5 with diarrhea treated with ORT (Total)	82.8	79.6	85.5	585	18,246	1.5	0.9
Percentage of children under age 5 with diarrhea treated with ORT (Male)	84.0	79.2	87.8	284	8,731	2.2	0.9
Percentage of children under age 5 with diarrhea treated with ORT (Female)	81.7	75.7	86.5	301	9,514	2.7	1.2
Prevalence of exclusive breast-feeding of children under six months of age	58.5	51.0	65.7	276	8,908	3.7	1.2
Prevalence of exclusive breast-feeding of children under six months of age (Male)	56.0	45.3	66.2	140	4,712	5.4	1.2
Prevalence of exclusive breast-feeding of children under six months of age (Female)	61.4	52.3	69.7	136	4,196	4.4	1.0
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD)	7.0	5.1	9.5	818	25,436	1.1	1.2
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD) (Male)	6.9	4.5	10.5	398	12,227	1.5	1.1
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD) (Female)	7.1	4.3	11.3	420	13,209	1.7	1.3

Note: Prevalence of wasted children is included but is not a required FFP indicator

¹ No households of this type in the sample

Table A7.4. Title II FFP Baseline Indicators - Program Comparisons
Indicators and P-values for Test of Differences [Uganda, 2013]

	Indicator Value		P-Value
	Northern Karamoja	Southern Karamoja	
HOUSEHOLD LEVEL INDICATORS			
Average Household Dietary Diversity Score (HDDS)	2.2	2.7	.00**
Prevalence of households with moderate or severe hunger (HHS)	76.0	68.8	.00**
Adult Female no Adult Male	73.2	69.1	.44
Adult Male no Adult Female	61.7	76.2	.28
Male and Female Adults	76.4	68.7	.00**
Child No Adults ¹	-	-	-
Percentage of households using an improved drinking water source	37.4	41.9	.25
Percentage of households using improved sanitation facilities	12.7	4.0	.00**
Percentage of households with soap and water at a handwashing station commonly used by family members	11.0	4.0	.00**
Prevalence of poverty: Percent of people living on less than \$1.25/day	93.2	95.6	.10
Adult Female no Adult Male	92.6	96.2	.27
Adult Male no Adult Female	100.0	78.9	.00**
Male and Female Adults	93.3	95.8	.07
Child No Adults ¹	-	-	-
Mean depth of poverty	61.5	66.7	.04*
Adult Female no Adult Male	57.1	60.5	.61
Adult Male no Adult Female	64.3	51.5	.24
Male and Female Adults	61.9	67.4	.02*
Child No Adults ¹	-	-	-
Per capita expenditures (as a proxy for income) of USG targeted beneficiaries	0.58	0.52	.22
Adult Female no Adult Male	0.63	0.61	.83
Adult Male no Adult Female	0.50	0.76	.15
Male and Female Adults	0.58	0.51	.17
Child No Adults ¹	-	-	-
AGRICULTURAL INDICATORS			
Percentage of farmers who used financial services in the past 12 months	31.6	27.1	.26
Male farmers	33.7	26.3	.11
Female farmers	29.9	27.7	.60
Percentage of farmers who practiced value chain activities promoted by the project in the past 12 months	82.1	77.4	.04*
Male farmers	85.9	76.3	.00**
Female farmers	79.0	78.4	.83
Percentage of farmers who used three sustainable agricultural practices in the past 12 months	16.7	19.0	.55
Male farmers	20.8	22.9	.68
Female farmers	13.3	15.5	.47
Percentage of farmers who used improved storage practices in the past 12 months	48.7	52.3	.34
Male farmers	56.3	50.2	.23
Female farmers	42.4	54.1	.00**
WOMEN'S EMPOWERMENT IN AGRICULTURE INDEX (WEAI)			
Women's empowerment in agriculture index (WEAI)	0.774	0.806	NA

Table A7.4. Title II FFP Baseline Indicators - Program Comparisons
Indicators and P-values for Test of Differences [Uganda, 2013]

	Indicator Value		P-Value
	Northern Karamoja	Southern Karamoja	
WOMEN'S HEALTH AND NUTRITION INDICATORS			
Prevalence of underweight women	20.9	26.8	.07
Women's Dietary Diversity Score	2.1	2.6	.00**
CHILDREN'S HEALTH AND NUTRITION INDICATORS			
Prevalence of underweight children under 5 years of age (Total)	21.5	20.5	.64
Prevalence of underweight children under 5 years of age (Male)	23.8	23.1	.86
Prevalence of underweight children under 5 years of age (Female)	19.2	17.9	.50
Prevalence of stunted children under 5 years of age (Total)	32.0	38.0	.01*
Prevalence of stunted children under 5 years of age (Male)	33.7	42.6	.04*
Prevalence of stunted children under 5 years of age (Female)	30.4	33.7	.17
Prevalence of wasted children under 5 years of age (Total)	13.7	11.2	.06
Prevalence of wasted children under 5 years of age (Male)	14.3	12.9	.52
Prevalence of wasted children under 5 years of age (Female)	13.1	9.6	.03*
Percentage of children under age 5 with diarrheain the last two weeks (Total)	21.3	22.9	.47
Percentage of children under age 5 with diarrhea in the last two weeks (Male)	22.6	22.9	.93
Percentage of children under age 5 with diarrhea in the last two weeks (Female)	20.1	23.0	.19
Percentage of children under age 5 with diarrhea treated with ORT (Total)	92.7	82.8	.00**
Percentage of children under age 5 with diarrhea treated with ORT (Male)	92.9	84.0	.01*
Percentage of children under age 5 with diarrhea treated with ORT (Female)	92.4	81.7	.01**
Prevalence of exclusive breast-feeding of children under six months of age	60.8	58.5	.70
Prevalence of exclusive breast-feeding of children under six months of age (Male)	61.4	56.0	.53
Prevalence of exclusive breast-feeding of children under six months of age (Female)	60.1	61.4	.85
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD)	2.1	7.0	.00**
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD) (Male)	2.3	6.9	.12
Prevalence of children 6-23 months of age receiving a minimum acceptable diet (MAD) (Female)	1.9	7.1	.01*

* p <.05

** p <.01

¹ No households of this type in the sample

Table A7.5. Title II Program-specific Indicators - Both Program Areas
Indicators, 95% Confidence Intervals and Base Population [Uganda, 2013]

	Indicator Value	95% CI		Number of Records	Weighted Population	Standard Error	DEFT
		Lower	Upper				
Handwashing, Sanitation and Security (Household respondents)							
Percentage who know 3 of 5 critical moments for handwashing ¹	70.2	66.2	73.9	4,766	155,574	2.0	3.0
Percentage with access to a sanitation facility of any type	27.8	22.0	34.4	4,766	155,574	3.2	4.9
Percentage reporting increased movement in areas that were previously not accessible due to insecurity	60.7	56.7	64.5	4,766	155,574	2.0	2.8
Agricultural Practices (Farmers)							
Average number of crops produced - past 12 months	2.6	2.5	2.7	5,814	209,926	0.04	2.3
Percentage adopting farmer managed natural regeneration practices - past 12 months	16.2	13.7	19.0	5,782	209,926	1.3	2.8
Percentage using at least three productivity improving agricultural practices and/or technologies - past 12 months	17.7	14.2	21.8	5,834	209,926	1.9	3.9
Veterinary Care (Livestock owners)							
Percentage accessing government or private sector veterinary care - past 12 months	65.6	59.1	71.5	1,734	57,963	3.2	2.8
Health Care Seeking Decision-Making (Female caretakers of children 0-59 months - married or in a union)							
Percentage making decisions about health care for themselves ²	77.2	74.6	79.7	3,234	109,230	1.3	1.8
Percentage making decisions about health care for children 0-59 months ²	77.4	74.5	80.1	3,234	109,230	1.4	1.9
IYCF and MCC Practices Awareness (Caretakers of children 0-59 months)							
Percentage who know at least 7 of 15 IYCF and MCC practices	22.8	19.3	26.8	3,545	120,598	1.9	2.7
Family Planning Awareness (Women 15-49)							
Percentage who are aware of where to go for family planning services	43.1	39.5	46.8	4,531	206,195	1.8	2.5
Antenatal Care (Mothers of children 0-23 months)							
Percentage attending 4 or more antenatal care visits with youngest child	60.0	56.2	63.7	1,806	62,989	1.9	1.7

¹ Critical moments for handwashing include 1) after defecation, 2) after cleaning a child, 3) before preparing food, 4) before feeding a child, and 5) before eating.

² Includes joint decision making.

Table A7.6. Title II Program-specific Indicators - Northern Karamoja
Indicators, 95% Confidence Intervals and Base Population [Uganda, 2013]

	Indicator Value	95% CI		Number of Records	Weighted Population	Standard Error	DEFT
		Lower	Upper				
Handwashing, Sanitation and Security (Household respondents)							
Percentage who know 3 of 5 critical moments for handwashing ¹	69.6	63.7	74.9	2,399	87,812	2.8	3.2
Percentage with access to a sanitation facility of any type	40.5	32.0	49.6	2,399	87,812	4.5	4.8
Percentage reporting increased movement in areas that were previously not accessible due to insecurity	52.4	48.8	56.0	2,399	87,812	1.8	1.9
Agricultural Practices (Farmers)							
Average number of crops produced - past 12 months	2.6	2.5	2.7	2,739	116,926	0.06	2.3
Percentage adopting farmer managed natural regeneration practices - past 12 months	16.4	13.1	20.4	2,721	116,926	1.8	2.8
Percentage using at least three productivity improving agricultural practices and/or technologies - past 12 months	16.7	12.4	21.9	2,754	116,926	2.4	3.7
Veterinary Care (Livestock owners)							
Percentage accessing government or private sector veterinary care - past 12 months	63.1	52.9	72.2	791	34,514	4.9	3.3
Health Care Seeking Decision-Making (Female caretakers of children 0-59 months - married or in a union)							
Percentage making decisions about health care for themselves ²	79.6	76.1	82.8	1,653	62,368	1.7	1.8
Percentage making decisions about health care for children 0-59 months ²	79.9	76.2	83.2	1,653	62,368	1.8	1.9
IYCF and MCC Practices Awareness (Caretakers of children 0-59 months)							
Percentage who know at least 7 of 15 IYCF and MCC practices	13.6	10.0	18.1	1,825	69,576	2.0	2.7
Family Planning Awareness (Women 15-49)							
Percentage who are aware of where to go for family planning services	48.5	43.9	53.0	2,320	121,665	2.3	2.4
Antenatal Care (Mothers of children 0-23 months)							
Percentage attending 4 or more antenatal care visits with youngest child	49.2	45.5	53.0	944	36,945	1.9	1.2

¹ Critical moments for handwashing include 1) after defecation, 2) after cleaning a child, 3) before preparing food, 4) before feeding a child, and 5) before eating.

² Includes joint decision making.

Table A7.7. Title II Program-specific Indicators - Southern Karamoja
Indicators, 95% Confidence Intervals and Base Population [Uganda, 2013]

	Indicator Value	95% CI		Number of Records	Weighted Population	Standard Error	DEFT
		Lower	Upper				
Handwashing, Sanitation and Security (Household respondents)							
Percentage who know 3 of 5 critical moments for handwashing ¹	71.0	65.1	76.2	2,367	67,762	2.8	2.8
Percentage with access to a sanitation facility of any type	11.3	8.2	15.4	2,367	67,762	1.8	2.6
Percentage reporting increased movement in areas that were previously not accessible due to insecurity	71.4	67.3	75.0	2,367	67,762	1.9	2.0
Agricultural Practices (Farmers)							
Average number of crops produced - past 12 months	2.5	2.4	2.6	3,075	93,000	0.07	2.3
Percentage adopting farmer managed natural regeneration practices - past 12 months	15.9	12.5	20.0	3,061	93,000	1.9	2.6
Percentage using at least three productivity improving agricultural practices and/or technologies - past 12 months	19.0	13.7	25.7	3,080	93,000	3.0	3.9
Veterinary Care (Livestock owners)							
Percentage accessing government or private sector veterinary care - past 12 months	69.3	62.8	75.0	943	23,449	3.1	1.8
Health Care Seeking Decision-Making (Female caretakers of children 0-59 months - married or in a union)							
Percentage making decisions about health care for themselves ²	74.1	69.7	78.0	1,581	46,863	2.1	1.8
Percentage making decisions about health care for children 0-59 months ²	74.1	69.3	78.4	1,581	46,863	2.3	2.0
IYCF and MCC Practices Awareness (Caretakers of children 0-59 months)							
Percentage who know at least 7 of 15 IYCF and MCC practices	35.5	30.5	40.8	1,720	51,022	2.6	2.1
Family Planning Awareness (Women 15-49)							
Percentage who are aware of where to go for family planning services	35.5	31.5	39.7	2,211	84,530	2.1	1.9
Antenatal Care (Mothers of children 0-23 months)							
Percentage attending 4 or more antenatal care visits with youngest child	75.2	70.9	79.0	862	26,043	2.1	1.3

¹ Critical moments for handwashing include 1) after defecation, 2) after cleaning a child, 3) before preparing food, 4) before feeding a child, and 5) before eating.

² Includes joint decision making.

Table A7.8. Title II Program-specific Indicators - Program Comparisons
Indicators and P-values for Test of Differences [Uganda, 2013]

	Indicator Value		P-Value
	Northern Karamoja	Southern Karamoja	
Handwashing, Sanitation and Security (Household respondents)			
Percentage who know 3 of 5 critical moments for handwashing ¹	69.6	71.0	.73
Percentage with access to a sanitation facility of any type	40.5	11.3	.00**
Percentage reporting increased movement in areas that were previously not accessible due to insecurity	52.4	71.4	.00**
Agricultural Practices (Farmers)			
Average number of crops produced - past 12 months	2.6	2.5	.22
Percentage adopting farmer managed natural regeneration practices - past 12 months	16.4	15.9	.82
Percentage using at least three productivity improving agricultural practices and/or technologies - past 12 months	16.7	19.0	.55
Veterinary Care (Livestock owners)			
Percentage accessing government or private sector veterinary care - past 12 months	63.1	69.3	.28
Health Care Seeking Decision-Making (Female caretakers of children 0-59 months - married or in a union)			
Percentage making decisions about health care for themselves ²	79.6	74.1	.04*
Percentage making decisions about health care for children 0-59 months ²	79.9	74.1	.04*
IYCF and MCC Practices Awareness (Caretakers of children 0-59 months)			
Percentage who know at least 7 of 15 IYCF and MCC practices	13.6	35.5	.00**
Family Planning Awareness (Women 15-49)			
Percentage who are aware of where to go for family planning services	48.5	35.5	.00**
Antenatal Care (Mothers of children 0-23 months)			
Percentage attending 4 or more antenatal care visits with youngest child	49.2	75.2	.00**

¹ Critical moments for handwashing include 1) after defecation, 2) after cleaning a child, 3) before preparing food, 4) before feeding a child, and 5) before eating.

² Includes joint decision making.