# Laravel Project – GitHub Push & Another PC Clone Workflow

Reference Notes: Existing Laravel project-a GitHub-la push pannitu, already Composer installed irukkura innoru PC-la old firstwebsite code-ku replacement-aa latest project-a clone panni work panna complete process.

## 1. Overall Workflow

**PC 1:** Existing Laravel project → Git commit → GitHub push
**GitHub:** Latest project code store aagum
**PC 2:** Old project folder rename → GitHub clone → dependencies/setup → work

## 2. PC 1 – Existing Project-a GitHub-ku Push

Project folder-kulla terminal open panni:

```
git status
git init
git add .
git commit -m "Initial Laravel project"
```

> **Important:** .env, passwords, API keys, vendor/, node_modules/ ■■■■■ files GitHub-ku push aagatha madhiri .gitignore verify pannunga.

## 3. GitHub Repository Create

GitHub → New repository → Repository name: **firstwebsite** → Private/Public choose pannunga → empty repository create pannunga. README / .gitignore / License-ai initial-aa add panna vendam; local Laravel project already files irukku.

## 4. PC 1 – GitHub Remote Connect & Push

```
git branch -M main
git remote add origin https://github.com/YOUR-USERNAME/firstwebsite.git
git push -u origin main
```

Push successful aana GitHub repository refresh pannumbodhu Laravel project files theriyum.

## 5. PC 2 – Old firstwebsite Already Irukku

Old project-a direct-aa delete panna vendam. First backup safety-kaga rename pannunga.

```
C:\xampp\htdocs\dashboard\firstwebsite
↓
C:\xampp\htdocs\dashboard\firstwebsite_old
```

Ippo old code safe-aa irukkum. New GitHub project-ku same folder name **firstwebsite** use panna mudiyum.

## 6. PC 2 – GitHub Project-a Clone

Parent folder-kulla terminal open pannunga:

```
cd C:\xampp\htdocs\dashboard
git clone https://github.com/YOUR-USERNAME/firstwebsite.git
cd firstwebsite
git status
```

```
Result:
dashboard/
■■■ firstwebsite_old ← Old project
■■■ firstwebsite ← GitHub-la irundhu cloned latest project
```

## 7. Composer – Reinstall Panna Vendam

Second PC-la Composer software already installed irundhaal, Composer-a again install panna vendam.

Clone pannina **new project**-ku required PHP packages install panna mattum:

```
composer install
```

> **Difference:**
> Composer installation = composer command/software install pannradhu.
> composer install = current Laravel project-ku required packages-a vendor/ folder-la install pannradhu.

## 8. .env Setup

GitHub-la .env usually push aagaadhu. So cloned project-la .env create pannunga.

```
Copy-Item .env.example .env
php artisan key:generate
```

Then .env-la second PC database settings configure pannunga. Example:

```
DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=firstwebsite
DB_USERNAME=root
DB_PASSWORD=
```

## 9. Database Setup

Git clone pannumbodhu MySQL database/data automatic-aa clone aagaadhu. Second PC-la MySQL start panni empty database create pannunga:

```
CREATE DATABASE firstwebsite;
```

Then Laravel migrations run pannunga:

```
php artisan migrate
```

> Migration files base panni tables create aagum. Existing data venumna database export/import separate-aa seyyanum.

## 10. Frontend Dependencies

package.json irundha, Node.js/npm already installed irundhaal:

```
npm install
npm run dev
```

## 11. Laravel Project Run

Backend:

```
php artisan serve
```

Browser:

```
http://127.0.0.1:8000
```

Vite frontend assets use pannina, separate terminal-la **npm run dev** run pannunga.

## 12. Future-la PC 2-la Work Start Pannumbodhu

> **IMPORTANT:** First time mattum **git clone**. Already cloned project-ku next time clone panna vendam.

```
cd C:\xampp\htdocs\dashboard\firstwebsite
git pull
```

GitHub-la irukkura latest committed changes local PC-ku varum.

## 13. Work Mudichitu GitHub-ku Push

```
git status
git add .
git commit -m "Update student section"
git push
```

Next time PC 1-la latest changes venumna, project folder-kulla **git pull** use pannunga.

## 14. Easy Memory Formula

| Situation | Command / Action |
|---|---|
| First time Git setup | git init |
| Save changes in Git | git add . → git commit |
| Upload to GitHub | git push |
| First time another PC | git clone |
| Already cloned project | git pull |
| Laravel PHP packages | composer install |
| Frontend packages | npm install |
| Create Laravel key | php artisan key:generate |
| Create tables | php artisan migrate |
| Run Laravel | php artisan serve |
| Run Vite | npm run dev |

**Final flow:** PC 1 → git add → commit → push → GitHub → PC 2 → rename old folder → clone → composer install → .env → key:generate → database → migrate → npm install → work.