

### ◆ Implicit Wait (Python)

- Applies globally to all elements
- Set once for the entire driver session

Example:

 Python 

```
from selenium import webdriver

driver = webdriver.Chrome()
driver.implicitly_wait(10) # wait up to 10 seconds for all elements

driver.get("https://example.com")
element = driver.find_element("id", "example")
```

Key Points:

- Simple and quick to set
- Applies everywhere
- Not condition-based
- Can make debugging slower



## ◆ Explicit Wait (Python)

- Waits for a specific condition
- Uses `WebDriverWait` + `expected_conditions`

### Example:

`</>` Python

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC

driver = webdriver.Chrome()
driver.get("https://example.com")

wait = WebDriverWait(driver, 10)
element = wait.until(
    EC.visibility_of_element_located((By.ID, "example"))
)
```

## Common Conditions in Python

 Python



```
EC.presence_of_element_located((By.ID, "id"))
EC.visibility_of_element_located((By.ID, "id"))
EC.element_to_be_clickable((By.ID, "id"))
EC.text_to_be_present_in_element((By.ID, "id"), "text")
```

## Key Differences

| Feature     | Implicit Wait                                                                        | Explicit Wait                                                                         |
|-------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Scope       | Global                                                                               | Specific element                                                                      |
| Flexibility | Low                                                                                  | High                                                                                  |
| Condition   |  No |  Yes |
| Best Use    | Small scripts                                                                        | Real-world automation                                                                 |

