Diwali_Sales_Analysis data

June 18, 2023

[1]:
```
# import python libraries
pip install nbconverter
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt # visualizing data
%matplotlib inline
import seaborn as sns
```

[1]:
```
```

[2]:
```
# import csv file
df = pd.read_csv('Diwali Sales Data.csv', encoding= 'unicode_escape')
```

[3]:
```
df
```

[3]:

	User_ID	Cust_name	Product_ID	Gender	Age Group	Age	Marital_Status	\
0	1002903	Sanskriti	P00125942	F	26-35	28	0	
1	1000732	Kartik	P00110942	F	26-35	35	1	
2	1001990	Bindu	P00118542	F	26-35	35	1	
3	1001425	Sudevi	P00237842	M	0-17	16	0	
4	1000588	Joni	P00057942	M	26-35	28	1	
…	…	…	…	…	…	…	…	
11246	1000695	Manning	P00296942	M	18-25	19	1	
11247	1004089	Reichenbach	P00171342	M	26-35	33	0	
11248	1001209	Oshin	P00201342	F	36-45	40	0	
11249	1004023	Noonan	P00059442	M	36-45	37	0	
11250	1002744	Brumley	P00281742	F	18-25	19	0	

	State	Zone	Occupation	Product_Category	Orders	\
0	Maharashtra	Western	Healthcare	Auto	1	
1	Andhra Pradesh	Southern	Govt	Auto	3	
2	Uttar Pradesh	Central	Automobile	Auto	3	
3	Karnataka	Southern	Construction	Auto	2	
4	Gujarat	Western	Food Processing	Auto	2	
…	…	…	…	…	…	
11246	Maharashtra	Western	Chemical	Office	4	
11247	Haryana	Northern	Healthcare	Veterinary	3	
11248	Madhya Pradesh	Central	Textile	Office	4	

```
11249       Karnataka  Southern      Agriculture           Office       3
11250     Maharashtra   Western       Healthcare           Office       3

         Amount  Status  unnamed1
0       23952.0     NaN       NaN
1       23934.0     NaN       NaN
2       23924.0     NaN       NaN
3       23912.0     NaN       NaN
4       23877.0     NaN       NaN
…           …     …         …
11246     370.0     NaN       NaN
11247     367.0     NaN       NaN
11248     213.0     NaN       NaN
11249     206.0     NaN       NaN
11250     188.0     NaN       NaN

[11251 rows x 15 columns]
```

[4]:
```
df.shape
```

[4]:
```
(11251, 15)
```

[5]:
```
df.head()
```

[5]:
```
    User_ID  Cust_name Product_ID Gender Age Group  Age  Marital_Status  \
0  1002903  Sanskriti  P00125942      F     26-35   28               0
1  1000732     Kartik  P00110942      F     26-35   35               1
2  1001990      Bindu  P00118542      F     26-35   35               1
3  1001425     Sudevi  P00237842      M      0-17   16               0
4  1000588       Joni  P00057942      M     26-35   28               1

             State      Zone       Occupation Product_Category  Orders  \
0      Maharashtra   Western       Healthcare             Auto       1
1  Andhra Pradesh  Southern             Govt             Auto       3
2   Uttar Pradesh   Central       Automobile             Auto       3
3       Karnataka  Southern     Construction             Auto       2
4         Gujarat   Western  Food Processing             Auto       2

    Amount  Status  unnamed1
0  23952.0     NaN       NaN
1  23934.0     NaN       NaN
2  23924.0     NaN       NaN
3  23912.0     NaN       NaN
4  23877.0     NaN       NaN
```

[6]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 11251 entries, 0 to 11250
Data columns (total 15 columns):
 #   Column            Non-Null Count  Dtype  
---  ------            --------------  -----  
 0   User_ID           11251 non-null  int64  
 1   Cust_name         11251 non-null  object 
 2   Product_ID        11251 non-null  object 
 3   Gender            11251 non-null  object 
 4   Age Group         11251 non-null  object 
 5   Age               11251 non-null  int64  
 6   Marital_Status    11251 non-null  int64  
 7   State             11251 non-null  object 
 8   Zone              11251 non-null  object 
 9   Occupation        11251 non-null  object 
 10  Product_Category  11251 non-null  object 
 11  Orders            11251 non-null  int64  
 12  Amount            11239 non-null  float64
 13  Status            0 non-null      float64
 14  unnamed1          0 non-null      float64
dtypes: float64(3), int64(4), object(8)
memory usage: 1.3+ MB
```

[7]:
```
#drop unrelated/blank columns
df.drop(['Status', 'unnamed1'], axis=1, inplace=True)
```

[8]:
```
#check for null values
pd.isnull(df).sum()
```

[8]:
```
User_ID             0
Cust_name           0
Product_ID          0
Gender              0
Age Group           0
Age                 0
Marital_Status      0
State               0
Zone                0
Occupation          0
Product_Category    0
Orders              0
Amount             12
dtype: int64
```

[9]:
```
# drop null values
df.dropna(inplace=True)
```

[10]:
```
# change data type
df['Amount'] = df['Amount'].astype('int')
```

[11]:
```
df['Amount'].dtypes
```

[11]:
```
dtype('int32')
```

[12]:
```
df.columns
```

[12]:
```
Index(['User_ID', 'Cust_name', 'Product_ID', 'Gender', 'Age Group', 'Age',
       'Marital_Status', 'State', 'Zone', 'Occupation', 'Product_Category',
       'Orders', 'Amount'],
      dtype='object')
```

[13]:
```
#rename column
df.rename(columns= {'Marital_Status':'Shaadi'})
```

[13]:

	User_ID	Cust_name	Product_ID	Gender	Age Group	Age	Shaadi	State	Zone	Occupation	Product_Category	Orders	Amount
0	1002903	Sanskriti	P00125942	F	26-35	28	0	Maharashtra	Western	Healthcare	Auto	1	23952
1	1000732	Kartik	P00110942	F	26-35	35	1	Andhra Pradesh	Southern	Govt	Auto	3	23934
2	1001990	Bindu	P00118542	F	26-35	35	1	Uttar Pradesh	Central	Automobile	Auto	3	23924
3	1001425	Sudevi	P00237842	M	0-17	16	0	Karnataka	Southern	Construction	Auto	2	23912
4	1000588	Joni	P00057942	M	26-35	28	1	Gujarat	Western	Food Processing	Auto	2	23877
…	…	…	…	…	…	…	…	…	…	…	…	…	…
11246	1000695	Manning	P00296942	M	18-25	19	1	Maharashtra	Western	Chemical	Office	4	
11247	1004089	Reichenbach	P00171342	M	26-35	33	0	Haryana	Northern	Healthcare	Veterinary	3	
11248	1001209	Oshin	P00201342	F	36-45	40	0	Madhya Pradesh	Central	Textile	Office	4	
11249	1004023	Noonan	P00059442	M	36-45	37	0	Karnataka	Southern	Agriculture	Office	3	
11250	1002744	Brumley	P00281742	F	18-25	19	0	Maharashtra	Western	Healthcare	Office	3	

```
11246      370
11247      367
11248      213
11249      206
11250      188

[11239 rows x 13 columns]
```

[14]:
```
# describe() method returns description of the data in the DataFrame (i.e.␣
↪count, mean, std, etc)
df.describe()
```

[14]:

	User_ID	Age	Marital_Status	Orders	Amount
count	1.123900e+04	11239.000000	11239.000000	11239.000000	11239.000000
mean	1.003004e+06	35.410357	0.420055	2.489634	9453.610553
std	1.716039e+03	12.753866	0.493589	1.114967	5222.355168
min	1.000001e+06	12.000000	0.000000	1.000000	188.000000
25%	1.001492e+06	27.000000	0.000000	2.000000	5443.000000
50%	1.003064e+06	33.000000	0.000000	2.000000	8109.000000
75%	1.004426e+06	43.000000	1.000000	3.000000	12675.000000
max	1.006040e+06	92.000000	1.000000	4.000000	23952.000000

[15]:
```
# use describe() for specific columns
df[['Age', 'Orders', 'Amount']].describe()
```

[15]:

	Age	Orders	Amount
count	11239.000000	11239.000000	11239.000000
mean	35.410357	2.489634	9453.610553
std	12.753866	1.114967	5222.355168
min	12.000000	1.000000	188.000000
25%	27.000000	2.000000	5443.000000
50%	33.000000	2.000000	8109.000000
75%	43.000000	3.000000	12675.000000
max	92.000000	4.000000	23952.000000

1 Exploratory Data Analysis

1.0.1 Gender

[16]:
```
# plotting a bar chart for Gender and it's count

ax = sns.countplot(x = 'Gender',data = df)

for bars in ax.containers:
    ax.bar_label(bars)
```



[17]:
```
# plotting a bar chart for gender vs total amount

sales_gen = df.groupby(['Gender'], as_index=False)['Amount'].sum().
 ↪sort_values(by='Amount', ascending=False)

sns.barplot(x = 'Gender',y= 'Amount' ,data = sales_gen)
```

[17]:
```
<Axes: xlabel='Gender', ylabel='Amount'>
```



From above graphs we can see that most of the buyers are females and even the purchasing power of females are greater than men

1.0.2 Age

[18]:
```
ax = sns.countplot(data = df, x = 'Age Group', hue = 'Gender')

for bars in ax.containers:
    ax.bar_label(bars)
```



[19]:
```
# Total Amount vs Age Group
sales_age = df.groupby(['Age Group'], as_index=False)['Amount'].sum().
 ↪sort_values(by='Amount', ascending=False)

sns.barplot(x = 'Age Group',y= 'Amount' ,data = sales_age)
```

[19]: <Axes: xlabel='Age Group', ylabel='Amount'>



From above graphs we can see that most of the buyers are of age group between 26-35 yrs female

1.0.3 State

[20]:
```
# total number of orders from top 10 states

sales_state = df.groupby(['State'], as_index=False)['Orders'].sum().
 ↪sort_values(by='Orders', ascending=False).head(10)

sns.set(rc={'figure.figsize':(15,5)})
sns.barplot(data = sales_state, x = 'State',y= 'Orders')
```

[20]:
```
<Axes: xlabel='State', ylabel='Orders'>
```



[21]:
```
# total amount/sales from top 10 states

sales_state = df.groupby(['State'], as_index=False)['Amount'].sum().
 ↪sort_values(by='Amount', ascending=False).head(10)

sns.set(rc={'figure.figsize':(15,5)})
sns.barplot(data = sales_state, x = 'State',y= 'Amount')
```

[21]: <Axes: xlabel='State', ylabel='Amount'>



From above graphs we can see that most of the orders & total sales/amount are from Uttar Pradesh, Maharashtra and Karnataka respectively

1.0.4 Marital Status

[21]:
```
ax = sns.countplot(data = df, x = 'Marital_Status')

sns.set(rc={'figure.figsize':(7,5)})
for bars in ax.containers:
    ax.bar_label(bars)
```



[22]:
```
sales_state = df.groupby(['Marital_Status', 'Gender'],␣
 ↪as_index=False)['Amount'].sum().sort_values(by='Amount', ascending=False)

sns.set(rc={'figure.figsize':(6,5)})
sns.barplot(data = sales_state, x = 'Marital_Status',y= 'Amount', hue='Gender')
```

[22]:
```
<Axes: xlabel='Marital_Status', ylabel='Amount'>
```



From above graphs we can see that most of the buyers are married (women) and they have high purchasing power

1.0.5 Occupation

[23]:
```
sns.set(rc={'figure.figsize':(20,5)})
ax = sns.countplot(data = df, x = 'Occupation')

for bars in ax.containers:
    ax.bar_label(bars)
```



[24]:
```
sales_state = df.groupby(['Occupation'], as_index=False)['Amount'].sum().
↪sort_values(by='Amount', ascending=False)

sns.set(rc={'figure.figsize':(20,5)})
sns.barplot(data = sales_state, x = 'Occupation',y= 'Amount')
```

[24]:
```
<Axes: xlabel='Occupation', ylabel='Amount'>
```



From above graphs we can see that most of the buyers are working in IT, Healthcare and Aviation sector

1.0.6 Product Category

[25]:
```
sns.set(rc={'figure.figsize':(20,5)})
ax = sns.countplot(data = df, x = 'Product_Category')

for bars in ax.containers:
    ax.bar_label(bars)
```



[26]:
```
sales_state = df.groupby(['Product_Category'], as_index=False)['Amount'].sum().
 ↪sort_values(by='Amount', ascending=False).head(10)

sns.set(rc={'figure.figsize':(20,5)})
sns.barplot(data = sales_state, x = 'Product_Category',y= 'Amount')
```

[26]:
```
<Axes: xlabel='Product_Category', ylabel='Amount'>
```



From above graphs we can see that most of the sold products are from Food, Clothing and Electronics category

[27]:
```
sales_state = df.groupby(['Product_ID'], as_index=False)['Orders'].sum().
 ↪sort_values(by='Orders', ascending=False).head(10)

sns.set(rc={'figure.figsize':(20,5)})
sns.barplot(data = sales_state, x = 'Product_ID',y= 'Orders')
```

[27]:
```
<Axes: xlabel='Product_ID', ylabel='Orders'>
```



[28]:
```
# top 10 most sold products (same thing as above)

fig1, ax1 = plt.subplots(figsize=(12,7))
```

```
df.groupby('Product_ID')['Orders'].sum().nlargest(10).
  ↪sort_values(ascending=False).plot(kind='bar')
```

[28]: <Axes: xlabel='Product_ID'>



1.1 Conclusion:

1.1.1

Married women age group 26-35 yrs from UP, Maharastra and Karnataka working in IT, Healthcare and Aviation are more likely to buy products from Food, Clothing and Electronics category

complete project on YouTube: https://www.youtube.com/@RishabhMishraOfficial

complete project on GitHub: https://github.com/rishabhnmishra/Python_Diwali_Sales_Analysis

Thank you!