



2101004391

PASSPORT NO : 547607970

Name	: Vasudev Vallavbhai Patel	Dob/Age/Sex	: (01/08/1964/57Y 5M 24D / Male)
Ref. By	: C/o. Modern Laboratory, Umreth	Reg.No.	: 2101004391
Reg.Date	: 25/01/2022 08:50	Member Id.	: DIAY6865000 /9924440802
Colle. Time	: 25/01/2022 08:50	Repo. Time	: 25/01/2022 12:26

Real Time PCR (Qualitative Detection of SARS-COV) (ICMR NO. ANMOLAG)

(Specimen : Nasopharyngeal Swab & Oropharyngeal Swab)

Method :

Real Time Polymerase Chain Reaction (PCR)

N1 and N2 Gene	NOT DETECTED - NEGATIVE
INTERNAL CONTROL	PASS

Result :

2019-nCoV NOT DETECTED - NEGATIVE

LOW VIRAL LOAD : CT > 35

MODERATE VIRAL LOAD : CT BETWEEN 15 TO 35

HIGH VIRAL LOAD : CT < 15

Note: Viral load differentiation is for better understanding of diseased condition and patient treatment. Low viral load must be correlated with clinical and radio logical findings for better interpretation.

· Categories of viral load is based on cycle threshold (Ct) detected by RT PCR.

Disclaimer:

Clinical diagnosis and treatment of patients should be considered in combination with other symptoms/ signs, medical history and treatment response. False positive results may be obtained due to background RNA environmental contamination in lab before it is identified and corrective, preventive actions are taken. There are changes of result variations between various labs and institute due to preanalytical, analytical and post analytical variables like sample collection, transfer, storage and processing, difference in kit sensitivity, and any mistakes may lead to inaccurate results. Each batch of assays is run along with positive and negative control and kits approved by ICMR.

----- End Of Report -----

D.C. Vataliya

Dr. Kalpesh Shah
DCP., M.D.(Micro)

Dr. Dharmen Vataliya
M.D. (Path & Bact)

Dr. Jatin Patel
DCP., M.D.(Path)

