

# Portal

## Execution Environment

Host name	a2274333 - localhost
OS	Mac OS X 64bit
Katalon version	7.9.1.208
Browser	

## Summary

ID	Test Suites/Portal
Description	

Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2021-03-19 05:48:51	End	2021-03-19 05:48:54
Elapsed	3.367s		

#	ID	Description	Status
1	Test Cases/WEB - Portal seguros		FAILED

## WEB - Portal seguros

---

### Information

ID	Test Cases/WEB - Portal seguros		
Description			
Tag			
Start	2021-03-19 05:48:52	End	2021-03-19 05:48:54
Elapsed	2.328s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## WEB - Portal seguros

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:63)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call(Unknown Source)     at WEB - Portal seguros.run(WEB - Portal seguros:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:398)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:389)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:368)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:360)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:255)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestMainPhase(TestSuiteExecutor.java:203)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:152)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:95)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1616154527977.run(TempTestSuite1616154527977.groovy:39) Caused by: org.openqa.selenium.SessionNotCreatedException: Unable to create a new remote session. Please check the server log for more details. Original error: No device matching the desired capabilities Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'A2274333s-MacBook-Pro.local', ip: 'fe80:0:0:0:1847:f874:e4ae:542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275' Driver info: driver.version: IOSDriver remote stacktrace: Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'A2274333s-MacBook-Pro.local', ip: 'fe80:0:0:0:1847:f874:e4ae:542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275' Driver info: driver.version: IOSDriver     at io.appium.java_client.remote.AppiumCommandExecutor\$1.createSession(AppiumCommandExecutor.java:208)</p>	1.752s	FAILED

# WEB - Portal seguros

#	Description	Elapsed	Status
	<pre>at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:217) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute (DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt; (RemoteWebDriver.java:131) at io.appium.java_client.DefaultGenericMobileDriver.&lt;init&gt; (DefaultGenericMobileDriver.java:38) at io.appium.java_client.AppiumDriver.&lt;init&gt;(AppiumDriver.java:84) at io.appium.java_client.ios.IOSDriver.&lt;init&gt;(IOSDriver.java:85) at com.kms.katalon.core.webui.driver.DriverFactory. createNewRemoteWebDriver(DriverFactory.java:537) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:318) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:243) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:63) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$openBrowser.call(Unknown Source) at Script1616151695470.run(Script1616151695470.groovy:20) ... 13 more Caused by: java.lang.reflect.InvocationTargetException at io.appium.java_client.remote.AppiumCommandExecutor\$1. createSession(AppiumCommandExecutor.java:186) ... 36 more Caused by: org.openqa.selenium.WebDriverException: No device matching the desired capabilities Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53' System info: host: 'A2274333s-MacBook-Pro.local', ip: 'fe80:0:0:0:1847:f874:e4ae: 542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275' Driver info: driver.version: IOSDriver remote stacktrace: at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126)</pre>		

## WEB - Portal seguros

---

#	Description	Elapsed	Status
	<pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) ... 37 more )</pre>		