

Portal

Execution Environment

Host name	a2274333 - localhost
OS	Mac OS X 64bit
Katalon version	7.9.1.208
Browser	

Summary

ID	Test Suites/Portal		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2021-03-19 05:57:13	End	2021-03-19 05:57:16
Elapsed	2.739s		

#	ID	Description	Status
1	Test Cases/WEB - Portal seguros		FAILED

WEB - Portal seguros

Information

ID	Test Cases/WEB - Portal seguros		
Description			
Tag			
Start	2021-03-19 05:57:14	End	2021-03-19 05:57:16
Elapsed	1.747s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

WEB - Portal seguros

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:63) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call(Unknown Source) at WEB - Portal seguros.run(WEB - Portal seguros:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestMainPhase(TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1616155030027.run(TempTestSuite1616155030027.groovy:39) Caused by: org.openqa.selenium.SessionNotCreatedException: Unable to create session from { "desiredCapabilities": { "proxy": { "proxyType": "direct" } }, "server:CONFIG_UUID": "db0f5cdb-f8f6-4b1e-aded-426a7d3ecdf7" }, "capabilities": { "firstMatch": [{ "proxy": { "proxyType": "direct" } }, "server:CONFIG_UUID": "db0f5cdb-f8f6-4b1e-aded-426a7d3ecdf7"] } }] }</p>	1.207s	FAILED

WEB - Portal seguros

#	Description	Elapsed	Status
	<pre>} Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'SBT-W16WEBQA21', ip: '15.192.40.164', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_231' Driver info: driver.version: unknown Command duration or timeout: 336 milliseconds at org.openqa.selenium.remote.ErrorHandler.createThrowable (ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed (ErrorHandler.java:166) at org.openqa.selenium.remote.JsonWireProtocolResponse. lambda\$ErrorHandler\$0(JsonWireProtocolResponse.java:54) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory. createNewRemoteWebDriver(DriverFactory.java:524) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:318) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:243) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:63) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$_openBrowser.call(Unknown Source) at Script1616151695470.run(Script1616151695470.groovy:20) ... 13 more Caused by: org.openqa.selenium.SessionNotCreatedException: Unable to create session from { "desiredCapabilities": { "proxy": {</pre>		

WEB - Portal seguros

#	Description	Elapsed	Status
	<pre>"proxyType": "direct" }, "server:CONFIG_UUID": "db0f5cdb-f8f6-4b1e-aded-426a7d3ecdf7" }, "capabilities": { "firstMatch": [{ "proxy": { "proxyType": "direct" } }], "server:CONFIG_UUID": "db0f5cdb-f8f6-4b1e-aded-426a7d3ecdf7" }] } } } Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'SBT-W16WEBQA21', ip: '15.192.40.164', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_231' Driver info: driver.version: unknown Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'A2274333s-MacBook-Pro.local', ip: 'fe80:0:0:0:1847:f874:e4ae:542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275' Driver info: driver.version: unknown at org.openqa.selenium.remote.server.NewSessionPipeline.lambda\$null\$4 (NewSessionPipeline.java:76) at org.openqa.selenium.remote.server.NewSessionPipeline. lambda\$createNewSession\$5(NewSessionPipeline.java:75) at org.openqa.selenium.remote.server.NewSessionPipeline. createNewSession(NewSessionPipeline.java:73) at org.openqa.selenium.remote.server.commandhandler.BeginSession. execute(BeginSession.java:65) at org.openqa.selenium.remote.server.WebDriverServlet.lambda\$handle\$0 (WebDriverServlet.java:235))</pre>		