Registro

Execution Environment

Host name	a2274333 - localhost
OS	Mac OS X 64bit
Katalon version	7.9.1.208
Browser	

Summary

ID	Test Suites/Flujo Base/Registro
Description	

Total	4		
Passed	0	Failed	4
Error	0	Incomplete	0
Start	2021-03-19 11:51:02	End	2021-03-19 11:51:26
Elapsed	24.535s		

#	ID	Description	Status
1	Test Cases/InstalaryAbrir		FAILED
2	Test Cases/RegistrarUsuario		FAILED
3	Test Cases/RegistrarUsuario		FAILED
4	Test Cases/Cerrar App		FAILED

InstalaryAbrir

Information

ID   Test Cases/InstalaryAbrir

Description

Tag

Start   2021-03-19 11:51:06   End   2021-03-19 11:51:15

Elapsed   8.847s

Status   FAILED

Details

#	Description	Elapsed	Status

InstalaryAbrir

#	Description	Elapsed	Status
1	startApplication(Ubicacion_APK, true)	5.453s	FAILED

Unable to start app at: '/Users/a2274333/Downloads/AppClientes_327-clear-preprod-debug.apk' (Root cause: org.openqa.selenium.
SessionNotCreatedException: Unable to create a new remote session. Please check the server log for more details. Original error: app must be an absolute URL or path to Kobiton storage
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'A2274333s-MacBook-Pro.local', ip: 'fe80:0:0:0:1847:f874:e4ae:542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275'
Driver info: driver.version: SwipeableAndroidDriver
remote stacktrace:
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'A2274333s-MacBook-Pro.local', ip: 'fe80:0:0:0:1847:f874:e4ae:542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275'
Driver info: driver.version: SwipeableAndroidDriver
        at io.appium.java_client.remote.AppiumCommandExecutor$1.
createSession(AppiumCommandExecutor.java:208)
        at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:217)
        at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:239)
        at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
        at io.appium.java_client.DefaultGenericMobileDriver.execute
(DefaultGenericMobileDriver.java:42)
        at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
        at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.
java:1)
        at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute
(SwipeableAndroidDriver.java:1)
        at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
        at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
        at io.appium.java_client.DefaultGenericMobileDriver.<init>
(DefaultGenericMobileDriver.java:38)
        at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84)
        at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:
85)
        at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.<init>
(SwipeableAndroidDriver.java:24)
        at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:498)
        at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startRemoteMobileDriver(MobileDriverFactory.java:546)
        at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:449)
        at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall
(StartApplicationKeyword.groovy:49)
        at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:21)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:51)

#	Description	Elapsed	Status

at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:73)

at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:77)

at com.kms.katalon.core.mobile.keyword.
MobileBuiltInKeywords$startApplication.call(Unknown Source)

at InstalaryAbrir.run(InstalaryAbrir:20)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:398)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:389)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:368)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:360)

at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:255)

at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestCaseMainPhase(TestSuiteExecutor.java:203)

at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:152)

at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:95)

at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:157)

at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)

at TempTestSuite1616176249317.run(TempTestSuite1616176249317.
groovy:39)

Caused by: java.lang.reflect.InvocationTargetException

at io.appium.java_client.remote.AppiumCommandExecutor$1.
createSession(AppiumCommandExecutor.java:186)

at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:217)

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:239)

at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)

at io.appium.java_client.DefaultGenericMobileDriver.execute
(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.
java:1)

at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute
(SwipeableAndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)

at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)

at io.appium.java_client.DefaultGenericMobileDriver.<init>
(DefaultGenericMobileDriver.java:38)

at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84)

at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:
85)

at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.<init>
(SwipeableAndroidDriver.java:24)

at com.kms.katalon.core.appium.driver.AppiumDriverManager.

#	Description	Elapsed	Status

createMobileDriver(AppiumDriverManager.java:498)
      at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startRemoteMobileDriver(MobileDriverFactory.java:546)
      at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:449)
      at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall
(StartApplicationKeyword.groovy:49)
      at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
      at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:21)
      at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:51)
      at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:40)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:73)
      at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:77)
      at com.kms.katalon.core.mobile.keyword.
MobileBuiltInKeywords$startApplication.call(Unknown Source)
      at Script1615867292978.run(Script1615867292978.groovy:20)
      ... 13 more
Caused by: org.openqa.selenium.WebDriverException: app must be an absolute URL
or path to Kobiton storage
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: 'A2274333s-MacBook-Pro.local', ip: 'fe80:0:0:0:1847:f874:e4ae:
542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version:
'1.8.0_275'
Driver info: driver.version: SwipeableAndroidDriver
remote stacktrace:
      at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
      at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
      at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
      at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
      ... 39 more
)

RegistrarUsuario

Information

ID   Test Cases/RegistrarUsuario

Description

Tag

Start   2021-03-19 11:51:15   End   2021-03-19 11:51:18

Elapsed   2.627s

Status   FAILED

Details

#	Description	Elapsed	Status
1	tap(findTestObject("Registro/android.widget.Button - Registrarme"), 0)	0.470s	PASSED
	Timeout '0' is invalid. Using default page load timeout: '30'		

RegistrarUsuario

Information

ID   Test Cases/RegistrarUsuario

Description

Tag

Start   2021-03-19 11:51:19   End   2021-03-19 11:51:19

Elapsed   0.339s

Status   FAILED

Details

#	Description	Elapsed	Status
1	tap(findTestObject("Registro/android.widget.Button - Registrarme"), 0)	0.239s	PASSED

Timeout '0' is invalid. Using default page load timeout: '30'

Cerrar App

Information

ID   Test Cases/Cerrar App

Description

Tag

Start   2021-03-19 11:51:19   End   2021-03-19 11:51:26

Elapsed   7.578s

Status   FAILED

Details

#	Description	Elapsed	Status
1	delay(5)	5.219s	PASSED
	Delayed 5 second(s)		

Cerrar App

#	Description	Elapsed	Status
2	takeScreenshot()	0.388s	FAILED

Unable to take screenshot (Root cause: com.kms.katalon.core.exception.
StepFailedException: No driver found
        at com.kms.katalon.core.mobile.keyword.internal.MobileAbstractKeyword.
getAnyAppiumDriver(MobileAbstractKeyword.groovy:43)
        at com.kms.katalon.core.mobile.keyword.builtin.TakeScreenshotKeyword.
access$0(TakeScreenshotKeyword.groovy)
        at com.kms.katalon.core.mobile.keyword.builtin.
TakeScreenshotKeyword$_takeScreenshot_closure1.doCall(TakeScreenshotKeyword.
groovy:94)
        at com.kms.katalon.core.mobile.keyword.builtin.
TakeScreenshotKeyword$_takeScreenshot_closure1.call(TakeScreenshotKeyword.
groovy)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:21)
        at com.kms.katalon.core.mobile.keyword.builtin.TakeScreenshotKeyword.
takeScreenshot(TakeScreenshotKeyword.groovy:93)
        at com.kms.katalon.core.mobile.keyword.builtin.TakeScreenshotKeyword.
execute(TakeScreenshotKeyword.groovy:53)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:73)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
takeScreenshot(MobileBuiltInKeywords.groovy:240)
        at com.kms.katalon.core.mobile.keyword.
MobileBuiltInKeywords$takeScreenshot$1.call(Unknown Source)
        at Cerrar App.run(Cerrar App:23)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:398)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:389)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:368)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:360)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:255)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestCaseMainPhase(TestSuiteExecutor.java:203)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:152)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:95)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
        at TempTestSuite1616176249317.run(TempTestSuite1616176249317.
groovy:39)
)