

# Registro

---

## Execution Environment

Host name a2274333 - 192.168.0.10  
OS Mac OS X 64bit  
Katalon version 7.9.1.208  
Browser

## Summary

ID	Test Suites/Flujo Base/Registro		
Description			
Total	3	Failed	3
Passed	0	Incomplete	0
Error	0		
Start	2021-03-16 02:15:25	End	2021-03-16 02:15:29
Elapsed	4.184s		

#	ID	Description	Status
1	Test Cases/InstalaryAbrir		FAILED
2	Test Cases/RegistrarUsuario		FAILED
3	Test Cases/RegistrarUsuario		FAILED

# InstalaryAbrir

---

## Information

ID	Test Cases/InstalaryAbrir		
Description			
Tag			
Start	2021-03-16 02:15:26	End	2021-03-16 02:15:28
Elapsed	1.982s		
Status	FAILED		

## Details

#	Description	Elapsed	Status

# InstalaryAbrir

---

#	Description	Elapsed	Status
1	startApplication(Ubicacion_APK, true)  Unable to start app at: '/Users/a2274333/Downloads/AppClientes_327-clear-preprod-debug.apk' (Root cause: org.openqa.selenium.SessionNotCreatedException: Unable to create a new remote session. Please check the server log for more details. Original error: app must be an absolute URL or path to Kobiton storage Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'A2274333s-MacBook-Pro.local', ip: 'fe80:0:0:0:1847:f874:e4ae:542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275' Driver info: driver.version: SwipeableAndroidDriver remote stacktrace: Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'A2274333s-MacBook-Pro.local', ip: 'fe80:0:0:0:1847:f874:e4ae:542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275' Driver info: driver.version: SwipeableAndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor\$1. createSession(AppiumCommandExecutor.java:208) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:217) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute (DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver. java:1) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute (SwipeableAndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at io.appium.java_client.DefaultGenericMobileDriver.<init> (DefaultGenericMobileDriver.java:38) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 85) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.<init> (SwipeableAndroidDriver.java:24) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:498) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startRemoteMobileDriver(MobileDriverFactory.java:546) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:449) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:49) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:51)	1.449s	FAILED

# InstalaryAbrir

#	Description	Elapsed	Status
85	<pre>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)     at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:77)     at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startApplication.call(Unknown Source)     at InstalaryAbrir.run(InstalaryAbrir:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:398)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:389)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360)     at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:255)     at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:203)     at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:152)     at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:95)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)     at TempTestSuite1615882522236.run(TempTestSuite1615882522236. groovy:39) Caused by: java.lang.reflect.InvocationTargetException     at io.appium.java_client.remote.AppiumCommandExecutor\$1. createSession(AppiumCommandExecutor.java:186)     at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:217)     at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239)     at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552)     at io.appium.java_client.DefaultGenericMobileDriver.execute (DefaultGenericMobileDriver.java:42)     at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)     at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver. java:1)     at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute (SwipeableAndroidDriver.java:1)     at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt; (RemoteWebDriver.java:131)     at io.appium.java_client.DefaultGenericMobileDriver.&lt;init&gt; (DefaultGenericMobileDriver.java:38)     at io.appium.java_client.AppiumDriver.&lt;init&gt;(AppiumDriver.java:84)     at io.appium.java_client.android.AndroidDriver.&lt;init&gt;(AndroidDriver.java: 85)     at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.&lt;init&gt; (SwipeableAndroidDriver.java:24)     at com.kms.katalon.core.appium.driver.AppiumDriverManager.</pre>		

# InstalaryAbrir

---

#	Description	Elapsed	Status
	<pre>createMobileDriver(AppiumDriverManager.java:498)     at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startRemoteMobileDriver(MobileDriverFactory.java:546)     at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:449)     at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$._startApplication_closure1.doCall (StartApplicationKeyword.groovy:49)     at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$._startApplication_closure1.call(StartApplicationKeyword. groovy)     at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21)     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:51)     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)     at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:77)     at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startApplication.call(Unknown Source)     at Script1615867292978.run(Script1615867292978.groovy:20)     ... 13 more Caused by: org.openqa.selenium.WebDriverException: app must be an absolute URL or path to Koboton storage Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53' System info: host: 'A2274333s-MacBook-Pro.local', ip: 'fe80:0:0:0:1847:f874:e4ae: 542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275' Driver info: driver.version: SwipeableAndroidDriver remote stacktrace:     at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)     at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30)     at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128)     ... 39 more )</pre>		

# RegistrarUsuario

---

## Information

ID Test Cases/RegistrarUsuario

Description

Tag

Start 2021-03-16 02:15:28 End 2021-03-16 02:15:29

Elapsed 0.690s

Status FAILED

## Details

#	Description	Elapsed	Status
1	tap(findTestObject("Registro/android.widget.Button - Registrarme"), 0)	0.155s	PASSED

Timeout '0' is invalid. Using default page load timeout: '30'

# RegistrarUsuario

---

## Information

ID Test Cases/RegistrarUsuario

Description

Tag

Start 2021-03-16 02:15:29 End 2021-03-16 02:15:29

Elapsed 0.173s

Status FAILED

## Details

#	Description	Elapsed	Status
1	tap(findTestObject("Registro/android.widget.Button - Registrarme"), 0)	0.139s	PASSED

Timeout '0' is invalid. Using default page load timeout: '30'