

Registro

Execution Environment

Host name a2274333 - 192.168.14.105
OS Mac OS X 64bit
Katalon version 7.9.1.208
Browser

Summary

ID Test Suites/Flujo Base/Registro
Description

Total 3

Passed 0

Error 0

Failed 3

Incomplete 0

Start 2021-03-16 09:11:32

End 2021-03-16 09:12:48

Elapsed 1m - 15.999s

#	ID	Description	Status
1	Test Cases/InstalaryAbrir		FAILED
2	Test Cases/RegistrarUsuario		FAILED
3	Test Cases/RegistrarUsuario		FAILED

InstalaryAbrir

Information

ID	Test Cases/InstalaryAbrir		
Description			
Tag			
Start	2021-03-16 09:11:34	End	2021-03-16 09:12:46
Elapsed	1m - 11.823s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

InstalaryAbrir

#	Description	Elapsed	Status
1	<p>startApplication(Ubicacion_APK, true)</p> <p>Unable to start app at: '/Users/a2274333/Downloads/AppClientes_327-clear-preprod-debug.apk' (Root cause: org.openqa.selenium.SessionNotCreatedException: Unable to create a new remote session. Please check the server log for more details. Original error: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/a2274333/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s L5Y7N15A12003367 shell pm install -r /data/local/tmp/appium_cache/a4dcc3776523c704e0d84d32fea2cd38470ecf92.apk' timed out after 20000ms'. Try to increase the 20000ms adb execution timeout represented by 'uiautomator2ServerInstallTimeout' capability Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'pla-a2105475l2.edificios.gfbanorte', ip: 'fe80:0:0:0:1847:f874:e4ae:542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275' Driver info: driver.version: SwipeableAndroidDriver remote stacktrace: UnknownError: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/a2274333/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s L5Y7N15A12003367 shell pm install -r /data/local/tmp/appium_cache/a4dcc3776523c704e0d84d32fea2cd38470ecf92.apk' timed out after 20000ms'. Try to increase the 20000ms adb execution timeout represented by 'uiautomator2ServerInstallTimeout' capability at getResponseForW3CError (/Users/a2274333/node_modules/appium/node_modules/appium-base-driver/lib/protocol/errors.js:804:9) at asyncHandler (/Users/a2274333/node_modules/appium/node_modules/appium-base-driver/lib/protocol/protocol.js:380:37) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'pla-a2105475l2.edificios.gfbanorte', ip: 'fe80:0:0:0:1847:f874:e4ae:542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275' Driver info: driver.version: SwipeableAndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor\$.createSession(AppiumCommandExecutor.java:208) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:217) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute(SwipeableAndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at io.appium.java_client.DefaultGenericMobileDriver.<init>(DefaultGenericMobileDriver.java:38) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:85) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.<init></p>	1m - 10.758s	FAILED

InstalaryAbrir

#	Description	Elapsed	Status
	(SwipeableAndroidDriver.java:24) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:498) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:480) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:539) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:452) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:49) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:51) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:77) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startApplication.call(Unknown Source) at InstalaryAbrir.run(InstalaryAbrir:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestMainPhase(TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1615907480839.run(TempTestSuite1615907480839. groovy:39) Caused by: java.lang.reflect.InvocationTargetException at io.appium.java_client.remote.AppiumCommandExecutor\$1. createSession(AppiumCommandExecutor.java:186) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:217) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552)		

InstalaryAbrir

#	Description	Elapsed	Status
	<pre>at io.appium.java_client.DefaultGenericMobileDriver.execute (DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver. java:1) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute (SwipeableAndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at io.appium.java_client.DefaultGenericMobileDriver.<init> (DefaultGenericMobileDriver.java:38) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 85) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.<init> (SwipeableAndroidDriver.java:24) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:498) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:480) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:539) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:452) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:49) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:51) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:77) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startApplication.call(Unknown Source) at Script1615867292978.run(Script1615867292978.groovy:20) ... 13 more Caused by: org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/a2274333/. katalon/tools/android_sdk/platform-tools/adb -P 5037 -s L5Y7N15A12003367 shell pm install -r /data/local/tmp/appium_cache/a4dcc3776523c704e0d84d32fea2cd38470ecf92. apk' timed out after 20000ms'. Try to increase the 20000ms adb execution timeout represented by 'uiautomator2ServerInstallTimeout' capability Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53' System info: host: 'pla-a2105475l2.edificios.gfbnorte', ip: 'fe80:0:0:0:1847:f874: e4ae:542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java. version: '1.8.0_275' Driver info: driver.version: SwipeableAndroidDriver remote stacktrace: UnknownError: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error:</pre>		

InstalaryAbrir

#	Description	Elapsed	Status
	<pre>'Command '/Users/a2274333/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s L5Y7N15A12003367 shell pm install -r /data/local/tmp/appium_cache/a4dcc3776523c704e0d84d32fea2cd38470ecf92. apk' timed out after 20000ms'. Try to increase the 20000ms adb execution timeout represented by 'uiautomator2ServerInstallTimeout' capability at getResponseForW3CError (/Users/a2274333/node_modules/appium/node_modules/appium-base- driver/lib/protocol/errors.js:804:9) at asyncHandler (/Users/a2274333/node_modules/appium/node_modules/appium-base- driver/lib/protocol/protocol.js:380:37) at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) ... 40 more)</pre>		

RegistrarUsuario

Information

ID	Test Cases/RegistrarUsuario		
Description			
Tag			
Start	2021-03-16 09:12:46	End	2021-03-16 09:12:48
Elapsed	1.285s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	tap(findTestObject("Registro/android.widget.Button - Registrarme"), 0)	0.497s	PASSED
Timeout '0' is invalid. Using default page load timeout: '30'			

RegistrarUsuario

Information

ID	Test Cases/RegistrarUsuario		
Description			
Tag			
Start	2021-03-16 09:12:48	End	2021-03-16 09:12:48
Elapsed	0.136s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	tap(findTestObject("Registro/android.widget.Button - Registrarme"), 0)	0.093s	PASSED
Timeout '0' is invalid. Using default page load timeout: '30'			